



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 03:31 PM UTC

PDB ID : 5OQR / pdb_00005oqr
Title : Crystal structure of the S. pombe condensin Cnd3-Cnd2 subcomplex
Authors : Kschonsak, M.; Hassler, M.; Haering, C.H.
Deposited on : 2017-08-14
Resolution : 2.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4951 (2.64-2.60)
Clashscore	190562	5303 (2.64-2.60)
Ramachandran outliers	187476	5217 (2.64-2.60)
Sidechain outliers	187428	5217 (2.64-2.60)
RSRZ outliers	180081	4950 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	788	
1	B	788	
2	C	135	
2	D	135	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 26152 atoms, of which 13120 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Condensin complex subunit 3.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	751	Total	C	H	N	O	S	0	0	0
			12231	3873	6155	1029	1145	29			
1	B	726	Total	C	H	N	O	S	0	0	0
			11862	3761	5967	996	1109	29			

There are 70 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	GLN	deletion	UNP Q10429
A	?	-	THR	deletion	UNP Q10429
A	?	-	GLU	deletion	UNP Q10429
A	?	-	GLU	deletion	UNP Q10429
A	?	-	GLN	deletion	UNP Q10429
A	?	-	GLY	deletion	UNP Q10429
A	?	-	ASN	deletion	UNP Q10429
A	?	-	SER	deletion	UNP Q10429
A	?	-	ASN	deletion	UNP Q10429
A	?	-	ALA	deletion	UNP Q10429
A	?	-	PRO	deletion	UNP Q10429
A	?	-	GLU	deletion	UNP Q10429
A	?	-	LEU	deletion	UNP Q10429
A	?	-	ASN	deletion	UNP Q10429
A	?	-	LYS	deletion	UNP Q10429
A	?	-	ASN	deletion	UNP Q10429
A	?	-	ASP	deletion	UNP Q10429
A	?	-	TYR	deletion	UNP Q10429
A	?	-	GLU	deletion	UNP Q10429
A	?	-	GLY	deletion	UNP Q10429
A	?	-	GLU	deletion	UNP Q10429
A	?	-	GLU	deletion	UNP Q10429
A	?	-	ILE	deletion	UNP Q10429
A	?	-	THR	deletion	UNP Q10429
A	?	-	VAL	deletion	UNP Q10429

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	SER	deletion	UNP Q10429
A	?	-	GLN	deletion	UNP Q10429
A	?	-	LYS	deletion	UNP Q10429
A	?	-	SER	deletion	UNP Q10429
A	?	-	PRO	deletion	UNP Q10429
A	?	-	SER	deletion	UNP Q10429
A	?	-	PRO	deletion	UNP Q10429
A	?	-	SER	deletion	UNP Q10429
A	?	-	LEU	deletion	UNP Q10429
A	?	-	PRO	deletion	UNP Q10429
B	?	-	GLN	deletion	UNP Q10429
B	?	-	THR	deletion	UNP Q10429
B	?	-	GLU	deletion	UNP Q10429
B	?	-	GLU	deletion	UNP Q10429
B	?	-	GLN	deletion	UNP Q10429
B	?	-	GLY	deletion	UNP Q10429
B	?	-	ASN	deletion	UNP Q10429
B	?	-	SER	deletion	UNP Q10429
B	?	-	ASN	deletion	UNP Q10429
B	?	-	ALA	deletion	UNP Q10429
B	?	-	PRO	deletion	UNP Q10429
B	?	-	GLU	deletion	UNP Q10429
B	?	-	LEU	deletion	UNP Q10429
B	?	-	ASN	deletion	UNP Q10429
B	?	-	LYS	deletion	UNP Q10429
B	?	-	ASN	deletion	UNP Q10429
B	?	-	ASP	deletion	UNP Q10429
B	?	-	TYR	deletion	UNP Q10429
B	?	-	GLU	deletion	UNP Q10429
B	?	-	GLY	deletion	UNP Q10429
B	?	-	GLU	deletion	UNP Q10429
B	?	-	GLU	deletion	UNP Q10429
B	?	-	ILE	deletion	UNP Q10429
B	?	-	THR	deletion	UNP Q10429
B	?	-	VAL	deletion	UNP Q10429
B	?	-	SER	deletion	UNP Q10429
B	?	-	GLN	deletion	UNP Q10429
B	?	-	LYS	deletion	UNP Q10429
B	?	-	SER	deletion	UNP Q10429
B	?	-	PRO	deletion	UNP Q10429
B	?	-	SER	deletion	UNP Q10429
B	?	-	PRO	deletion	UNP Q10429

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	SER	deletion	UNP Q10429
B	?	-	LEU	deletion	UNP Q10429
B	?	-	PRO	deletion	UNP Q10429

- Molecule 2 is a protein called Condensin complex subunit 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	C	52	Total	C	H	N	O	S	0	0	0
			878	287	434	75	80	2			
2	D	68	Total	C	H	N	O	S	0	0	0
			1134	369	564	95	103	3			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	410	GLY	-	expression tag	UNP Q9Y7R3
C	411	PRO	-	expression tag	UNP Q9Y7R3
C	412	LEU	-	expression tag	UNP Q9Y7R3
C	413	GLY	-	expression tag	UNP Q9Y7R3
C	414	HIS	-	expression tag	UNP Q9Y7R3
C	415	MET	-	expression tag	UNP Q9Y7R3
D	410	GLY	-	expression tag	UNP Q9Y7R3
D	411	PRO	-	expression tag	UNP Q9Y7R3
D	412	LEU	-	expression tag	UNP Q9Y7R3
D	413	GLY	-	expression tag	UNP Q9Y7R3
D	414	HIS	-	expression tag	UNP Q9Y7R3
D	415	MET	-	expression tag	UNP Q9Y7R3


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	24	Total	O	0	0
			24	24		
3	B	22	Total	O	0	0
			22	22		
3	D	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Condensin complex subunit 3




• Molecule 1: Condensin complex subunit 3



● Molecule 2: Condensin complex subunit 2



● Molecule 2: Condensin complex subunit 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	88.41Å 142.11Å 176.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.06 – 2.61 49.06 – 2.61	Depositor EDS
% Data completeness (in resolution range)	99.5 (49.06-2.61) 96.8 (49.06-2.61)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.38 (at 2.61Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.223 , 0.258 0.223 , 0.258	Depositor DCC
R_{free} test set	2000 reflections (2.92%)	wwPDB-VP
Wilson B-factor (Å ²)	53.2	Xtriage
Anisotropy	0.367	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 50.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	26152	wwPDB-VP
Average B, all atoms (Å ²)	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.13	0/6169	0.30	0/8335
1	B	0.13	0/5984	0.34	0/8080
2	C	0.15	0/452	0.42	0/606
2	D	0.14	0/582	0.40	0/779
All	All	0.13	0/13187	0.33	0/17800

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6076	6155	6165	48	4
1	B	5895	5967	5974	87	1
2	C	444	434	435	12	0
2	D	570	564	574	10	0
3	A	24	0	0	2	0
3	B	22	0	0	5	0
3	D	1	0	0	0	0
All	All	13032	13120	13148	145	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:220:ARG:NH2	1:B:257:ASN:O	2.08	0.87
1:B:22:ASN:ND2	1:B:67:TYR:OH	2.08	0.86
2:D:500:SER:HB2	2:D:502:LEU:HD21	1.60	0.83
1:A:129:ARG:NH2	1:A:132:ASP:OD1	2.12	0.82
1:A:168:GLN:OE1	2:C:514:ARG:NH1	2.13	0.81
1:A:647:TYR:O	1:A:659:ARG:NH2	2.14	0.80
1:A:764:PHE:O	1:A:767:SER:OG	2.01	0.78
1:A:215:LYS:NZ	3:A:901:HOH:O	2.17	0.77
2:C:522:GLN:OE1	2:C:522:GLN:N	2.18	0.76
1:B:192:PHE:O	3:B:901:HOH:O	2.05	0.75
1:B:174:GLU:OE1	1:B:177:ARG:NH2	2.24	0.71
2:C:513:ASN:O	2:C:515:CYS:N	2.23	0.71
1:B:352:ASP:OD2	1:B:354:SER:OG	2.06	0.70
1:A:116:ASP:OD2	1:A:120:ASN:ND2	2.23	0.69
1:B:118:LEU:O	1:B:121:THR:N	2.25	0.69
1:A:654:ASP:O	1:A:656:HIS:ND1	2.24	0.68
1:B:11:GLN:OE1	2:D:483:ILE:N	2.27	0.68
1:B:720:ASN:OD1	3:B:902:HOH:O	2.10	0.68
1:B:25:PHE:O	1:B:28:ARG:NH1	2.26	0.68
1:B:302:PHE:O	3:B:903:HOH:O	2.11	0.68
1:A:732:ASP:N	1:A:732:ASP:OD1	2.27	0.67
1:A:23:LYS:O	1:A:26:THR:OG1	2.07	0.66
1:A:97:ARG:NH1	1:A:132:ASP:OD1	2.28	0.66
1:A:596:GLU:N	1:A:596:GLU:OE1	2.28	0.65
1:B:201:ASP:OD1	1:B:204:ASN:ND2	2.30	0.64
1:B:283:LYS:NZ	3:B:907:HOH:O	2.30	0.64
1:A:701:ASP:OD2	1:A:701:ASP:N	2.32	0.63
1:A:6:ILE:O	1:A:9:SER:OG	2.16	0.62
1:B:519:VAL:O	1:B:523:LYS:N	2.23	0.62
1:B:157:ASN:OD1	1:B:159:VAL:N	2.34	0.61
1:B:515:ASN:O	1:B:517:TYR:N	2.33	0.61
1:A:611:GLU:OE2	3:A:902:HOH:O	2.17	0.58
1:A:53:ASN:O	1:A:56:ARG:N	2.35	0.58
1:B:677:GLN:NE2	1:B:719:ASP:O	2.34	0.58
1:B:58:LEU:O	1:B:61:LEU:N	2.38	0.56
1:A:421:SER:OG	1:A:517:TYR:OH	2.03	0.56
1:B:92:LYS:HG2	1:B:97:ARG:HH12	1.70	0.56
1:B:270:ASP:OD1	1:B:273:ASN:ND2	2.39	0.55
1:B:516:LEU:HB3	1:B:519:VAL:HG22	1.88	0.55
1:A:676:ASN:OD1	1:A:679:ARG:NH1	2.41	0.54
1:B:660:GLN:NE2	2:D:519:ASP:O	2.35	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:97:ARG:HD2	1:B:129:ARG:HE	1.71	0.54
1:A:211:ARG:NH1	1:B:215:LYS:O	2.40	0.54
2:D:500:SER:HB2	2:D:502:LEU:HD11	1.89	0.53
2:C:481:ASN:HB2	2:C:482:ALA:HA	1.90	0.53
1:B:377:ASP:OD2	1:B:380:GLY:N	2.34	0.53
1:B:517:TYR:O	1:B:521:MET:HG2	2.08	0.53
1:A:414:SER:OG	1:A:418:ASP:OD1	2.28	0.52
1:A:133:ARG:NE	2:C:503:LYS:O	2.43	0.52
1:B:261:ASN:OD1	1:B:264:GLU:N	2.35	0.52
1:A:132:ASP:OD2	1:A:134:GLU:N	2.36	0.52
1:B:516:LEU:H	1:B:516:LEU:HD12	1.76	0.51
1:B:518:MET:O	1:B:522:LEU:HB2	2.11	0.51
1:B:575:LYS:NZ	3:B:911:HOH:O	2.44	0.50
1:A:129:ARG:O	1:A:132:ASP:N	2.44	0.50
1:A:186:SER:O	1:A:190:LEU:N	2.45	0.50
1:B:514:GLU:O	1:B:516:LEU:N	2.45	0.50
1:B:514:GLU:O	1:B:515:ASN:C	2.54	0.50
1:B:516:LEU:HD23	1:B:519:VAL:HG11	1.94	0.49
1:B:756:ALA:O	1:B:762:ARG:NH2	2.45	0.49
1:B:519:VAL:HB	1:B:523:LYS:HD2	1.94	0.49
2:D:497:PRO:O	2:D:498:ALA:HB3	2.13	0.49
1:B:381:ARG:NH1	1:B:412:LEU:O	2.46	0.48
1:A:641:LYS:HB3	1:A:642:PRO:HD3	1.95	0.48
1:B:130:VAL:HG13	1:B:166:LEU:HD11	1.94	0.48
1:B:352:ASP:OD2	1:B:354:SER:N	2.45	0.48
1:B:79:GLN:N	1:B:80:PRO:HD3	2.27	0.48
1:B:82:LEU:HD21	1:B:118:LEU:HD11	1.94	0.48
1:B:318:ASN:HB2	1:B:333:MET:HE2	1.95	0.48
1:A:53:ASN:OD1	2:C:481:ASN:ND2	2.46	0.48
1:B:434:GLY:CA	1:B:435:HIS:C	2.87	0.47
2:D:500:SER:HB2	2:D:502:LEU:CD2	2.39	0.47
1:A:373:GLN:O	1:A:411:LYS:NZ	2.43	0.47
1:A:760:LYS:O	1:A:764:PHE:N	2.37	0.47
1:B:176:ARG:NH1	1:B:199:ASP:OD2	2.47	0.47
1:B:51:ASN:OD1	1:B:52:SER:N	2.40	0.47
1:B:157:ASN:OD1	1:B:160:ARG:N	2.36	0.46
1:A:511:SER:HA	1:A:518:MET:HE1	1.98	0.46
1:B:118:LEU:C	1:B:118:LEU:HD13	2.40	0.46
1:B:512:LEU:CD1	1:B:515:ASN:HB2	2.46	0.46
1:B:515:ASN:HB3	1:B:517:TYR:CZ	2.51	0.46
1:B:152:THR:O	1:B:160:ARG:NH1	2.48	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:636:ASP:OD1	1:A:636:ASP:N	2.46	0.45
1:B:7:ILE:O	1:B:10:SER:HB2	2.15	0.45
1:B:159:VAL:HA	1:B:162:ILE:HG22	1.99	0.45
1:A:517:TYR:O	1:A:521:MET:HG2	2.17	0.45
1:A:652:THR:HG22	1:A:652:THR:O	2.17	0.45
1:B:434:GLY:HA2	1:B:435:HIS:C	2.42	0.45
1:B:63:THR:O	1:B:67:TYR:N	2.50	0.44
1:B:160:ARG:HH11	1:B:184:GLU:CD	2.24	0.44
1:B:196:ARG:NH1	2:D:516:LEU:HD11	2.33	0.44
1:B:118:LEU:O	1:B:119:TYR:C	2.61	0.44
1:B:512:LEU:HD11	1:B:517:TYR:CE1	2.52	0.44
1:B:518:MET:CG	1:B:519:VAL:N	2.80	0.44
1:A:133:ARG:HD2	1:A:133:ARG:H	1.83	0.44
2:C:504:LEU:HD23	2:C:504:LEU:N	2.33	0.44
1:B:652:THR:O	1:B:652:THR:HG22	2.18	0.43
1:B:512:LEU:HD11	1:B:515:ASN:HB2	2.00	0.43
1:B:152:THR:O	1:B:153:GLY:C	2.60	0.43
1:B:650:PRO:HA	1:B:653:VAL:HG23	2.01	0.43
1:B:4:ILE:HG13	1:B:36:ASP:HB3	2.01	0.43
1:A:623:GLU:O	1:A:627:LYS:HG2	2.19	0.43
1:B:538:ARG:O	1:B:542:LEU:HD13	2.19	0.43
2:C:513:ASN:N	2:C:513:ASN:OD1	2.52	0.43
2:D:502:LEU:HD22	2:D:502:LEU:N	2.33	0.43
1:A:660:GLN:OE1	2:C:522:GLN:CD	2.62	0.43
1:B:321:CYS:O	1:B:325:ASN:N	2.51	0.43
1:B:522:LEU:HA	1:B:526:ILE:HB	2.01	0.43
1:A:11:GLN:HG2	1:A:53:ASN:ND2	2.34	0.42
1:B:60:PHE:CD2	1:B:60:PHE:C	2.97	0.42
1:B:11:GLN:O	1:B:56:ARG:HD2	2.19	0.42
2:D:488:GLU:O	2:D:488:GLU:HG2	2.19	0.42
1:A:79:GLN:HB2	1:A:80:PRO:HD3	2.01	0.42
1:A:336:VAL:HG23	1:A:380:GLY:HA3	2.01	0.42
1:B:38:LEU:HD21	1:B:84:HIS:CE1	2.53	0.42
1:B:636:ASP:N	1:B:636:ASP:OD1	2.52	0.42
1:A:206:LYS:HE2	1:B:256:GLU:OE1	2.19	0.42
1:A:378:GLU:O	1:A:382:ARG:HD3	2.20	0.42
1:B:95:THR:O	1:B:99:ARG:HG2	2.20	0.42
1:A:71:LYS:O	1:A:72:ASP:CB	2.67	0.42
1:B:6:ILE:HD11	1:B:24:LEU:HB2	2.00	0.42
1:B:92:LYS:HE3	2:D:498:ALA:HB3	2.02	0.42
1:A:53:ASN:ND2	2:C:481:ASN:HB2	2.35	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:527:ILE:HB	1:A:528:PRO:HD3	2.02	0.42
1:B:519:VAL:CG2	1:B:520:ASP:N	2.83	0.42
1:B:139:LEU:O	1:B:142:VAL:HG22	2.20	0.42
1:B:136:ILE:HG13	1:B:137:VAL:N	2.35	0.42
1:A:48:LYS:HD3	1:A:95:THR:HG21	2.00	0.41
1:B:45:LEU:HA	1:B:99:ARG:HG3	2.03	0.41
1:B:6:ILE:HD11	1:B:24:LEU:HD23	2.03	0.41
1:B:264:GLU:OE2	1:B:268:ARG:NE	2.53	0.41
1:B:20:LEU:O	1:B:23:LYS:N	2.54	0.41
1:B:141:ALA:O	1:B:145:LEU:HD12	2.20	0.41
1:A:303:TRP:CZ2	1:A:334:PRO:HD3	2.56	0.41
1:B:129:ARG:HH21	1:B:129:ARG:HA	1.86	0.41
2:C:491:VAL:HG23	2:C:492:GLU:N	2.36	0.41
1:A:660:GLN:HG3	2:C:519:ASP:O	2.21	0.41
1:B:93:ASP:OD1	1:B:96:VAL:HG23	2.21	0.41
1:A:637:GLU:H	1:A:637:GLU:CD	2.29	0.40
1:A:649:GLU:HG3	1:A:650:PRO:HD2	2.04	0.40
1:B:20:LEU:HB3	1:B:60:PHE:HZ	1.85	0.40
1:B:62:VAL:O	1:B:65:VAL:HG22	2.21	0.40
1:A:695:TYR:HB3	1:A:703:VAL:HG13	2.04	0.40
1:B:57:VAL:O	1:B:61:LEU:N	2.46	0.40
1:B:427:ILE:HG21	1:B:521:MET:HE1	2.04	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:34:GLU:OE2	1:A:569:LYS:NZ[2_665]	2.11	0.09
1:A:386:LYS:NZ	1:A:596:GLU:OE2[4_456]	2.13	0.07
1:A:353:LYS:HZ3	1:B:510:SER:OG[3_656]	1.54	0.06
1:A:386:LYS:HZ1	1:A:596:GLU:OE2[4_456]	1.55	0.05

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	739/788 (94%)	720 (97%)	15 (2%)	4 (0%)	24	44
1	B	708/788 (90%)	671 (95%)	32 (4%)	5 (1%)	18	35
2	C	44/135 (33%)	40 (91%)	3 (7%)	1 (2%)	5	8
2	D	63/135 (47%)	51 (81%)	11 (18%)	1 (2%)	7	15
All	All	1554/1846 (84%)	1482 (95%)	61 (4%)	11 (1%)	18	35

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	736	ALA
1	B	92	LYS
1	B	515	ASN
1	B	516	LEU
2	C	514	ARG
1	A	33	PHE
1	A	72	ASP
1	B	153	GLY
1	B	514	GLU
1	A	725	GLU
2	D	508	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	686/721 (95%)	670 (98%)	16 (2%)	44	69
1	B	667/721 (92%)	650 (98%)	17 (2%)	42	68
2	C	50/123 (41%)	48 (96%)	2 (4%)	28	53
2	D	65/123 (53%)	63 (97%)	2 (3%)	35	61
All	All	1468/1688 (87%)	1431 (98%)	37 (2%)	42	68

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	69	GLN
1	A	70	GLN
1	A	71	LYS
1	A	89	LEU
1	A	114	ILE
1	A	128	SER
1	A	190	LEU
1	A	194	LEU
1	A	397	LEU
1	A	595	THR
1	A	636	ASP
1	A	640	LEU
1	A	660	GLN
1	A	701	ASP
1	A	706	SER
1	A	732	ASP
1	B	12	THR
1	B	20	LEU
1	B	24	LEU
1	B	62	VAL
1	B	65	VAL
1	B	68	LEU
1	B	129	ARG
1	B	130	VAL
1	B	139	LEU
1	B	315	ARG
1	B	336	VAL
1	B	400	SER
1	B	423	LEU
1	B	517	TYR
1	B	637	GLU
1	B	661	VAL
1	B	794	GLU
2	C	504	LEU
2	C	513	ASN
2	D	420	GLU
2	D	502	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	169	ASN
1	A	253	GLN
1	A	257	ASN
1	A	346	GLN
1	A	588	GLN
1	A	614	ASN
1	B	22	ASN
1	B	149	GLN
1	B	182	ASN
1	B	236	ASN
1	B	257	ASN
1	B	674	HIS
2	C	481	ASN
2	D	513	ASN
2	D	522	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	751/788 (95%)	0.09	33 (4%)	39 33	28, 57, 134, 184	0
1	B	726/788 (92%)	0.27	42 (5%)	29 24	33, 73, 177, 230	0
2	C	52/135 (38%)	1.62	19 (36%)	1 0	36, 127, 196, 213	0
2	D	68/135 (50%)	1.71	24 (35%)	1 1	42, 142, 217, 248	0
All	All	1597/1846 (86%)	0.29	118 (7%)	20 17	28, 69, 169, 248	0

All (118) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	517	TYR	5.1
1	B	512	LEU	4.8
1	B	17	HIS	4.6
2	C	494	LEU	4.2
1	B	7	ILE	4.2
1	B	46	THR	4.2
2	D	494	LEU	4.1
2	C	489	VAL	4.1
1	B	41	LEU	4.0
1	A	731	GLY	4.0
2	D	483	ILE	3.9
2	D	421	TYR	3.9
2	D	482	ALA	3.8
2	C	504	LEU	3.7
1	B	13	SER	3.7
1	A	32	GLY	3.5
1	A	93	ASP	3.5
2	D	487	GLN	3.5
1	B	40	ALA	3.5
2	C	509	TRP	3.3
2	C	479	LEU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	521	TYR	3.3
1	A	736	ALA	3.3
2	C	488	GLU	3.1
1	A	111	VAL	3.1
2	C	507	SER	3.1
2	D	422	PHE	3.1
1	B	37	ILE	3.1
1	A	112	LYS	3.1
1	A	737	LEU	3.0
2	D	512	HIS	3.0
2	C	497	PRO	3.0
1	A	149	GLN	3.0
2	C	482	ALA	3.0
1	A	91	ALA	3.0
1	B	4	ILE	2.9
2	D	508	HIS	2.9
1	A	30	GLN	2.8
1	A	90	ASP	2.8
2	D	503	LYS	2.8
1	A	434	GLY	2.8
1	B	516	LEU	2.8
2	D	489	VAL	2.8
2	C	512	HIS	2.8
1	B	42	ASN	2.7
1	A	95	THR	2.7
1	B	518	MET	2.7
1	B	703	VAL	2.7
2	D	485	PHE	2.7
2	D	491	VAL	2.7
2	D	480	ASP	2.7
1	B	5	GLN	2.7
1	A	375	MET	2.7
1	B	79	GLN	2.6
2	D	523	TYR	2.6
1	A	137	VAL	2.6
1	A	164	LEU	2.6
2	C	495	PHE	2.6
1	B	9	SER	2.6
2	D	499	THR	2.6
2	D	495	PHE	2.5
2	D	539	VAL	2.5
2	C	520	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	435	HIS	2.5
1	A	70	GLN	2.5
1	B	20	LEU	2.4
1	B	58	LEU	2.4
2	C	508	HIS	2.4
1	A	148	LEU	2.4
1	A	101	CYS	2.4
2	D	505	PRO	2.4
1	B	6	ILE	2.4
1	B	89	LEU	2.4
1	A	702	ASP	2.4
1	B	61	LEU	2.4
1	B	26	THR	2.4
2	C	490	ASP	2.4
1	B	91	ALA	2.4
1	A	86	LEU	2.3
1	A	167	LEU	2.3
1	B	68	LEU	2.3
1	B	217	GLY	2.3
2	C	477	ARG	2.3
1	A	705	LEU	2.3
2	D	504	LEU	2.3
1	B	152	THR	2.3
1	B	435	HIS	2.3
1	A	189	THR	2.3
1	B	511	SER	2.3
1	A	130	VAL	2.3
1	B	85	ILE	2.3
1	B	12	THR	2.3
1	B	724	TYR	2.2
1	A	701	ASP	2.2
1	B	30	GLN	2.2
2	D	502	LEU	2.2
2	C	526	LYS	2.2
1	B	51	ASN	2.2
1	B	221	TYR	2.2
1	A	162	ILE	2.2
1	B	25	PHE	2.2
1	A	726	ARG	2.2
2	C	524	ASP	2.2
1	B	488	TYR	2.1
2	D	526	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	52	SER	2.1
1	B	29	THR	2.1
1	B	54	ALA	2.1
2	C	515	CYS	2.1
1	A	29	THR	2.1
1	B	44	ILE	2.1
2	C	521	TYR	2.1
1	A	821	ALA	2.0
2	D	425	SER	2.0
1	B	80	PRO	2.0
1	A	491	ALA	2.0
2	D	509	TRP	2.0
1	A	89	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.