



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:46 PM UTC

PDB ID : 6OQ6 / pdb_00006oq6
Title : Structure of the pore forming fragment of Clostridium difficile toxin B in complex with VHH 5D
Authors : Chen, P.; Lam, K.; Jin, R.
Deposited on : 2019-04-25
Resolution : 2.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3580 (3.00-2.96)
Clashscore	190562	3904 (3.00-2.96)
Ramachandran outliers	187476	3761 (3.00-2.96)
Sidechain outliers	187428	3764 (3.00-2.96)
RSRZ outliers	180081	3579 (3.00-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	363	7% 66% 24% 5% 6%
2	D	153	% 41% 35% 8% 16%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3719 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toxin B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	342	Total	C	N	O	S	0	0	0
			2721	1743	436	536	6			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1071	SER	-	expression tag	UNP M4NKV9


- Molecule 2 is a protein called 5D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	128	Total	C	N	O	S	0	0	0
			998	623	181	191	3			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Toxin B



• Molecule 2: 5D



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	169.82Å 169.82Å 79.12Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	147.07 – 2.97 147.07 – 2.97	Depositor EDS
% Data completeness (in resolution range)	86.4 (147.07-2.97) 86.4 (147.07-2.97)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.72 (at 2.96Å)	Xtriage
Refinement program	REFMAC 5.8.0232	Depositor
R, R_{free}	0.259 , 0.274 0.259 , 0.274	Depositor DCC
R_{free} test set	599 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å ²)	54.0	Xtriage
Anisotropy	0.030	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 33.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	3719	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/2773	0.95	3/3766 (0.1%)
2	D	0.51	0/1018	1.15	3/1376 (0.2%)
All	All	0.47	0/3791	1.01	6/5142 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	112	ASP	N-CA-C	-7.65	103.49	114.12
1	A	1271	ILE	N-CA-C	5.67	121.13	109.34
1	A	1272	ALA	CA-C-N	5.37	128.47	120.95
1	A	1272	ALA	C-N-CA	5.37	128.47	120.95
2	D	76	LYS	CA-C-N	5.16	129.74	122.46
2	D	76	LYS	C-N-CA	5.16	129.74	122.46

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2721	0	2699	69	0
2	D	998	0	969	88	0
All	All	3719	0	3668	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 21.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:64:VAL:HG11	2:D:68:PHE:CD2	1.60	1.33
2:D:64:VAL:HG11	2:D:68:PHE:CG	1.73	1.22
2:D:37:PHE:CD2	2:D:117:TRP:HH2	1.67	1.11
2:D:53:ALA:HA	2:D:72:ARG:NH1	1.65	1.09
2:D:37:PHE:CD2	2:D:117:TRP:CH2	2.42	1.08
2:D:37:PHE:HE1	2:D:109:TRP:CD1	1.71	1.07
1:A:1235:THR:HG22	1:A:1275:LEU:C	1.80	1.05
2:D:64:VAL:CG1	2:D:68:PHE:CG	2.40	1.04
2:D:37:PHE:HD2	2:D:117:TRP:CH2	1.74	1.02
1:A:1242:ARG:H	1:A:1242:ARG:HD2	1.25	1.00
2:D:99:ARG:NH1	2:D:108:ARG:CG	2.25	1.00
2:D:99:ARG:NH1	2:D:108:ARG:HG3	1.78	0.98
1:A:1197:ARG:HG2	1:A:1197:ARG:HH11	1.25	0.98
2:D:53:ALA:HA	2:D:72:ARG:HH12	1.24	0.96
2:D:12:VAL:HG23	2:D:125:VAL:HG22	1.50	0.94
2:D:37:PHE:CE1	2:D:109:TRP:HD1	1.86	0.94
1:A:1092:ILE:HD12	1:A:1092:ILE:H	1.32	0.93
2:D:17:SER:HB3	2:D:84:ASN:HA	1.53	0.91
2:D:34:ILE:HG21	2:D:79:VAL:HG11	1.52	0.91
2:D:37:PHE:CE1	2:D:109:TRP:CD1	2.57	0.90
1:A:1235:THR:HG22	1:A:1276:ILE:N	1.87	0.89
2:D:24:ALA:HB3	2:D:29:LEU:CD2	2.04	0.87
2:D:24:ALA:CB	2:D:29:LEU:CD2	2.56	0.83
1:A:1172:ARG:HD3	1:A:1199:PRO:O	1.80	0.82
1:A:1308:TYR:CE1	1:A:1312:LYS:HE3	2.15	0.81
2:D:51:ILE:HD13	2:D:72:ARG:HD2	1.61	0.81
2:D:99:ARG:NH1	2:D:108:ARG:HG2	1.96	0.80
1:A:1197:ARG:HG2	1:A:1197:ARG:NH1	1.91	0.80
2:D:37:PHE:CE2	2:D:117:TRP:CH2	2.70	0.79
2:D:53:ALA:CA	2:D:72:ARG:HH12	1.95	0.78
1:A:1379:GLU:OE2	1:A:1380:GLU:N	2.17	0.78
2:D:64:VAL:CG1	2:D:68:PHE:CD2	2.56	0.78
1:A:1332:ASN:H	1:A:1332:ASN:HD22	1.30	0.77
2:D:37:PHE:CE2	2:D:117:TRP:HH2	2.03	0.77
2:D:83:MET:HE1	2:D:94:TYR:CE2	2.21	0.76
2:D:37:PHE:HD2	2:D:117:TRP:CZ3	2.04	0.75
1:A:1242:ARG:HD2	1:A:1242:ARG:N	2.01	0.75
2:D:12:VAL:HG21	2:D:86:LEU:CD1	2.17	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:53:ALA:CA	2:D:72:ARG:NH1	2.48	0.74
2:D:99:ARG:HH12	2:D:108:ARG:HG3	1.53	0.72
2:D:119:ARG:HH11	2:D:119:ARG:HG2	1.54	0.71
2:D:19:ARG:HG2	2:D:82:GLN:HA	1.72	0.70
1:A:1351:ASN:OD1	1:A:1365:LYS:HE3	1.91	0.69
2:D:24:ALA:HB3	2:D:29:LEU:HD23	1.74	0.68
1:A:1105:PRO:HG3	1:A:1309:ILE:HD11	1.76	0.68
2:D:29:LEU:HD12	2:D:72:ARG:HH21	1.59	0.67
2:D:24:ALA:CB	2:D:29:LEU:HD22	2.24	0.67
1:A:1092:ILE:H	1:A:1092:ILE:CD1	2.07	0.66
2:D:64:VAL:HG11	2:D:68:PHE:CE2	2.28	0.66
1:A:1289:ARG:HG3	1:A:1318:TYR:HE1	1.60	0.66
2:D:12:VAL:HG21	2:D:86:LEU:HD13	1.75	0.66
2:D:32:TYR:CD2	2:D:98:ARG:HD2	2.32	0.65
2:D:32:TYR:CZ	2:D:98:ARG:NH1	2.66	0.64
1:A:1143:LYS:O	1:A:1220:LEU:HB2	1.97	0.64
1:A:1231:PHE:CD1	1:A:1279:LEU:HD22	2.33	0.64
2:D:1:GLN:HA	2:D:1:GLN:OE1	1.98	0.64
2:D:24:ALA:CB	2:D:29:LEU:HD23	2.28	0.62
2:D:83:MET:HE1	2:D:94:TYR:CD2	2.34	0.62
2:D:51:ILE:HD13	2:D:72:ARG:CD	2.30	0.62
2:D:64:VAL:CG1	2:D:68:PHE:CD1	2.82	0.61
1:A:1105:PRO:CG	1:A:1309:ILE:HD11	2.32	0.60
1:A:1410:LEU:HB2	1:A:1413:ILE:HD12	1.82	0.60
2:D:17:SER:CB	2:D:83:MET:O	2.50	0.60
2:D:64:VAL:HG12	2:D:68:PHE:CG	2.37	0.59
1:A:1270:PHE:HD1	1:A:1271:ILE:HG12	1.68	0.59
2:D:12:VAL:HG21	2:D:86:LEU:HD12	1.84	0.59
1:A:1197:ARG:HH11	1:A:1197:ARG:CG	2.07	0.59
2:D:63:SER:O	2:D:67:ARG:NH2	2.35	0.58
2:D:54:SER:O	2:D:56:ARG:HG2	2.03	0.58
1:A:1150:ASP:HA	1:A:1226:ALA:HB2	1.84	0.58
2:D:86:LEU:HB3	2:D:125:VAL:HG21	1.85	0.57
2:D:52:SER:O	2:D:72:ARG:NH1	2.37	0.56
1:A:1252:LEU:HB3	1:A:1265:TRP:CD1	2.41	0.55
1:A:1092:ILE:HD12	1:A:1092:ILE:N	2.14	0.55
2:D:17:SER:HB2	2:D:83:MET:O	2.07	0.54
2:D:99:ARG:HH11	2:D:108:ARG:HG2	1.74	0.53
2:D:107:ASN:HB3	2:D:110:LEU:HG	1.89	0.53
1:A:1091:SER:C	1:A:1093:LEU:H	2.15	0.53
1:A:1332:ASN:H	1:A:1332:ASN:ND2	2.03	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:32:TYR:CG	2:D:98:ARG:HD2	2.44	0.53
2:D:38:ARG:NH1	2:D:90:ASP:HA	2.23	0.53
1:A:1240:GLY:HA2	1:A:1242:ARG:CZ	2.39	0.52
1:A:1145:MET:HE1	1:A:1216:LEU:HD23	1.91	0.52
1:A:1310:ARG:HD2	1:A:1331:TYR:HB3	1.92	0.52
1:A:1122:VAL:HG21	1:A:1244:LEU:HD21	1.93	0.52
1:A:1179:HIS:HA	1:A:1187:HIS:O	2.11	0.51
2:D:22:CYS:HB3	2:D:79:VAL:HG12	1.92	0.51
1:A:1311:GLU:O	2:D:56:ARG:NH2	2.44	0.50
2:D:38:ARG:NH1	2:D:94:TYR:OH	2.44	0.50
1:A:1220:LEU:HD23	1:A:1298:SER:HB2	1.93	0.50
2:D:119:ARG:HG2	2:D:119:ARG:NH1	2.25	0.50
2:D:68:PHE:CE2	2:D:83:MET:HE2	2.47	0.50
2:D:53:ALA:O	2:D:54:SER:OG	2.26	0.50
1:A:1332:ASN:HD22	1:A:1332:ASN:N	2.06	0.49
2:D:29:LEU:HD12	2:D:29:LEU:O	2.13	0.48
2:D:55:ALA:C	2:D:57:THR:H	2.20	0.48
2:D:44:GLU:OE2	2:D:44:GLU:HA	2.11	0.48
2:D:51:ILE:HG13	2:D:58:ILE:HG13	1.94	0.48
1:A:1268:PHE:C	1:A:1268:PHE:CD1	2.92	0.48
1:A:1216:LEU:O	1:A:1297:ARG:NH1	2.46	0.48
1:A:1318:TYR:HD2	1:A:1338:GLU:OE2	1.97	0.48
2:D:0:SER:O	2:D:0:SER:OG	2.31	0.48
2:D:29:LEU:CD1	2:D:72:ARG:HH21	2.25	0.47
2:D:99:ARG:CZ	2:D:108:ARG:HG3	2.43	0.47
1:A:1109:ASN:HD22	1:A:1109:ASN:HA	1.53	0.47
1:A:1289:ARG:HG3	1:A:1318:TYR:CE1	2.45	0.47
1:A:1235:THR:CG2	1:A:1276:ILE:N	2.69	0.47
1:A:1305:THR:HB	2:D:104:SER:HB3	1.97	0.47
1:A:1091:SER:C	1:A:1093:LEU:N	2.70	0.46
1:A:1347:ILE:HD13	1:A:1390:ILE:HD13	1.98	0.46
1:A:1407:PHE:N	1:A:1407:PHE:CD1	2.83	0.46
2:D:6:GLU:HA	2:D:21:SER:O	2.16	0.46
1:A:1354:ARG:NH2	1:A:1368:LEU:HD21	2.30	0.46
2:D:58:ILE:O	2:D:58:ILE:HG22	2.15	0.46
2:D:76:LYS:O	2:D:76:LYS:HG2	2.15	0.46
1:A:1371:GLY:O	1:A:1374:SER:HB3	2.16	0.46
1:A:1206:VAL:HG12	1:A:1206:VAL:O	2.16	0.45
1:A:1124:TYR:O	1:A:1128:VAL:HG23	2.15	0.45
1:A:1310:ARG:HD2	1:A:1331:TYR:CB	2.46	0.45
1:A:1105:PRO:HB2	1:A:1112:LEU:HD22	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1237:TRP:CZ3	1:A:1274:ALA:HB2	2.51	0.45
1:A:1305:THR:HB	2:D:104:SER:CB	2.47	0.45
2:D:53:ALA:O	2:D:54:SER:CB	2.65	0.44
1:A:1167:LYS:HE3	1:A:1284:GLU:OE1	2.17	0.44
1:A:1409:ILE:HG23	1:A:1413:ILE:HB	2.00	0.44
1:A:1354:ARG:NH2	1:A:1408:SER:O	2.51	0.44
2:D:4:LEU:HD12	2:D:4:LEU:HA	1.87	0.43
1:A:1117:LYS:HE3	1:A:1117:LYS:HB3	1.54	0.43
2:D:125:VAL:O	2:D:125:VAL:HG12	2.17	0.43
1:A:1105:PRO:CG	1:A:1309:ILE:CD1	2.97	0.43
2:D:14:PRO:HA	2:D:86:LEU:O	2.18	0.43
1:A:1191:ALA:HB2	1:A:1269:ALA:CB	2.49	0.42
1:A:1141:ASP:O	1:A:1142:ASP:HB2	2.19	0.42
1:A:1242:ARG:H	1:A:1242:ARG:CD	2.01	0.42
2:D:105:SER:OG	2:D:113:ASP:OD2	2.35	0.42
2:D:37:PHE:HE2	2:D:117:TRP:CH2	2.34	0.42
1:A:1224:PRO:HB2	1:A:1288:ILE:HD13	2.02	0.42
2:D:32:TYR:CE1	2:D:98:ARG:NH1	2.87	0.42
1:A:1303:ILE:HG12	1:A:1363:ILE:HD13	2.01	0.41
1:A:1384:ILE:HG12	1:A:1389:GLU:HG2	2.02	0.41
1:A:1093:LEU:HD12	1:A:1094:LEU:N	2.35	0.41
2:D:110:LEU:C	2:D:112:ASP:H	2.28	0.41
2:D:27:PHE:CE2	2:D:29:LEU:HB3	2.55	0.41
2:D:97:ALA:HB2	2:D:117:TRP:CE3	2.55	0.41
2:D:37:PHE:CD2	2:D:117:TRP:CZ3	2.93	0.41
1:A:1293:ASP:OD1	1:A:1295:ASN:HB2	2.21	0.41
1:A:1109:ASN:O	1:A:1110:ASN:HB3	2.21	0.40
2:D:12:VAL:CG2	2:D:86:LEU:HD13	2.44	0.40
1:A:1226:ALA:HA	1:A:1227:PRO:HD3	1.92	0.40
1:A:1271:ILE:N	1:A:1271:ILE:HD13	2.35	0.40
1:A:1380:GLU:HB2	1:A:1424:LYS:HE3	2.04	0.40
2:D:13:GLN:OE1	2:D:13:GLN:N	2.52	0.40
2:D:94:TYR:O	2:D:120:GLY:HA2	2.22	0.40
2:D:107:ASN:O	2:D:108:ARG:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	340/363 (94%)	319 (94%)	21 (6%)	0	100	100
2	D	126/153 (82%)	113 (90%)	13 (10%)	0	100	100
All	All	466/516 (90%)	432 (93%)	34 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	310/325 (95%)	275 (89%)	35 (11%)	5	22
2	D	104/127 (82%)	82 (79%)	22 (21%)	1	5
All	All	414/452 (92%)	357 (86%)	57 (14%)	3	15

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1090	PHE
1	A	1092	ILE
1	A	1100	ILE
1	A	1107	LEU
1	A	1109	ASN
1	A	1117	LYS
1	A	1138	THR
1	A	1197	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1207	LEU
1	A	1211	LYS
1	A	1235	THR
1	A	1242	ARG
1	A	1243	SER
1	A	1260	GLU
1	A	1268	PHE
1	A	1273	ASP
1	A	1275	LEU
1	A	1282	ARG
1	A	1305	THR
1	A	1332	ASN
1	A	1338	GLU
1	A	1344	VAL
1	A	1363	ILE
1	A	1374	SER
1	A	1379	GLU
1	A	1395	GLU
1	A	1403	VAL
1	A	1406	THR
1	A	1409	ILE
1	A	1410	LEU
1	A	1411	GLU
1	A	1414	ASN
1	A	1418	GLU
1	A	1419	VAL
1	A	1429	LEU
2	D	3	GLN
2	D	5	VAL
2	D	13	GLN
2	D	17	SER
2	D	18	LEU
2	D	19	ARG
2	D	20	LEU
2	D	34	ILE
2	D	45	ARG
2	D	52	SER
2	D	58	ILE
2	D	59	LEU
2	D	63	SER
2	D	64	VAL
2	D	65	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	85	SER
2	D	87	LYS
2	D	98	ARG
2	D	106	VAL
2	D	116	VAL
2	D	119	ARG
2	D	125	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1109	ASN
1	A	1110	ASN
1	A	1159	ASN
1	A	1200	HIS
1	A	1291	ASN
1	A	1332	ASN
1	A	1386	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	342/363 (94%)	0.65	25 (7%) 21 13	32, 60, 93, 111	0
2	D	128/153 (83%)	0.44	1 (0%) 82 67	31, 46, 64, 76	0
All	All	470/516 (91%)	0.59	26 (5%) 30 18	31, 55, 90, 111	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1182	THR	3.7
1	A	1158	PHE	3.5
1	A	1094	LEU	3.2
1	A	1090	PHE	3.2
1	A	1093	LEU	3.1
1	A	1431	SER	3.1
1	A	1413	ILE	2.8
1	A	1421	LEU	2.7
1	A	1091	SER	2.7
1	A	1198	GLU	2.6
2	D	104	SER	2.6
1	A	1292	LEU	2.6
1	A	1092	ILE	2.5
1	A	1270	PHE	2.5
1	A	1183	ASP	2.5
1	A	1417	ILE	2.4
1	A	1419	VAL	2.4
1	A	1428	LEU	2.4
1	A	1410	LEU	2.3
1	A	1342	SER	2.3
1	A	1296	THR	2.3
1	A	1212	GLU	2.2
1	A	1430	ILE	2.2
1	A	1345	TRP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1199	PRO	2.1
1	A	1411	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.