



## wwPDB EM Validation Summary Report ⓘ

Mar 26, 2026 – 10:19 PM UTC

PDB ID : 6ORQ / pdb\_00006orq  
EMDB ID : EMD-20178  
Title : Modified BG505 SOSIP-based immunogen RC1 in complex with the elicited V3-glycan patch antibody Ab275MUR  
Authors : Abernathy, M.E.; Gristick, H.B.; Bjorkman, P.J.  
Deposited on : 2019-04-30  
Resolution : 4.40 Å (reported)  
Based on initial models : 4FQQ, 5T3Z

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric                | Whole archive<br>(#Entries) | EM structures<br>(#Entries) | Similar EM resolution<br>(#Entries, resolution range(Å)) |
|-----------------------|-----------------------------|-----------------------------|----------------------------------------------------------|
| Clashscore            | 229148                      | 23984                       | -                                                        |
| Ramachandran outliers | 224038                      | 23583                       | -                                                        |
| Sidechain outliers    | 223484                      | 23102                       | -                                                        |
| Q-score               | -                           | 25397                       | 3132 ( 3.91 - 4.90 )                                     |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain                                                        |
|-----|-------|--------|-------------------------------------------------------------------------|
| 1   | A     | 148    | <div> <div>6%</div> <div>70%</div> <div>13%</div> <div>16%</div> </div> |
| 1   | C     | 148    | <div> <div>7%</div> <div>71%</div> <div>13%</div> <div>16%</div> </div> |
| 1   | F     | 148    | <div> <div>6%</div> <div>71%</div> <div>13%</div> <div>16%</div> </div> |
| 2   | B     | 473    | <div> <div>9%</div> <div>81%</div> <div>14%</div> <div>.</div> </div>   |



Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 2   | G     | 473    |                  |
| 2   | I     | 473    |                  |
| 3   | D     | 122    |                  |
| 3   | H     | 122    |                  |
| 3   | J     | 122    |                  |
| 4   | E     | 218    |                  |
| 4   | K     | 218    |                  |
| 4   | L     | 218    |                  |
| 5   | M     | 2      |                  |
| 5   | N     | 2      |                  |
| 5   | Q     | 2      |                  |
| 5   | R     | 2      |                  |
| 5   | S     | 2      |                  |
| 5   | T     | 2      |                  |
| 5   | V     | 2      |                  |
| 5   | W     | 2      |                  |
| 5   | Y     | 2      |                  |
| 5   | Z     | 2      |                  |
| 5   | a     | 2      |                  |
| 5   | b     | 2      |                  |
| 5   | c     | 2      |                  |
| 5   | e     | 2      |                  |
| 5   | g     | 2      |                  |
| 5   | h     | 2      |                  |
| 6   | O     | 5      |                  |

Continued on next page...

*Continued from previous page...*

| Mol | Chain | Length | Quality of chain                                                                   |
|-----|-------|--------|------------------------------------------------------------------------------------|
| 6   | d     | 5      |  |
| 7   | P     | 3      |  |
| 7   | U     | 3      |  |
| 7   | X     | 3      |  |
| 7   | f     | 3      |  |

## 2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 20176 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RC1 variant of HIV-1 Env glycoprotein gp41.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 1   | A     | 124      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 987   | 622 | 171 | 188 | 6 |         |       |
| 1   | C     | 124      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 987   | 622 | 171 | 188 | 6 |         |       |
| 1   | F     | 124      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 987   | 622 | 171 | 188 | 6 |         |       |

- Molecule 2 is a protein called RC1 variant of HIV-1 Env glycoprotein gp120.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 2   | B     | 453      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 3573  | 2253 | 626 | 666 | 28 |         |       |
| 2   | G     | 453      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 3573  | 2253 | 626 | 666 | 28 |         |       |
| 2   | I     | 453      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 3573  | 2253 | 626 | 666 | 28 |         |       |

- Molecule 3 is a protein called Ab275MUR antibody Fab heavy chain.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 3   | D     | 122      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 941   | 590 | 160 | 185 | 6 |         |       |
| 3   | H     | 122      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 941   | 590 | 160 | 185 | 6 |         |       |
| 3   | J     | 122      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 941   | 590 | 160 | 185 | 6 |         |       |

- Molecule 4 is a protein called Ab275MUR antibody Fab light chain.


| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 4   | E     | 111      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 847   | 529 | 140 | 174 | 4 |         |       |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 4   | K     | 111      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 847   | 529 | 140 | 174 | 4 |         |       |
| 4   | L     | 111      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 847   | 529 | 140 | 174 | 4 |         |       |

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms |    |   |    | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 5   | M     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | N     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | Q     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | R     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | S     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | T     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | V     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | W     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | Y     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | Z     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | a     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | b     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | c     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | e     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | g     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |

*Continued on next page...*

Continued from previous page...


| Mol | Chain | Residues | Atoms |    |   |    | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 5   | h     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | Atoms |    |   |    | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 6   | O     | 5        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 61    | 34 | 2 | 25 |         |       |
| 6   | d     | 5        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 61    | 34 | 2 | 25 |         |       |

- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | Atoms |    |   |    | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 7   | P     | 3        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 39    | 22 | 2 | 15 |         |       |
| 7   | U     | 3        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 39    | 22 | 2 | 15 |         |       |
| 7   | X     | 3        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 39    | 22 | 2 | 15 |         |       |
| 7   | f     | 3        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 39    | 22 | 2 | 15 |         |       |

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



| Mol | Chain | Residues | Atoms |   |   |   | AltConf |
|-----|-------|----------|-------|---|---|---|---------|
| 8   | A     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | A     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | A     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | B     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | B     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | B     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | B     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | B     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | B     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | C     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | C     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | C     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |

Continued on next page...


*Continued from previous page...*

| Mol | Chain | Residues | Atoms |   |   |   | AltConf |
|-----|-------|----------|-------|---|---|---|---------|
| 8   | F     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | F     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | F     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | G     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | G     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | G     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | G     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | G     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | I     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | I     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | I     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | I     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | I     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 8   | I     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: RC1 variant of HIV-1 Env glycoprotein gp41




- Molecule 1: RC1 variant of HIV-1 Env glycoprotein gp41




- Molecule 1: RC1 variant of HIV-1 Env glycoprotein gp41




- Molecule 2: RC1 variant of HIV-1 Env glycoprotein gp120






- Molecule 2: RC1 variant of HIV-1 Env glycoprotein gp120


Chain G: 9% 78% 16% . .





- Molecule 2: RC1 variant of HIV-1 Env glycoprotein gp120

Chain I: 8% 81% 15% .









• Molecule 3: Ab275MUR antibody Fab heavy chain





• Molecule 3: Ab275MUR antibody Fab heavy chain



• Molecule 3: Ab275MUR antibody Fab heavy chain



• Molecule 4: Ab275MUR antibody Fab light chain



SER  
PRO  
ILE  
VAL  
LYS  
SER  
PHE  
ASN  
ARG  
GLU  
CYS

• Molecule 4: Ab275MUR antibody Fab light chain

Chain K: 

ASP I2 V3 M4 T5 Q6 S7 P8 L11 A12 V13 S14 L15 C23 S26 Q27 G29 D30 S31 Y32 M33 N34 Q37 Q39 K39 P40 Q41 Q42 L47 I48 Y49 A50 A51 L54 E55 S56 G57 I58 P59 A60 R61 F62 S63 G64 G68 T69 D70 H76 P77 V78 E79

ASP ILE ASN VAL LYS TRP LYS ILE ASP GLY SER SER GLU ARG GLN ASN VAL LEU ASN SER TRP THR ASP GLN ASP SER LYS ASP SER THR TYR ASP MET ALA SER PRO THR VAL SER THR LEU THR LEU LYS ASP TYR GLU ARG LEU THR HIS THR CYS UNK VAL THR HIS LYS THR THR

SER  
PRO  
ILE  
VAL  
LYS  
SER  
PHE  
ASN  
ARG  
GLU  
CYS

• Molecule 4: Ab275MUR antibody Fab light chain

Chain L: 

ASP I2 V3 M4 Q6 S7 P8 L11 A12 V13 S14 L15 R18 C23 S26 Q27 G29 D30 S31 Y32 M33 N34 W35 Y36 Q37 Q38 K39 Q42 L47 I48 Y49 A50 A51 L54 E55 S56 G57 I58 P59 A60 R61 F62 S63 G64 G68 T69 D70 H76 P77

ASP ILE ASN VAL LYS TRP LYS ILE ASP GLY SER SER GLU ARG GLN ASN VAL LEU ASN SER TRP THR ASP GLN ASP SER LYS ASP SER THR TYR ASP MET ALA SER PRO THR VAL SER THR LEU THR LEU LYS ASP TYR GLU ARG LEU THR HIS THR CYS UNK VAL THR HIS LYS THR THR


SER  
PRO  
ILE  
VAL  
LYS  
SER  
PHE  
ASN  
ARG  
GLU  
CYS

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M: 

NAG1  
NAG2

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N: 

NAG1  
NAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  50%  
100%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  50%  
50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  50%  
50% 50%



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%

MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  50%  50%

MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%

MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%

MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  50%  50%

MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%

MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose


Chain g:  50%  50%





- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Experimental information

| Property                             | Value                                   | Source    |
|--------------------------------------|-----------------------------------------|-----------|
| EM reconstruction method             | SINGLE PARTICLE                         | Depositor |
| Imposed symmetry                     | POINT, C3                               | Depositor |
| Number of particles used             | 49308                                   | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF                       | Depositor |
| CTF correction method                | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope                           | FEI TALOS ARCTICA                       | Depositor |
| Voltage (kV)                         | 200                                     | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 40                                      | Depositor |
| Minimum defocus (nm)                 | 800                                     | Depositor |
| Maximum defocus (nm)                 | 2500                                    | Depositor |
| Magnification                        | 73000                                   | Depositor |
| Image detector                       | FEI FALCON III (4k x 4k)                | Depositor |
| Maximum map value                    | 3.563                                   | Depositor |
| Minimum map value                    | -2.392                                  | Depositor |
| Average map value                    | -0.000                                  | Depositor |
| Map value standard deviation         | 0.144                                   | Depositor |
| Recommended contour level            | 1.02                                    | Depositor |
| Map size (Å)                         | 367.616, 367.616, 367.616               | wwPDB     |
| Map dimensions                       | 256, 256, 256                           | wwPDB     |
| Map angles (°)                       | 90.0, 90.0, 90.0                        | wwPDB     |
| Pixel spacing (Å)                    | 1.436, 1.436, 1.436                     | Depositor |

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |             | Bond angles |                |
|-----|-------|--------------|-------------|-------------|----------------|
|     |       | RMSZ         | $\# Z  > 5$ | RMSZ        | $\# Z  > 5$    |
| 1   | A     | 0.34         | 0/1006      | 0.61        | 0/1365         |
| 1   | C     | 0.34         | 0/1006      | 0.61        | 0/1365         |
| 1   | F     | 0.34         | 0/1006      | 0.61        | 0/1365         |
| 2   | B     | 0.33         | 0/3650      | 0.67        | 1/4956 (0.0%)  |
| 2   | G     | 0.35         | 0/3650      | 0.70        | 2/4956 (0.0%)  |
| 2   | I     | 0.33         | 0/3650      | 0.66        | 1/4956 (0.0%)  |
| 3   | D     | 0.33         | 0/963       | 0.86        | 1/1302 (0.1%)  |
| 3   | H     | 0.33         | 0/963       | 0.86        | 1/1302 (0.1%)  |
| 3   | J     | 0.34         | 0/963       | 0.86        | 1/1302 (0.1%)  |
| 4   | E     | 0.34         | 0/866       | 0.76        | 0/1176         |
| 4   | K     | 0.34         | 0/866       | 0.76        | 0/1176         |
| 4   | L     | 0.34         | 0/866       | 0.76        | 0/1176         |
| All | All   | 0.34         | 0/19455     | 0.71        | 7/26397 (0.0%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 2   | B     | 0                   | 1                   |
| 2   | G     | 0                   | 5                   |
| 2   | I     | 0                   | 5                   |
| 3   | D     | 0                   | 2                   |
| 3   | H     | 0                   | 2                   |
| 3   | J     | 0                   | 2                   |
| 4   | E     | 0                   | 1                   |
| 4   | K     | 0                   | 1                   |
| 4   | L     | 0                   | 1                   |
| All | All   | 0                   | 20                  |

There are no bond length outliers.

The worst 5 of 7 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms  | Z     | Observed(°) | Ideal(°) |
|-----|-------|-----|------|--------|-------|-------------|----------|
| 3   | J     | 45  | LEU  | N-CA-C | 6.78  | 125.23      | 110.80   |
| 3   | H     | 45  | LEU  | N-CA-C | 6.77  | 125.22      | 110.80   |
| 3   | D     | 45  | LEU  | N-CA-C | 6.76  | 125.19      | 110.80   |
| 2   | B     | 371 | VAL  | N-CA-C | -5.50 | 106.98      | 113.42   |
| 2   | G     | 196 | CYS  | N-CA-C | -5.46 | 106.65      | 113.15   |

There are no chirality outliers.

5 of 20 planarity outliers are listed below:

| Mol | Chain | Res | Type | Group   |
|-----|-------|-----|------|---------|
| 2   | B     | 69  | TRP  | Peptide |
| 3   | D     | 13  | LYS  | Peptide |
| 3   | D     | 44  | ARG  | Peptide |
| 4   | E     | 76  | HIS  | Peptide |
| 2   | G     | 69  | TRP  | Peptide |

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1   | A     | 987   | 0        | 954      | 12      | 0            |
| 1   | C     | 987   | 0        | 954      | 10      | 0            |
| 1   | F     | 987   | 0        | 954      | 10      | 0            |
| 2   | B     | 3573  | 0        | 3519     | 39      | 0            |
| 2   | G     | 3573  | 0        | 3520     | 48      | 0            |
| 2   | I     | 3573  | 0        | 3520     | 41      | 0            |
| 3   | D     | 941   | 0        | 904      | 14      | 0            |
| 3   | H     | 941   | 0        | 904      | 13      | 0            |
| 3   | J     | 941   | 0        | 904      | 18      | 0            |
| 4   | E     | 847   | 0        | 805      | 23      | 0            |
| 4   | K     | 847   | 0        | 805      | 24      | 0            |
| 4   | L     | 847   | 0        | 805      | 23      | 0            |
| 5   | M     | 28    | 0        | 25       | 0       | 0            |
| 5   | N     | 28    | 0        | 25       | 0       | 0            |
| 5   | Q     | 28    | 0        | 25       | 0       | 0            |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 5   | R     | 28    | 0        | 25       | 0       | 0            |
| 5   | S     | 28    | 0        | 25       | 1       | 0            |
| 5   | T     | 28    | 0        | 25       | 0       | 0            |
| 5   | V     | 28    | 0        | 25       | 1       | 0            |
| 5   | W     | 28    | 0        | 25       | 0       | 0            |
| 5   | Y     | 28    | 0        | 25       | 0       | 0            |
| 5   | Z     | 28    | 0        | 25       | 1       | 0            |
| 5   | a     | 28    | 0        | 25       | 6       | 0            |
| 5   | b     | 28    | 0        | 25       | 0       | 0            |
| 5   | c     | 28    | 0        | 25       | 0       | 0            |
| 5   | e     | 28    | 0        | 25       | 0       | 0            |
| 5   | g     | 28    | 0        | 25       | 0       | 0            |
| 5   | h     | 28    | 0        | 25       | 1       | 0            |
| 6   | O     | 61    | 0        | 51       | 1       | 0            |
| 6   | d     | 61    | 0        | 52       | 1       | 0            |
| 7   | P     | 39    | 0        | 34       | 1       | 0            |
| 7   | U     | 39    | 0        | 34       | 2       | 0            |
| 7   | X     | 39    | 0        | 34       | 0       | 0            |
| 7   | f     | 39    | 0        | 34       | 1       | 0            |
| 8   | A     | 42    | 0        | 39       | 0       | 0            |
| 8   | B     | 112   | 0        | 104      | 0       | 0            |
| 8   | C     | 42    | 0        | 39       | 0       | 0            |
| 8   | F     | 42    | 0        | 39       | 0       | 0            |
| 8   | G     | 70    | 0        | 65       | 0       | 0            |
| 8   | I     | 98    | 0        | 91       | 1       | 0            |
| All | All   | 20176 | 0        | 19564    | 270     | 0            |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 270 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1          | Atom-2         | Interatomic distance (Å) | Clash overlap (Å) |
|-----------------|----------------|--------------------------|-------------------|
| 5:a:1:NAG:O7    | 5:a:1:NAG:H3   | 1.83                     | 0.79              |
| 4:L:34:ASN:HD21 | 4:L:51:ALA:H   | 1.33                     | 0.77              |
| 4:K:34:ASN:HD21 | 4:K:51:ALA:H   | 1.33                     | 0.76              |
| 4:E:34:ASN:HD21 | 4:E:51:ALA:H   | 1.33                     | 0.76              |
| 2:G:196:CYS:O   | 2:G:196:CYS:SG | 2.44                     | 0.76              |

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed        | Favoured   | Allowed   | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|-----------|----------|-------------|-----|
| 1   | A     | 120/148 (81%)   | 104 (87%)  | 16 (13%)  | 0        | 100         | 100 |
| 1   | C     | 120/148 (81%)   | 104 (87%)  | 16 (13%)  | 0        | 100         | 100 |
| 1   | F     | 120/148 (81%)   | 104 (87%)  | 16 (13%)  | 0        | 100         | 100 |
| 2   | B     | 447/473 (94%)   | 392 (88%)  | 55 (12%)  | 0        | 100         | 100 |
| 2   | G     | 447/473 (94%)   | 387 (87%)  | 58 (13%)  | 2 (0%)   | 30          | 66  |
| 2   | I     | 447/473 (94%)   | 398 (89%)  | 49 (11%)  | 0        | 100         | 100 |
| 3   | D     | 120/122 (98%)   | 84 (70%)   | 35 (29%)  | 1 (1%)   | 16          | 52  |
| 3   | H     | 120/122 (98%)   | 84 (70%)   | 35 (29%)  | 1 (1%)   | 16          | 52  |
| 3   | J     | 120/122 (98%)   | 85 (71%)   | 34 (28%)  | 1 (1%)   | 16          | 52  |
| 4   | E     | 109/218 (50%)   | 83 (76%)   | 25 (23%)  | 1 (1%)   | 14          | 49  |
| 4   | K     | 109/218 (50%)   | 83 (76%)   | 25 (23%)  | 1 (1%)   | 14          | 49  |
| 4   | L     | 109/218 (50%)   | 83 (76%)   | 25 (23%)  | 1 (1%)   | 14          | 49  |
| All | All   | 2388/2883 (83%) | 1991 (83%) | 389 (16%) | 8 (0%)   | 37          | 71  |

5 of 8 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2   | G     | 301 | ASN  |
| 2   | G     | 302 | ASN  |
| 3   | D     | 46  | GLU  |
| 3   | H     | 46  | GLU  |
| 3   | J     | 46  | GLU  |

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed        | Rotameric  | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|----------|-------------|-----|
| 1   | A     | 107/128 (84%)   | 104 (97%)  | 3 (3%)   | 38          | 59  |
| 1   | C     | 107/128 (84%)   | 104 (97%)  | 3 (3%)   | 38          | 59  |
| 1   | F     | 107/128 (84%)   | 104 (97%)  | 3 (3%)   | 38          | 59  |
| 2   | B     | 404/421 (96%)   | 401 (99%)  | 3 (1%)   | 76          | 79  |
| 2   | G     | 404/421 (96%)   | 400 (99%)  | 4 (1%)   | 68          | 76  |
| 2   | I     | 404/421 (96%)   | 401 (99%)  | 3 (1%)   | 76          | 79  |
| 3   | D     | 101/101 (100%)  | 100 (99%)  | 1 (1%)   | 68          | 76  |
| 3   | H     | 101/101 (100%)  | 100 (99%)  | 1 (1%)   | 68          | 76  |
| 3   | J     | 101/101 (100%)  | 100 (99%)  | 1 (1%)   | 68          | 76  |
| 4   | E     | 92/190 (48%)    | 92 (100%)  | 0        | 100         | 100 |
| 4   | K     | 92/190 (48%)    | 92 (100%)  | 0        | 100         | 100 |
| 4   | L     | 92/190 (48%)    | 92 (100%)  | 0        | 100         | 100 |
| All | All   | 2112/2520 (84%) | 2090 (99%) | 22 (1%)  | 65          | 76  |

5 of 22 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2   | G     | 247 | CYS  |
| 3   | H     | 50  | THR  |
| 2   | G     | 450 | THR  |
| 2   | I     | 247 | CYS  |
| 1   | C     | 574 | LYS  |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 43 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3   | H     | 81  | GLN  |
| 4   | K     | 17  | GLN  |
| 2   | I     | 137 | ASN  |
| 2   | I     | 348 | GLN  |
| 4   | K     | 76  | HIS  |

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

54 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths |      |             | Bond angles |      |             |
|-----|------|-------|-----|------|--------------|------|-------------|-------------|------|-------------|
|     |      |       |     |      | Counts       | RMSZ | # $ Z  > 2$ | Counts      | RMSZ | # $ Z  > 2$ |
| 5   | NAG  | M     | 1   | 5,2  | 14,14,15     | 0.59 | 1 (7%)      | 17,19,21    | 0.92 | 1 (5%)      |
| 5   | NAG  | M     | 2   | 5    | 14,14,15     | 0.35 | 0           | 17,19,21    | 0.48 | 0           |
| 5   | NAG  | N     | 1   | 5,2  | 14,14,15     | 0.42 | 0           | 17,19,21    | 0.58 | 0           |
| 5   | NAG  | N     | 2   | 5    | 14,14,15     | 0.43 | 0           | 17,19,21    | 0.52 | 0           |
| 6   | NAG  | O     | 1   | 6,2  | 14,14,15     | 0.25 | 0           | 17,19,21    | 1.00 | 1 (5%)      |
| 6   | NAG  | O     | 2   | 6    | 14,14,15     | 0.30 | 0           | 17,19,21    | 1.06 | 1 (5%)      |
| 6   | BMA  | O     | 3   | 6    | 11,11,12     | 0.87 | 0           | 15,15,17    | 1.47 | 2 (13%)     |
| 6   | MAN  | O     | 4   | 6    | 11,11,12     | 1.32 | 2 (18%)     | 15,15,17    | 1.06 | 2 (13%)     |
| 6   | MAN  | O     | 5   | 6    | 11,11,12     | 0.78 | 0           | 15,15,17    | 1.00 | 2 (13%)     |
| 7   | NAG  | P     | 1   | 2,7  | 14,14,15     | 0.74 | 0           | 17,19,21    | 1.80 | 5 (29%)     |
| 7   | NAG  | P     | 2   | 7    | 14,14,15     | 0.69 | 1 (7%)      | 17,19,21    | 1.06 | 1 (5%)      |
| 7   | BMA  | P     | 3   | 7    | 11,11,12     | 0.74 | 0           | 15,15,17    | 0.96 | 1 (6%)      |
| 5   | NAG  | Q     | 1   | 5,2  | 14,14,15     | 0.29 | 0           | 17,19,21    | 1.14 | 1 (5%)      |
| 5   | NAG  | Q     | 2   | 5    | 14,14,15     | 0.23 | 0           | 17,19,21    | 0.72 | 1 (5%)      |
| 5   | NAG  | R     | 1   | 5,2  | 14,14,15     | 0.54 | 0           | 17,19,21    | 0.53 | 0           |
| 5   | NAG  | R     | 2   | 5    | 14,14,15     | 0.23 | 0           | 17,19,21    | 0.59 | 0           |
| 5   | NAG  | S     | 1   | 5,2  | 14,14,15     | 0.22 | 0           | 17,19,21    | 0.64 | 1 (5%)      |
| 5   | NAG  | S     | 2   | 5    | 14,14,15     | 0.34 | 0           | 17,19,21    | 0.44 | 0           |
| 5   | NAG  | T     | 1   | 5,2  | 14,14,15     | 1.10 | 1 (7%)      | 17,19,21    | 1.16 | 1 (5%)      |
| 5   | NAG  | T     | 2   | 5    | 14,14,15     | 0.49 | 0           | 17,19,21    | 0.42 | 0           |
| 7   | NAG  | U     | 1   | 2,7  | 14,14,15     | 0.28 | 0           | 17,19,21    | 1.06 | 1 (5%)      |
| 7   | NAG  | U     | 2   | 7    | 14,14,15     | 0.38 | 0           | 17,19,21    | 0.98 | 1 (5%)      |
| 7   | BMA  | U     | 3   | 7    | 11,11,12     | 0.64 | 0           | 15,15,17    | 0.82 | 0           |
| 5   | NAG  | V     | 1   | 5,2  | 14,14,15     | 0.54 | 0           | 17,19,21    | 0.70 | 1 (5%)      |

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 5   | NAG  | V     | 2   | 5    | 14,14,15     | 0.70 | 0        | 17,19,21    | 0.69 | 1 (5%)   |
| 5   | NAG  | W     | 1   | 5,2  | 14,14,15     | 0.39 | 0        | 17,19,21    | 0.84 | 1 (5%)   |
| 5   | NAG  | W     | 2   | 5    | 14,14,15     | 0.37 | 0        | 17,19,21    | 0.44 | 0        |
| 7   | NAG  | X     | 1   | 2,7  | 14,14,15     | 0.29 | 0        | 17,19,21    | 1.09 | 1 (5%)   |
| 7   | NAG  | X     | 2   | 7    | 14,14,15     | 0.23 | 0        | 17,19,21    | 0.77 | 1 (5%)   |
| 7   | BMA  | X     | 3   | 7    | 11,11,12     | 0.93 | 1 (9%)   | 15,15,17    | 0.91 | 1 (6%)   |
| 5   | NAG  | Y     | 1   | 5,2  | 14,14,15     | 0.66 | 1 (7%)   | 17,19,21    | 0.61 | 0        |
| 5   | NAG  | Y     | 2   | 5    | 14,14,15     | 0.29 | 0        | 17,19,21    | 0.60 | 1 (5%)   |
| 5   | NAG  | Z     | 1   | 5,2  | 14,14,15     | 0.65 | 1 (7%)   | 17,19,21    | 0.75 | 1 (5%)   |
| 5   | NAG  | Z     | 2   | 5    | 14,14,15     | 0.29 | 0        | 17,19,21    | 0.57 | 0        |
| 5   | NAG  | a     | 1   | 5,2  | 14,14,15     | 2.01 | 6 (42%)  | 17,19,21    | 3.48 | 10 (58%) |
| 5   | NAG  | a     | 2   | 5    | 14,14,15     | 1.57 | 4 (28%)  | 17,19,21    | 2.81 | 8 (47%)  |
| 5   | NAG  | b     | 1   | 5,2  | 14,14,15     | 0.33 | 0        | 17,19,21    | 1.07 | 1 (5%)   |
| 5   | NAG  | b     | 2   | 5    | 14,14,15     | 0.83 | 1 (7%)   | 17,19,21    | 1.09 | 1 (5%)   |
| 5   | NAG  | c     | 1   | 5,2  | 14,14,15     | 0.63 | 1 (7%)   | 17,19,21    | 0.81 | 0        |
| 5   | NAG  | c     | 2   | 5    | 14,14,15     | 0.54 | 0        | 17,19,21    | 0.52 | 0        |
| 6   | NAG  | d     | 1   | 6,2  | 14,14,15     | 0.40 | 0        | 17,19,21    | 1.06 | 1 (5%)   |
| 6   | NAG  | d     | 2   | 6    | 14,14,15     | 0.36 | 0        | 17,19,21    | 1.05 | 1 (5%)   |
| 6   | BMA  | d     | 3   | 6    | 11,11,12     | 1.30 | 2 (18%)  | 15,15,17    | 1.12 | 2 (13%)  |
| 6   | MAN  | d     | 4   | 6    | 11,11,12     | 0.75 | 0        | 15,15,17    | 1.33 | 2 (13%)  |
| 6   | MAN  | d     | 5   | 6    | 11,11,12     | 0.74 | 0        | 15,15,17    | 0.99 | 2 (13%)  |
| 5   | NAG  | e     | 1   | 5,2  | 14,14,15     | 0.78 | 0        | 17,19,21    | 2.99 | 6 (35%)  |
| 5   | NAG  | e     | 2   | 5    | 14,14,15     | 0.27 | 0        | 17,19,21    | 0.72 | 1 (5%)   |
| 7   | NAG  | f     | 1   | 2,7  | 14,14,15     | 0.25 | 0        | 17,19,21    | 1.06 | 1 (5%)   |
| 7   | NAG  | f     | 2   | 7    | 14,14,15     | 0.28 | 0        | 17,19,21    | 0.81 | 1 (5%)   |
| 7   | BMA  | f     | 3   | 7    | 11,11,12     | 0.95 | 1 (9%)   | 15,15,17    | 0.85 | 0        |
| 5   | NAG  | g     | 1   | 5,2  | 14,14,15     | 0.50 | 0        | 17,19,21    | 0.56 | 0        |
| 5   | NAG  | g     | 2   | 5    | 14,14,15     | 0.20 | 0        | 17,19,21    | 0.59 | 1 (5%)   |
| 5   | NAG  | h     | 1   | 5,2  | 14,14,15     | 0.61 | 1 (7%)   | 17,19,21    | 0.71 | 1 (5%)   |
| 5   | NAG  | h     | 2   | 5    | 14,14,15     | 0.27 | 0        | 17,19,21    | 0.58 | 0        |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|-----|------|---------|-----------|---------|
| 5   | NAG  | M     | 1   | 5,2  | -       | 4/6/23/26 | 0/1/1/1 |
| 5   | NAG  | M     | 2   | 5    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | N     | 1   | 5,2  | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | N     | 2   | 5    | -       | 3/6/23/26 | 0/1/1/1 |
| 6   | NAG  | O     | 1   | 6,2  | -       | 4/6/23/26 | 0/1/1/1 |
| 6   | NAG  | O     | 2   | 6    | -       | 4/6/23/26 | 0/1/1/1 |
| 6   | BMA  | O     | 3   | 6    | -       | 0/2/19/22 | 0/1/1/1 |
| 6   | MAN  | O     | 4   | 6    | -       | 2/2/19/22 | 0/1/1/1 |
| 6   | MAN  | O     | 5   | 6    | -       | 0/2/19/22 | 0/1/1/1 |
| 7   | NAG  | P     | 1   | 2,7  | -       | 2/6/23/26 | 0/1/1/1 |
| 7   | NAG  | P     | 2   | 7    | -       | 2/6/23/26 | 0/1/1/1 |
| 7   | BMA  | P     | 3   | 7    | -       | 2/2/19/22 | 0/1/1/1 |
| 5   | NAG  | Q     | 1   | 5,2  | -       | 4/6/23/26 | 0/1/1/1 |
| 5   | NAG  | Q     | 2   | 5    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | R     | 1   | 5,2  | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | R     | 2   | 5    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | S     | 1   | 5,2  | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | S     | 2   | 5    | -       | 1/6/23/26 | 0/1/1/1 |
| 5   | NAG  | T     | 1   | 5,2  | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | T     | 2   | 5    | -       | 2/6/23/26 | 0/1/1/1 |
| 7   | NAG  | U     | 1   | 2,7  | -       | 4/6/23/26 | 0/1/1/1 |
| 7   | NAG  | U     | 2   | 7    | -       | 3/6/23/26 | 0/1/1/1 |
| 7   | BMA  | U     | 3   | 7    | -       | 0/2/19/22 | 0/1/1/1 |
| 5   | NAG  | V     | 1   | 5,2  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | V     | 2   | 5    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | W     | 1   | 5,2  | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | W     | 2   | 5    | -       | 3/6/23/26 | 0/1/1/1 |
| 7   | NAG  | X     | 1   | 2,7  | -       | 3/6/23/26 | 0/1/1/1 |
| 7   | NAG  | X     | 2   | 7    | -       | 1/6/23/26 | 0/1/1/1 |
| 7   | BMA  | X     | 3   | 7    | -       | 1/2/19/22 | 0/1/1/1 |
| 5   | NAG  | Y     | 1   | 5,2  | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | Y     | 2   | 5    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | Z     | 1   | 5,2  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | Z     | 2   | 5    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | a     | 1   | 5,2  | -       | 5/6/23/26 | 0/1/1/1 |
| 5   | NAG  | a     | 2   | 5    | -       | 4/6/23/26 | 0/1/1/1 |
| 5   | NAG  | b     | 1   | 5,2  | -       | 4/6/23/26 | 0/1/1/1 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|-----|------|---------|-----------|---------|
| 5   | NAG  | b     | 2   | 5    | -       | 3/6/23/26 | 0/1/1/1 |
| 5   | NAG  | c     | 1   | 5,2  | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | c     | 2   | 5    | -       | 4/6/23/26 | 0/1/1/1 |
| 6   | NAG  | d     | 1   | 6,2  | -       | 4/6/23/26 | 0/1/1/1 |
| 6   | NAG  | d     | 2   | 6    | -       | 3/6/23/26 | 0/1/1/1 |
| 6   | BMA  | d     | 3   | 6    | -       | 0/2/19/22 | 0/1/1/1 |
| 6   | MAN  | d     | 4   | 6    | -       | 1/2/19/22 | 0/1/1/1 |
| 6   | MAN  | d     | 5   | 6    | -       | 0/2/19/22 | 0/1/1/1 |
| 5   | NAG  | e     | 1   | 5,2  | -       | 4/6/23/26 | 0/1/1/1 |
| 5   | NAG  | e     | 2   | 5    | -       | 2/6/23/26 | 0/1/1/1 |
| 7   | NAG  | f     | 1   | 2,7  | -       | 4/6/23/26 | 0/1/1/1 |
| 7   | NAG  | f     | 2   | 7    | -       | 2/6/23/26 | 0/1/1/1 |
| 7   | BMA  | f     | 3   | 7    | -       | 1/2/19/22 | 0/1/1/1 |
| 5   | NAG  | g     | 1   | 5,2  | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | g     | 2   | 5    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | h     | 1   | 5,2  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | h     | 2   | 5    | -       | 2/6/23/26 | 0/1/1/1 |

The worst 5 of 24 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z     | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|-------|-------------|----------|
| 5   | T     | 1   | NAG  | O5-C1 | -3.81 | 1.37        | 1.43     |
| 6   | O     | 4   | MAN  | O5-C1 | -3.27 | 1.38        | 1.43     |
| 5   | a     | 1   | NAG  | O5-C1 | -3.25 | 1.38        | 1.43     |
| 6   | d     | 3   | BMA  | C2-C3 | 3.05  | 1.57        | 1.52     |
| 5   | a     | 1   | NAG  | C4-C5 | -2.93 | 1.46        | 1.53     |

The worst 5 of 69 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms    | Z     | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 5   | e     | 1   | NAG  | C2-N2-C7 | 8.39  | 134.14      | 122.90   |
| 5   | a     | 2   | NAG  | C2-N2-C7 | -8.19 | 111.92      | 122.90   |
| 5   | a     | 1   | NAG  | C3-C4-C5 | -6.79 | 97.93       | 110.23   |
| 5   | e     | 1   | NAG  | C1-O5-C5 | 5.49  | 119.55      | 112.19   |
| 5   | a     | 1   | NAG  | O5-C1-C2 | -4.93 | 103.66      | 111.29   |

There are no chirality outliers.

5 of 116 torsion outliers are listed below:


| Mol | Chain | Res | Type | Atoms       |
|-----|-------|-----|------|-------------|
| 5   | a     | 1   | NAG  | C1-C2-N2-C7 |
| 5   | a     | 1   | NAG  | C8-C7-N2-C2 |
| 5   | a     | 1   | NAG  | O7-C7-N2-C2 |
| 5   | a     | 2   | NAG  | C3-C2-N2-C7 |
| 5   | a     | 2   | NAG  | C8-C7-N2-C2 |


There are no ring outliers.


12 monomers are involved in 16 short contacts:


| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|-----|------|---------|--------------|
| 5   | Z     | 1   | NAG  | 1       | 0            |
| 5   | h     | 1   | NAG  | 1       | 0            |
| 7   | P     | 1   | NAG  | 1       | 0            |
| 7   | U     | 1   | NAG  | 1       | 0            |
| 7   | f     | 3   | BMA  | 1       | 0            |
| 5   | a     | 2   | NAG  | 2       | 0            |
| 7   | U     | 2   | NAG  | 1       | 0            |
| 5   | a     | 1   | NAG  | 4       | 0            |
| 6   | d     | 1   | NAG  | 1       | 0            |
| 5   | S     | 1   | NAG  | 1       | 0            |
| 6   | O     | 1   | NAG  | 1       | 0            |
| 5   | V     | 1   | NAG  | 1       | 0            |


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


























































## 5.6 Ligand geometry [i](#)

29 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths |      |             | Bond angles |      |             |
|-----|------|-------|-----|------|--------------|------|-------------|-------------|------|-------------|
|     |      |       |     |      | Counts       | RMSZ | $\# Z  > 2$ | Counts      | RMSZ | $\# Z  > 2$ |
| 8   | NAG  | B     | 619 | 2    | 14,14,15     | 0.28 | 0           | 17,19,21    | 0.48 | 0           |
| 8   | NAG  | A     | 702 | 1    | 14,14,15     | 0.52 | 0           | 17,19,21    | 0.31 | 0           |
| 8   | NAG  | B     | 624 | 2    | 14,14,15     | 0.30 | 0           | 17,19,21    | 0.63 | 1 (5%)      |
| 8   | NAG  | B     | 623 | 2    | 14,14,15     | 0.26 | 0           | 17,19,21    | 0.58 | 0           |
| 8   | NAG  | I     | 614 | 2    | 14,14,15     | 0.25 | 0           | 17,19,21    | 0.48 | 0           |
| 8   | NAG  | A     | 703 | 1    | 14,14,15     | 0.40 | 0           | 17,19,21    | 0.50 | 0           |
| 8   | NAG  | G     | 621 | 2    | 14,14,15     | 0.26 | 0           | 17,19,21    | 0.59 | 0           |
| 8   | NAG  | B     | 615 | 2    | 14,14,15     | 0.29 | 0           | 17,19,21    | 0.45 | 0           |
| 8   | NAG  | I     | 601 | 2    | 14,14,15     | 0.57 | 0           | 17,19,21    | 0.88 | 1 (5%)      |

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 8   | NAG  | G     | 611 | 2    | 14,14,15     | 0.30 | 0        | 17,19,21    | 0.45 | 0        |
| 8   | NAG  | I     | 623 | 2    | 14,14,15     | 0.24 | 0        | 17,19,21    | 0.62 | 1 (5%)   |
| 8   | NAG  | A     | 701 | 1    | 14,14,15     | 0.36 | 0        | 17,19,21    | 0.65 | 1 (5%)   |
| 8   | NAG  | C     | 703 | 1    | 14,14,15     | 0.41 | 0        | 17,19,21    | 0.50 | 0        |
| 8   | NAG  | G     | 617 | 2    | 14,14,15     | 0.26 | 0        | 17,19,21    | 0.48 | 0        |
| 8   | NAG  | I     | 602 | 2    | 14,14,15     | 0.30 | 0        | 17,19,21    | 0.60 | 0        |
| 8   | NAG  | I     | 620 | 2    | 14,14,15     | 0.80 | 0        | 17,19,21    | 0.63 | 0        |
| 8   | NAG  | C     | 702 | 1    | 14,14,15     | 0.53 | 0        | 17,19,21    | 0.32 | 0        |
| 8   | NAG  | F     | 702 | 1    | 14,14,15     | 0.54 | 0        | 17,19,21    | 0.31 | 0        |
| 8   | NAG  | G     | 601 | 2    | 14,14,15     | 0.84 | 1 (7%)   | 17,19,21    | 2.41 | 4 (23%)  |
| 8   | NAG  | B     | 620 | 2    | 14,14,15     | 0.57 | 0        | 17,19,21    | 0.61 | 1 (5%)   |
| 8   | NAG  | I     | 615 | 2    | 14,14,15     | 0.99 | 1 (7%)   | 17,19,21    | 2.34 | 4 (23%)  |
| 8   | NAG  | F     | 703 | 1    | 14,14,15     | 0.40 | 0        | 17,19,21    | 0.49 | 0        |
| 8   | NAG  | I     | 619 | 2    | 14,14,15     | 0.23 | 0        | 17,19,21    | 0.48 | 0        |
| 8   | NAG  | G     | 618 | 2    | 14,14,15     | 0.63 | 0        | 17,19,21    | 0.73 | 0        |
| 8   | NAG  | B     | 602 | 2    | 14,14,15     | 0.34 | 0        | 17,19,21    | 0.63 | 1 (5%)   |
| 8   | NAG  | F     | 701 | 1    | 14,14,15     | 0.36 | 0        | 17,19,21    | 0.65 | 1 (5%)   |
| 8   | NAG  | B     | 601 | 2    | 14,14,15     | 0.85 | 1 (7%)   | 17,19,21    | 2.45 | 4 (23%)  |
| 8   | NAG  | B     | 616 | 2    | 14,14,15     | 1.03 | 1 (7%)   | 17,19,21    | 2.35 | 4 (23%)  |
| 8   | NAG  | C     | 701 | 1    | 14,14,15     | 0.35 | 0        | 17,19,21    | 0.64 | 1 (5%)   |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|-----|------|---------|-----------|---------|
| 8   | NAG  | B     | 619 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 8   | NAG  | A     | 702 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 8   | NAG  | B     | 624 | 2    | -       | 2/6/23/26 | 0/1/1/1 |
| 8   | NAG  | B     | 623 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 8   | NAG  | I     | 614 | 2    | -       | 3/6/23/26 | 0/1/1/1 |
| 8   | NAG  | A     | 703 | 1    | -       | 3/6/23/26 | 0/1/1/1 |
| 8   | NAG  | G     | 621 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 8   | NAG  | B     | 615 | 2    | -       | 1/6/23/26 | 0/1/1/1 |
| 8   | NAG  | I     | 601 | 2    | -       | 2/6/23/26 | 0/1/1/1 |
| 8   | NAG  | G     | 611 | 2    | -       | 1/6/23/26 | 0/1/1/1 |
| 8   | NAG  | I     | 623 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 8   | NAG  | A     | 701 | 1    | -       | 0/6/23/26 | 0/1/1/1 |

Continued on next page...

*Continued from previous page...*

| Mol | Type | Chain | Res | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|-----|------|---------|-----------|---------|
| 8   | NAG  | C     | 703 | 1    | -       | 3/6/23/26 | 0/1/1/1 |
| 8   | NAG  | G     | 617 | 2    | -       | 1/6/23/26 | 0/1/1/1 |
| 8   | NAG  | I     | 602 | 2    | -       | 2/6/23/26 | 0/1/1/1 |
| 8   | NAG  | I     | 620 | 2    | -       | 2/6/23/26 | 0/1/1/1 |
| 8   | NAG  | C     | 702 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 8   | NAG  | F     | 702 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 8   | NAG  | G     | 601 | 2    | -       | 6/6/23/26 | 0/1/1/1 |
| 8   | NAG  | B     | 620 | 2    | -       | 2/6/23/26 | 0/1/1/1 |
| 8   | NAG  | I     | 615 | 2    | -       | 5/6/23/26 | 0/1/1/1 |
| 8   | NAG  | F     | 703 | 1    | -       | 3/6/23/26 | 0/1/1/1 |
| 8   | NAG  | I     | 619 | 2    | -       | 0/6/23/26 | 0/1/1/1 |
| 8   | NAG  | G     | 618 | 2    | -       | 2/6/23/26 | 0/1/1/1 |
| 8   | NAG  | B     | 602 | 2    | -       | 2/6/23/26 | 0/1/1/1 |
| 8   | NAG  | F     | 701 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 8   | NAG  | B     | 601 | 2    | -       | 6/6/23/26 | 0/1/1/1 |
| 8   | NAG  | B     | 616 | 2    | -       | 5/6/23/26 | 0/1/1/1 |
| 8   | NAG  | C     | 701 | 1    | -       | 0/6/23/26 | 0/1/1/1 |

All (4) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z    | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 8   | B     | 616 | NAG  | C1-C2 | 3.30 | 1.56        | 1.52     |
| 8   | I     | 615 | NAG  | C1-C2 | 3.16 | 1.56        | 1.52     |
| 8   | G     | 601 | NAG  | C1-C2 | 2.57 | 1.55        | 1.52     |
| 8   | B     | 601 | NAG  | C1-C2 | 2.49 | 1.55        | 1.52     |

The worst 5 of 24 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms    | Z    | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|------|-------------|----------|
| 8   | G     | 601 | NAG  | C2-N2-C7 | 8.25 | 133.95      | 122.90   |
| 8   | B     | 616 | NAG  | C2-N2-C7 | 8.24 | 133.94      | 122.90   |
| 8   | B     | 601 | NAG  | C2-N2-C7 | 8.17 | 133.85      | 122.90   |
| 8   | I     | 615 | NAG  | C2-N2-C7 | 8.16 | 133.84      | 122.90   |
| 8   | B     | 601 | NAG  | C1-C2-N2 | 4.43 | 117.41      | 110.43   |

There are no chirality outliers.

5 of 57 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms       |
|-----|-------|-----|------|-------------|
| 8   | B     | 620 | NAG  | C4-C5-C6-O6 |
| 8   | B     | 620 | NAG  | O5-C5-C6-O6 |
| 8   | B     | 624 | NAG  | C4-C5-C6-O6 |
| 8   | B     | 602 | NAG  | C4-C5-C6-O6 |
| 8   | B     | 601 | NAG  | C4-C5-C6-O6 |

There are no ring outliers.

1 monomer is involved in 1 short contact:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|-----|------|---------|--------------|
| 8   | I     | 602 | NAG  | 1       | 0            |

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20178. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


### 6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 134




Y Index: 116




Z Index: 151


### 6.3.2 Raw map



X Index: 134



Y Index: 116




Z Index: 151


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_20178\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 180 nm<sup>3</sup>; this corresponds to an approximate mass of 162 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.227 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.227 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


| Resolution estimate (Å)   | Estimation criterion (FSC cut-off) |      |          |
|---------------------------|------------------------------------|------|----------|
|                           | 0.143                              | 0.5  | Half-bit |
| Reported by author        | 4.40                               | -    | -        |
| Author-provided FSC curve | 4.33                               | 4.86 | 4.39     |
| Unmasked-calculated*      | 6.34                               | 8.14 | 6.53     |

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.34 differs from the reported value 4.4 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20178 and PDB model 6ORQ. Per-residue inclusion information can be found in section [3](#) on page [10](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.02).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 62% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (1.02) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion                                                                             | Q-score                                                                                    |
|-------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| All   |  0.6200   |  0.3810   |
| A     |  0.6780   |  0.3910   |
| B     |  0.6440   |  0.4010   |
| C     |  0.6760   |  0.3890   |
| D     |  0.5570   |  0.3270   |
| E     |  0.5330   |  0.3250   |
| F     |  0.6810   |  0.3910   |
| G     |  0.6410   |  0.4040   |
| H     |  0.5520   |  0.3290   |
| I     |  0.6460   |  0.4020   |
| J     |  0.5560   |  0.3270   |
| K     |  0.5290   |  0.3330   |
| L     |  0.5340   |  0.3330   |
| M     |  0.6430   |  0.4320   |
| N     |  0.8570  |  0.4210  |
| O     |  0.3610 |  0.4260 |
| P     |  0.7440 |  0.3900 |
| Q     |  0.6430 |  0.4550 |
| R     |  0.5360 |  0.4240 |
| S     |  0.4640 |  0.4340 |
| T     |  0.9290 |  0.3990 |
| U     |  0.6410 |  0.4520 |
| V     |  0.6070 |  0.2770 |
| W     |  0.4290 |  0.2750 |
| X     |  0.4870 |  0.4100 |
| Y     |  0.5710 |  0.4240 |
| Z     |  0.5710 |  0.3950 |
| a     |  0.6790 |  0.4980 |
| b     |  0.6070 |  0.4150 |
| c     |  0.8930 |  0.4080 |
| d     |  0.3770 |  0.4220 |
| e     |  0.6430 |  0.3100 |
| f     |  0.4620 |  0.4120 |
| g     |  0.6070 |  0.4390 |
| h     |  0.5000 |  0.4040 |

