



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:31 AM UTC

PDB ID : 1OSZ / pdb_00001osz
Title : MHC CLASS I H-2KB HEAVY CHAIN COMPLEXED WITH BETA-2 MICROGLOBULIN AND AN (L4V) MUTANT OF THE VESICULAR STOMATITIS VIRUS NUCLEOPROTEIN
Authors : Ghendler, Y.; Teng, M.-K.; Liu, J.-H.; Witte, T.; Liu, J.; Kim, K.S.; Kern, P.; Chang, H.-C.; Wang, J.-H.; Reinherz, E.L.
Deposited on : 1998-06-18
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	274	11% 65% 29% 6%
2	B	99	7% 48% 41% 10%
3	C	8	88% 12%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3122 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MHC CLASS I H-2KB HEAVY CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	274	Total	C	N	O	S	0	0	0
			2232	1408	393	422	9			

- Molecule 2 is a protein called BETA-2 MICROGLOBULIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	99	Total	C	N	O	S	0	0	0
			821	524	138	152	7			


- Molecule 3 is a protein called VESICULAR STOMATITIS VIRUS NUCLEOPROTEIN.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	8	Total	C	N	O	0	0	0
			69	45	12	12			


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: MHC CLASS I H-2KB HEAVY CHAIN



• Molecule 2: BETA-2 MICROGLOBULIN



• Molecule 3: VESICULAR STOMATITIS VIRUS NUCLEOPROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	136.70Å 88.00Å 45.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.10 15.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	91.6 (15.00-2.10) 95.4 (15.00-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.94 (at 2.09Å)	Xtriage
Refinement program	X-PLOR 3.8	Depositor
R, R_{free}	0.248 , 0.293 0.259 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	19.5	Xtriage
Anisotropy	0.138	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 46.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	3122	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/2293	0.85	3/3113 (0.1%)
2	B	0.36	0/847	0.89	1/1148 (0.1%)
3	C	0.35	0/70	0.82	0/91
All	All	0.36	0/3210	0.86	4/4352 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	75	ARG	N-CA-C	-5.53	105.34	111.36
1	A	206	LEU	N-CA-C	5.47	117.73	109.41
1	A	139	ALA	N-CA-C	-5.41	105.30	111.14
2	B	28	THR	N-CA-C	5.17	116.85	109.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2232	0	2123	102	1
2	B	821	0	796	43	1
3	C	69	0	69	4	0
All	All	3122	0	2988	142	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 23.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:TRP:H	1:A:228:MET:HE2	1.06	1.19
1:A:217:TRP:H	1:A:228:MET:CE	1.65	1.09
1:A:255:GLN:NE2	1:A:255:GLN:HA	1.77	0.98
1:A:263:HIS:CD2	1:A:265:GLY:H	1.85	0.94
1:A:263:HIS:HD2	1:A:265:GLY:H	1.05	0.93
1:A:28:VAL:HG12	1:A:28:VAL:O	1.70	0.92
1:A:126:LEU:HD22	1:A:156:LEU:HD13	1.54	0.90
1:A:62:ARG:HH11	3:C:1:ARG:HH22	1.23	0.87
1:A:217:TRP:N	1:A:228:MET:HE2	1.90	0.86
2:B:3:LYS:NZ	2:B:59:ASP:OD1	2.11	0.82
1:A:114:GLN:OE1	1:A:156:LEU:HD11	1.82	0.80
1:A:216:THR:HA	1:A:228:MET:HE1	1.61	0.80
1:A:195:PRO:O	1:A:196:GLU:HB2	1.81	0.80
1:A:9:VAL:HG22	1:A:97:VAL:HB	1.67	0.77
1:A:219:LEU:O	1:A:222:GLU:HG2	1.85	0.76
1:A:217:TRP:N	1:A:228:MET:CE	2.48	0.74
1:A:62:ARG:HH11	3:C:1:ARG:NH2	1.84	0.73
2:B:87:MET:O	2:B:88:ALA:HB3	1.88	0.73
1:A:206:LEU:HD23	1:A:242:GLN:HB2	1.72	0.72
1:A:263:HIS:HD2	1:A:265:GLY:N	1.85	0.71
2:B:73:THR:HG22	2:B:75:THR:H	1.57	0.70
1:A:230:LEU:HD22	1:A:245:ALA:CB	2.22	0.70
2:B:59:ASP:O	2:B:60:TRP:HB2	1.91	0.69
1:A:19:GLU:OE2	1:A:75:ARG:NH1	2.26	0.68
2:B:29:GLN:HA	2:B:61:SER:HB2	1.77	0.67
1:A:255:GLN:HA	1:A:255:GLN:HE21	1.55	0.67
2:B:36:GLU:HB3	2:B:83:LYS:HB2	1.75	0.67
1:A:62:ARG:NH1	3:C:1:ARG:NH2	2.43	0.67
1:A:230:LEU:HD22	1:A:245:ALA:HB2	1.76	0.66
1:A:28:VAL:O	1:A:29:ASP:HB2	1.93	0.66
1:A:218:GLN:NE2	1:A:223:GLU:HG3	2.10	0.66
1:A:194:ARG:HB2	1:A:198:LYS:O	1.95	0.66
1:A:215:LEU:HD12	1:A:243:LYS:HD2	1.77	0.66
1:A:157:ARG:O	1:A:161:GLU:HG3	1.95	0.65
1:A:12:VAL:HG12	1:A:94:THR:HG23	1.76	0.65
2:B:7:ILE:HB	2:B:93:VAL:HG21	1.78	0.64
2:B:37:ILE:HD12	2:B:51:MET:HE1	1.81	0.63
2:B:7:ILE:HG12	2:B:82:VAL:HG21	1.81	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:59:ASP:OD1	2:B:59:ASP:O	2.15	0.63
2:B:3:LYS:NZ	2:B:59:ASP:CG	2.57	0.62
2:B:4:THR:HG22	2:B:87:MET:HE3	1.81	0.62
1:A:216:THR:CA	1:A:228:MET:HE1	2.29	0.61
1:A:222:GLU:O	1:A:224:LEU:HD12	1.99	0.61
1:A:28:VAL:O	1:A:28:VAL:CG1	2.44	0.61
1:A:243:LYS:HG2	1:A:244:TRP:N	2.18	0.59
1:A:230:LEU:CD2	1:A:245:ALA:CB	2.81	0.59
1:A:249:VAL:HB	1:A:250:PRO:HD2	1.84	0.58
1:A:261:VAL:HB	1:A:270:LEU:HB2	1.85	0.58
1:A:28:VAL:O	1:A:29:ASP:CB	2.51	0.58
1:A:224:LEU:HD12	1:A:224:LEU:N	2.18	0.58
2:B:16:GLU:HB3	2:B:19:LYS:HG3	1.86	0.57
2:B:4:THR:CG2	2:B:87:MET:HE3	2.33	0.57
1:A:216:THR:HA	1:A:228:MET:CE	2.34	0.57
1:A:114:GLN:OE1	1:A:156:LEU:CD1	2.51	0.57
1:A:218:GLN:NE2	1:A:223:GLU:CG	2.67	0.57
1:A:218:GLN:HE22	1:A:223:GLU:HG3	1.69	0.57
1:A:196:GLU:CD	1:A:198:LYS:NZ	2.63	0.56
1:A:41:GLU:H	1:A:41:GLU:CD	2.13	0.56
1:A:230:LEU:CD2	1:A:245:ALA:HB1	2.35	0.56
2:B:24:ASN:HB3	2:B:65:LEU:HD11	1.88	0.56
2:B:41:LYS:HD3	2:B:78:TYR:CE2	2.41	0.56
2:B:87:MET:O	2:B:88:ALA:CB	2.54	0.56
1:A:266:LEU:HD13	1:A:270:LEU:HG	1.87	0.56
1:A:217:TRP:H	1:A:228:MET:HE1	1.64	0.56
1:A:98:ILE:CG2	1:A:115:GLN:HG3	2.36	0.56
1:A:196:GLU:CD	1:A:198:LYS:HZ1	2.14	0.55
1:A:229:GLU:O	1:A:230:LEU:HD23	2.07	0.55
2:B:40:LEU:HD23	2:B:45:LYS:HA	1.89	0.55
1:A:219:LEU:O	1:A:220:ASN:HB2	2.07	0.55
1:A:206:LEU:CD2	1:A:242:GLN:HB2	2.37	0.54
1:A:109:LEU:HD13	1:A:165:VAL:CG1	2.38	0.54
1:A:196:GLU:OE2	1:A:198:LYS:NZ	2.39	0.53
1:A:42:ASN:O	1:A:42:ASN:CG	2.51	0.52
1:A:19:GLU:CD	1:A:75:ARG:NH1	2.66	0.52
2:B:3:LYS:NZ	2:B:59:ASP:OD2	2.42	0.52
1:A:161:GLU:O	1:A:165:VAL:HG21	2.10	0.52
1:A:161:GLU:O	1:A:165:VAL:CG2	2.59	0.51
2:B:15:PRO:HG3	2:B:95:TRP:HZ2	1.75	0.51
1:A:129:ASP:OD1	1:A:130:LEU:N	2.44	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:73:THR:CG2	2:B:74:GLU:N	2.74	0.51
1:A:191:HIS:HB2	1:A:274:TRP:NE1	2.26	0.51
1:A:66:LYS:HG2	1:A:67:ALA:N	2.26	0.50
1:A:135:ALA:HB1	1:A:140:ALA:HB3	1.94	0.50
2:B:12:ARG:HD2	2:B:12:ARG:C	2.36	0.50
1:A:98:ILE:HG23	1:A:98:ILE:O	2.12	0.50
2:B:73:THR:HG22	2:B:74:GLU:N	2.26	0.49
1:A:218:GLN:HE22	1:A:223:GLU:CG	2.25	0.49
2:B:21:ASN:HB3	2:B:70:PHE:CE1	2.47	0.49
1:A:209:TYR:CD2	1:A:241:PHE:HE1	2.30	0.49
2:B:59:ASP:OD1	2:B:59:ASP:C	2.56	0.49
1:A:13:SER:HA	1:A:20:PRO:HB3	1.96	0.48
1:A:126:LEU:HD22	1:A:156:LEU:CD1	2.36	0.48
1:A:243:LYS:HG2	1:A:244:TRP:H	1.78	0.48
1:A:81:LEU:HD23	1:A:118:TYR:CD1	2.49	0.48
1:A:129:ASP:OD1	1:A:129:ASP:C	2.58	0.47
1:A:203:CYS:O	1:A:244:TRP:HA	2.14	0.47
1:A:217:TRP:HB2	1:A:228:MET:HE2	1.97	0.47
2:B:32:PRO:HB2	2:B:33:PRO:HD2	1.96	0.47
1:A:12:VAL:O	1:A:12:VAL:HG23	2.14	0.46
1:A:55:GLU:CD	1:A:170:ARG:HH21	2.23	0.46
1:A:219:LEU:HB3	1:A:224:LEU:HD11	1.97	0.46
2:B:41:LYS:O	2:B:41:LYS:HG3	2.13	0.46
1:A:62:ARG:NH1	3:C:1:ARG:HH22	1.98	0.46
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.51	0.46
2:B:73:THR:HG22	2:B:75:THR:N	2.27	0.46
1:A:191:HIS:NE2	1:A:199:VAL:HG11	2.31	0.46
1:A:217:TRP:N	1:A:228:MET:HE1	2.26	0.46
1:A:190:THR:OG1	1:A:202:ARG:HB3	2.16	0.45
1:A:191:HIS:HB2	1:A:274:TRP:CE2	2.51	0.45
1:A:28:VAL:HG11	1:A:179:LEU:HD13	1.98	0.45
2:B:58:LYS:H	2:B:58:LYS:HG2	1.47	0.45
2:B:74:GLU:HA	2:B:74:GLU:OE1	2.16	0.44
2:B:4:THR:CG2	2:B:87:MET:CE	2.95	0.44
1:A:217:TRP:O	1:A:224:LEU:HD13	2.17	0.44
2:B:48:LYS:HD3	2:B:68:THR:OG1	2.18	0.44
1:A:114:GLN:OE1	1:A:156:LEU:CG	2.66	0.43
1:A:191:HIS:NE2	1:A:254:GLU:OE2	2.46	0.43
1:A:58:GLU:HG2	1:A:62:ARG:HD2	1.99	0.43
1:A:185:PRO:HG2	1:A:266:LEU:HD11	2.00	0.43
1:A:28:VAL:CG1	1:A:179:LEU:HD13	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:48:LYS:NZ	2:B:50:GLU:OE2	2.52	0.43
2:B:56:PHE:HA	2:B:61:SER:O	2.19	0.43
1:A:44:ARG:HG3	1:A:64:THR:HG21	2.01	0.43
2:B:31:HIS:ND1	2:B:32:PRO:HA	2.33	0.42
2:B:87:MET:C	2:B:89:GLU:H	2.27	0.42
2:B:28:THR:HB	2:B:63:TYR:CE2	2.54	0.42
1:A:215:LEU:CD1	1:A:243:LYS:HD2	2.48	0.42
2:B:48:LYS:HE3	2:B:69:GLU:HB2	2.01	0.42
1:A:111:ARG:HG2	1:A:112:GLY:N	2.35	0.42
1:A:209:TYR:HD2	1:A:241:PHE:HE1	1.68	0.42
1:A:224:LEU:N	1:A:224:LEU:CD1	2.82	0.42
1:A:254:GLU:H	1:A:254:GLU:HG2	1.58	0.42
1:A:12:VAL:HG11	2:B:33:PRO:HG2	2.01	0.41
1:A:201:LEU:O	1:A:246:SER:HA	2.21	0.41
2:B:9:VAL:HA	2:B:24:ASN:O	2.21	0.41
1:A:250:PRO:HG2	1:A:253:LYS:HB2	2.03	0.41
1:A:228:MET:SD	1:A:230:LEU:HD21	2.61	0.41
1:A:252:GLY:N	1:A:254:GLU:OE1	2.53	0.41
1:A:117:ALA:HB2	2:B:60:TRP:CZ2	2.57	0.40
1:A:20:PRO:CD	1:A:75:ARG:HG2	2.52	0.40
1:A:165:VAL:HG23	1:A:166:GLU:N	2.36	0.40
2:B:59:ASP:O	2:B:60:TRP:CB	2.62	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79:ARG:NH1	2:B:98:ASP:OD2[3_555]	2.13	0.07

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/274 (99%)	262 (96%)	8 (3%)	2 (1%)	18	15
2	B	97/99 (98%)	91 (94%)	6 (6%)	0	100	100
3	C	6/8 (75%)	6 (100%)	0	0	100	100
All	All	375/381 (98%)	359 (96%)	14 (4%)	2 (0%)	24	22

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	29	ASP
1	A	196	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/232 (100%)	208 (90%)	24 (10%)	7	4
2	B	94/94 (100%)	79 (84%)	15 (16%)	2	1
3	C	6/6 (100%)	6 (100%)	0	100	100
All	All	332/332 (100%)	293 (88%)	39 (12%)	5	3

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	VAL
1	A	35	ARG
1	A	42	ASN
1	A	45	TYR
1	A	66	LYS
1	A	81	LEU
1	A	88	SER
1	A	99	SER
1	A	105	SER
1	A	110	LEU
1	A	115	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	155	ARG
1	A	156	LEU
1	A	161	GLU
1	A	173	LYS
1	A	186	LYS
1	A	198	LYS
1	A	215	LEU
1	A	218	GLN
1	A	227	ASP
1	A	230	LEU
1	A	254	GLU
1	A	255	GLN
1	A	273	ARG
2	B	1	ILE
2	B	2	GLN
2	B	12	ARG
2	B	13	HIS
2	B	41	LYS
2	B	44	LYS
2	B	45	LYS
2	B	54	MET
2	B	56	PHE
2	B	58	LYS
2	B	61	SER
2	B	74	GLU
2	B	83	LYS
2	B	87	MET
2	B	97	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	GLN
1	A	127	ASN
1	A	218	GLN
1	A	220	ASN
1	A	226	GLN
1	A	255	GLN
1	A	263	HIS
2	B	2	GLN
2	B	13	HIS
2	B	17	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	274/274 (100%)	0.52	29 (10%) 11 12	11, 20, 47, 61	0
2	B	99/99 (100%)	0.59	7 (7%) 22 23	12, 22, 41, 44	0
3	C	8/8 (100%)	-0.09	0 100 100	14, 16, 20, 35	0
All	All	381/381 (100%)	0.52	36 (9%) 14 14	11, 20, 44, 61	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	48	LYS	5.3
1	A	1	GLY	4.1
1	A	256	TYR	4.0
1	A	225	ILE	4.0
2	B	88	ALA	3.8
1	A	28	VAL	3.5
1	A	195	PRO	3.5
1	A	274	TRP	3.3
1	A	226	GLN	3.3
1	A	101	CYS	3.3
1	A	196	GLU	3.1
1	A	44	ARG	2.9
1	A	227	ASP	2.9
1	A	259	CYS	2.9
2	B	59	ASP	2.8
2	B	87	MET	2.8
2	B	1	ILE	2.7
1	A	255	GLN	2.7
1	A	42	ASN	2.7
1	A	131	LYS	2.6
1	A	41	GLU	2.5
1	A	220	ASN	2.5
1	A	197	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	73	THR	2.4
1	A	221	GLY	2.4
1	A	219	LEU	2.3
1	A	224	LEU	2.3
1	A	267	PRO	2.3
1	A	198	LYS	2.3
1	A	253	LYS	2.2
1	A	229	GLU	2.2
1	A	164	CYS	2.1
1	A	252	GLY	2.1
2	B	58	LYS	2.1
1	A	223	GLU	2.0
1	A	89	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.