



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 05:15 PM UTC

PDB ID : 8OSJ / pdb_00008osj
EMDB ID : EMD-17155
Title : Cryo-EM structure of CLOCK-BMAL1 bound to a nucleosomal E-box at position SHL-6.2 (DNA conformation 1)
Authors : Michael, A.K.; Stoos, L.; Kempf, G.; Cavadini, S.; Thoma, N.H.
Deposited on : 2023-04-19
Resolution : 6.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 6.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	537 (5.70 - 6.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	139	
1	E	139	
2	B	106	
2	F	106	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	133	
3	G	133	
4	D	128	
4	H	128	
5	I	153	
6	J	153	
7	M	375	
8	N	384	

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 11493 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone H3.1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	89	Total	C	N	O	S	0	0
			728	460	136	128	4		
1	E	89	Total	C	N	O	S	0	0
			728	460	136	128	4		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP P68431
A	-2	SER	-	expression tag	UNP P68431
A	-1	HIS	-	expression tag	UNP P68431
E	-3	GLY	-	expression tag	UNP P68431
E	-2	SER	-	expression tag	UNP P68431
E	-1	HIS	-	expression tag	UNP P68431

- Molecule 2 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	79	Total	C	N	O	S	0	0
			633	399	124	109	1		
2	F	79	Total	C	N	O	S	0	0
			633	399	124	109	1		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-3	GLY	-	expression tag	UNP P62805
B	-2	SER	-	expression tag	UNP P62805
B	-1	HIS	-	expression tag	UNP P62805
F	-3	GLY	-	expression tag	UNP P62805
F	-2	SER	-	expression tag	UNP P62805
F	-1	HIS	-	expression tag	UNP P62805

- Molecule 3 is a protein called Histone H2A type 1-B/E.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	C	100	Total	C	N	O	0	0
			769	486	148	135		
3	G	100	Total	C	N	O	0	0
			769	486	148	135		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-3	GLY	-	expression tag	UNP P04908
C	-2	SER	-	expression tag	UNP P04908
C	-1	HIS	-	expression tag	UNP P04908
G	-3	GLY	-	expression tag	UNP P04908
G	-2	SER	-	expression tag	UNP P04908
G	-1	HIS	-	expression tag	UNP P04908

- Molecule 4 is a protein called Histone H2B type 1-J.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	90	Total	C	N	O	S	0	0
			699	441	123	133	2		
4	H	90	Total	C	N	O	S	0	0
			699	441	123	133	2		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-3	GLY	-	expression tag	UNP P06899
D	-2	SER	-	expression tag	UNP P06899
D	-1	HIS	-	expression tag	UNP P06899
H	-3	GLY	-	expression tag	UNP P06899
H	-2	SER	-	expression tag	UNP P06899
H	-1	HIS	-	expression tag	UNP P06899

- Molecule 5 is a DNA chain called DNA (124-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
5	I	128	Total	C	N	O	P	0	0
			2611	1238	475	770	128		

- Molecule 6 is a DNA chain called DNA (124-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
6	J	128	Total	C	N	O	P	0	0
			2637	1246	497	766	128		

- Molecule 7 is a protein called Circadian locomoter output cycles protein kaput.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	M	63	Total	C	N	O	0	0
			315	189	63	63		

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	21	GLY	-	expression tag	UNP O08785
M	22	ALA	-	expression tag	UNP O08785
M	23	MET	-	expression tag	UNP O08785
M	24	ASN	-	expression tag	UNP O08785
M	25	PRO	-	expression tag	UNP O08785

- Molecule 8 is a protein called Basic helix-loop-helix ARNT-like protein 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
8	N	54	Total	C	N	O	0	0
			272	164	54	54		


There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
N	64	GLY	-	expression tag	UNP Q9WTL8
N	65	ALA	-	expression tag	UNP Q9WTL8
N	66	MET	-	expression tag	UNP Q9WTL8
N	67	ASN	-	expression tag	UNP Q9WTL8
N	68	PRO	-	expression tag	UNP Q9WTL8


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone H3.1




- Molecule 1: Histone H3.1




- Molecule 2: Histone H4



- Molecule 2: Histone H4



- Molecule 3: Histone H2A type 1-B/E



- Molecule 3: Histone H2A type 1-B/E

- Molecule 4: Histone H2B type 1-J

- Molecule 4: Histone H2B type 1-J

- Molecule 5: DNA (124-MER)

- Molecule 6: DNA (124-MER)

- Molecule 7: Circadian locomoter output cycles protein kaput

LEU ALA THR PRO GLN PHE ILE LYS LEU GLU MET CYS THR VAL GLU GLU PRO ASN GLU GLU PHE THR SER SER ARG HIS LEU LEU TRP THR PHE LEU PHE LEU LEU ASP HIS ARG ALA PRO PRO PRO ILE ILE LEU GLY TYR LEU LEU PHE PHE GLU VAL LEU GLY THR SER TYR ASP TYR THR HIS VAL

SER TYR ALA GLU VAL ARG ALA GLU ARG ARG ARG GLU LEU GLY ILE GLU GLU SER LEU

Chain N: 14% 86%

GLY	ALA	MET	ASN	PRO	GLU	GLU	TYR	ALA	ALA	HIS	GLN	GLY	R76	V106	M129	LYS	THR	LEU	ARG	GLY	ALA	ALA	ASN	PRO	TYR	THR	GLU	ALA	ALA	ASN	TYR	LYS	THR	PRO	THR	PHE	LEU	SER	ASP	ASP	GLU	LEU	LYS	HIS	LEU	IIE	LEU	ARG	ALA	ALA	ASP	GLY	PHE	LEU	PHE	VAL	VAL	GLY	CYS	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ARG	GLY	LEU	PHE	VAL	SER	GLU	SER	VAL	PHE	LYS	ILE	LEU	ASN	TYR	SER	GLN	ASN	ASP	PHE	LEU	LEU	ILE	GLY	GLN	SER	LEU	LEU	ASP	TYR	LEU	LEU	HIS	PRO	LYS	LYS	ASP	ILE	ALA	LYS	VAL	VAL	LYS	GLU	GLN	LEU	SER	SER	SER	SER	ASP	THR	ALA	PRO	ARG	GLU	ARG	LEU	ILE	ASP	ALA	LYS	THR	TYR
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

LEU	PRO	VAL	VAL	LYS	THR	ASP	ILE	THR	PRO	PRO	GLY	GLY	PRO	SER	SER	ARG	LEU	CYS	SER	GLY	ALA	ARG	ARG	SER	PHE	PHE	CYS	ARG	LYS	CYS	ASN	ARG	PRO	SER	PRO	VAL	VAL	VAL	GLU	ASP	LYS	LYS	ASP	PHE	ALA	SER	THR	CYS	SER	LYS	LYS	LYS	LYS	ASP	ARG	LYS	LYS	PHE	CYS	THR	ILE	SER	HIS	THR	THR	LYS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

TYR	LEU	LYS	SER	TRP	PRO	PRO	THR	LYS	MET	GLY	LEU	ASP	GLU	ASP	ASN	ASN	GLY	GLY	CYS	ASN	ASN	LEU	SER	CYS	LEU	VAL	VAL	ILE	ILE	GLY	ARG	LEU	SER	HIS	HIS	MET	VAL	VAL	PRO	PRO	GLN	PRO	ALA	ASN	ASN	GLY	GLY	GLU	ILE	ILE	ARG	VAL	VAL	LYS	SER	SER	ARG	HIS	HIS	ALA	TYR
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

[illegible]

LYS	ILE	LYS	ASP	GLY	SER	PHE	ILE	THR	LEU	ARG	SER	ARG	TRP	PHE	SER	PHE	MET	ASN	PRO	TRP	THR	LYS	GLU	VAL	GLU	TYR	ILE	VAL	SER	THR	ASN	THR	VAL	VAL
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	152914	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	200	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.013	Depositor
Minimum map value	-0.005	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.00126	Depositor
Map size ($\text{\AA}$)	242.08, 242.08, 242.08	wwPDB
Map dimensions	356, 356, 356	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.68, 0.68, 0.68	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/736	0.70	4/987 (0.4%)
1	E	0.60	0/736	0.68	2/987 (0.2%)
2	B	0.60	0/640	0.70	2/857 (0.2%)
2	F	0.59	0/640	0.70	2/857 (0.2%)
3	C	0.58	0/779	0.81	6/1054 (0.6%)
3	G	0.58	0/779	0.79	6/1054 (0.6%)
4	D	0.55	0/710	0.78	4/957 (0.4%)
4	H	0.54	0/710	0.75	4/957 (0.4%)
5	I	0.30	0/2925	0.75	0/4509
6	J	0.30	0/2961	0.75	0/4571
7	M	0.38	0/315	0.81	2/439 (0.5%)
8	N	0.36	0/272	0.81	2/380 (0.5%)
All	All	0.46	0/12203	0.75	34/17609 (0.2%)

There are no bond length outliers.

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	49	HIS	CA-C-N	7.49	127.19	119.56
4	H	49	HIS	C-N-CA	7.49	127.19	119.56
4	D	102	LEU	CA-C-N	7.24	127.16	120.21
4	D	102	LEU	C-N-CA	7.24	127.16	120.21
3	C	25	PHE	CA-C-N	7.21	127.13	119.85
3	C	25	PHE	C-N-CA	7.21	127.13	119.85
4	D	49	HIS	CA-C-N	6.96	126.66	119.56
4	D	49	HIS	C-N-CA	6.96	126.66	119.56
4	H	102	LEU	CA-C-N	6.62	126.58	120.03
4	H	102	LEU	C-N-CA	6.62	126.58	120.03
3	G	25	PHE	CA-C-N	6.48	126.70	119.90
3	G	25	PHE	C-N-CA	6.48	126.70	119.90
8	N	106	VAL	CA-C-N	6.36	126.85	119.47
8	N	106	VAL	C-N-CA	6.36	126.85	119.47
3	G	47	ALA	CA-C-N	6.24	125.97	119.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	47	ALA	C-N-CA	6.24	125.97	119.05
7	M	61	LEU	CA-C-N	5.99	125.90	119.85
7	M	61	LEU	C-N-CA	5.99	125.90	119.85
3	C	47	ALA	CA-C-N	5.93	125.64	119.05
3	C	47	ALA	C-N-CA	5.93	125.64	119.05
3	C	79	ILE	CA-C-N	5.89	126.30	119.47
3	C	79	ILE	C-N-CA	5.89	126.30	119.47
1	E	120	MET	CA-C-N	5.73	126.12	119.47
1	E	120	MET	C-N-CA	5.73	126.12	119.47
2	B	31	LYS	CA-C-N	5.67	125.34	119.05
2	B	31	LYS	C-N-CA	5.67	125.34	119.05
3	G	79	ILE	CA-C-N	5.62	125.99	119.47
3	G	79	ILE	C-N-CA	5.62	125.99	119.47
1	A	120	MET	CA-C-N	5.61	125.98	119.47
1	A	120	MET	C-N-CA	5.61	125.98	119.47
1	A	65	LEU	CA-C-N	5.43	125.07	119.05
1	A	65	LEU	C-N-CA	5.43	125.07	119.05
2	F	31	LYS	CA-C-N	5.34	124.97	119.05
2	F	31	LYS	C-N-CA	5.34	124.97	119.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	728	0	766	0	0
1	E	728	0	766	1	0
2	B	633	0	673	1	0
2	F	633	0	673	1	0
3	C	769	0	815	1	0
3	G	769	0	815	1	0
4	D	699	0	714	0	0
4	H	699	0	714	0	0
5	I	2611	0	1436	3	0
6	J	2637	0	1434	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	M	315	0	144	0	0
8	N	272	0	127	0	0
All	All	11493	0	9077	11	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (11) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:J:117:DA:H2''	6:J:118:DT:C5'	2.38	0.53
3:G:47:ALA:N	3:G:48:PRO:CD	2.75	0.48
5:I:120:DA:H2''	5:I:121:DG:C8	2.51	0.46
1:E:65:LEU:N	1:E:66:PRO:HD2	2.29	0.46
3:C:47:ALA:N	3:C:48:PRO:CD	2.82	0.42
2:F:31:LYS:N	2:F:32:PRO:CD	2.83	0.41
6:J:117:DA:H2''	6:J:118:DT:H5''	2.02	0.41
5:I:131:DA:C2	6:J:18:DG:C2	3.08	0.41
2:B:31:LYS:N	2:B:32:PRO:CD	2.84	0.41
5:I:90:DA:C2	6:J:59:DA:C2	3.08	0.41
6:J:117:DA:H2''	6:J:118:DT:H5'	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	87/139 (63%)	87 (100%)	0	0	100	100
1	E	87/139 (63%)	87 (100%)	0	0	100	100
2	B	77/106 (73%)	77 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	F	77/106 (73%)	77 (100%)	0	0	100	100
3	C	98/133 (74%)	98 (100%)	0	0	100	100
3	G	98/133 (74%)	96 (98%)	2 (2%)	0	100	100
4	D	88/128 (69%)	88 (100%)	0	0	100	100
4	H	88/128 (69%)	88 (100%)	0	0	100	100
7	M	61/375 (16%)	61 (100%)	0	0	100	100
8	N	52/384 (14%)	52 (100%)	0	0	100	100
All	All	813/1771 (46%)	811 (100%)	2 (0%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	78/113 (69%)	78 (100%)	0	100	100
1	E	78/113 (69%)	78 (100%)	0	100	100
2	B	65/81 (80%)	65 (100%)	0	100	100
2	F	65/81 (80%)	65 (100%)	0	100	100
3	C	79/102 (78%)	79 (100%)	0	100	100
3	G	79/102 (78%)	79 (100%)	0	100	100
4	D	76/106 (72%)	76 (100%)	0	100	100
4	H	76/106 (72%)	76 (100%)	0	100	100
7	M	1/345 (0%)	1 (100%)	0	100	100
8	N	1/342 (0%)	1 (100%)	0	100	100
All	All	598/1491 (40%)	598 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-17155. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 178




Y Index: 178




Z Index: 178


6.2.2 Raw map



X Index: 178



Y Index: 178




Z Index: 178


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 174




Y Index: 203




Z Index: 170


6.3.2 Raw map



X Index: 176



Y Index: 182




Z Index: 174


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.00126. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 446 nm^3 ; this corresponds to an approximate mass of 403 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.161 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.161 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	6.20	-	-
Author-provided FSC curve	6.10	7.89	6.84
Unmasked-calculated*	7.37	9.69	7.59

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.37 differs from the reported value 6.2 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-17155 and PDB model 8OSJ. Per-residue inclusion information can be found in section [3](#) on page [7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.00126 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.00126).

9.4 Atom inclusion ⓘ



At the recommended contour level, 100% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.00126) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9670	0.2190
A	0.9400	0.2220
B	0.9460	0.2470
C	0.9170	0.2000
D	0.9280	0.2130
E	0.9450	0.2080
F	0.9290	0.2360
G	0.9420	0.2100
H	0.9560	0.2060
I	1.0000	0.2410
J	0.9950	0.2400
M	0.9430	0.0620
N	0.9930	0.0390

1.0

0.0

<0.0