



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 03:51 PM UTC

PDB ID : 3OU7 / pdb_00003ou7
Title : DhpI-SAM-HEP complex
Authors : Bae, B.; Nair, S.K.
Deposited on : 2010-09-14
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	218	80% 17% ..
1	B	218	2% 78% 17% ..
1	C	218	% 81% 16% .
1	D	218	2% 79% 17% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SAM	A	300	-	-	X	-
2	SAM	D	300	-	-	X	-
4	2HE	D	301	-	X	-	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 7469 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SAM-dependent methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	214	Total	C	N	O	S	0	0	0
			1706	1069	307	326	4			
1	B	214	Total	C	N	O	S	0	0	0
			1708	1071	310	323	4			
1	C	212	Total	C	N	O	S	0	0	0
			1692	1061	305	322	4			
1	D	213	Total	C	N	O	S	0	0	0
			1699	1065	306	324	4			

- Molecule 2 is S-ADENOSYLMETHIONINE (CCD ID: SAM) (formula: $C_{15}H_{22}N_6O_5S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
2	B	1	Total	C	N	O	S	0	0
			27	15	6	5	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
2	D	1	Total	C	N	O	S	0	0
			27	15	6	5	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is (2-hydroxyethyl)phosphonic acid (CCD ID: 2HE) (formula: C₂H₇O₄P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	D	1	Total	C	O	P	0	0
			7	2	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	130	Total	O	0	0
			130	130		
5	B	132	Total	O	0	0
			132	132		
5	C	143	Total	O	0	0
			143	143		
5	D	129	Total	O	0	0
			129	129		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: SAM-dependent methyltransferase




• Molecule 1: SAM-dependent methyltransferase



• Molecule 1: SAM-dependent methyltransferase



• Molecule 1: SAM-dependent methyltransferase



Q171	D172	A186	E187	L188	T193	S198	H205	P206	L209	Y210	A211	P215	GLY	PRO	ARG
------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	167.29Å 167.29Å 168.40Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	41.89 – 2.30 41.89 – 2.30	Depositor EDS
% Data completeness (in resolution range)	94.7 (41.89-2.30) 94.7 (41.89-2.30)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.94 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.5.0066	Depositor
R, R_{free}	0.179 , 0.227 0.175 , 0.222	Depositor DCC
R_{free} test set	2971 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å ²)	28.3	Xtriage
Anisotropy	0.021	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 38.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7469	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SAM, SO4, 2HE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.29	6/1750 (0.3%)	1.24	7/2381 (0.3%)
1	B	1.26	2/1753 (0.1%)	1.19	6/2384 (0.3%)
1	C	1.27	3/1736 (0.2%)	1.22	6/2361 (0.3%)
1	D	1.32	3/1743 (0.2%)	1.21	6/2371 (0.3%)
All	All	1.29	14/6982 (0.2%)	1.22	25/9497 (0.3%)

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	186	ALA	CA-CB	7.31	1.64	1.53
1	B	78	ALA	CA-CB	7.04	1.65	1.53
1	A	164	VAL	CA-CB	5.72	1.62	1.54
1	A	8	ILE	CA-CB	5.69	1.61	1.54
1	B	9	GLU	CG-CD	5.65	1.66	1.52
1	C	130	GLU	N-CA	5.43	1.52	1.46
1	D	198	SER	CA-C	5.43	1.58	1.52
1	D	193	THR	CA-CB	5.38	1.61	1.53
1	C	120	VAL	CA-CB	5.32	1.59	1.53
1	C	127	ALA	CA-CB	5.30	1.61	1.53
1	A	43	ALA	CA-CB	5.25	1.62	1.53
1	A	155	GLU	CD-OE1	5.07	1.34	1.25
1	A	82	ALA	CA-CB	5.03	1.61	1.53
1	A	78	ALA	CA-CB	5.01	1.61	1.53

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	103	THR	CA-C-N	-8.10	112.02	120.03
1	B	103	THR	C-N-CA	-8.10	112.02	120.03
1	D	34	ALA	CA-C-N	-7.41	111.33	119.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	34	ALA	C-N-CA	-7.41	111.33	119.19
1	D	160	SER	CB-CA-C	-7.32	98.64	110.79
1	A	160	SER	CA-C-N	-7.16	114.35	123.16
1	A	160	SER	C-N-CA	-7.16	114.35	123.16
1	A	205	HIS	CA-C-N	-6.52	112.79	119.83
1	A	205	HIS	C-N-CA	-6.52	112.79	119.83
1	B	46	ILE	CB-CA-C	-6.49	104.92	111.80
1	C	103	THR	CA-C-N	-6.31	114.13	120.31
1	C	103	THR	C-N-CA	-6.31	114.13	120.31
1	A	80	MET	N-CA-C	-6.27	104.52	111.36
1	A	136	VAL	CB-CA-C	-6.14	103.53	110.96
1	A	26	PHE	CB-CA-C	-6.09	107.85	115.89
1	B	208	PHE	N-CA-C	5.84	118.99	109.24
1	C	164	VAL	N-CA-C	-5.74	105.50	111.58
1	C	34	ALA	CA-C-N	-5.45	113.00	119.05
1	C	34	ALA	C-N-CA	-5.45	113.00	119.05
1	D	147	VAL	CB-CA-C	-5.34	105.46	111.45
1	D	82	ALA	N-CA-C	-5.34	105.54	111.36
1	D	205	HIS	N-CA-C	-5.29	101.28	108.11
1	B	49	ASP	CB-CA-C	-5.23	101.48	110.22
1	C	64	LEU	N-CA-C	-5.21	105.69	111.36
1	B	10	SER	N-CA-CB	-5.06	102.68	110.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1706	0	1605	38	0
1	B	1708	0	1609	49	1
1	C	1692	0	1591	32	0
1	D	1699	0	1598	44	0
2	A	27	0	22	9	0
2	B	27	0	22	1	0
2	C	27	0	22	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	27	0	22	10	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
4	D	7	0	5	1	0
5	A	130	0	0	8	0
5	B	132	0	0	14	0
5	C	143	0	0	11	1
5	D	129	0	0	7	0
All	All	7469	0	6496	159	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:MET:CE	1:B:115:HIS:CE1	1.91	1.54
1:B:30:MET:HE1	1:B:115:HIS:CE1	1.54	1.30
1:B:30:MET:HE2	1:B:115:HIS:CE1	1.60	1.30
1:A:119:HIS:CD2	2:A:300:SAM:HE1	1.68	1.28
1:B:30:MET:CE	1:B:115:HIS:HE1	1.34	1.23
1:C:30:MET:CE	1:C:60:TRP:HZ2	1.53	1.20
1:C:30:MET:HE3	1:C:60:TRP:CZ2	1.76	1.20
1:A:119:HIS:CD2	2:A:300:SAM:CE	2.26	1.19
1:D:119:HIS:CD2	2:D:300:SAM:CE	2.29	1.16
1:A:30:MET:HE3	1:A:60:TRP:HZ2	1.12	1.11
1:B:177:ARG:HD3	5:B:667:HOH:O	1.51	1.08
1:B:218:ARG:HH11	1:B:218:ARG:HG2	1.16	1.07
1:B:171:GLN:NE2	1:B:171:GLN:HA	1.48	1.07
1:C:30:MET:HE3	1:C:60:TRP:HZ2	1.05	1.07
1:A:163:GLU:HG3	1:D:163:GLU:HG3	1.07	1.07
1:C:30:MET:CE	1:C:60:TRP:CZ2	2.34	1.05
1:D:22:TYR:OH	2:D:300:SAM:HB1	1.55	1.05
1:A:30:MET:HE3	1:A:60:TRP:CZ2	1.91	1.04
1:A:30:MET:HE1	1:A:145:VAL:HG11	1.40	1.04
1:D:163:GLU:O	1:D:163:GLU:HG2	1.56	1.01
1:B:172:ASP:OD2	1:B:174:ARG:NH2	1.93	1.00
1:A:163:GLU:HG3	1:D:163:GLU:CG	1.91	1.00
1:C:96:GLN:HG2	5:C:657:HOH:O	1.64	0.98
1:A:163:GLU:CG	1:D:163:GLU:HG3	1.93	0.97

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:MET:CE	1:B:115:HIS:ND1	2.26	0.97
1:D:119:HIS:CD2	2:D:300:SAM:HE1	1.99	0.96
1:B:171:GLN:NE2	1:B:171:GLN:CA	2.29	0.95
1:D:161:GLU:HG3	5:D:443:HOH:O	1.66	0.94
1:B:171:GLN:HA	1:B:171:GLN:HE21	1.35	0.90
1:B:172:ASP:OD2	1:B:174:ARG:NE	2.06	0.89
1:B:171:GLN:CA	1:B:171:GLN:HE21	1.86	0.89
1:C:21:GLU:OE1	1:C:171:GLN:HG3	1.75	0.87
1:B:172:ASP:OD2	1:B:174:ARG:CZ	2.25	0.85
1:B:171:GLN:HE21	1:B:171:GLN:C	1.85	0.85
1:C:177:ARG:HD3	5:C:401:HOH:O	1.79	0.83
1:A:119:HIS:HD2	2:A:300:SAM:HE1	1.33	0.82
1:D:163:GLU:O	1:D:163:GLU:CG	2.29	0.81
1:D:27:VAL:HA	4:D:301:2HE:HBA	1.61	0.81
1:B:151:GLU:HG3	5:B:221:HOH:O	1.82	0.80
1:C:30:MET:HE1	1:C:60:TRP:CZ2	2.15	0.79
1:B:218:ARG:HG2	1:B:218:ARG:NH1	1.90	0.78
1:D:119:HIS:CD2	2:D:300:SAM:HE3	2.17	0.77
1:A:119:HIS:NE2	2:A:300:SAM:CE	2.46	0.77
1:D:16:ARG:NH2	1:D:79:GLU:OE2	2.18	0.76
1:D:115:HIS:O	2:D:300:SAM:HE3	1.86	0.75
1:D:16:ARG:HD2	5:D:219:HOH:O	1.87	0.75
1:A:119:HIS:CD2	2:A:300:SAM:HE3	2.21	0.73
1:A:30:MET:CE	1:A:60:TRP:HZ2	1.98	0.73
1:B:25:THR:OG1	5:B:591:HOH:O	2.05	0.73
1:D:119:HIS:HD2	2:D:300:SAM:HE1	1.53	0.72
1:A:161:GLU:CD	5:A:694:HOH:O	2.33	0.71
1:D:119:HIS:HD2	2:D:300:SAM:CE	1.97	0.71
1:C:30:MET:HE1	1:C:60:TRP:HZ2	1.47	0.70
1:D:3:THR:HG22	1:D:3:THR:O	1.91	0.70
1:B:162:PRO:HA	5:B:530:HOH:O	1.92	0.69
1:B:105:ASP:HB2	5:B:259:HOH:O	1.92	0.68
1:B:155:GLU:HG3	5:B:238:HOH:O	1.94	0.68
1:C:30:MET:HE2	5:C:224:HOH:O	1.94	0.68
1:A:16:ARG:HD2	1:A:79:GLU:OE2	1.94	0.67
1:B:30:MET:HE1	1:B:115:HIS:ND1	2.02	0.66
1:D:70:ARG:HH22	1:D:106:ARG:HH12	1.42	0.66
5:A:258:HOH:O	1:D:150:HIS:HE1	1.80	0.64
5:B:279:HOH:O	1:C:150:HIS:HE1	1.80	0.63
1:D:71:VAL:HB	1:D:92:VAL:HG22	1.81	0.62
1:C:90:ASP:HB2	5:C:384:HOH:O	1.99	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:16:ARG:CD	5:C:596:HOH:O	2.48	0.61
1:A:121:PRO:HG2	1:A:124:ARG:HG3	1.82	0.61
1:C:16:ARG:HD2	5:C:596:HOH:O	2.01	0.61
1:B:172:ASP:CG	1:B:174:ARG:HE	2.08	0.61
1:D:119:HIS:NE2	2:D:300:SAM:CE	2.63	0.60
1:D:130:GLU:HG2	1:D:133:ARG:HH12	1.66	0.60
1:D:49:ASP:CG	1:D:70:ARG:NH1	2.59	0.59
1:A:150:HIS:CE1	1:A:152:ARG:HB2	2.37	0.59
1:B:83:GLU:OE1	1:B:86:ARG:NH1	2.36	0.58
1:D:49:ASP:CG	1:D:70:ARG:HH11	2.12	0.58
1:A:115:HIS:O	2:A:300:SAM:HE3	2.04	0.57
5:B:279:HOH:O	1:C:150:HIS:CE1	2.55	0.57
1:A:119:HIS:NE2	2:A:300:SAM:HE3	2.20	0.56
1:D:15:TYR:CB	2:D:300:SAM:H2'	2.36	0.56
1:D:205:HIS:HD2	5:D:338:HOH:O	1.87	0.56
1:A:148:THR:OG1	1:A:185:PRO:HD3	2.06	0.56
1:B:218:ARG:HH11	1:B:218:ARG:CG	2.01	0.55
1:A:30:MET:CE	1:A:60:TRP:CZ2	2.78	0.55
1:A:30:MET:HE1	1:A:145:VAL:CG1	2.24	0.55
1:A:70:ARG:HH12	1:A:106:ARG:HH12	1.55	0.53
1:C:30:MET:CE	1:C:60:TRP:CE2	2.90	0.53
1:C:83:GLU:O	1:C:86:ARG:HG2	2.08	0.53
1:A:209:LEU:C	1:A:209:LEU:HD12	2.34	0.53
1:C:167:ARG:HH21	1:C:177:ARG:CZ	2.22	0.53
1:D:30:MET:HE3	1:D:33:ALA:HB3	1.90	0.53
1:D:209:LEU:C	1:D:209:LEU:HD12	2.34	0.53
1:C:30:MET:HE3	1:C:60:TRP:CE2	2.41	0.53
1:B:30:MET:HE1	1:B:115:HIS:HE1	1.04	0.52
1:C:104:PRO:HG3	1:C:135:ALA:HB2	1.91	0.52
1:D:119:HIS:CD2	2:D:300:SAM:HE2	2.37	0.52
1:A:103:THR:O	1:A:103:THR:HG22	2.10	0.52
1:D:161:GLU:HG3	1:D:161:GLU:O	2.10	0.51
1:D:143:GLU:HA	1:D:211:ALA:O	2.11	0.51
1:A:119:HIS:HD2	2:A:300:SAM:CE	1.95	0.51
1:B:164:VAL:HG21	5:B:227:HOH:O	2.09	0.51
1:B:171:GLN:NE2	1:B:171:GLN:O	2.33	0.51
1:A:16:ARG:HD3	5:A:229:HOH:O	2.09	0.51
1:A:150:HIS:HE1	1:A:152:ARG:HB2	1.77	0.50
1:B:171:GLN:O	1:B:173:GLY:N	2.45	0.50
5:A:258:HOH:O	1:D:150:HIS:CE1	2.62	0.50
1:D:198:SER:HB2	5:D:496:HOH:O	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:143:GLU:HA	1:C:211:ALA:O	2.13	0.49
1:B:172:ASP:C	1:B:172:ASP:OD1	2.56	0.49
1:C:4:SER:C	1:C:6:GLY:N	2.70	0.49
1:B:150:HIS:HB3	5:B:226:HOH:O	2.12	0.49
1:B:171:GLN:C	1:B:173:GLY:H	2.21	0.49
1:B:62:ARG:HD3	5:B:393:HOH:O	2.12	0.48
1:B:209:LEU:C	1:B:209:LEU:HD12	2.38	0.48
1:A:15:TYR:CB	2:A:300:SAM:H2'	2.44	0.48
1:D:105:ASP:OD1	1:D:105:ASP:N	2.40	0.48
1:B:30:MET:HE2	1:B:115:HIS:ND1	2.07	0.47
1:C:90:ASP:CB	5:C:384:HOH:O	2.60	0.47
1:A:16:ARG:HD2	1:A:79:GLU:CD	2.38	0.47
1:C:177:ARG:NH1	5:C:238:HOH:O	2.47	0.46
1:D:172:ASP:OD1	1:D:172:ASP:C	2.58	0.46
1:B:30:MET:HE3	5:B:267:HOH:O	2.16	0.46
1:D:205:HIS:CD2	5:D:338:HOH:O	2.64	0.46
1:C:4:SER:C	1:C:6:GLY:H	2.22	0.46
1:C:16:ARG:HD3	5:C:596:HOH:O	2.15	0.46
1:A:143:GLU:HA	1:A:211:ALA:O	2.15	0.45
1:B:112:PHE:HA	1:B:143:GLU:O	2.16	0.45
1:B:164:VAL:HG22	1:B:181:VAL:HG22	1.98	0.45
1:C:133:ARG:HD2	5:C:274:HOH:O	2.17	0.45
1:D:151:GLU:HG2	5:D:270:HOH:O	2.17	0.45
1:A:95:ARG:HD3	5:A:698:HOH:O	2.16	0.45
1:A:16:ARG:HD3	1:A:79:GLU:OE1	2.17	0.45
1:A:195:LEU:HD13	5:A:557:HOH:O	2.17	0.44
1:B:16:ARG:HD3	5:B:237:HOH:O	2.18	0.44
1:B:15:TYR:CB	2:B:300:SAM:H2'	2.47	0.44
1:C:112:PHE:HA	1:C:143:GLU:O	2.17	0.44
1:D:59:TYR:CD2	1:D:59:TYR:C	2.95	0.44
1:A:209:LEU:HD12	1:A:209:LEU:O	2.17	0.44
1:B:164:VAL:HG13	1:B:179:VAL:HG13	2.00	0.44
1:A:136:VAL:HG12	1:A:137:ALA:O	2.17	0.43
1:A:161:GLU:O	1:A:161:GLU:HG3	2.19	0.43
1:C:209:LEU:HD12	1:C:209:LEU:C	2.43	0.43
1:D:163:GLU:HB2	5:D:234:HOH:O	2.18	0.43
1:A:16:ARG:CD	1:A:79:GLU:OE1	2.67	0.43
1:C:167:ARG:NH2	1:C:177:ARG:CZ	2.82	0.42
1:B:205:HIS:O	1:B:206:PRO:C	2.58	0.42
1:D:30:MET:SD	1:D:115:HIS:HE1	2.42	0.42
1:B:46:ILE:O	1:B:46:ILE:HG22	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:217:PRO:O	1:B:218:ARG:C	2.62	0.41
1:D:163:GLU:H	1:D:163:GLU:CD	2.28	0.41
1:B:171:GLN:C	1:B:173:GLY:N	2.78	0.41
1:A:115:HIS:HD2	5:A:254:HOH:O	2.01	0.41
5:A:364:HOH:O	1:D:205:HIS:CE1	2.74	0.41
1:B:71:VAL:HB	1:B:92:VAL:HG22	2.01	0.41
1:B:115:HIS:HD2	5:B:243:HOH:O	2.02	0.41
1:D:164:VAL:O	1:D:164:VAL:HG23	2.15	0.41
1:C:100:PHE:C	5:C:237:HOH:O	2.64	0.41
1:B:47:ARG:CZ	1:D:62:ARG:HH11	2.33	0.41
1:C:49:ASP:O	1:C:108:TRP:HB3	2.21	0.40
1:B:29:TYR:O	1:B:30:MET:C	2.63	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:62:ARG:NH2	5:C:578:HOH:O[12_545]	2.11	0.09

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	212/218 (97%)	207 (98%)	5 (2%)	0	100	100
1	B	212/218 (97%)	207 (98%)	4 (2%)	1 (0%)	24	31
1	C	210/218 (96%)	205 (98%)	4 (2%)	1 (0%)	24	31
1	D	211/218 (97%)	203 (96%)	7 (3%)	1 (0%)	24	31
All	All	845/872 (97%)	822 (97%)	20 (2%)	3 (0%)	30	38

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	172	ASP
1	D	172	ASP
1	C	172	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	176/179 (98%)	172 (98%)	4 (2%)	44	63
1	B	175/179 (98%)	163 (93%)	12 (7%)	14	20
1	C	174/179 (97%)	169 (97%)	5 (3%)	37	55
1	D	175/179 (98%)	169 (97%)	6 (3%)	32	49
All	All	700/716 (98%)	673 (96%)	27 (4%)	28	43

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	ARG
1	A	38	LEU
1	A	134	SER
1	A	188	LEU
1	B	13	SER
1	B	46	ILE
1	B	64	LEU
1	B	77	SER
1	B	86	ARG
1	B	105	ASP
1	B	106	ARG
1	B	151	GLU
1	B	164	VAL
1	B	169	THR
1	B	171	GLN
1	B	218	ARG
1	C	86	ARG
1	C	113	PHE
1	C	134	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	175	SER
1	C	188	LEU
1	D	90	ASP
1	D	164	VAL
1	D	170	LEU
1	D	188	LEU
1	D	198	SER
1	D	206	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	107	GLN
1	A	115	HIS
1	B	87	HIS
1	B	115	HIS
1	B	171	GLN
1	B	205	HIS
1	C	150	HIS
1	C	205	HIS
1	D	115	HIS
1	D	150	HIS
1	D	205	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	SO4	C	301	-	4,4,4	0.46	0	6,6,6	0.60	0
2	SAM	D	300	-	27,29,29	1.24	3 (11%)	34,42,42	2.31	14 (41%)
2	SAM	C	300	-	27,29,29	1.10	2 (7%)	34,42,42	2.37	12 (35%)
2	SAM	B	300	-	27,29,29	1.08	1 (3%)	34,42,42	2.30	11 (32%)
3	SO4	B	301	-	4,4,4	0.51	0	6,6,6	0.44	0
3	SO4	A	301	-	4,4,4	0.44	0	6,6,6	0.50	0
4	2HE	D	301	-	6,6,6	2.13	2 (33%)	8,8,8	5.13	3 (37%)
2	SAM	A	300	-	27,29,29	1.23	4 (14%)	34,42,42	2.20	12 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAM	D	300	-	-	8/17/33/33	0/3/3/3
2	SAM	C	300	-	-	7/17/33/33	0/3/3/3
2	SAM	B	300	-	-	11/17/33/33	0/3/3/3
4	2HE	D	301	-	-	4/4/4/4	-
2	SAM	A	300	-	-	4/17/33/33	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	301	2HE	P-CA	-4.31	1.74	1.78
2	D	300	SAM	C2-N3	3.09	1.39	1.33
2	C	300	SAM	C2-N1	2.99	1.39	1.33
2	A	300	SAM	C8-N7	2.64	1.36	1.31
2	D	300	SAM	C2-N1	2.58	1.38	1.33
4	D	301	2HE	P-O3	-2.57	1.49	1.55
2	B	300	SAM	OXT-C	-2.31	1.23	1.30
2	C	300	SAM	C2-N3	2.30	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	300	SAM	C5-N7	-2.17	1.35	1.39
2	D	300	SAM	C5-N7	-2.12	1.35	1.39
2	A	300	SAM	O2'-C2'	-2.09	1.37	1.43
2	A	300	SAM	C2-N1	2.08	1.37	1.33

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	301	2HE	P-CA-CB	-13.09	98.96	114.90
2	A	300	SAM	CG-SD-C5'	-7.14	85.97	103.43
2	B	300	SAM	N3-C2-N1	-6.83	118.24	128.58
2	C	300	SAM	N3-C2-N1	-6.12	119.32	128.58
2	C	300	SAM	N9-C8-N7	-6.10	105.28	113.94
2	B	300	SAM	CG-SD-C5'	-5.75	89.38	103.43
2	D	300	SAM	N3-C2-N1	-5.74	119.89	128.58
4	D	301	2HE	O1-P-CA	-5.49	101.10	111.45
2	A	300	SAM	N3-C2-N1	-5.13	120.82	128.58
2	C	300	SAM	C4-N9-C8	4.92	110.91	105.74
2	D	300	SAM	CG-SD-C5'	-4.48	92.47	103.43
2	C	300	SAM	C5-N7-C8	4.42	110.40	103.45
2	B	300	SAM	N9-C8-N7	-4.28	107.86	113.94
2	D	300	SAM	N9-C8-N7	-4.16	108.03	113.94
2	D	300	SAM	C5-C4-N3	-4.07	121.11	126.72
2	A	300	SAM	N9-C8-N7	-3.46	109.03	113.94
2	B	300	SAM	C2-N3-C4	3.36	120.05	111.83
2	B	300	SAM	C5-C4-N3	-3.32	122.15	126.72
2	D	300	SAM	C5-N7-C8	3.25	108.56	103.45
2	D	300	SAM	C2-N3-C4	3.08	119.35	111.83
2	C	300	SAM	C4-N9-C1'	-3.07	119.46	126.63
2	D	300	SAM	O4'-C4'-C3'	3.06	111.22	105.15
2	D	300	SAM	N3-C4-N9	3.04	132.33	127.17
2	A	300	SAM	C5-C4-N3	-2.98	122.62	126.72
2	B	300	SAM	N3-C4-N9	2.98	132.23	127.17
2	C	300	SAM	C2-N3-C4	2.87	118.85	111.83
2	B	300	SAM	OXT-C-O	-2.87	117.58	124.08
2	C	300	SAM	CB-CA-N	-2.81	102.81	110.12
2	B	300	SAM	C5-N7-C8	2.74	107.76	103.45
2	B	300	SAM	C4-N9-C8	2.68	108.56	105.74
2	A	300	SAM	O4'-C4'-C5'	-2.68	102.10	108.88
2	C	300	SAM	O4'-C4'-C3'	2.66	110.44	105.15
2	C	300	SAM	N3-C4-N9	2.57	131.54	127.17
4	D	301	2HE	O2-P-CA	2.51	112.90	106.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	300	SAM	C5-C4-N3	-2.49	123.28	126.72
2	A	300	SAM	O4'-C1'-N9	2.40	112.70	108.09
2	D	300	SAM	C4-N9-C8	2.36	108.21	105.74
2	D	300	SAM	CB-CA-C	2.34	116.65	110.45
2	A	300	SAM	C5-C4-N9	2.34	108.36	105.81
2	A	300	SAM	O4'-C4'-C3'	2.29	109.69	105.15
2	D	300	SAM	O4'-C1'-N9	2.28	112.47	108.09
2	A	300	SAM	C5-N7-C8	2.26	107.00	103.45
2	A	300	SAM	O3'-C3'-C4'	-2.24	104.65	111.08
2	A	300	SAM	C2-N3-C4	2.22	117.25	111.83
2	A	300	SAM	O4'-C1'-C2'	-2.21	101.90	106.62
2	D	300	SAM	C5-C6-N6	-2.17	117.90	123.29
2	D	300	SAM	C6-C5-C4	2.17	120.14	117.18
2	B	300	SAM	C4-N9-C1'	-2.10	121.71	126.63
2	C	300	SAM	OXT-C-O	-2.06	119.40	124.08
2	C	300	SAM	C4-C5-N7	-2.06	108.23	110.58
2	B	300	SAM	C2-N1-C6	2.04	122.09	118.73
2	D	300	SAM	N6-C6-N1	2.02	122.88	118.38

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	300	SAM	CB-CG-SD-CE
2	A	300	SAM	CB-CG-SD-C5'
2	A	300	SAM	C4'-C5'-SD-CE
2	B	300	SAM	N-CA-CB-CG
2	B	300	SAM	C-CA-CB-CG
2	B	300	SAM	CB-CG-SD-CE
2	B	300	SAM	C4'-C5'-SD-CE
2	B	300	SAM	O4'-C4'-C5'-SD
2	B	300	SAM	C3'-C4'-C5'-SD
2	C	300	SAM	CB-CG-SD-CE
2	C	300	SAM	CB-CG-SD-C5'
2	C	300	SAM	C4'-C5'-SD-CE
2	C	300	SAM	O4'-C4'-C5'-SD
2	C	300	SAM	C3'-C4'-C5'-SD
2	D	300	SAM	CB-CG-SD-CE
2	D	300	SAM	CB-CG-SD-C5'
2	D	300	SAM	C4'-C5'-SD-CE
4	D	301	2HE	CB-CA-P-O3
4	D	301	2HE	CB-CA-P-O1

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	D	301	2HE	P-CA-CB-O4
2	B	300	SAM	OXT-C-CA-N
2	C	300	SAM	OXT-C-CA-N
2	B	300	SAM	O-C-CA-N
2	C	300	SAM	C-CA-CB-CG
4	D	301	2HE	CB-CA-P-O2
2	D	300	SAM	OXT-C-CA-CB
2	A	300	SAM	CA-CB-CG-SD
2	D	300	SAM	O4'-C4'-C5'-SD
2	D	300	SAM	O-C-CA-CB
2	B	300	SAM	OXT-C-CA-CB
2	B	300	SAM	O-C-CA-CB
2	D	300	SAM	CA-CB-CG-SD
2	B	300	SAM	CB-CG-SD-C5'
2	D	300	SAM	O-C-CA-N


There are no ring outliers.

4 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	300	SAM	10	0
2	B	300	SAM	1	0
4	D	301	2HE	1	0
2	A	300	SAM	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	214/218 (98%)	-0.45	1 (0%) 87 87	15, 26, 40, 53	0
1	B	214/218 (98%)	-0.34	5 (2%) 61 63	16, 26, 43, 57	0
1	C	212/218 (97%)	-0.40	3 (1%) 73 75	15, 25, 44, 60	0
1	D	213/218 (97%)	-0.31	4 (1%) 66 68	14, 26, 41, 59	0
All	All	853/872 (97%)	-0.37	13 (1%) 72 73	14, 26, 43, 60	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	5	HIS	4.7
1	B	5	HIS	3.5
1	B	218	ARG	3.4
1	B	171	GLN	3.3
1	D	4	SER	3.3
1	D	163	GLU	3.1
1	C	171	GLN	2.8
1	C	4	SER	2.6
1	D	3	THR	2.6
1	A	2	THR	2.5
1	B	216	GLY	2.3
1	D	5	HIS	2.3
1	B	9	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SAM	D	300	27/27	0.93	0.10	22,27,51,53	0
2	SAM	A	300	27/27	0.94	0.10	18,25,52,52	0
2	SAM	C	300	27/27	0.95	0.08	18,26,47,53	0
2	SAM	B	300	27/27	0.95	0.08	14,21,46,49	0
3	SO4	C	301	5/5	0.97	0.07	30,31,32,33	0
4	2HE	D	301	7/7	0.98	0.08	26,27,35,38	0
3	SO4	A	301	5/5	0.99	0.04	22,23,26,28	0
3	SO4	B	301	5/5	0.99	0.04	26,26,26,26	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around SAM D 300:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SAM A 300:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SAM C 300:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SAM B 300:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.