



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:24 PM UTC

PDB ID : 7OUL / pdb_00007oul
Title : BDM88832 inhibitor bound to the transmembrane domain of AcrB-R971A
Authors : Tam, H.K.; Foong, W.E.; Pos, K.M.
Deposited on : 2021-06-12
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1057	10% 93% ..
1	B	1057	5% 94% ..
1	C	1057	3% 94% ..
2	D	169	% 92% 8%
2	E	169	3% 89% 9%

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 26436 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Multidrug efflux pump subunit AcrB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1032	Total	C	N	O	S	0	2	0
			7866	5062	1297	1462	45			
1	B	1034	Total	C	N	O	S	0	0	0
			7849	5052	1293	1460	44			
1	C	1033	Total	C	N	O	S	0	0	0
			7843	5049	1292	1458	44			

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	971	ALA	ARG	engineered mutation	UNP P31224
A	1050	LEU	-	expression tag	UNP P31224
A	1051	GLU	-	expression tag	UNP P31224
A	1052	HIS	-	expression tag	UNP P31224
A	1053	HIS	-	expression tag	UNP P31224
A	1054	HIS	-	expression tag	UNP P31224
A	1055	HIS	-	expression tag	UNP P31224
A	1056	HIS	-	expression tag	UNP P31224
A	1057	HIS	-	expression tag	UNP P31224
B	971	ALA	ARG	engineered mutation	UNP P31224
B	1050	LEU	-	expression tag	UNP P31224
B	1051	GLU	-	expression tag	UNP P31224
B	1052	HIS	-	expression tag	UNP P31224
B	1053	HIS	-	expression tag	UNP P31224
B	1054	HIS	-	expression tag	UNP P31224
B	1055	HIS	-	expression tag	UNP P31224
B	1056	HIS	-	expression tag	UNP P31224
B	1057	HIS	-	expression tag	UNP P31224
C	971	ALA	ARG	engineered mutation	UNP P31224
C	1050	LEU	-	expression tag	UNP P31224
C	1051	GLU	-	expression tag	UNP P31224
C	1052	HIS	-	expression tag	UNP P31224
C	1053	HIS	-	expression tag	UNP P31224

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1054	HIS	-	expression tag	UNP P31224
C	1055	HIS	-	expression tag	UNP P31224
C	1056	HIS	-	expression tag	UNP P31224
C	1057	HIS	-	expression tag	UNP P31224

- Molecule 2 is a protein called DARPIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	155	Total	C	N	O	S	0	0	0
			1173	739	205	228	1			
2	E	154	Total	C	N	O	S	0	0	0
			1167	736	204	226	1			

- Molecule 3 is DODECYL-BETA-D-MALTOSE (CCD ID: LMT) (formula: $C_{24}H_{46}O_{11}$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			35	24	11		
3	A	1	Total	C	O	0	0
			35	24	11		
3	A	1	Total	C	O	0	0
			35	24	11		
3	B	1	Total	C	O	0	0
			35	24	11		
3	B	1	Total	C	O	0	0
			35	24	11		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	C	O	0	0
			35	24	11		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	E	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is 1-(3-chloranyl-5-iodanyl-pyridin-2-yl)piperazine (CCD ID: 1KE) (formula: $C_9H_{11}ClIN_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Cl	I	N	0	0
			14	9	1	1	3		

- Molecule 6 is DODECANE (CCD ID: D12) (formula: $C_{12}H_{26}$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C 12 12	0	0

- Molecule 7 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total O S 5 4 1	0	0
7	B	1	Total O S 5 4 1	0	0
7	C	1	Total O S 5 4 1	0	0

- Molecule 8 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			6	3	3		
8	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is (2S)-3-{[(R)-(2-aminoethoxy)(hydroxy)phosphoryl]oxy}-2-hydroxypropyl hexadecanoate (CCD ID: LPX) (formula: C₂₁H₄₄NO₇P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	C	1	Total	C	N	O	P	0	0
			30	21	1	7	1		

- Molecule 10 is DECYLAMINE-N,N-DIMETHYL-N-OXIDE (CCD ID: DDQ) (formula: $C_{12}H_{27}NO$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	C	1	Total	C	N	O	0	0
			14	12	1	1		

- Molecule 11 is TETRADECANE (CCD ID: C14) (formula: $C_{14}H_{30}$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	C	1	Total	C	0	0
			14	14		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	63	Total 63	O 63	0	0
12	B	43	Total 43	O 43	0	0
12	C	55	Total 55	O 55	0	0
12	D	7	Total 7	O 7	0	0
12	E	5	Total 5	O 5	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Multidrug efflux pump subunit AcrB




• Molecule 1: Multidrug efflux pump subunit AcrB





• Molecule 1: Multidrug efflux pump subunit AcrB






● Molecule 2: DARPIN



● Molecule 2: DARPIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	146.41Å 160.01Å 245.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.43 – 2.80 49.43 – 2.80	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.43-2.80) 100.0 (49.43-2.80)	Depositor EDS
R_{merge}	0.28	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.84 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.242 , 0.261 0.242 , 0.262	Depositor DCC
R_{free} test set	6989 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	51.0	Xtriage
Anisotropy	0.537	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 26.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	26436	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LPX, 1KE, DDQ, C14, GOL, SO4, LMT, D12, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.04	0/8018	1.58	8/10889 (0.1%)
1	B	1.04	0/7999	1.58	3/10864 (0.0%)
1	C	1.04	0/7993	1.57	2/10856 (0.0%)
2	D	1.03	0/1192	1.60	0/1621
2	E	1.04	0/1186	1.59	0/1613
All	All	1.04	0/26388	1.58	13/35843 (0.0%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	896	SER	CA-C-N	7.39	124.90	120.24
1	A	896	SER	C-N-CA	7.39	124.90	120.24
1	B	896	SER	CA-C-N	6.94	124.61	120.24
1	B	896	SER	C-N-CA	6.94	124.61	120.24
1	A	1021	PHE	CA-C-N	6.37	124.25	120.24
1	A	1021	PHE	C-N-CA	6.37	124.25	120.24
1	A	371	ALA	CA-C-N	5.38	124.63	120.33
1	A	371	ALA	C-N-CA	5.38	124.63	120.33
1	A	904	VAL	CA-C-N	5.34	124.60	120.33
1	A	904	VAL	C-N-CA	5.34	124.60	120.33
1	B	691	GLY	CA-C-O	-5.33	118.31	122.52
1	C	896	SER	CA-C-N	5.26	124.54	120.33
1	C	896	SER	C-N-CA	5.26	124.54	120.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7866	0	8014	19	0
1	B	7849	0	7998	21	0
1	C	7843	0	7993	19	0
2	D	1173	0	1156	0	0
2	E	1167	0	1151	0	0
3	A	105	0	138	0	0
3	B	70	0	92	0	0
3	C	35	0	46	0	0
4	A	4	0	6	0	0
4	B	20	0	30	0	0
4	C	8	0	12	0	0
4	D	8	0	12	0	0
4	E	4	0	6	0	0
5	A	14	0	0	0	0
6	A	12	0	26	0	0
7	A	5	0	0	0	0
7	B	5	0	0	1	0
7	C	5	0	0	0	0
8	B	6	0	8	0	0
8	C	6	0	8	0	0
9	C	30	0	43	0	0
10	C	14	0	27	0	0
11	C	14	0	30	0	0
12	A	63	0	0	0	0
12	B	43	0	0	0	0
12	C	55	0	0	0	0
12	D	7	0	0	0	0
12	E	5	0	0	0	0
All	All	26436	0	26796	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:901:VAL:O	1:C:904:VAL:HG12	2.03	0.58
1:C:372:VAL:HB	1:C:373:PRO:HD3	1.86	0.57
1:A:359:LEU:HD13	1:A:977:MET:HE1	1.86	0.57
1:C:979:SER:HA	1:C:1011:MET:HE3	1.86	0.57
1:A:367:ILE:HB	1:A:368:PRO:HD3	1.87	0.55
1:A:953:MET:HE3	1:A:1038:GLU:HB2	1.90	0.54
1:B:873:ALA:HB3	1:B:874:PRO:HD3	1.90	0.53
1:A:474:ILE:HG22	1:A:478:MET:HE2	1.91	0.53
1:B:126:GLY:HA3	1:C:116:PRO:HB3	1.93	0.51
1:B:1022:VAL:N	1:B:1023:PRO:HD2	2.27	0.50
1:B:372:VAL:HB	1:B:373:PRO:HD3	1.94	0.50
1:C:987:MET:HB3	1:C:988:PRO:HD3	1.94	0.50
1:A:456:MET:SD	1:A:932:LEU:HD13	2.52	0.49
1:A:372:VAL:HB	1:A:373:PRO:HD3	1.96	0.48
1:C:905:VAL:HB	1:C:906:PRO:HD3	1.95	0.47
1:C:330:THR:N	1:C:331:PRO:CD	2.77	0.47
1:B:330:THR:N	1:B:331:PRO:CD	2.77	0.47
1:C:454:VAL:HB	1:C:455:PRO:HD3	1.96	0.47
1:C:904:VAL:HG13	1:C:938:SER:HB3	1.96	0.46
1:B:897:ILE:N	1:B:898:PRO:CD	2.79	0.46
1:A:356:TYR:HA	1:A:365:THR:HG21	1.97	0.45
1:A:1037:ASN:O	1:A:1038:GLU:HB3	2.16	0.44
1:A:905:VAL:HB	1:A:906:PRO:HD3	1.99	0.44
1:B:905:VAL:HB	1:B:906:PRO:HD3	1.99	0.44
1:A:897:ILE:N	1:A:898:PRO:CD	2.81	0.43
1:B:115:MET:N	1:B:116:PRO:CD	2.81	0.43
1:B:399:VAL:O	1:B:402:ILE:HG22	2.18	0.43
1:B:367:ILE:HB	1:B:368:PRO:HD3	2.00	0.43
1:A:987:MET:N	1:A:988:PRO:CD	2.81	0.43
1:B:400:LEU:HD21	1:B:1003:VAL:HG13	2.01	0.43
1:A:330:THR:N	1:A:331:PRO:CD	2.82	0.43
1:B:223:PRO:HD3	1:C:275:TYR:CD1	2.54	0.42
1:B:395:MET:HA	1:B:395:MET:HE2	2.00	0.42
1:B:404:LEU:HD12	1:B:404:LEU:N	2.34	0.42
1:B:489:THR:OG1	1:B:490:PRO:HD3	2.18	0.42
1:A:336:SER:O	1:A:340:VAL:HG23	2.19	0.42
1:A:1035:ARG:HB3	1:A:1036:LYS:HE3	2.01	0.42
1:C:314:GLU:N	1:C:315:PRO:CD	2.83	0.42
1:A:873:ALA:N	1:A:874:PRO:CD	2.83	0.42
1:C:453:PHE:CE1	1:C:474:ILE:HG21	2.55	0.42
1:C:362:PHE:CE2	1:C:366:LEU:HD11	2.54	0.42
1:A:1038:GLU:O	1:A:1039:ASP:HB2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:362:PHE:N	7:B:1304:SO4:O4	2.53	0.41
1:A:330:THR:OG1	1:A:331:PRO:HD3	2.20	0.41
1:B:446:ALA:HB2	1:B:482:VAL:HG21	2.02	0.41
1:C:40:PRO:HB2	1:C:94:PHE:O	2.21	0.41
1:A:679:GLY:HA2	1:A:830:GLN:HA	2.02	0.41
1:C:1:MET:HB3	1:C:2:PRO:HD3	2.02	0.41
1:C:463:THR:HG22	1:C:467:TYR:CZ	2.55	0.41
1:C:987:MET:HA	1:C:1008:MET:HE3	2.02	0.41
1:B:314:GLU:N	1:B:315:PRO:CD	2.83	0.41
1:A:777:ALA:O	1:A:781:MET:HG2	2.21	0.40
1:B:897:ILE:N	1:B:898:PRO:HD2	2.37	0.40
1:C:395:MET:HE2	1:C:395:MET:HA	2.04	0.40
1:B:47:ALA:HB3	1:B:88:VAL:HG13	2.02	0.40
1:B:453:PHE:O	1:B:456:MET:HB3	2.22	0.40
1:C:1022:VAL:N	1:C:1023:PRO:CD	2.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1030/1057 (97%)	991 (96%)	36 (4%)	3 (0%)	36	66
1	B	1032/1057 (98%)	1013 (98%)	18 (2%)	1 (0%)	48	77
1	C	1031/1057 (98%)	1001 (97%)	30 (3%)	0	100	100
2	D	153/169 (90%)	148 (97%)	5 (3%)	0	100	100
2	E	152/169 (90%)	143 (94%)	7 (5%)	2 (1%)	9	31
All	All	3398/3509 (97%)	3296 (97%)	96 (3%)	6 (0%)	43	72

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1038	GLU
1	A	867	ARG
1	A	538	THR
1	B	777	ALA
2	E	14	LEU
2	E	72	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	843/862 (98%)	831 (99%)	12 (1%)	59	85
1	B	839/862 (97%)	832 (99%)	7 (1%)	73	90
1	C	838/862 (97%)	833 (99%)	5 (1%)	78	92
2	D	120/132 (91%)	120 (100%)	0	100	100
2	E	119/132 (90%)	117 (98%)	2 (2%)	53	83
All	All	2759/2850 (97%)	2733 (99%)	26 (1%)	70	89

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	130	GLU
1	A	351	VAL
1	A	359	LEU
1	A	456	MET
1	A	673	GLU
1	A	674	LEU
1	A	801	PHE
1	A	835	LYS
1	A	904	VAL
1	A	1035	ARG
1	A	1036	LYS
1	A	1038	GLU
1	B	70	ASN
1	B	88	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	174	ASP
1	B	340	VAL
1	B	519	MET
1	B	544	LEU
1	B	987	MET
1	C	274	ASN
1	C	544	LEU
1	C	546	LEU
1	C	589	LYS
1	C	1008	MET
2	E	14	LEU
2	E	17	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	194	ASN
1	A	415	ASN
1	A	437	GLN
1	A	872	GLN
1	A	1001	ASN
1	B	81	ASN
1	B	437	GLN
1	B	577	GLN
1	B	1001	ASN
1	C	58	GLN
1	C	81	ASN
1	C	194	ASN
1	C	231	ASN
1	C	237	GLN
1	C	298	ASN
1	C	439	GLN
1	C	526	HIS
1	C	584	GLN
1	C	605	ASN
1	C	797	GLN
2	D	59	HIS
2	D	92	HIS
2	D	122	ASN
2	D	155	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	LMT	B	1303	-	36,36,36	0.45	0	47,47,47	0.59	0
3	LMT	A	1106	-	36,36,36	0.51	1 (2%)	47,47,47	0.80	1 (2%)
5	1KE	A	1104	-	15,15,15	2.34	2 (13%)	18,20,20	1.60	3 (16%)
3	LMT	A	1102	-	36,36,36	0.47	0	47,47,47	0.62	0
7	SO4	A	1107	-	4,4,4	0.34	0	6,6,6	0.07	0
3	LMT	A	1101	-	36,36,36	0.53	1 (2%)	47,47,47	1.24	2 (4%)
8	GOL	C	1606	-	5,5,5	0.09	0	5,5,5	0.25	0
4	EDO	A	1103	-	3,3,3	0.05	0	2,2,2	0.08	0
7	SO4	B	1304	-	4,4,4	0.35	0	6,6,6	0.07	0
8	GOL	B	1305	-	5,5,5	0.08	0	5,5,5	0.24	0
4	EDO	B	1308	-	3,3,3	0.06	0	2,2,2	0.10	0
4	EDO	B	1309	-	3,3,3	0.06	0	2,2,2	0.09	0
4	EDO	B	1307	-	3,3,3	0.06	0	2,2,2	0.14	0
4	EDO	B	1306	-	3,3,3	0.07	0	2,2,2	0.16	0
10	DDQ	C	1604	-	11,13,13	0.18	0	12,15,15	0.17	0
4	EDO	B	1301	-	3,3,3	0.05	0	2,2,2	0.08	0
4	EDO	E	201	-	3,3,3	0.09	0	2,2,2	0.19	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	D	202	-	3,3,3	0.06	0	2,2,2	0.10	0
9	LPX	C	1602	-	29,29,29	0.30	0	31,33,33	0.36	0
7	SO4	C	1608	-	4,4,4	0.35	0	6,6,6	0.07	0
4	EDO	C	1601	-	3,3,3	0.06	0	2,2,2	0.12	0
11	C14	C	1605	-	13,13,13	0.08	0	12,12,12	0.06	0
3	LMT	B	1302	-	36,36,36	0.47	0	47,47,47	0.60	0
4	EDO	C	1607	-	3,3,3	0.06	0	2,2,2	0.14	0
4	EDO	D	201	-	3,3,3	0.06	0	2,2,2	0.13	0
3	LMT	C	1603	-	36,36,36	0.45	0	47,47,47	0.55	0
6	D12	A	1105	-	11,11,11	0.09	0	10,10,10	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LMT	B	1303	-	-	11/21/61/61	0/2/2/2
3	LMT	A	1106	-	-	9/21/61/61	0/2/2/2
5	1KE	A	1104	-	-	2/4/12/12	0/2/2/2
3	LMT	A	1102	-	-	10/21/61/61	0/2/2/2
3	LMT	A	1101	-	-	12/21/61/61	0/2/2/2
8	GOL	C	1606	-	-	2/4/4/4	-
4	EDO	A	1103	-	-	0/1/1/1	-
8	GOL	B	1305	-	-	2/4/4/4	-
4	EDO	B	1308	-	-	1/1/1/1	-
4	EDO	B	1309	-	-	0/1/1/1	-
4	EDO	B	1307	-	-	0/1/1/1	-
4	EDO	B	1306	-	-	1/1/1/1	-
10	DDQ	C	1604	-	-	4/11/11/11	-
4	EDO	B	1301	-	-	0/1/1/1	-
4	EDO	E	201	-	-	1/1/1/1	-
4	EDO	D	202	-	-	0/1/1/1	-
9	LPX	C	1602	-	-	13/31/31/31	-
4	EDO	C	1601	-	-	1/1/1/1	-
11	C14	C	1605	-	-	6/11/11/11	-
3	LMT	B	1302	-	-	8/21/61/61	0/2/2/2
4	EDO	C	1607	-	-	1/1/1/1	-
4	EDO	D	201	-	-	0/1/1/1	-
3	LMT	C	1603	-	-	6/21/61/61	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	D12	A	1105	-	-	3/9/9/9	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1104	1KE	C9-C8	8.26	1.49	1.39
5	A	1104	1KE	C9-CL1	2.73	1.80	1.73
3	A	1101	LMT	O1'-C1'	2.44	1.44	1.40
3	A	1106	LMT	O1'-C1'	2.24	1.43	1.40

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1101	LMT	O1'-C1'-C2'	5.45	116.55	108.27
5	A	1104	1KE	C4-N3-C2	4.88	122.54	111.57
3	A	1101	LMT	C1-O1'-C1'	4.68	121.67	113.68
5	A	1104	1KE	C9-C8-N13	-2.95	118.41	123.00
5	A	1104	1KE	C12-N13-C8	2.29	122.28	115.19
3	A	1106	LMT	O1'-C1'-C2'	2.24	111.67	108.27

There are no chirality outliers.

All (93) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1101	LMT	C2'-C1'-O1'-C1
3	A	1106	LMT	O5'-C1'-O1'-C1
3	A	1106	LMT	C2-C1-O1'-C1'
3	B	1303	LMT	C2'-C1'-O1'-C1
3	B	1303	LMT	O5'-C1'-O1'-C1
3	B	1303	LMT	C2-C1-O1'-C1'
5	A	1104	1KE	C9-C8-N3-C4
5	A	1104	1KE	N13-C8-N3-C4
8	B	1305	GOL	O1-C1-C2-C3
9	C	1602	LPX	C3-O1-P1-O3
9	C	1602	LPX	C3-O1-P1-O2
9	C	1602	LPX	C3-O1-P1-O4
3	A	1102	LMT	C5'-C4'-O1B-C1B
3	A	1101	LMT	O5B-C5B-C6B-O6B
3	B	1303	LMT	O5'-C5'-C6'-O6'
3	B	1302	LMT	O5B-C1B-O1B-C4'
3	B	1302	LMT	C2B-C1B-O1B-C4'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	1101	LMT	C4B-C5B-C6B-O6B
3	A	1102	LMT	O5'-C1'-O1'-C1
3	A	1101	LMT	O5'-C5'-C6'-O6'
3	A	1102	LMT	O5B-C5B-C6B-O6B
3	A	1106	LMT	O5'-C5'-C6'-O6'
3	A	1102	LMT	C4B-C5B-C6B-O6B
3	A	1102	LMT	C2'-C1'-O1'-C1
8	C	1606	GOL	O1-C1-C2-O2
3	B	1303	LMT	C4'-C5'-C6'-O6'
9	C	1602	LPX	C7-C6-O6-C5
3	C	1603	LMT	O1'-C1-C2-C3
3	A	1101	LMT	C4'-C5'-C6'-O6'
9	C	1602	LPX	O7-C6-O6-C5
8	C	1606	GOL	O1-C1-C2-C3
3	B	1303	LMT	C6-C7-C8-C9
3	A	1101	LMT	C2-C1-O1'-C1'
8	B	1305	GOL	O1-C1-C2-O2
9	C	1602	LPX	C7-C8-C9-C10
9	C	1602	LPX	C9-C10-C11-C12
3	A	1102	LMT	C11-C10-C9-C8
4	E	201	EDO	O1-C1-C2-O2
3	C	1603	LMT	C1-C2-C3-C4
3	C	1603	LMT	C5-C6-C7-C8
6	A	1105	D12	C2-C3-C4-C5
3	A	1101	LMT	C2-C3-C4-C5
3	B	1302	LMT	C4-C5-C6-C7
3	A	1101	LMT	O1'-C1-C2-C3
3	B	1303	LMT	C11-C10-C9-C8
10	C	1604	DDQ	C3-C4-C5-C6
3	B	1303	LMT	O5B-C1B-O1B-C4'
10	C	1604	DDQ	C6-C7-C8-C9
3	B	1302	LMT	C5-C6-C7-C8
3	A	1106	LMT	C2-C3-C4-C5
3	A	1101	LMT	C11-C10-C9-C8
3	B	1303	LMT	C2B-C1B-O1B-C4'
3	A	1102	LMT	C2-C3-C4-C5
3	B	1303	LMT	C3-C4-C5-C6
3	A	1101	LMT	C6-C7-C8-C9
3	B	1302	LMT	O5B-C5B-C6B-O6B
3	C	1603	LMT	C7-C8-C9-C10
3	A	1106	LMT	C5-C6-C7-C8
3	B	1302	LMT	C9-C10-C11-C12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
10	C	1604	DDQ	C1-C2-C3-C4
6	A	1105	D12	C3-C4-C5-C6
3	A	1106	LMT	C2'-C1'-O1'-C1
3	B	1302	LMT	C3-C4-C5-C6
4	B	1306	EDO	O1-C1-C2-O2
9	C	1602	LPX	C14-C15-C16-C17
11	C	1605	C14	C08-C09-C10-C11
9	C	1602	LPX	C11-C12-C13-C14
3	A	1101	LMT	C9-C10-C11-C12
3	A	1102	LMT	C3-C4-C5-C6
3	A	1106	LMT	C6-C7-C8-C9
3	A	1102	LMT	C3'-C4'-O1B-C1B
3	A	1106	LMT	C4'-C5'-C6'-O6'
9	C	1602	LPX	C10-C11-C12-C13
11	C	1605	C14	C06-C07-C08-C09
3	C	1603	LMT	C9-C10-C11-C12
11	C	1605	C14	C02-C03-C04-C05
9	C	1602	LPX	C1-O2-P1-O3
9	C	1602	LPX	C4-C3-O1-P1
3	B	1302	LMT	C2-C3-C4-C5
4	B	1308	EDO	O1-C1-C2-O2
9	C	1602	LPX	C16-C17-C18-C19
11	C	1605	C14	C10-C11-C12-C13
3	B	1303	LMT	O1'-C1-C2-C3
3	A	1106	LMT	C3-C4-C5-C6
3	C	1603	LMT	C4B-C5B-C6B-O6B
11	C	1605	C14	C05-C06-C07-C08
3	A	1101	LMT	C5-C6-C7-C8
6	A	1105	D12	C4-C5-C6-C7
10	C	1604	DDQ	C2-C1-N1-CM1
11	C	1605	C14	C04-C05-C06-C07
4	C	1601	EDO	O1-C1-C2-O2
4	C	1607	EDO	O1-C1-C2-O2
3	A	1102	LMT	C7-C8-C9-C10


There are no ring outliers.


1 monomer is involved in 1 short contact:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	1304	SO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1032/1057 (97%)	0.74	104 (10%) 12 9	25, 63, 111, 129	2 (0%)
1	B	1034/1057 (97%)	0.58	55 (5%) 32 24	42, 63, 79, 91	0
1	C	1033/1057 (97%)	0.31	28 (2%) 56 46	40, 51, 71, 81	0
2	D	155/169 (91%)	0.23	1 (0%) 85 80	49, 59, 73, 81	0
2	E	154/169 (91%)	0.57	5 (3%) 50 40	53, 69, 88, 95	0
All	All	3408/3509 (97%)	0.53	193 (5%) 29 22	25, 59, 90, 129	2 (0%)

All (193) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	674	LEU	7.2
1	B	617	PHE	6.6
1	A	672	VAL	6.3
1	A	868	LEU	6.1
1	A	678	THR	5.4
1	B	675	GLY	5.4
1	A	423	GLU	5.3
1	B	407	ASP	5.2
1	B	673	GLU	5.1
1	A	869	SER	4.8
1	A	673	GLU	4.8
1	B	575	MET	4.7
1	B	618	ALA	4.7
1	A	679	GLY	4.6
1	B	615	PHE	4.6
1	A	618	ALA	4.6
1	A	675	GLY	4.5
1	A	429	GLU	4.5
1	A	716	VAL	4.3
1	A	676	THR	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	500	ILE	4.3
1	A	677	ALA	4.3
1	A	617	PHE	4.2
1	A	1042	HIS	4.1
1	A	681	ASP	4.1
1	C	120	GLN	4.0
1	A	982	PHE	4.0
1	A	1037	ASN	4.0
1	C	618	ALA	3.9
1	C	362	PHE	3.9
1	A	680	PHE	3.9
1	A	968	VAL	3.9
1	A	981	ALA	3.9
1	C	700	ASN	3.8
2	E	14	LEU	3.8
1	C	691	GLY	3.8
1	A	866	GLU	3.7
1	B	629	VAL	3.7
1	A	671	ILE	3.7
1	B	940	LYS	3.7
1	B	616	GLY	3.7
1	A	984	LEU	3.6
1	B	628	PHE	3.6
1	A	1040	ILE	3.6
1	B	666	PHE	3.6
1	A	827	ILE	3.6
1	A	575	MET	3.5
1	A	859	TRP	3.5
1	C	671	ILE	3.5
1	A	713	LEU	3.5
1	B	607	GLU	3.5
1	A	459	PHE	3.4
1	A	867	ARG	3.4
1	A	192	GLU	3.4
1	A	964	THR	3.4
1	B	566	ASP	3.4
1	B	662	MET	3.4
1	C	513	PHE	3.4
1	A	833	PRO	3.3
1	B	676	THR	3.3
1	B	674	LEU	3.3
1	A	662	MET	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	496	MET	3.2
1	A	865	GLN	3.2
1	C	124	GLN	3.2
1	B	574	THR	3.2
1	A	862	MET	3.2
1	A	864	TYR	3.1
1	B	563	PHE	3.1
1	C	617	PHE	3.1
1	A	424	GLY	3.1
1	A	498	LYS	3.1
1	A	497	LEU	3.0
1	A	987	MET	3.0
1	B	556	PHE	3.0
1	B	134	SER	3.0
1	A	307[A]	ARG	3.0
1	B	403	GLY	2.9
1	B	135	SER	2.9
1	A	421	ALA	2.9
1	A	718	PRO	2.9
1	B	402	ILE	2.9
1	A	829	GLY	2.9
1	B	404	LEU	2.8
1	A	511	GLY	2.8
1	A	403	GLY	2.8
1	B	987	MET	2.8
1	A	580	ALA	2.8
1	A	538	THR	2.8
1	A	519	MET	2.8
1	C	811	TYR	2.8
1	A	1036	LYS	2.7
1	A	828	LEU	2.7
1	A	918	PHE	2.7
1	A	355	MET	2.7
1	B	573	MET	2.7
1	B	633	ASP	2.7
1	B	255	GLN	2.7
1	B	478	MET	2.7
1	A	682	PHE	2.7
1	B	446	ALA	2.7
1	C	697	GLN	2.7
1	A	897	ILE	2.6
1	A	712	MET	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	554	TYR	2.6
1	A	955	LYS	2.6
1	B	564	LEU	2.6
1	A	664	PHE	2.6
1	A	621	GLY	2.6
1	B	396	PHE	2.6
1	C	497	LEU	2.6
1	B	284	GLN	2.6
1	A	1026	PHE	2.6
1	B	938	SER	2.5
1	B	837	THR	2.5
1	A	948	PHE	2.5
1	A	540	ARG	2.5
1	B	443	VAL	2.5
1	C	693	GLU	2.5
1	A	670	ALA	2.5
1	C	512	PHE	2.5
1	A	985	GLY	2.5
1	B	561	SER	2.5
1	A	512	PHE	2.5
1	A	432	ARG	2.5
1	B	569	GLN	2.5
1	A	71	GLY	2.4
1	B	133	SER	2.4
1	C	809	TRP	2.4
1	B	635	ALA	2.4
1	C	850	LYS	2.4
1	A	949	ALA	2.4
1	B	937	LEU	2.4
1	C	620	ARG	2.4
1	A	565	PRO	2.4
1	C	116	PRO	2.4
1	A	668	LEU	2.4
2	E	68	LYS	2.3
1	C	701	GLN	2.3
1	A	525	HIS	2.3
2	E	35	ALA	2.3
1	A	649[A]	MET	2.3
1	A	863	SER	2.3
1	A	1039	ASP	2.3
2	E	13	ASP	2.3
2	D	91	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	947	GLU	2.3
1	A	461	GLY	2.3
1	A	719	ASN	2.2
1	B	565	PRO	2.2
1	B	1015	THR	2.2
1	A	456	MET	2.2
1	B	664	PHE	2.2
1	A	542	LEU	2.2
1	A	112	GLN	2.2
1	B	89	GLN	2.2
1	B	249	ILE	2.2
1	B	444	GLY	2.2
1	C	619	GLY	2.2
1	A	850	LYS	2.2
1	A	717	ARG	2.2
1	A	714	THR	2.2
1	A	1008	MET	2.2
1	A	950	LYS	2.2
1	B	178	PHE	2.2
1	B	631	LEU	2.2
1	C	670	ALA	2.2
1	A	961	ILE	2.2
1	B	672	VAL	2.2
1	A	37	THR	2.2
1	C	403	GLY	2.2
1	B	866	GLU	2.2
1	C	494	ALA	2.2
1	A	536	ARG	2.1
1	B	472	ILE	2.1
1	C	32	VAL	2.1
1	C	65	ILE	2.1
2	E	145	PHE	2.1
1	A	479	ALA	2.1
1	A	831	ALA	2.1
1	A	422	GLU	2.1
1	C	151	GLN	2.1
1	A	970	MET	2.1
1	C	153	ASP	2.1
1	A	38	ILE	2.1
1	A	826	GLU	2.1
1	B	338	HIS	2.1
1	A	11	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	945	ILE	2.1
1	C	423	GLU	2.1
1	A	986	VAL	2.0
1	A	836	SER	2.0
1	A	965	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	SO4	A	1107	5/5	0.73	0.19	107,107,107,108	0
3	LMT	B	1302	35/35	0.78	0.17	67,70,73,74	0
6	D12	A	1105	12/12	0.82	0.26	63,66,67,68	0
11	C14	C	1605	14/14	0.82	0.24	56,57,57,57	0
4	EDO	B	1308	4/4	0.83	0.20	57,57,58,59	0
3	LMT	A	1106	35/35	0.83	0.17	69,73,78,81	0
4	EDO	B	1307	4/4	0.84	0.22	64,65,65,65	0
3	LMT	A	1102	35/35	0.84	0.17	75,90,95,97	0
8	GOL	B	1305	6/6	0.84	0.18	58,58,58,58	0
9	LPX	C	1602	30/30	0.84	0.18	63,75,81,82	0
10	DDQ	C	1604	14/14	0.84	0.27	64,71,75,76	0
4	EDO	D	202	4/4	0.84	0.22	64,65,65,65	0
3	LMT	B	1303	35/35	0.85	0.18	82,87,91,92	0
4	EDO	E	201	4/4	0.85	0.22	63,64,64,66	0
4	EDO	B	1306	4/4	0.86	0.21	62,62,63,63	0
4	EDO	B	1309	4/4	0.86	0.17	58,58,58,58	0
7	SO4	C	1608	5/5	0.87	0.27	80,80,80,80	0
4	EDO	B	1301	4/4	0.87	0.16	54,54,54,55	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	GOL	C	1606	6/6	0.87	0.19	55,55,56,56	0
3	LMT	C	1603	35/35	0.88	0.14	62,67,71,72	0
4	EDO	C	1607	4/4	0.88	0.18	57,58,58,59	0
4	EDO	D	201	4/4	0.89	0.19	63,63,64,64	0
3	LMT	A	1101	35/35	0.90	0.14	61,64,69,71	0
7	SO4	B	1304	5/5	0.91	0.12	90,91,92,92	0
4	EDO	C	1601	4/4	0.92	0.22	51,51,52,52	0
4	EDO	A	1103	4/4	0.92	0.13	46,46,47,47	0
5	1KE	A	1104	14/14	0.96	0.15	87,93,97,101	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around LMT B 1302:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT A 1106:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT A 1102:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LPX C 1602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT B 1303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT C 1603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around LMT A 1101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.