



Full wwPDB EM Validation Report ⓘ

Mar 13, 2026 – 07:59 AM UTC

PDB ID : 8OUO / pdb_00008ouo
EMDB ID : EMD-17197
Title : Human TPC2 in Complex with Antagonist (S)-SG-094
Authors : Chi, G.; Pike, A.C.W.; Maclean, E.M.; Li, H.; Mukhopadhyay, S.M.M.; Bohstedt, T.; Wang, D.; McKinley, G.; Fernandez-Cid, A.; Duerr, K.
Deposited on : 2023-04-24
Resolution : 3.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14081 (2.50 - 3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	752	
1	B	752	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 10749 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Two pore channel protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	648	Total	C	N	O	S	0	0
			5195	3440	847	877	31		
1	B	625	Total	C	N	O	S	0	0
			5011	3330	805	846	30		

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	11	ALA	LEU	conflict	UNP Q8NHX9
A	12	ALA	LEU	conflict	UNP Q8NHX9
A	564	PRO	LEU	variant	UNP Q8NHX9
A	734	GLU	GLY	variant	UNP Q8NHX9
B	11	ALA	LEU	conflict	UNP Q8NHX9
B	12	ALA	LEU	conflict	UNP Q8NHX9
B	564	PRO	LEU	variant	UNP Q8NHX9
B	734	GLU	GLY	variant	UNP Q8NHX9

- Molecule 2 is di-heneicosanoyl phosphatidyl choline (CCD ID: PLD) (formula: $C_{50}H_{101}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	N	O	P	0
			39	29	1	8	1	
2	B	1	Total	C	N	O	P	0
			52	42	1	8	1	

- Molecule 3 is 2-{{[(4-O-alpha-D-glucopyranosyl-alpha-D-glucopyranosyl)oxy]methyl}-4-{{[(3b eta,9beta,14beta,17beta,25R)-spirost-5-en-3-yl]oxy}butyl 4-O-alpha-D-glucopyranosyl-alpha-D-glucopyranoside (CCD ID: Q7G) (formula: C₅₆H₉₂O₂₅).




Mol	Chain	Residues	Atoms			AltConf
3	A	1	Total	C	O	0
			59	44	15	
3	A	1	Total	C	O	0
			31	28	3	
3	B	1	Total	C	O	0
			31	28	3	

- Molecule 4 is (1S)-6-methoxy-2-methyl-7-phenoxy-1-[(4-phenoxyphenyl)methyl]-3,4-dihydro-1H-isoquinoline (CCD ID: W4E) (formula: C₃₀H₂₉NO₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total	C	N	O	0
			34	30	1	3	

- Molecule 5 is 1,2-DIACYL-SN-GLYCERO-3-PHOSHOCHOLINE (CCD ID: PCF) (formula: $C_{40}H_{80}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
5	A	1	Total	C	N	O	P	0
			44	34	1	8	1	
5	B	1	Total	C	N	O	P	0
			43	33	1	8	1	

- Molecule 6 is CHOLESTEROL HEMISUCCINATE (CCD ID: Y01) (formula: C₃₁H₅₀O₄).



Mol	Chain	Residues	Atoms			AltConf
6	A	1	Total	C	O	0
			35	31	4	
6	A	1	Total	C	O	0
			35	31	4	
6	A	1	Total	C	O	0
			35	31	4	
6	B	1	Total	C	O	0
			35	31	4	
6	B	1	Total	C	O	0
			35	31	4	
6	B	1	Total	C	O	0
			35	31	4	



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	109417	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	35	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.634	Depositor
Minimum map value	-0.382	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.12	Depositor
Map size (Å)	248.7, 248.7, 248.7	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.829, 0.829, 0.829	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: Y01, PCF, W4E, Q7G, PLD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.09	0/5330	0.25	0/7257
1	B	0.09	0/5138	0.24	0/6996
All	All	0.09	0/10468	0.24	0/14253

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5195	0	5281	70	0
1	B	5011	0	5109	63	0
2	A	39	0	52	0	0
2	B	52	0	81	5	0
3	A	90	0	0	0	0
3	B	31	0	0	0	0
4	A	34	0	0	0	0
5	A	44	0	65	1	0
5	B	43	0	63	1	0
6	A	105	0	147	5	0
6	B	105	0	147	0	0
All	All	10749	0	10945	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:690:LEU:HD13	1:B:305:ASN:HB3	1.72	0.69
1:A:57:ILE:HD13	1:A:371:LEU:HD13	1.75	0.67
1:A:284:LYS:NZ	6:A:806:Y01:OAH	2.29	0.66
1:B:57:ILE:HD13	1:B:371:LEU:HD13	1.78	0.65
1:B:638:ASP:OD1	1:B:638:ASP:N	2.31	0.63
1:B:505:ASP:OD1	1:B:554:ARG:NH1	2.32	0.62
1:A:523:TYR:HB3	1:A:530:TRP:HE1	1.65	0.62
1:A:185:ARG:HD2	1:A:188:ARG:HD2	1.80	0.61
1:B:623:CYS:O	1:B:628:GLN:NE2	2.35	0.59
6:A:806:Y01:HAN1	1:B:553:PHE:HD1	1.68	0.59
1:B:586:LEU:HD11	1:B:650:MET:HE1	1.85	0.59
1:A:251:ARG:HH12	1:B:460:LEU:HG	1.69	0.58
1:A:638:ASP:N	1:A:638:ASP:OD1	2.38	0.57
1:B:330:ARG:HH12	1:B:403:LEU:HD22	1.69	0.56
1:B:677:TRP:O	1:B:681:SER:HB3	2.06	0.56
1:B:267:VAL:HG13	1:B:272:ALA:HB3	1.87	0.55
1:A:109:ALA:HB2	1:B:286:ARG:HE	1.70	0.55
1:A:453:LEU:HD21	1:B:235:MET:HB3	1.89	0.55
1:A:223:LEU:HD21	1:A:269:LEU:HD21	1.90	0.54
1:A:250:GLU:HB2	1:A:280:PRO:HB2	1.89	0.54
1:A:59:TYR:OH	1:A:330:ARG:NH2	2.41	0.54
1:B:692:LEU:O	1:B:696:ASN:ND2	2.38	0.54
1:A:229:LEU:HB3	6:A:806:Y01:HAB3	1.89	0.53
1:B:188:ARG:HB3	1:B:595:ILE:HD13	1.91	0.53
1:B:460:LEU:HB2	1:B:463:GLU:HG2	1.91	0.53
1:A:104:SER:O	1:A:104:SER:OG	2.23	0.53
1:B:223:LEU:HD11	1:B:269:LEU:HD11	1.91	0.53
1:A:366:LEU:O	1:A:376:LYS:NZ	2.27	0.53
1:B:308:THR:HG21	1:B:690:LEU:HD23	1.90	0.52
1:A:212:SER:HB3	1:A:314:GLN:HG3	1.92	0.52
1:A:246:GLY:HA3	1:A:284:LYS:HB2	1.92	0.51
1:A:426:GLN:HG3	1:A:490:ALA:HA	1.93	0.51
1:A:647:TRP:HZ2	1:B:296:THR:HB	1.76	0.51
2:B:801:PLD:H7A2	2:B:801:PLD:HT'2	1.92	0.51
1:B:157:TRP:HE1	2:B:801:PLD:H63	1.77	0.50
1:A:72:TRP:HE1	1:A:76:ARG:HH21	1.59	0.50
1:A:286:ARG:NH2	1:B:638:ASP:OD2	2.42	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:318:TYR:N	1:A:695:GLU:OE2	2.45	0.50
1:A:549:MET:HE1	1:B:232:MET:HB2	1.94	0.49
1:B:441:ILE:HD12	1:B:479:TYR:CZ	2.47	0.49
1:A:114:ARG:HH12	1:A:637:ASP:HB2	1.77	0.49
1:A:527:HIS:H	1:A:530:TRP:HB2	1.78	0.49
1:A:638:ASP:OD2	1:B:286:ARG:NH2	2.34	0.49
5:B:802:PCF:H242	5:B:802:PCF:H361	1.94	0.49
1:B:579:MET:HG3	1:B:582:PHE:HB3	1.95	0.49
1:A:296:THR:HB	1:B:647:TRP:HZ2	1.78	0.48
1:A:559:ILE:N	1:A:560:PRO:HD2	2.28	0.48
1:A:434:PHE:HE2	1:A:483:GLU:HG3	1.77	0.48
1:A:531:ARG:HD2	1:A:532:PRO:HD2	1.95	0.48
1:B:209:ILE:HD11	1:B:688:LEU:HD22	1.96	0.47
1:A:232:MET:HE1	1:B:446:LEU:HD21	1.97	0.47
1:B:104:SER:O	1:B:104:SER:OG	2.25	0.47
1:B:508:LEU:HD21	1:B:553:PHE:CD2	2.51	0.46
1:A:229:LEU:HD21	1:B:555:PHE:CD2	2.50	0.46
1:B:500:PRO:HA	1:B:503:VAL:HG12	1.98	0.46
1:A:202:MET:HE2	1:A:584:GLY:HA3	1.97	0.46
1:A:382:LYS:O	1:A:385:SER:OG	2.27	0.46
2:B:801:PLD:H2'2	2:B:801:PLD:H5'1	1.49	0.46
1:A:663:ARG:HG3	1:A:668:PRO:HA	1.98	0.46
1:B:412:PRO:HG2	1:B:495:GLY:HA2	1.96	0.46
1:B:101:THR:HB	1:B:102:PRO:HD3	1.98	0.46
1:B:279:ILE:HD13	1:B:279:ILE:HA	1.86	0.46
1:B:598:ILE:HD11	1:B:639:PHE:HA	1.97	0.46
1:B:196:LEU:HD13	1:B:202:MET:HE2	1.98	0.45
1:A:626:PHE:HB2	1:A:661:ALA:HB2	1.97	0.45
1:B:559:ILE:HB	1:B:560:PRO:HD3	1.97	0.45
1:B:171:ASP:HB3	1:B:187:ARG:HB3	1.99	0.45
1:A:275:PRO:O	1:A:279:ILE:HG12	2.17	0.45
1:A:534:MET:HB3	1:A:537:LEU:HD13	1.99	0.45
1:A:103:SER:HB3	1:A:117:PRO:HB2	1.99	0.44
1:B:497:LEU:HD22	1:B:503:VAL:HG23	1.98	0.44
1:A:523:TYR:HB3	1:A:530:TRP:NE1	2.31	0.44
1:B:508:LEU:HD21	1:B:553:PHE:HD2	1.82	0.44
1:A:267:VAL:HG11	1:A:656:GLN:HB3	2.00	0.44
1:A:663:ARG:HD3	1:A:671:LYS:HE3	2.00	0.44
1:B:635:ASN:N	1:B:635:ASN:OD1	2.50	0.44
1:A:129:GLU:CD	1:A:187:ARG:HE	2.25	0.44
1:A:587:VAL:HG13	5:A:804:PCF:H391	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:635:ASN:OD1	1:A:635:ASN:N	2.51	0.44
1:B:626:PHE:HB2	1:B:661:ALA:HB2	1.99	0.44
1:B:67:ASP:N	1:B:70:SER:OG	2.41	0.43
1:B:193:PHE:O	1:B:197:GLN:N	2.49	0.43
1:B:365:VAL:O	1:B:369:VAL:HG23	2.18	0.43
1:A:62:ILE:HD11	1:A:333:GLY:HA2	2.01	0.43
1:A:481:LEU:HD13	1:A:513:LEU:HD22	2.00	0.43
1:B:96:LEU:O	1:B:100:GLU:HG2	2.19	0.43
1:B:469:LEU:HD21	1:B:548:ASN:HD21	1.84	0.43
1:A:127:SER:O	1:A:130:VAL:HG12	2.19	0.43
1:B:46:ILE:HD11	1:B:364:GLN:HB3	2.00	0.43
1:B:55:ASP:OD2	1:B:64:HIS:NE2	2.39	0.43
1:A:377:GLN:HA	1:A:380:MET:HG2	2.00	0.42
1:B:299:GLY:O	1:B:304:MET:HG2	2.18	0.42
1:B:308:THR:OG1	1:B:687:ASN:OD1	2.34	0.42
1:A:504:PHE:HZ	1:A:553:PHE:HD2	1.68	0.42
1:A:668:PRO:HG2	6:A:805:Y01:CAX	2.50	0.42
2:B:801:PLD:H31	2:B:801:PLD:H1A2	1.43	0.42
1:A:77:TYR:OH	1:A:139:ASP:OD1	2.35	0.42
1:A:452:PHE:HB3	1:A:469:LEU:HD22	2.02	0.42
1:B:129:GLU:CD	1:B:187:ARG:HE	2.27	0.42
1:A:266:LEU:HD22	6:A:805:Y01:HAP1	2.02	0.42
1:B:301:LEU:O	1:B:305:ASN:ND2	2.53	0.42
1:A:285:ASN:HB3	1:A:288:TYR:CD2	2.55	0.42
1:A:128:VAL:O	1:A:131:LEU:HG	2.19	0.42
1:B:311:ILE:HG21	1:B:688:LEU:HA	2.01	0.42
1:B:235:MET:HE3	1:B:235:MET:HB2	1.88	0.41
1:A:582:PHE:HB3	1:A:692:LEU:HD12	2.01	0.41
1:A:586:LEU:HD13	1:A:685:TRP:CE2	2.55	0.41
1:A:365:VAL:O	1:A:369:VAL:HG23	2.21	0.41
1:A:497:LEU:HD22	1:A:503:VAL:HG23	2.03	0.41
1:A:499:TYR:HB2	1:A:502:ASN:HB2	2.01	0.41
1:A:549:MET:HE2	1:A:549:MET:HB3	1.80	0.41
1:B:589:VAL:HG12	1:B:677:TRP:HZ3	1.84	0.41
1:B:282:TYR:CD1	1:B:289:ALA:HB2	2.55	0.41
1:A:527:HIS:HB2	1:A:528:PRO:HD2	2.03	0.41
1:B:267:VAL:HG11	1:B:656:GLN:HB3	2.02	0.41
2:B:801:PLD:HDA1	2:B:801:PLD:HAA1	1.75	0.41
1:A:67:ASP:O	1:A:71:MET:HE2	2.22	0.40
1:A:301:LEU:O	1:A:305:ASN:ND2	2.53	0.40
1:B:127:SER:O	1:B:130:VAL:HG12	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:171:ASP:OD2	1:B:187:ARG:N	2.50	0.40
1:B:445:ASN:C	1:B:445:ASN:HD22	2.28	0.40
1:A:56:ALA:HB2	1:A:333:GLY:HA3	2.04	0.40
1:A:412:PRO:HA	1:A:413:PRO:HD3	1.95	0.40
1:A:442:ALA:HB1	1:A:551:ILE:CG2	2.51	0.40
1:B:96:LEU:HD11	1:B:128:VAL:HG12	2.04	0.40
1:A:195:LEU:HG	1:A:202:MET:HE1	2.04	0.40
1:A:502:ASN:HA	1:A:505:ASP:OD2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	560/652 (86%)	553 (99%)	7 (1%)	61	81
1	B	546/652 (84%)	536 (98%)	10 (2%)	51	77
All	All	1106/1304 (85%)	1089 (98%)	17 (2%)	55	80

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	ILE
1	A	110	ASP
1	A	179	VAL
1	A	279	ILE
1	A	408	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	552	VAL
1	A	638	ASP
1	B	66	VAL
1	B	279	ILE
1	B	408	VAL
1	B	441	ILE
1	B	445	ASN
1	B	459	VAL
1	B	623	CYS
1	B	638	ASP
1	B	681	SER
1	B	693	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	80	ASN
1	A	83	GLN
1	A	198	ASN
1	A	226	HIS
1	A	305	ASN
1	A	423	GLN
1	A	578	ASN
1	A	699	HIS
1	B	80	ASN
1	B	83	GLN
1	B	226	HIS
1	B	274	ASN
1	B	305	ASN
1	B	370	GLN
1	B	628	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PLD	A	801	-	38,38,59	0.30	0	44,46,67	0.32	0
3	Q7G	A	808	-	36,36,90	0.19	0	59,59,138	0.37	0
5	PCF	B	802	-	42,42,49	0.29	0	48,50,57	0.39	0
6	Y01	A	805	-	38,38,38	0.45	0	57,57,57	0.50	0
6	Y01	A	806	-	38,38,38	0.46	0	57,57,57	0.66	1 (1%)
6	Y01	B	805	-	38,38,38	0.46	0	57,57,57	0.60	0
3	Q7G	B	806	-	36,36,90	0.17	0	59,59,138	0.35	0
6	Y01	B	804	-	38,38,38	0.46	0	57,57,57	0.57	0
3	Q7G	A	802	-	66,66,90	0.26	0	98,102,138	0.70	2 (2%)
6	Y01	B	803	-	38,38,38	0.44	0	57,57,57	0.57	0
2	PLD	B	801	-	51,51,59	0.27	0	57,59,67	0.30	0
4	W4E	A	803	-	38,38,38	0.24	0	52,52,52	0.55	1 (1%)
5	PCF	A	804	-	43,43,49	0.30	0	49,51,57	0.44	0
6	Y01	A	807	-	38,38,38	0.44	0	57,57,57	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLD	A	801	-	-	7/42/42/63	-
3	Q7G	A	808	-	-	0/2/90/200	0/6/6/10
5	PCF	B	802	-	-	6/46/46/53	-
6	Y01	A	805	-	-	3/19/77/77	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	Y01	A	806	-	-	6/19/77/77	0/4/4/4
6	Y01	B	805	-	-	4/19/77/77	0/4/4/4
3	Q7G	B	806	-	-	1/2/90/200	0/6/6/10
6	Y01	B	804	-	-	2/19/77/77	0/4/4/4
3	Q7G	A	802	-	-	9/20/148/200	0/8/8/10
6	Y01	B	803	-	-	9/19/77/77	0/4/4/4
2	PLD	B	801	-	-	31/55/55/63	-
4	W4E	A	803	-	-	2/14/27/27	0/5/5/5
5	PCF	A	804	-	-	17/47/47/53	-
6	Y01	A	807	-	-	7/19/77/77	0/4/4/4

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	802	Q7G	O72-C73-C74	-2.44	101.31	104.56
6	A	806	Y01	CBI-CBE-CBB	2.40	123.20	119.50
3	A	802	Q7G	C6C-C5C-C4C	2.08	118.13	113.02
4	A	803	W4E	C23-O3-C24	2.04	122.89	117.95

There are no chirality outliers.

All (104) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	PLD	C2-C1-O3P-P
2	A	801	PLD	C1-O3P-P-O1P
2	B	801	PLD	O4P-C4-C5-N
2	B	801	PLD	C1B-CB-O3-C3
2	B	801	PLD	OB-CB-O3-C3
2	B	801	PLD	C1-O3P-P-O1P
2	B	801	PLD	C1-O3P-P-O2P
2	B	801	PLD	C1-O3P-P-O4P
3	A	802	Q7G	CG1-C22-C23-C24
5	A	804	PCF	C1-O11-P-O14
5	A	804	PCF	C11-O13-P-O11
5	A	804	PCF	O13-C11-C12-N
5	A	804	PCF	O22-C21-O21-C2
6	A	807	Y01	OAG-CAY-OAW-CBC
6	A	807	Y01	CAM-CAY-OAW-CBC

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	803	Y01	OAG-CAY-OAW-CBC
6	B	803	Y01	CAM-CAY-OAW-CBC
5	A	804	PCF	C22-C21-O21-C2
3	A	802	Q7G	C4C-C5C-C6C-O6C
6	B	804	Y01	CAM-CAY-OAW-CBC
6	A	806	Y01	CAC-CBB-CBE-CBI
3	A	802	Q7G	O5C-C5C-C6C-O6C
6	B	804	Y01	OAG-CAY-OAW-CBC
2	B	801	PLD	C2'-C3'-C4'-C5'
6	B	805	Y01	CAJ-CAO-CBB-CBE
2	B	801	PLD	C4'-C5'-C6'-C7'
2	B	801	PLD	CEA-CFA-CGA-CHA
2	B	801	PLD	CCA-CDA-CEA-CFA
2	B	801	PLD	C'-C1'-C2'-C3'
6	B	805	Y01	CAJ-CAO-CBB-CAC
2	B	801	PLD	CB-C1B-C2B-C3B
6	A	806	Y01	CAJ-CAO-CBB-CAC
6	A	806	Y01	CAJ-CAO-CBB-CBE
2	B	801	PLD	C3'-C4'-C5'-C6'
2	B	801	PLD	C1'-C2'-C3'-C4'
3	B	806	Q7G	C16-C17-O20-CG1
2	B	801	PLD	C8B-C9B-CAA-CBA
2	B	801	PLD	C9'-CA'-CB'-CC'
5	B	802	PCF	C22-C21-O21-C2
6	A	805	Y01	CAM-CAY-OAW-CBC
6	A	806	Y01	CAO-CBB-CBE-CAP
5	A	804	PCF	C38-C39-C40-C41
5	A	804	PCF	C32-C33-C34-C35
5	A	804	PCF	C25-C26-C27-C28
6	A	805	Y01	OAG-CAY-OAW-CBC
5	A	804	PCF	C39-C40-C41-C42
3	A	802	Q7G	CG1-C22-C23-C48
6	B	805	Y01	CAJ-CAN-CBA-CAA
3	A	802	Q7G	O5B-C5B-C6B-O6B
2	B	801	PLD	CGA-CHA-CIA-CJA
5	A	804	PCF	C31-C32-C33-C34
5	A	804	PCF	O11-C1-C2-O21
6	B	805	Y01	CAJ-CAN-CBA-CAB
5	A	804	PCF	O11-C1-C2-C3
6	B	803	Y01	CAO-CBB-CBE-CBI
2	B	801	PLD	CDA-CEA-CFA-CGA
2	B	801	PLD	CAA-CBA-CCA-CDA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	803	Y01	CAC-CBB-CBE-CBI
2	B	801	PLD	C8'-C9'-CA'-CB'
6	A	807	Y01	CAO-CBB-CBE-CBI
5	B	802	PCF	O22-C21-O21-C2
2	A	801	PLD	C5-C4-O4P-P
2	B	801	PLD	C5-C4-O4P-P
6	A	806	Y01	CAO-CBB-CBE-CBI
2	B	801	PLD	C3B-C4B-C5B-C6B
6	A	806	Y01	CAC-CBB-CBE-CAP
2	A	801	PLD	O4P-C4-C5-N
6	A	807	Y01	CAC-CBB-CBE-CBI
2	B	801	PLD	C2-C1-O3P-P
6	B	803	Y01	CAO-CBB-CBE-CAP
3	A	802	Q7G	C23-C24-O1B-C1B
2	A	801	PLD	C1-O3P-P-O4P
5	A	804	PCF	C1-O11-P-O12
5	A	804	PCF	C1-O11-P-O13
5	A	804	PCF	C11-O13-P-O12
5	B	802	PCF	C1-O11-P-O12
5	B	802	PCF	C11-O13-P-O12
2	A	801	PLD	O'-C'-O2-C2
6	A	807	Y01	CAO-CBB-CBE-CAP
3	A	802	Q7G	C16-C17-O20-CG1
2	B	801	PLD	CFA-CGA-CHA-CIA
2	B	801	PLD	C6B-C7B-C8B-C9B
2	A	801	PLD	C1'-C'-O2-C2
2	B	801	PLD	C1'-C'-O2-C2
4	A	803	W4E	N1-C4-C5-C6
6	B	803	Y01	CAC-CBB-CBE-CAP
3	A	802	Q7G	O5C-C1C-O1C-C48
6	A	807	Y01	CAM-CAL-CAX-OAF
3	A	802	Q7G	C18-C17-O20-CG1
6	B	803	Y01	CAM-CAL-CAX-OAF
5	B	802	PCF	C3-C2-O21-C21
2	B	801	PLD	O'-C'-O2-C2
6	A	807	Y01	CAM-CAL-CAX-OAH
4	A	803	W4E	C18-C4-C5-C6
6	B	803	Y01	CAM-CAL-CAX-OAH
2	B	801	PLD	C6'-C7'-C8'-C9'
5	A	804	PCF	O21-C2-C3-O31
2	B	801	PLD	C7B-C8B-C9B-CAA
5	A	804	PCF	C42-C43-C44-C45

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	B	801	PLD	O2-C'-C1'-C2'
6	B	803	Y01	CAJ-CAO-CBB-CBE
5	B	802	PCF	C23-C24-C25-C26
6	A	805	Y01	CAL-CAM-CAY-OAW
2	B	801	PLD	O'-C'-C1'-C2'



There are no ring outliers.


5 monomers are involved in 12 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	802	PCF	1	0
6	A	805	Y01	2	0
6	A	806	Y01	3	0
2	B	801	PLD	5	0
5	A	804	PCF	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-17197. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 165




Y Index: 167




Z Index: 126


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.12. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_17197_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 60 nm³; this corresponds to an approximate mass of 54 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.333 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	2.98	3.43	3.05
Unmasked-calculated*	3.88	5.84	3.95

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.88 differs from the reported value 3.0 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-17197 and PDB model 8OUO. Per-residue inclusion information can be found in section [3](#) on page [7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.12 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.12).

9.4 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.12) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7350	0.5090
A	0.7250	0.5120
B	0.7450	0.5070

