



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:40 AM UTC

PDB ID : 2OVQ / pdb_00002ovq
Title : Structure of the Skp1-Fbw7-CyclinEdegC complex
Authors : Hao, B.; Oehlmann, S.; Sowa, M.E.; Harper, J.W.; Pavletich, N.P.
Deposited on : 2007-02-14
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	149	15% 46% 36% 7% 10%
2	B	445	8% 54% 37% 7% •
3	C	12	25% 42% 42% 17%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	TPO	C	380	X	-	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4896 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called S-phase kinase-associated protein 1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	134	Total	C	N	O	S	0	0	0
			1073	686	174	208	5			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ASP	deletion	UNP P63208
A	?	-	ASP	deletion	UNP P63208
A	?	-	GLU	deletion	UNP P63208
A	?	-	GLY	deletion	UNP P63208
A	?	-	ASP	deletion	UNP P63208
A	?	-	ASP	deletion	UNP P63208
A	?	-	PRO	deletion	UNP P63208
A	?	-	PRO	deletion	UNP P63208
A	?	-	PRO	deletion	UNP P63208
A	?	-	GLU	deletion	UNP P63208
A	?	-	ASP	deletion	UNP P63208
A	?	-	ASP	deletion	UNP P63208
A	?	-	GLU	deletion	UNP P63208
A	?	-	ASN	deletion	UNP P63208
A	1078	GLY	LYS	linker	UNP P63208
A	1079	GLY	GLU	linker	UNP P63208
A	1080	SER	LYS	linker	UNP P63208
A	1081	GLY	ARG	linker	UNP P63208


- Molecule 2 is a protein called F-box/WD repeat protein 7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	444	Total	C	N	O	S	0	0	0
			3515	2205	637	651	22			

- Molecule 3 is a protein called cyclinE C-terminal degron.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	12	Total	C	N	O	P	0	0	0
			90	52	13	23	2			

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	7	Total	O	0	0
			7	7		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	168	Total 168	O 168	0	0
5	C	3	Total 3	O 3	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: S-phase kinase-associated protein 1A



• Molecule 2: F-box/WD repeat protein 7



• Molecule 3: cyclinE C-terminal degnon



4 Data and refinement statistics

Property	Value	Source
Space group	I 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	233.07Å 233.07Å 107.56Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.76 – 2.60 19.76 – 2.60	Depositor EDS
% Data completeness (in resolution range)	93.9 (19.76-2.60) 93.6 (19.76-2.60)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.15 (at 2.59Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.232 , 0.266 0.225 , 0.257	Depositor DCC
R_{free} test set	1488 reflections (3.32%)	wwPDB-VP
Wilson B-factor (Å ²)	46.5	Xtriage
Anisotropy	0.013	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 37.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4896	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, TPO, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/1091	0.93	4/1476 (0.3%)
2	B	0.47	0/3586	1.07	23/4857 (0.5%)
3	C	0.48	0/69	1.03	0/89
All	All	0.45	0/4746	1.04	27/6422 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	C	1	0

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2342	ILE	N-CA-C	-10.79	94.46	109.45
2	B	2339	ARG	N-CA-C	9.64	131.32	110.80
2	B	2412	LYS	N-CA-C	8.29	121.02	110.24
2	B	2336	ILE	N-CA-C	7.59	125.12	109.34
1	A	1020	ILE	N-CA-C	-7.17	103.19	111.00
2	B	2559	LEU	N-CA-C	-7.08	104.62	113.18
2	B	2646	VAL	N-CA-C	-6.96	97.47	107.77
2	B	2678	SER	N-CA-C	-6.46	100.65	109.95
1	A	1089	ASP	N-CA-C	-6.43	104.31	111.71
2	B	2400	ASP	N-CA-C	-6.42	105.32	113.02
2	B	2443	LEU	N-CA-C	-6.23	100.48	110.14
2	B	2337	LYS	N-CA-C	6.07	119.41	110.30
1	A	1044	PRO	N-CA-C	-5.92	100.27	112.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2465	ARG	N-CA-C	5.85	118.54	111.40
2	B	2681	LYS	N-CA-C	5.82	117.91	109.07
2	B	2636	PHE	N-CA-C	5.79	118.21	109.41
1	A	1023	GLN	N-CA-C	-5.75	105.52	112.54
2	B	2326	LYS	N-CA-C	-5.75	105.53	112.54
2	B	2366	ARG	N-CA-C	5.32	116.76	111.07
2	B	2558	SER	N-CA-C	5.30	117.92	109.81
2	B	2456	THR	N-CA-C	-5.23	99.77	108.34
2	B	2289	ALA	N-CA-C	-5.17	105.72	111.36
2	B	2536	THR	N-CA-C	-5.17	98.82	108.02
2	B	2275	GLN	N-CA-C	5.14	118.11	110.14
2	B	2280	PHE	N-CA-C	5.09	117.22	111.11
2	B	2680	THR	N-CA-C	5.08	119.75	113.50
2	B	2690	ASN	N-CA-C	-5.07	102.11	109.31

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	C	380	TPO	CB

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1073	0	1083	68	0
2	B	3515	0	3508	192	0
3	C	90	0	80	8	0
4	B	40	0	0	0	0
5	A	7	0	0	0	0
5	B	168	0	0	2	1
5	C	3	0	0	0	0
All	All	4896	0	4671	244	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (244) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1037:ASP:HB2	1:A:1044:PRO:HD3	1.41	1.00
1:A:1130:LYS:HG3	2:B:2303:GLN:HG3	1.46	0.96
2:B:2554:VAL:HG12	2:B:2568:VAL:HG22	1.45	0.95
2:B:2468:HIS:CD2	2:B:2509:TYR:H	1.85	0.94
2:B:2549:PHE:HE1	2:B:2568:VAL:HG21	1.32	0.93
2:B:2468:HIS:HD2	2:B:2509:TYR:H	0.92	0.89
2:B:2338:ARG:O	2:B:2339:ARG:HB2	1.75	0.87
1:A:1095:VAL:HG12	1:A:1096:ASP:H	1.42	0.85
2:B:2560:ASP:O	2:B:2561:THR:HB	1.76	0.84
1:A:1037:ASP:CB	1:A:1044:PRO:HD3	2.07	0.83
2:B:2343:LYS:HB3	2:B:2344:PRO:CD	2.07	0.83
1:A:1130:LYS:HG2	2:B:2303:GLN:HE21	1.45	0.81
2:B:2334:LEU:HD13	2:B:2336:ILE:HG23	1.64	0.80
2:B:2468:HIS:HD2	2:B:2509:TYR:N	1.76	0.79
1:A:1037:ASP:HB2	1:A:1044:PRO:CD	2.14	0.78
2:B:2343:LYS:H	2:B:2343:LYS:HD2	1.48	0.78
1:A:1006:LEU:HD12	1:A:1014:PHE:HB2	1.68	0.76
1:A:1020:ILE:HG21	1:A:1063:THR:HG22	1.67	0.76
2:B:2343:LYS:HB3	2:B:2344:PRO:HD3	1.67	0.75
3:C:375:PRO:HG2	3:C:378:LEU:HD22	1.66	0.75
1:A:1025:VAL:HG13	1:A:1111:ASP:HB3	1.70	0.74
2:B:2415:ARG:HE	2:B:2450:THR:C	1.96	0.73
2:B:2425:TRP:CD2	3:C:381:PRO:HG3	2.23	0.73
2:B:2559:LEU:HD23	2:B:2559:LEU:O	1.89	0.72
2:B:2333:PRO:HD3	2:B:2351:TRP:CH2	2.25	0.71
2:B:2647:LYS:HG2	2:B:2659:ASN:ND2	2.05	0.71
2:B:2435:ILE:HD13	2:B:2474:VAL:HG21	1.72	0.70
1:A:1121:LYS:HE2	2:B:2295:PHE:CE2	2.26	0.70
2:B:2472:LYS:HD3	2:B:2472:LYS:H	1.55	0.70
2:B:2383:VAL:HG11	3:C:379:LEU:HD13	1.74	0.70
2:B:2472:LYS:HE3	2:B:2473:ARG:HG3	1.74	0.70
2:B:2391:GLY:O	2:B:2392:ASN:HB2	1.92	0.69
1:A:1020:ILE:HD13	1:A:1063:THR:HG22	1.73	0.69
1:A:1141:ILE:HD13	2:B:2307:THR:HG21	1.75	0.69
1:A:1153:VAL:HG12	2:B:2306:GLN:HG2	1.74	0.69
2:B:2642:ASP:HA	2:B:2671:VAL:HG23	1.75	0.68
1:A:1121:LYS:HE2	2:B:2295:PHE:HE2	1.58	0.68
2:B:2342:ILE:O	2:B:2343:LYS:O	2.12	0.68
2:B:2373:PRO:HB3	2:B:2700:LEU:HD22	1.75	0.68
2:B:2647:LYS:NZ	2:B:2659:ASN:HD21	1.91	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1026:THR:HG22	1:A:1030:MET:HE2	1.76	0.67
2:B:2343:LYS:CB	2:B:2344:PRO:CD	2.71	0.67
2:B:2530:THR:OG1	2:B:2532:THR:HG22	1.95	0.67
2:B:2334:LEU:HD23	2:B:2357:ARG:HD2	1.76	0.67
1:A:1131:THR:HG21	1:A:1134:GLU:HG3	1.77	0.67
2:B:2603:VAL:HG21	2:B:2639:THR:HG21	1.77	0.66
2:B:2334:LEU:HD12	2:B:2334:LEU:O	1.95	0.66
2:B:2474:VAL:CG2	2:B:2488:ILE:HD11	2.26	0.65
1:A:1130:LYS:CG	2:B:2303:GLN:HE21	2.10	0.65
1:A:1018:VAL:O	1:A:1019:GLU:HB2	1.95	0.64
2:B:2549:PHE:CE1	2:B:2568:VAL:HG21	2.23	0.64
2:B:2414:LEU:O	2:B:2415:ARG:HG2	1.97	0.64
2:B:2343:LYS:H	2:B:2343:LYS:CD	2.11	0.63
2:B:2343:LYS:O	2:B:2344:PRO:C	2.40	0.63
2:B:2388:GLN:HB3	2:B:2429:MET:HE2	1.80	0.62
1:A:1020:ILE:HG21	1:A:1063:THR:CG2	2.29	0.62
1:A:1087:VAL:O	1:A:1088:TRP:HB2	1.99	0.62
2:B:2334:LEU:HD13	2:B:2336:ILE:CG2	2.30	0.62
2:B:2425:TRP:CG	3:C:381:PRO:HG3	2.35	0.62
1:A:1114:GLY:O	1:A:1118:VAL:HG23	2.00	0.61
2:B:2521:PHE:N	2:B:2521:PHE:CD2	2.68	0.61
1:A:1095:VAL:HG12	1:A:1096:ASP:N	2.12	0.61
2:B:2282:SER:HA	2:B:2310:TYR:CE2	2.35	0.61
2:B:2321:TRP:CE2	2:B:2352:LYS:HG3	2.35	0.61
2:B:2382:HIS:O	2:B:2695:THR:HG21	2.01	0.61
1:A:1100:LEU:O	1:A:1104:ILE:HG12	2.01	0.61
1:A:1006:LEU:CD1	1:A:1014:PHE:HB2	2.30	0.60
2:B:2373:PRO:HB3	2:B:2700:LEU:CD2	2.30	0.60
1:A:1131:THR:O	1:A:1135:ILE:HG13	2.02	0.60
2:B:2316:GLU:HG3	2:B:2346:PHE:CE2	2.38	0.59
2:B:2415:ARG:HH21	2:B:2450:THR:HA	1.67	0.59
2:B:2647:LYS:HG2	2:B:2659:ASN:HD22	1.67	0.59
2:B:2530:THR:OG1	2:B:2532:THR:CG2	2.51	0.58
2:B:2269:MET:HE2	2:B:2269:MET:HA	1.85	0.58
2:B:2435:ILE:CD1	2:B:2474:VAL:HG21	2.33	0.58
2:B:2552:ILE:O	2:B:2568:VAL:HG23	2.03	0.58
2:B:2417:LEU:HB3	2:B:2446:TRP:CE3	2.39	0.57
2:B:2430:ARG:NH2	2:B:2471:GLU:O	2.37	0.57
2:B:2457:LEU:HB3	2:B:2486:TRP:CZ3	2.39	0.57
2:B:2472:LYS:HD3	2:B:2472:LYS:N	2.20	0.57
2:B:2522:MET:SD	2:B:2538:GLN:HG2	2.45	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:2272:ILE:HD12	2:B:2313:ILE:HD11	1.87	0.57
2:B:2665:SER:OG	2:B:2693:GLU:HG2	2.05	0.57
1:A:1097:GLN:HE21	1:A:1126:MET:HE1	1.68	0.57
1:A:1131:THR:H	2:B:2303:GLN:HE21	1.53	0.56
2:B:2374:LYS:HE3	2:B:2410:THR:O	2.05	0.56
1:A:1016:VAL:HG11	1:A:1059:ILE:HD12	1.87	0.56
2:B:2390:CYS:HB2	2:B:2429:MET:HE3	1.88	0.56
2:B:2325:CYS:HB3	2:B:2330:ILE:HB	1.87	0.56
2:B:2647:LYS:HZ3	2:B:2659:ASN:HD21	1.54	0.56
2:B:2567:ASP:HB2	2:B:2574:ILE:HD11	1.87	0.55
2:B:2521:PHE:N	2:B:2521:PHE:HD2	2.04	0.55
2:B:2263:THR:HG22	2:B:2264:GLN:N	2.22	0.55
1:A:1004:ILE:C	1:A:1004:ILE:HD12	2.32	0.55
1:A:1136:ARG:O	1:A:1140:ASN:N	2.40	0.55
1:A:1006:LEU:HD13	1:A:1055:LEU:HD11	1.89	0.54
2:B:2417:LEU:HB3	2:B:2446:TRP:CZ3	2.42	0.54
2:B:2617:LEU:HD13	2:B:2649:TRP:CG	2.43	0.54
2:B:2523:VAL:HB	2:B:2537:LEU:HB2	1.88	0.54
1:A:1130:LYS:HG3	2:B:2303:GLN:CG	2.30	0.54
2:B:2486:TRP:CZ3	2:B:2493:CYS:HB2	2.42	0.54
2:B:2515:VAL:HG12	2:B:2547:LEU:CD1	2.38	0.54
2:B:2375:VAL:C	2:B:2376:LEU:HD23	2.33	0.54
2:B:2469:LEU:HD13	2:B:2474:VAL:HG22	1.88	0.54
1:A:1141:ILE:HG21	2:B:2307:THR:HG22	1.90	0.54
1:A:1093:LEU:C	1:A:1095:VAL:H	2.14	0.53
2:B:2440:ASP:OD1	2:B:2440:ASP:C	2.50	0.53
2:B:2474:VAL:HG23	2:B:2488:ILE:HD11	1.89	0.53
2:B:2439:THR:C	2:B:2441:ARG:H	2.17	0.53
2:B:2522:MET:HE1	2:B:2538:GLN:OE1	2.08	0.53
1:A:1141:ILE:HD13	2:B:2307:THR:CG2	2.38	0.53
2:B:2495:HIS:HB3	2:B:2531:GLU:HG2	1.90	0.53
2:B:2280:PHE:HE2	2:B:2284:LEU:HD11	1.74	0.53
2:B:2343:LYS:N	2:B:2343:LYS:HE3	2.24	0.52
2:B:2268:MET:HE1	2:B:2346:PHE:CD1	2.45	0.52
2:B:2457:LEU:HB3	2:B:2486:TRP:CE3	2.45	0.52
2:B:2602:THR:CG2	2:B:2603:VAL:N	2.73	0.52
1:A:1018:VAL:O	1:A:1019:GLU:CB	2.56	0.51
2:B:2269:MET:HE3	2:B:2313:ILE:HG21	1.91	0.51
2:B:2469:LEU:HD13	2:B:2474:VAL:CG2	2.40	0.51
1:A:1055:LEU:O	1:A:1058:VAL:HG22	2.11	0.51
2:B:2318:ASN:ND2	2:B:2349:SER:OG	2.42	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:2368:GLY:O	2:B:2369:GLU:HB2	2.09	0.51
1:A:1087:VAL:O	1:A:1087:VAL:HG23	2.10	0.51
2:B:2320:LEU:O	2:B:2324:LYS:HG2	2.11	0.51
2:B:2343:LYS:CD	2:B:2343:LYS:N	2.74	0.51
2:B:2600:ASP:OD1	2:B:2602:THR:HB	2.11	0.50
2:B:2333:PRO:HB3	2:B:2351:TRP:CD2	2.47	0.50
2:B:2379:HIS:HD2	2:B:2400:ASP:OD2	1.95	0.49
2:B:2425:TRP:CE2	3:C:381:PRO:HG3	2.46	0.49
2:B:2456:THR:C	2:B:2457:LEU:HD23	2.37	0.49
2:B:2520:ASP:OD1	2:B:2522:MET:HB2	2.12	0.49
2:B:2642:ASP:OD1	2:B:2671:VAL:HB	2.12	0.49
1:A:1144:ASP:OD1	2:B:2308:CYS:HB2	2.12	0.49
1:A:1101:PHE:CE1	1:A:1105:LEU:HD11	2.47	0.49
2:B:2273:GLU:N	2:B:2274:PRO:HD3	2.27	0.49
2:B:2663:LEU:HD21	2:B:2686:VAL:HG13	1.94	0.49
1:A:1018:VAL:CG2	1:A:1022:LYS:HE3	2.42	0.49
2:B:2343:LYS:CB	2:B:2344:PRO:HD2	2.43	0.49
1:A:1141:ILE:HG21	2:B:2307:THR:CG2	2.43	0.49
2:B:2281:ILE:HG12	2:B:2311:TRP:CE2	2.48	0.49
1:A:1029:THR:O	1:A:1033:ASP:HB2	2.13	0.48
2:B:2490:THR:HB	2:B:2492:GLN:HE21	1.78	0.48
1:A:1130:LYS:HD3	2:B:2299:LYS:HE2	1.94	0.48
2:B:2352:LYS:NZ	2:B:2352:LYS:HB3	2.28	0.48
1:A:1055:LEU:O	1:A:1059:ILE:HG12	2.14	0.48
2:B:2401:ASN:OD1	2:B:2422:GLY:C	2.57	0.48
2:B:2512:ARG:HG2	2:B:2513:ARG:HG2	1.96	0.48
2:B:2432:ASN:HA	2:B:2448:ALA:HB3	1.96	0.47
3:C:374:LEU:O	3:C:375:PRO:C	2.57	0.47
2:B:2602:THR:HG22	2:B:2603:VAL:N	2.30	0.47
1:A:1146:THR:O	1:A:1147:GLU:C	2.58	0.47
2:B:2316:GLU:HG3	2:B:2346:PHE:HE2	1.78	0.47
1:A:1006:LEU:HD12	1:A:1006:LEU:O	2.15	0.46
2:B:2382:HIS:CG	2:B:2400:ASP:HB3	2.50	0.46
2:B:2476:SER:O	2:B:2483:LEU:HA	2.15	0.46
2:B:2686:VAL:HG12	2:B:2687:GLY:N	2.30	0.46
1:A:1104:ILE:HD13	1:A:1119:THR:OG1	2.14	0.46
2:B:2269:MET:SD	2:B:2310:TYR:CE1	3.08	0.46
2:B:2474:VAL:HG21	2:B:2488:ILE:HD11	1.96	0.46
1:A:1037:ASP:CB	1:A:1044:PRO:CD	2.82	0.46
2:B:2430:ARG:O	2:B:2431:ASP:C	2.57	0.46
2:B:2515:VAL:HG12	2:B:2547:LEU:HD11	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:2646:VAL:HG11	2:B:2682:LEU:HD21	1.97	0.46
2:B:2472:LYS:H	2:B:2472:LYS:CD	2.23	0.46
1:A:1018:VAL:HG22	1:A:1019:GLU:N	2.31	0.46
2:B:2648:LEU:HD13	2:B:2657:ILE:HD12	1.96	0.46
1:A:1149:GLU:O	1:A:1153:VAL:HG23	2.16	0.45
1:A:1099:THR:O	1:A:1102:GLU:HB2	2.16	0.45
1:A:1131:THR:CG2	1:A:1134:GLU:HG3	2.44	0.45
2:B:2294:SER:HA	2:B:2320:LEU:HD11	1.99	0.45
2:B:2383:VAL:HG11	3:C:379:LEU:CD1	2.46	0.45
2:B:2502:ALA:HA	5:B:139:HOH:O	2.15	0.45
2:B:2603:VAL:HG21	2:B:2639:THR:CG2	2.46	0.45
2:B:2441:ARG:HG2	2:B:2461:THR:O	2.17	0.45
2:B:2472:LYS:HE3	2:B:2473:ARG:CG	2.46	0.45
2:B:2309:ARG:O	2:B:2313:ILE:HG13	2.17	0.45
2:B:2330:ILE:C	2:B:2332:GLU:H	2.24	0.45
2:B:2457:LEU:HD23	2:B:2457:LEU:N	2.32	0.45
2:B:2339:ARG:O	2:B:2340:LYS:C	2.59	0.45
2:B:2684:CYS:O	2:B:2697:LEU:HA	2.17	0.45
2:B:2561:THR:HG23	2:B:2580:HIS:O	2.17	0.44
2:B:2647:LYS:HZ2	2:B:2659:ASN:HD21	1.64	0.44
2:B:2376:LEU:HD23	2:B:2376:LEU:N	2.32	0.44
2:B:2515:VAL:HG12	2:B:2547:LEU:HD13	1.99	0.44
2:B:2664:GLU:HG3	5:B:11:HOH:O	2.17	0.44
1:A:1044:PRO:O	1:A:1046:PRO:HD3	2.17	0.44
2:B:2281:ILE:HG12	2:B:2311:TRP:NE1	2.33	0.44
2:B:2366:ARG:O	2:B:2658:ARG:HD2	2.18	0.44
2:B:2379:HIS:HE1	2:B:2396:SER:OG	2.01	0.44
2:B:2426:SER:HB2	2:B:2467:MET:HG2	1.99	0.44
2:B:2433:ILE:HG21	2:B:2488:ILE:HG21	2.00	0.44
2:B:2558:SER:HB3	2:B:2560:ASP:OD1	2.18	0.44
1:A:1130:LYS:HG2	2:B:2303:GLN:NE2	2.22	0.43
2:B:2316:GLU:OE2	2:B:2352:LYS:HE3	2.19	0.43
2:B:2559:LEU:O	2:B:2559:LEU:CD2	2.64	0.43
2:B:2680:THR:HG22	2:B:2681:LYS:HG2	2.00	0.43
2:B:2269:MET:CE	2:B:2313:ILE:HD12	2.48	0.43
2:B:2519:TYR:OH	3:C:380:TPO:O3P	2.36	0.43
2:B:2487:ASP:HB3	2:B:2490:THR:OG1	2.18	0.43
2:B:2432:ASN:HD21	2:B:2449:GLU:H	1.65	0.43
2:B:2665:SER:OG	2:B:2693:GLU:CG	2.66	0.43
2:B:2376:LEU:HB3	2:B:2406:TRP:CZ3	2.54	0.42
2:B:2607:ASP:OD1	2:B:2609:LYS:HB2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:2700:LEU:N	2:B:2700:LEU:HD23	2.35	0.42
2:B:2285:PRO:O	2:B:2286:LYS:C	2.62	0.42
2:B:2343:LYS:N	2:B:2343:LYS:CE	2.83	0.42
2:B:2454:ILE:HG13	2:B:2455:HIS:CD2	2.55	0.42
1:A:1017:ASP:C	1:A:1018:VAL:O	2.61	0.42
2:B:2281:ILE:HG13	2:B:2282:SER:N	2.34	0.42
2:B:2383:VAL:HG12	2:B:2384:ILE:N	2.33	0.42
1:A:1104:ILE:HG22	2:B:2288:LEU:HD13	2.02	0.42
1:A:1133:GLU:CD	1:A:1133:GLU:H	2.27	0.42
2:B:2386:CYS:SG	2:B:2397:GLY:HA3	2.60	0.42
2:B:2401:ASN:OD1	2:B:2422:GLY:O	2.38	0.42
2:B:2357:ARG:HG3	2:B:2357:ARG:HH11	1.84	0.42
2:B:2560:ASP:OD1	2:B:2560:ASP:C	2.63	0.42
2:B:2580:HIS:HB3	2:B:2598:ASN:ND2	2.35	0.42
2:B:2599:ALA:HA	2:B:2626:ALA:CB	2.50	0.42
2:B:2316:GLU:HG3	2:B:2346:PHE:CZ	2.54	0.41
2:B:2334:LEU:HD11	2:B:2353:SER:HB2	2.02	0.41
1:A:1025:VAL:HG13	1:A:1111:ASP:CB	2.45	0.41
1:A:1131:THR:HB	1:A:1134:GLU:HB2	2.03	0.41
1:A:1064:HIS:HD2	1:A:1065:HIS:CE1	2.39	0.41
2:B:2275:GLN:HE21	2:B:2275:GLN:HB2	1.64	0.41
1:A:1120:CYS:HB3	2:B:2292:VAL:HG22	2.02	0.41
2:B:2467:MET:HA	2:B:2475:VAL:O	2.20	0.41
2:B:2301:LEU:H	2:B:2301:LEU:HD22	1.86	0.41
2:B:2599:ALA:C	2:B:2601:SER:H	2.28	0.41
1:A:1095:VAL:CG1	1:A:1096:ASP:H	2.23	0.41
1:A:1107:ALA:O	1:A:1111:ASP:N	2.53	0.41
2:B:2630:LEU:C	2:B:2630:LEU:HD12	2.46	0.41
1:A:1089:ASP:HB3	1:A:1118:VAL:HG11	2.01	0.41
1:A:1131:THR:H	2:B:2303:GLN:NE2	2.18	0.41
2:B:2480:ASP:O	2:B:2481:ALA:HB3	2.19	0.41
2:B:2370:LEU:N	2:B:2370:LEU:HD13	2.35	0.41
2:B:2503:ALA:O	2:B:2518:ALA:HB1	2.20	0.41
2:B:2663:LEU:HD21	2:B:2686:VAL:CG1	2.51	0.41
2:B:2554:VAL:HG22	2:B:2566:TRP:CD1	2.56	0.40
2:B:2639:THR:O	2:B:2646:VAL:HA	2.21	0.40
2:B:2704:VAL:HG12	2:B:2705:ASP:N	2.35	0.40
2:B:2686:VAL:CG1	2:B:2687:GLY:N	2.84	0.40
1:A:1010:ASP:OD2	1:A:1051:ASN:HB2	2.21	0.40
1:A:1122:THR:O	1:A:1126:MET:HG3	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:173:HOH:O	5:B:173:HOH:O[6_555]	1.01	1.19

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	130/149 (87%)	108 (83%)	16 (12%)	6 (5%)	2	2
2	B	442/445 (99%)	396 (90%)	35 (8%)	11 (2%)	4	8
3	C	8/12 (67%)	8 (100%)	0	0	100	100
All	All	580/606 (96%)	512 (88%)	51 (9%)	17 (3%)	3	6

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1088	TRP
2	B	2339	ARG
2	B	2343	LYS
2	B	2369	GLU
2	B	2431	ASP
1	A	1141	ILE
2	B	2340	LYS
2	B	2368	GLY
2	B	2391	GLY
2	B	2344	PRO
1	A	1131	THR
1	A	1140	ASN
1	A	1147	GLU
2	B	2331	ASP
2	B	2336	ILE
1	A	1129	GLY
2	B	2499	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	122/134 (91%)	116 (95%)	6 (5%)	22	47
2	B	394/395 (100%)	361 (92%)	33 (8%)	10	23
3	C	8/8 (100%)	7 (88%)	1 (12%)	4	9
All	All	524/537 (98%)	484 (92%)	40 (8%)	12	27

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1025	VAL
1	A	1034	LEU
1	A	1037	ASP
1	A	1055	LEU
1	A	1115	LEU
1	A	1137	LYS
2	B	2275	GLN
2	B	2281	ILE
2	B	2318	ASN
2	B	2334	LEU
2	B	2341	VAL
2	B	2343	LYS
2	B	2344	PRO
2	B	2352	LYS
2	B	2370	LEU
2	B	2376	LEU
2	B	2388	GLN
2	B	2418	VAL
2	B	2431	ASP
2	B	2457	LEU
2	B	2472	LYS
2	B	2492	GLN
2	B	2497	LEU
2	B	2521	PHE
2	B	2532	THR
2	B	2544	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	2554	VAL
2	B	2561	THR
2	B	2581	GLN
2	B	2583	LEU
2	B	2591	ASP
2	B	2648	LEU
2	B	2660	LEU
2	B	2663	LEU
2	B	2680	THR
2	B	2695	THR
2	B	2698	LEU
2	B	2700	LEU
2	B	2705	ASP
3	C	379	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1049	ASN
1	A	1060	GLN
1	A	1064	HIS
1	A	1097	GLN
2	B	2264	GLN
2	B	2275	GLN
2	B	2277	GLN
2	B	2303	GLN
2	B	2318	ASN
2	B	2348	HIS
2	B	2359	HIS
2	B	2364	ASN
2	B	2379	HIS
2	B	2382	HIS
2	B	2392	ASN
2	B	2432	ASN
2	B	2468	HIS
2	B	2470	HIS
2	B	2492	GLN
2	B	2535	HIS
2	B	2540	HIS
2	B	2572	ASN
2	B	2581	GLN
2	B	2612	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	2615	GLN
2	B	2659	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SEP	C	384	3	8,9,10	3.03	3 (37%)	7,12,14	6.18	3 (42%)
3	TPO	C	380	3	8,10,11	1.20	1 (12%)	10,14,16	1.28	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SEP	C	384	3	-	0/6/8/10	-
3	TPO	C	380	3	1/1/3/4	1/9/11/13	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	384	SEP	OG-CB	-7.36	1.16	1.44
3	C	384	SEP	P-O1P	2.65	1.58	1.50
3	C	380	TPO	P-O1P	2.06	1.56	1.50
3	C	384	SEP	P-O3P	2.03	1.62	1.54

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	384	SEP	OG-CB-CA	13.30	121.09	108.14
3	C	384	SEP	OG-P-O1P	7.23	125.99	106.44
3	C	384	SEP	O2P-P-OG	-5.81	91.51	106.67
3	C	380	TPO	P-OG1-CB	-3.01	115.15	123.33

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	C	380	TPO	CB

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	380	TPO	O-C-CA-CB

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	380	TPO	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	B	903	-	4,4,4	0.40	0	6,6,6	0.09	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	B	906	-	4,4,4	0.36	0	6,6,6	0.15	0
4	SO4	B	908	-	4,4,4	0.42	0	6,6,6	0.10	0
4	SO4	B	902	-	4,4,4	0.38	0	6,6,6	0.07	0
4	SO4	B	904	-	4,4,4	0.36	0	6,6,6	0.22	0
4	SO4	B	907	-	4,4,4	0.39	0	6,6,6	0.08	0
4	SO4	B	905	-	4,4,4	0.41	0	6,6,6	0.07	0
4	SO4	B	901	-	4,4,4	0.37	0	6,6,6	0.15	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	134/149 (89%)	1.19	22 (16%) 4 3	52, 73, 95, 101	0
2	B	444/445 (99%)	0.32	36 (8%) 18 14	22, 42, 87, 101	0
3	C	10/12 (83%)	1.59	3 (30%) 1 1	52, 67, 87, 88	0
All	All	588/606 (97%)	0.54	61 (10%) 11 9	22, 48, 90, 101	0

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1037	ASP	6.3
2	B	2705	ASP	5.5
2	B	2274	PRO	5.1
1	A	1087	VAL	4.6
2	B	2341	VAL	4.5
1	A	1133	GLU	4.4
2	B	2342	ILE	4.3
2	B	2264	GLN	3.7
2	B	2343	LYS	3.6
2	B	2368	GLY	3.6
2	B	2339	ARG	3.6
2	B	2340	LYS	3.6
2	B	2706	MET	3.4
2	B	2472	LYS	3.4
2	B	2338	ARG	3.4
1	A	1140	ASN	3.3
2	B	2330	ILE	3.3
1	A	1142	LYS	3.3
1	A	1064	HIS	3.2
2	B	2277	GLN	3.1
1	A	1084	ASP	3.0
3	C	385	GLY	3.0
1	A	1089	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1129	GLY	2.9
2	B	2267	HIS	2.9
1	A	1063	THR	2.9
2	B	2327	GLU	2.8
3	C	376	SER	2.8
2	B	2271	VAL	2.8
2	B	2344	PRO	2.8
2	B	2334	LEU	2.8
2	B	2272	ILE	2.8
2	B	2449	GLU	2.8
1	A	1065	HIS	2.7
2	B	2492	GLN	2.7
3	C	374	LEU	2.7
2	B	2281	ILE	2.5
2	B	2337	LYS	2.5
1	A	1130	LYS	2.4
2	B	2266	LYS	2.4
2	B	2411	GLY	2.4
1	A	1085	ILE	2.4
1	A	1094	LYS	2.4
2	B	2315	ALA	2.4
2	B	2278	ARG	2.3
2	B	2391	GLY	2.3
1	A	1147	GLU	2.3
2	B	2691	GLY	2.2
1	A	1034	LEU	2.2
1	A	1018	VAL	2.2
1	A	1102	GLU	2.1
1	A	1154	ARG	2.1
1	A	1002	PRO	2.1
2	B	2319	LEU	2.1
1	A	1010	ASP	2.1
2	B	2462	SER	2.1
2	B	2291	TYR	2.1
2	B	2329	GLY	2.1
1	A	1062	CYS	2.1
2	B	2336	ILE	2.1
2	B	2454	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SEP	C	384	10/11	0.78	0.19	77,86,88,88	0
3	TPO	C	380	11/12	0.92	0.15	45,50,52,53	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	B	908	5/5	0.71	0.16	100,100,100,100	0
4	SO4	B	905	5/5	0.74	0.23	98,100,100,100	0
4	SO4	B	902	5/5	0.81	0.16	97,97,98,98	0
4	SO4	B	906	5/5	0.84	0.22	98,99,99,100	0
4	SO4	B	904	5/5	0.84	0.15	91,91,92,92	0
4	SO4	B	907	5/5	0.86	0.17	99,100,100,100	0
4	SO4	B	903	5/5	0.94	0.08	59,61,63,63	0
4	SO4	B	901	5/5	0.98	0.07	52,53,55,55	0

6.5 Other polymers [i](#)

There are no such residues in this entry.