



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 06:31 PM UTC

PDB ID : 7OWG / pdb_00007owg
EMDB ID : EMD-13097
Title : human DEPTOR in a complex with mutant human mTORC1 A1459P
Authors : Heimhalt, M.; Berndt, A.; Wagstaff, J.; Anandapadamanaban, M.; Perisic, O.; Maslen, S.; McLaughlin, S.; Yu, W.-H.; Masson, G.R.; Boland, A.; Ni, X.; Yamashita, K.; Murshudov, G.N.; Skehel, M.; Freund, S.M.; Williams, R.L.
Deposited on : 2021-06-18
Resolution : 4.70 Å (reported)
Based on initial model : 6BCX

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	1989 (4.20 - 5.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	2549	
2	E	326	
3	O	409	
4	Y	1335	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 57277 atoms, of which 28740 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase mTOR.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	B	2152	Total	C	H	N	O	S	0	0
			34569	10958	17422	3002	3077	110		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	60	UNK	SER	conflict	UNP P42345
B	1459	PRO	ALA	engineered mutation	UNP P42345

- Molecule 2 is a protein called Target of rapamycin complex subunit LST8.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	E	317	Total	C	H	N	O	S	0	0
			4809	1526	2353	436	476	18		

- Molecule 3 is a protein called DEP domain-containing mTOR-interacting protein.


Mol	Chain	Residues	Atoms						AltConf	Trace
3	O	81	Total	C	H	N	O	S	0	0
			1229	388	620	107	109	5		

There are 2 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
O	204	SER	ASN	variant	UNP Q8TB45
O	389	ASN	SER	variant	UNP Q8TB45

- Molecule 4 is a protein called Regulatory-associated protein of mTOR.


Mol	Chain	Residues	Atoms						AltConf	Trace
4	Y	1044	Total	C	H	N	O	S	0	0
			16670	5322	8345	1441	1506	56		




- Molecule 2: Target of rapamycin complex subunit LST8






- Molecule 3: DEP domain-containing mTOR-interacting protein





• Molecule 4: Regulatory-associated protein of mTOR





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	500000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	56	Depositor
Minimum defocus (nm)	-1400	Depositor
Maximum defocus (nm)	-3000	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.038	Depositor
Minimum map value	-0.014	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.01	Depositor
Map size (Å)	303.6, 303.6, 303.6	wwPDB
Map dimensions	276, 276, 276	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.1, 1.1, 1.1	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	1.03	3/17214 (0.0%)	1.44	35/23297 (0.2%)
2	E	1.14	0/2514	1.32	9/3426 (0.3%)
3	O	1.18	0/621	1.33	1/845 (0.1%)
4	Y	1.12	5/8524 (0.1%)	1.40	21/11596 (0.2%)
All	All	1.07	8/28873 (0.0%)	1.41	66/39164 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	4
2	E	0	3
3	O	0	1
4	Y	0	5
All	All	0	13

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	179	VAL	N-CA	6.42	1.50	1.45
4	Y	325	TRP	NE1-CE2	-5.47	1.31	1.37
1	B	762	SER	CA-CB	-5.40	1.44	1.53
4	Y	1222	ARG	N-CA	5.40	1.49	1.46
1	B	1179	SER	CA-CB	-5.20	1.45	1.53
4	Y	1039	ALA	CA-CB	-5.14	1.46	1.53
4	Y	467	ALA	CA-CB	-5.05	1.45	1.53
4	Y	419	TRP	NE1-CE2	-5.03	1.31	1.37

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	592	PHE	CA-CB-CG	9.14	122.94	113.80
1	B	1915	HIS	CA-CB-CG	8.61	122.41	113.80
4	Y	1315	HIS	CA-CB-CG	8.47	122.27	113.80
4	Y	1057	LEU	CA-C-O	-8.04	114.65	119.55
4	Y	1036	PRO	N-CA-C	7.71	124.68	114.27
1	B	191	PHE	CA-CB-CG	7.68	121.48	113.80
4	Y	1239	PHE	CA-CB-CG	7.63	121.43	113.80
2	E	40	HIS	CA-CB-CG	7.11	120.91	113.80
2	E	22	HIS	CA-CB-CG	7.00	120.80	113.80
4	Y	428	ASN	O-C-N	-6.70	118.45	121.53
4	Y	192	PHE	CA-CB-CG	6.60	120.40	113.80
1	B	2424	ASP	CA-CB-CG	6.57	119.17	112.60
4	Y	1050	ASP	CA-CB-CG	6.40	119.00	112.60
3	O	336	ASP	CA-CB-CG	6.32	118.92	112.60
1	B	610	PHE	CA-CB-CG	6.32	120.12	113.80
4	Y	1310	HIS	CA-CB-CG	6.29	120.09	113.80
1	B	2070	PHE	CA-CB-CG	6.18	119.98	113.80
1	B	464	PRO	N-CA-C	5.99	118.01	110.70
2	E	93	PHE	CA-CB-CG	5.92	119.72	113.80
1	B	2520	ASP	CA-CB-CG	5.83	118.44	112.60
4	Y	1099	PHE	CA-C-N	5.83	128.68	120.28
4	Y	1099	PHE	C-N-CA	5.83	128.68	120.28
2	E	46	ASN	CA-CB-CG	5.80	118.40	112.60
1	B	1085	ASP	CA-CB-CG	5.79	118.39	112.60
1	B	946	PHE	CA-CB-CG	5.77	119.57	113.80
1	B	594	PHE	CA-CB-CG	5.76	119.56	113.80
1	B	195	PHE	CA-CB-CG	-5.73	108.07	113.80
4	Y	1018	PHE	CA-CB-CG	5.73	119.53	113.80
2	E	179	ASP	CA-CB-CG	5.72	118.32	112.60
2	E	169	PRO	N-CA-C	5.67	119.99	111.14
4	Y	1044	ASP	CA-CB-CG	5.66	118.26	112.60
1	B	1791	HIS	CA-CB-CG	5.61	119.41	113.80
4	Y	1080	ASP	CA-CB-CG	5.57	118.17	112.60
4	Y	292	LEU	CA-C-N	5.54	128.26	120.28
4	Y	292	LEU	C-N-CA	5.54	128.26	120.28
4	Y	531	HIS	CB-CA-C	5.52	120.23	110.85
1	B	140	PHE	CA-CB-CG	5.48	119.28	113.80
4	Y	349	ASN	CA-CB-CG	5.41	118.01	112.60
4	Y	1235	ASP	CA-CB-CG	5.39	117.99	112.60
4	Y	1210	HIS	CA-CB-CG	5.39	119.19	113.80
1	B	828	LEU	CA-C-N	5.36	127.41	120.44
1	B	828	LEU	C-N-CA	5.36	127.41	120.44
2	E	281	ASP	CA-CB-CG	5.32	117.92	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	2058	MET	CA-C-N	5.31	127.39	120.28
1	B	2058	MET	C-N-CA	5.31	127.39	120.28
1	B	1712	ASP	CA-CB-CG	5.27	117.87	112.60
1	B	1912	ASP	CA-CB-CG	5.25	117.85	112.60
1	B	114	LEU	CA-C-N	5.24	126.63	120.09
1	B	114	LEU	C-N-CA	5.24	126.63	120.09
1	B	68	ASN	CA-C-O	-5.18	115.56	121.00
1	B	2116	PRO	N-CA-C	5.16	120.64	113.98
1	B	2262	ASN	CA-C-N	5.16	127.80	120.53
1	B	2262	ASN	C-N-CA	5.16	127.80	120.53
4	Y	524	ASP	CA-CB-CG	5.15	117.75	112.60
4	Y	1177	HIS	CB-CA-C	5.09	117.28	109.03
1	B	1632	ASP	CA-CB-CG	5.09	117.69	112.60
1	B	1116	PRO	N-CA-C	5.09	116.91	110.70
1	B	2096	ASP	CA-CB-CG	5.06	117.66	112.60
1	B	1125	PRO	N-CA-C	5.05	120.18	113.86
1	B	274	ILE	CA-C-O	-5.05	114.47	120.78
1	B	163	GLY	CA-C-N	5.05	127.04	120.28
1	B	163	GLY	C-N-CA	5.05	127.04	120.28
1	B	138	ASP	CA-C-N	5.02	127.01	120.28
1	B	138	ASP	C-N-CA	5.02	127.01	120.28
2	E	207	VAL	CA-C-N	5.01	129.34	120.87
2	E	207	VAL	C-N-CA	5.01	129.34	120.87

There are no chirality outliers.

All (13) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	1439	HIS	Peptide
1	B	1659	LEU	Peptide
1	B	2233	ASN	Peptide
1	B	853	TYR	Sidechain
2	E	288	ALA	Peptide
2	E	93	PHE	Peptide
2	E	94	HIS	Peptide
3	O	348	LYS	Peptide
4	Y	1035	THR	Peptide
4	Y	35	HIS	Peptide
4	Y	425	GLU	Peptide
4	Y	975	PRO	Peptide
4	Y	976	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	17147	17422	17177	23	0
2	E	2456	2353	2341	5	0
3	O	609	620	617	0	0
4	Y	8325	8345	8314	15	0
All	All	28537	28740	28449	42	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1798:PHE:CD2	1:B:1884:ALA:HB1	2.29	0.68
4:Y:36:CYS:HG	4:Y:962:TRP:CG	2.20	0.60
1:B:2311:GLU:H	1:B:2311:GLU:CD	2.12	0.57
4:Y:164:VAL:HG22	4:Y:165:TRP:H	1.70	0.57
1:B:1797:ASN:HB3	1:B:1884:ALA:HB2	1.90	0.54
4:Y:433:LEU:HB3	4:Y:434:PRO:HD3	1.90	0.53
2:E:135:CYS:SG	2:E:136:LEU:N	2.81	0.53
1:B:2038:TYR:HB2	1:B:2047:MET:HE2	1.91	0.52
1:B:2024:HIS:HA	1:B:2027:TRP:CE2	2.46	0.51
1:B:2281:MET:HE3	2:E:222:TYR:HB2	1.93	0.50
4:Y:988:ARG:HA	4:Y:992:PHE:CD1	2.45	0.50
1:B:1633:TRP:CD1	1:B:1633:TRP:H	2.29	0.50
1:B:2536:GLU:H	1:B:2536:GLU:CD	2.22	0.47
1:B:988:GLN:H	1:B:988:GLN:CD	2.23	0.46
1:B:2082:GLN:NE2	1:B:2086:ARG:HE	2.13	0.46
1:B:2311:GLU:CD	1:B:2311:GLU:N	2.74	0.46
4:Y:36:CYS:HG	4:Y:962:TRP:CD1	2.34	0.46
4:Y:1031:PHE:CE2	4:Y:1310:HIS:CD2	3.05	0.45
1:B:805:LEU:C	1:B:805:LEU:HD13	2.42	0.45
1:B:508:MET:HE1	1:B:524:LEU:HD21	1.98	0.45
4:Y:582:GLY:HA3	4:Y:621:PHE:CE2	2.52	0.44
1:B:2186:LEU:C	1:B:2186:LEU:HD23	2.43	0.44
1:B:398:ARG:N	1:B:398:ARG:HD3	2.32	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:Y:363:THR:O	4:Y:363:THR:HG23	2.18	0.43
4:Y:1239:PHE:CE2	4:Y:1246:SER:HB3	2.54	0.42
1:B:108:ALA:HB2	1:B:144:TYR:CZ	2.55	0.42
4:Y:265:SER:HA	4:Y:268:THR:HG22	2.00	0.42
1:B:2005:LEU:C	1:B:2005:LEU:HD23	2.45	0.42
2:E:196:VAL:HG11	2:E:252:PHE:CE2	2.55	0.42
4:Y:120:LYS:HE3	4:Y:137:LEU:HD21	2.02	0.41
4:Y:470:VAL:O	4:Y:470:VAL:CG1	2.67	0.41
1:B:729:PHE:CD2	1:B:729:PHE:C	2.99	0.41
1:B:2144:TYR:CE1	1:B:2150:ILE:HA	2.56	0.41
1:B:2513:PHE:CE2	1:B:2527:LEU:HB3	2.55	0.41
4:Y:617:CYS:SG	4:Y:659:VAL:HA	2.61	0.41
1:B:2422:VAL:HG12	1:B:2497:ALA:HB1	2.02	0.40
2:E:27:TRP:CE3	2:E:33:ILE:C	2.99	0.40
2:E:224:LEU:HD13	2:E:224:LEU:C	2.46	0.40
1:B:1875:LYS:HE2	1:B:1916:TRP:CE3	2.56	0.40
4:Y:462:TRP:CD1	4:Y:463:ALA:N	2.90	0.40
1:B:2185:LEU:HD23	1:B:2185:LEU:C	2.47	0.40
4:Y:559:ILE:H	4:Y:559:ILE:HD12	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	2060/2549 (81%)	1918 (93%)	137 (7%)	5 (0%)	43	78
2	E	315/326 (97%)	284 (90%)	31 (10%)	0	100	100
3	O	79/409 (19%)	71 (90%)	7 (9%)	1 (1%)	9	41
4	Y	1032/1335 (77%)	945 (92%)	86 (8%)	1 (0%)	48	83
All	All	3486/4619 (76%)	3218 (92%)	261 (8%)	7 (0%)	44	78

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	O	349	PRO
1	B	1951	PRO
1	B	2308	PRO
1	B	2141	PRO
1	B	211	ALA
1	B	434	PHE
4	Y	95	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	1840/2171 (85%)	1815 (99%)	25 (1%)	59	72
2	E	269/276 (98%)	265 (98%)	4 (2%)	57	71
3	O	66/364 (18%)	65 (98%)	1 (2%)	57	71
4	Y	921/1163 (79%)	913 (99%)	8 (1%)	70	77
All	All	3096/3974 (78%)	3058 (99%)	38 (1%)	61	74

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	153	LEU
1	B	274	ILE
1	B	395	LEU
1	B	398	ARG
1	B	647	THR
1	B	660	LEU
1	B	795	ILE
1	B	946	PHE
1	B	969	THR
1	B	1091	ILE
1	B	1138	THR
1	B	1446	GLN
1	B	1457	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1663	SER
1	B	1724	MET
1	B	1744	HIS
1	B	1915	HIS
1	B	1956	LEU
1	B	1972	LEU
1	B	2070	PHE
1	B	2145	ASP
1	B	2240	VAL
1	B	2358	PHE
1	B	2430	ARG
1	B	2515	HIS
2	E	27	TRP
2	E	40	HIS
2	E	191	THR
2	E	299	VAL
3	O	375	VAL
4	Y	24	TRP
4	Y	78	THR
4	Y	180	TYR
4	Y	293	ASP
4	Y	347	PHE
4	Y	678	PHE
4	Y	1035	THR
4	Y	1262	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (47) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	166	HIS
1	B	411	GLN
1	B	414	GLN
1	B	419	HIS
1	B	435	GLN
1	B	763	ASN
1	B	878	GLN
1	B	899	HIS
1	B	1058	GLN
1	B	1196	ASN
1	B	1207	GLN
1	B	1378	ASN
1	B	1446	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1496	GLN
1	B	1693	HIS
1	B	1703	ASN
1	B	1727	GLN
1	B	1758	GLN
1	B	1808	ASN
1	B	1809	GLN
1	B	1920	ASN
1	B	1989	ASN
1	B	2028	HIS
2	E	28	GLN
2	E	63	GLN
2	E	71	ASN
2	E	85	ASN
2	E	161	HIS
2	E	162	ASN
2	E	164	GLN
2	E	251	ASN
2	E	292	ASN
3	O	370	GLN
4	Y	35	HIS
4	Y	149	HIS
4	Y	170	ASN
4	Y	173	GLN
4	Y	198	ASN
4	Y	208	GLN
4	Y	349	ASN
4	Y	531	HIS
4	Y	544	ASN
4	Y	570	HIS
4	Y	629	ASN
4	Y	1004	GLN
4	Y	1248	ASN
4	Y	1281	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13097. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 138




Y Index: 138




Z Index: 138


6.2.2 Raw map



X Index: 138



Y Index: 138




Z Index: 138

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 160




Y Index: 113



Z Index: 148


6.3.2 Raw map



X Index: 160



Y Index: 113




Z Index: 148


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_13097_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 557 nm^3 ; this corresponds to an approximate mass of 503 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.213 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.213 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.70	-	-
Author-provided FSC curve	4.71	7.01	4.86
Unmasked-calculated*	6.50	8.08	6.68

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.50 differs from the reported value 4.7 by more than 10 %

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-13097 and PDB model 7OWG. Per-residue inclusion information can be found in section 3 on page 4.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.01).

9.4 Atom inclusion [i](#)



At the recommended contour level, 72% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.01) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7230	0.2930
B	0.7840	0.3120
E	0.8230	0.2290
O	0.4250	0.2480
Y	0.6100	0.2770

