



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:51 PM UTC

PDB ID : 5OXL / pdb_00005oxl
Title : PepTSt in complex with dipeptide Ala-Leu
Authors : Martinez Molledo, M.; Quistgaard, E.M.; Loew, C.
Deposited on : 2017-09-07
Resolution : 2.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	490	

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 3786 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Di-or tripeptide:H⁺ symporter.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	448	3463	2337	531	578	17	0	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	484	ALA	-	expression tag	UNP Q5M4H8
A	485	GLU	-	expression tag	UNP Q5M4H8
A	486	ASN	-	expression tag	UNP Q5M4H8
A	487	LEU	-	expression tag	UNP Q5M4H8
A	488	TYR	-	expression tag	UNP Q5M4H8
A	489	PHE	-	expression tag	UNP Q5M4H8
A	490	GLN	-	expression tag	UNP Q5M4H8

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: $C_8H_{18}N_2O_4S$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 4 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			16	10	6		
4	A	1	Total	C	O	0	0
			16	10	6		

- Molecule 5 is (2R)-2,3-DIHYDROXYPROPYL(7Z)-PENTADEC-7-ENOATE (CCD ID: 78N) (formula: C₁₈H₃₄O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			22	18	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			22	18	4		
5	A	1	Total	C	O	0	0
			22	18	4		
5	A	1	Total	C	O	0	0
			22	18	4		
5	A	1	Total	C	O	0	0
			22	18	4		
5	A	1	Total	C	O	0	0
			22	18	4		
5	A	1	Total	C	O	0	0
			22	18	4		
5	A	1	Total	C	O	0	0
			22	18	4		

- Molecule 6 is (2S)-2,3-DIHYDROXYPROPYL(7Z)-PENTADEC-7-ENOATE (CCD ID: 78M) (formula: C₁₈H₃₄O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			22	18	4		

- Molecule 7 is ALANINE (CCD ID: ALA) (formula: C₃H₇NO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			5	3	1	1		

- Molecule 8 is LEUCINE (CCD ID: LEU) (formula: C₆H₁₃NO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			9	6	1	2		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	32	Total 32	O 32	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Di- or tripeptide:H⁺ symporter



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	102.30Å 110.60Å 108.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.27 – 2.66 46.27 – 2.66	Depositor EDS
% Data completeness (in resolution range)	98.2 (46.27-2.66) 98.4 (46.27-2.66)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.03 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.224 , 0.233 0.230 , 0.234	Depositor DCC
R_{free} test set	878 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	49.8	Xtriage
Anisotropy	0.595	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 52.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3786	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1PE, 78N, 78M, PO4, EPE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/3569	0.74	0/4869

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3463	0	3528	26	0
2	A	10	0	0	0	0
3	A	15	0	17	1	0
4	A	32	0	44	1	0
5	A	198	0	306	8	0
6	A	22	0	34	1	0
7	A	5	0	4	1	0
8	A	9	0	11	0	0
9	A	32	0	0	1	0
All	All	3786	0	3944	30	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (30) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:316:SER:O	9:A:601:HOH:O	2.14	0.65
1:A:142:ARG:HB3	1:A:410:VAL:HG13	1.81	0.62
1:A:332:ILE:HG13	1:A:397:ILE:HG23	1.83	0.61
1:A:6:LYS:HG2	1:A:13:LEU:HD21	1.83	0.59
1:A:261:PRO:HG3	1:A:429:LEU:HD21	1.87	0.55
1:A:393:TRP:HA	1:A:396:VAL:HG12	1.92	0.50
1:A:343:TRP:CE2	4:A:505:1PE:H242	2.48	0.49
1:A:328:ASN:OD1	7:A:516:ALA:N	2.47	0.48
1:A:408:LEU:O	5:A:515:78N:O22	2.32	0.47
1:A:76:PHE:HA	1:A:422:GLN:HG2	1.97	0.47
1:A:157:LEU:HD21	5:A:515:78N:H142	1.97	0.47
1:A:258:ILE:O	1:A:261:PRO:HD2	2.16	0.46
1:A:267:TRP:C	1:A:267:TRP:CD1	2.94	0.46
1:A:323:TRP:O	5:A:509:78N:H2	2.15	0.46
1:A:25:GLU:HG3	1:A:125:LEU:HD22	1.99	0.44
3:A:503:EPE:H31	3:A:503:EPE:H82	1.82	0.43
1:A:370:LEU:HD21	6:A:508:78M:H42C	2.01	0.43
5:A:509:78N:H91C	5:A:509:78N:H31C	1.74	0.43
1:A:162:ALA:HB3	1:A:163:PRO:HD3	2.01	0.43
1:A:366:LEU:HD23	1:A:369:LEU:HD12	2.00	0.42
1:A:150:ILE:HG12	5:A:515:78N:H171	2.00	0.42
1:A:71:GLY:O	1:A:425:SER:OG	2.37	0.42
1:A:149:SER:HB3	5:A:515:78N:H192	2.02	0.42
1:A:149:SER:OG	1:A:408:LEU:HB2	2.21	0.41
1:A:246:LEU:HB3	1:A:247:PRO:HD3	2.03	0.41
1:A:77:VAL:HG12	1:A:82:ILE:HG12	2.03	0.41
1:A:112:PHE:O	1:A:116:ILE:HG12	2.21	0.41
5:A:515:78N:H122	5:A:515:78N:H1	2.02	0.41
5:A:512:78N:H31C	5:A:512:78N:H91C	1.87	0.40
1:A:209:THR:C	1:A:211:PRO:HD3	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	440/490 (90%)	432 (98%)	8 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	359/397 (90%)	355 (99%)	4 (1%)	65	80

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	139	GLU
1	A	332	ILE
1	A	383	LYS
1	A	393	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	170	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	78N	A	513	-	21,21,21	0.97	1 (4%)	22,22,22	0.95	1 (4%)
5	78N	A	506	-	21,21,21	0.95	1 (4%)	22,22,22	1.05	1 (4%)
3	EPE	A	503	-	15,15,15	0.87	0	19,20,20	1.19	0
2	PO4	A	502	-	4,4,4	0.98	0	6,6,6	0.44	0
5	78N	A	512	-	21,21,21	0.96	1 (4%)	22,22,22	0.97	1 (4%)
4	1PE	A	504	-	15,15,15	0.66	0	14,14,14	0.47	0
5	78N	A	511	-	21,21,21	0.97	1 (4%)	22,22,22	0.97	1 (4%)
5	78N	A	509	-	21,21,21	0.98	1 (4%)	22,22,22	0.97	1 (4%)
7	ALA	A	516	-	3,4,5	0.66	0	2,4,6	0.77	0
5	78N	A	514	-	21,21,21	0.95	1 (4%)	22,22,22	0.95	1 (4%)
5	78N	A	510	-	21,21,21	0.95	1 (4%)	22,22,22	0.93	1 (4%)
2	PO4	A	501	-	4,4,4	0.95	0	6,6,6	0.45	0
4	1PE	A	505	-	15,15,15	0.62	0	14,14,14	0.50	0
5	78N	A	507	-	21,21,21	0.97	1 (4%)	22,22,22	0.93	1 (4%)
5	78N	A	515	-	21,21,21	0.98	1 (4%)	22,22,22	0.98	1 (4%)
8	LEU	A	517	-	6,8,8	0.93	1 (16%)	5,10,10	1.04	1 (20%)
6	78M	A	508	-	21,21,21	1.16	1 (4%)	22,22,22	0.93	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	78N	A	513	-	-	11/21/21/21	-
5	78N	A	506	-	-	7/21/21/21	-
3	EPE	A	503	-	-	6/9/19/19	0/1/1/1
5	78N	A	512	-	-	11/21/21/21	-
4	1PE	A	504	-	-	6/13/13/13	-
5	78N	A	511	-	-	10/21/21/21	-
5	78N	A	509	-	-	11/21/21/21	-
7	ALA	A	516	-	-	0/1/2/4	-
5	78N	A	514	-	-	8/21/21/21	-
5	78N	A	510	-	-	10/21/21/21	-
4	1PE	A	505	-	-	6/13/13/13	-
5	78N	A	507	-	-	13/21/21/21	-
5	78N	A	515	-	-	9/21/21/21	-
8	LEU	A	517	-	-	1/8/8/8	-
6	78M	A	508	-	-	14/21/21/21	-

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	508	78M	O2-C1	3.27	1.42	1.33
5	A	515	78N	O16-C8	3.00	1.42	1.33
5	A	513	78N	O16-C8	2.99	1.42	1.33
5	A	509	78N	O16-C8	2.98	1.42	1.33
5	A	512	78N	O16-C8	2.96	1.42	1.33
5	A	514	78N	O16-C8	2.95	1.42	1.33
5	A	507	78N	O16-C8	2.95	1.42	1.33
5	A	510	78N	O16-C8	2.94	1.41	1.33
5	A	511	78N	O16-C8	2.94	1.41	1.33
5	A	506	78N	O16-C8	2.88	1.41	1.33
8	A	517	LEU	OXT-C	-2.15	1.23	1.30

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	506	78N	O16-C8-C7	3.00	120.99	111.83
5	A	515	78N	O16-C8-C7	2.89	120.65	111.83
5	A	509	78N	O16-C8-C7	2.72	120.12	111.83
5	A	512	78N	O16-C8-C7	2.68	120.00	111.83
5	A	513	78N	O16-C8-C7	2.66	119.95	111.83
6	A	508	78M	O2-C1-C2	2.63	119.86	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	507	78N	O16-C8-C7	2.60	119.76	111.83
5	A	511	78N	O16-C8-C7	2.57	119.67	111.83
5	A	514	78N	O16-C8-C7	2.43	119.25	111.83
8	A	517	LEU	OXT-C-O	-2.29	118.89	124.08
5	A	510	78N	O16-C8-C7	2.18	118.47	111.83

There are no chirality outliers.

All (123) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	503	EPE	C10-C9-N1-C6
3	A	503	EPE	C9-C10-S-O1S
5	A	507	78N	O16-C17-C18-C19
5	A	507	78N	O16-C17-C18-O20
5	A	509	78N	C17-C18-C19-O22
5	A	510	78N	O16-C17-C18-C19
5	A	510	78N	O16-C17-C18-O20
5	A	511	78N	O20-C18-C19-O22
5	A	511	78N	C17-C18-C19-O22
5	A	511	78N	O16-C17-C18-O20
5	A	512	78N	C17-C18-C19-O22
5	A	514	78N	C17-C18-C19-O22
5	A	515	78N	C17-C18-C19-O22
6	A	508	78M	C17-C18-C20-O21
6	A	508	78M	O2-C17-C18-C20
6	A	508	78M	O2-C17-C18-O19
5	A	511	78N	O15-C8-O16-C17
5	A	511	78N	C7-C8-O16-C17
5	A	515	78N	O15-C8-O16-C17
5	A	515	78N	C7-C8-O16-C17
5	A	512	78N	C7-C8-O16-C17
5	A	506	78N	O16-C17-C18-O20
5	A	512	78N	O15-C8-O16-C17
5	A	509	78N	C7-C8-O16-C17
6	A	508	78M	C2-C1-O2-C17
5	A	511	78N	O16-C17-C18-C19
6	A	508	78M	C1-C2-C3-C4
6	A	508	78M	O1-C1-O2-C17
5	A	512	78N	O20-C18-C19-O22
4	A	504	1PE	OH7-C16-C26-OH6
3	A	503	EPE	N4-C7-C8-O8
5	A	510	78N	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	509	78N	O15-C8-O16-C17
3	A	503	EPE	C9-C10-S-O3S
5	A	512	78N	O16-C17-C18-O20
5	A	513	78N	O16-C17-C18-O20
5	A	513	78N	C5-C6-C7-C8
4	A	505	1PE	OH5-C14-C24-OH4
5	A	512	78N	O16-C17-C18-C19
5	A	513	78N	O16-C17-C18-C19
5	A	512	78N	C5-C6-C7-C8
5	A	507	78N	C17-C18-C19-O22
4	A	505	1PE	OH7-C16-C26-OH6
5	A	512	78N	C9-C10-C11-C12
5	A	511	78N	C10-C11-C12-C13
5	A	509	78N	O20-C18-C19-O22
5	A	512	78N	C10-C11-C12-C13
5	A	513	78N	C4-C5-C6-C7
5	A	509	78N	C11-C12-C13-C14
6	A	508	78M	C3-C4-C5-C6
5	A	507	78N	C7-C8-O16-C17
4	A	505	1PE	OH6-C15-C25-OH5
5	A	509	78N	C11-C10-C9-C1
5	A	510	78N	C11-C10-C9-C1
5	A	514	78N	C2-C3-C4-C5
6	A	508	78M	C4-C5-C6-C7
5	A	510	78N	C11-C12-C13-C14
5	A	507	78N	C9-C10-C11-C12
5	A	509	78N	C9-C10-C11-C12
5	A	514	78N	O20-C18-C19-O22
5	A	515	78N	O20-C18-C19-O22
6	A	508	78M	O19-C18-C20-O21
5	A	507	78N	O15-C8-O16-C17
5	A	507	78N	C4-C5-C6-C7
5	A	506	78N	C11-C10-C9-C1
5	A	507	78N	C11-C10-C9-C1
5	A	513	78N	C2-C3-C4-C5
5	A	515	78N	C11-C10-C9-C1
5	A	512	78N	C11-C10-C9-C1
5	A	514	78N	C11-C10-C9-C1
5	A	509	78N	C3-C4-C5-C6
5	A	506	78N	C4-C5-C6-C7
3	A	503	EPE	C10-C9-N1-C2
5	A	515	78N	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	513	78N	C7-C8-O16-C17
5	A	515	78N	C12-C13-C14-C15
6	A	508	78M	C9-C10-C11-C12
5	A	507	78N	C10-C11-C12-C13
5	A	513	78N	C11-C10-C9-C1
5	A	509	78N	O16-C17-C18-O20
5	A	507	78N	O20-C18-C19-O22
5	A	513	78N	O20-C18-C19-O22
3	A	503	EPE	C9-C10-S-O2S
4	A	504	1PE	C12-C22-OH3-C23
5	A	513	78N	O15-C8-O16-C17
5	A	506	78N	C17-C18-C19-O22
4	A	505	1PE	C16-C26-OH6-C15
5	A	506	78N	C10-C11-C12-C13
5	A	509	78N	O16-C17-C18-C19
5	A	507	78N	C2-C1-C9-C10
5	A	510	78N	C1-C2-C3-C4
4	A	505	1PE	C24-C14-OH5-C25
6	A	508	78M	C11-C12-C13-C14
4	A	504	1PE	C23-C13-OH4-C24
5	A	510	78N	C12-C13-C14-C15
5	A	514	78N	O16-C17-C18-C19
5	A	509	78N	C10-C11-C12-C13
5	A	510	78N	C10-C11-C12-C13
5	A	511	78N	C4-C5-C6-C7
5	A	506	78N	O16-C17-C18-C19
4	A	504	1PE	C15-C25-OH5-C14
5	A	513	78N	C17-C18-C19-O22
5	A	514	78N	C9-C10-C11-C12
4	A	504	1PE	OH6-C15-C25-OH5
5	A	506	78N	C1-C2-C3-C4
6	A	508	78M	C7-C8-C9-C10
5	A	507	78N	C3-C4-C5-C6
6	A	508	78M	C11-C10-C9-C8
5	A	512	78N	C4-C5-C6-C7
4	A	505	1PE	C12-C22-OH3-C23
5	A	507	78N	C1-C2-C3-C4
5	A	511	78N	C2-C1-C9-C10
5	A	515	78N	C1-C2-C3-C4
6	A	508	78M	C5-C6-C7-C8
5	A	514	78N	C2-C1-C9-C10
5	A	511	78N	C9-C10-C11-C12

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	514	78N	C3-C4-C5-C6
5	A	515	78N	C10-C11-C12-C13
5	A	513	78N	C11-C12-C13-C14
5	A	510	78N	C4-C5-C6-C7
4	A	504	1PE	C24-C14-OH5-C25
8	A	517	LEU	OXT-C-CA-N
5	A	510	78N	C2-C1-C9-C10


There are no ring outliers.


7 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	503	EPE	1	0
5	A	512	78N	1	0
5	A	509	78N	2	0
7	A	516	ALA	1	0
4	A	505	1PE	1	0
5	A	515	78N	5	0
6	A	508	78M	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	448/490 (91%)	0.49	37 (8%) 17 12	34, 49, 87, 127	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	407	GLY	3.5
1	A	419	PHE	3.4
1	A	277	THR	3.3
1	A	285	TYR	3.2
1	A	469	VAL	3.1
1	A	263	PHE	3.1
1	A	139	GLU	3.0
1	A	280	LEU	2.9
1	A	279	HIS	2.8
1	A	410	VAL	2.8
1	A	471	LEU	2.8
1	A	267	TRP	2.7
1	A	278	GLU	2.7
1	A	351	PRO	2.7
1	A	140	HIS	2.7
1	A	418	ALA	2.7
1	A	468	LEU	2.6
1	A	427	TRP	2.6
1	A	420	ASN	2.6
1	A	268	MET	2.5
1	A	406	VAL	2.5
1	A	470	PHE	2.5
1	A	223	LYS	2.4
1	A	288	LEU	2.4
1	A	264	TYR	2.4
1	A	204	HIS	2.4
1	A	409	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	408	LEU	2.3
1	A	422	GLN	2.2
1	A	283	VAL	2.2
1	A	344	THR	2.2
1	A	425	SER	2.2
1	A	262	VAL	2.2
1	A	429	LEU	2.1
1	A	265	PHE	2.1
1	A	448	LYS	2.0
1	A	281	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PO4	A	502	5/5	0.81	0.24	91,91,91,91	0
3	EPE	A	503	15/15	0.81	0.18	97,97,110,110	0
4	1PE	A	505	16/16	0.81	0.20	86,88,90,90	0
5	78N	A	507	22/22	0.81	0.25	79,94,104,104	0
5	78N	A	515	22/22	0.82	0.22	62,74,78,78	0
5	78N	A	510	22/22	0.83	0.19	60,71,72,73	0
5	78N	A	509	22/22	0.84	0.20	59,74,79,79	0
5	78N	A	512	22/22	0.85	0.18	54,73,84,84	0
5	78N	A	511	22/22	0.85	0.22	71,87,120,120	0
5	78N	A	514	22/22	0.86	0.15	57,69,79,79	0
5	78N	A	506	22/22	0.86	0.17	54,70,78,79	0
4	1PE	A	504	16/16	0.87	0.18	87,88,89,89	0
5	78N	A	513	22/22	0.88	0.15	53,71,90,90	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	78M	A	508	22/22	0.88	0.18	51,70,81,82	0
8	LEU	A	517	9/9	0.88	0.15	44,46,55,57	0
2	PO4	A	501	5/5	0.89	0.11	82,82,83,83	0
7	ALA	A	516	5/6	0.94	0.10	38,42,42,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 78N A 507:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 78N A 515:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 78N A 510:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 78N A 509:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 78N A 512:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 78N A 511:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 78N A 514:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around 78N A 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 78N A 513:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.