



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:21 PM UTC

PDB ID : 7OXA / pdb_00007oxa
Title : Target-bound SpCas9 complex with AAVS1 chimeric RNA-DNA guide
Authors : Donohoue, P.; Pacesa, M.; Lau, E.; Vidal, B.; Irby, M.J.; Nyer, D.B.; Rotstein, T.; Banh, L.; Toh, M.T.; Gibson, J.; Kohrs, B.; Baek, K.; Owen, A.L.G.; Slorach, E.M.; van Overbeek, M.; Fuller, C.K.; May, A.P.; Jinek, M.; Cameron, P.
Deposited on : 2021-06-22
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	81	 72% 28%
2	B	1372	 5% 86% 10% •
3	C	28	 57% 43%
4	D	12	 67% 25% 8%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 13928 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is DNA/RNA hybrid called chimeric RNA-DNA guide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	81	Total	C	N	O	P	0	0	0
			1732	781	326	545	80			

- Molecule 2 is a protein called CRISPR-associated endonuclease Cas9/Csn1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	1320	Total	C	N	O	S	0	0	0
			10808	6892	1875	2019	22			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-3	GLY	-	expression tag	UNP Q99ZW2
B	-2	ALA	-	expression tag	UNP Q99ZW2
B	-1	ALA	-	expression tag	UNP Q99ZW2
B	0	SER	-	expression tag	UNP Q99ZW2
B	10	ALA	ASP	engineered mutation	UNP Q99ZW2
B	840	ALA	HIS	engineered mutation	UNP Q99ZW2

- Molecule 3 is a DNA chain called AAVS1 target DNA strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	28	Total	C	N	O	P	0	0	0
			559	268	98	166	27			

- Molecule 4 is a DNA chain called AAVS1 non-target DNA strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	11	Total	C	N	O	P	0	0	1
			209	100	35	64	10			

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total 2	Mg 2	0	0

- Molecule 6 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	5	Total 5	K 5	0	0
6	B	8	Total 8	K 8	0	0
6	C	1	Total 1	K 1	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	164	Total 164	O 164	0	0
7	B	394	Total 394	O 394	0	0
7	C	34	Total 34	O 34	0	0
7	D	12	Total 12	O 12	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: chimeric RNA-DNA guide

Chain A: 





- Molecule 2: CRISPR-associated endonuclease Cas9/Csn1


Chain B: 



- Molecule 3: AAVS1 target DNA strand



● Molecule 4: AAVS1 non-target DNA strand



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	177.93Å 67.57Å 189.23Å 90.00° 112.52° 90.00°	Depositor
Resolution (Å)	47.66 – 2.15 47.66 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.9 (47.66-2.15) 99.9 (47.66-2.15)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.15 (at 2.16Å)	Xtriage
Refinement program	PHENIX 1.15.2_3472	Depositor
R, R_{free}	0.198 , 0.226 0.199 , 0.227	Depositor DCC
R_{free} test set	6532 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	46.8	Xtriage
Anisotropy	0.300	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13928	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/1944	0.41	0/3027
2	B	0.15	0/10995	0.35	0/14767
3	C	0.36	0/624	0.53	0/958
4	D	0.25	0/233	0.52	0/360
All	All	0.18	0/13796	0.38	0/19112

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1732	0	876	22	0
2	B	10808	0	10981	94	0
3	C	559	0	316	9	0
4	D	209	0	116	3	0
5	A	2	0	0	0	0
6	A	5	0	0	0	0
6	B	8	0	0	0	0
6	C	1	0	0	0	0
7	A	164	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	394	0	0	9	0
7	C	34	0	0	0	0
7	D	12	0	0	0	0
All	All	13928	0	12289	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:343:LEU:HD13	2:B:346:LYS:HB2	1.33	1.06
2:B:343:LEU:O	2:B:343:LEU:HD12	1.56	1.02
2:B:343:LEU:CD1	2:B:346:LYS:HB2	1.93	0.98
2:B:80:CYS:SG	7:B:1884:HOH:O	2.49	0.70
2:B:1335:ARG:NH2	4:D:2:DG:O6	2.24	0.70
1:A:71:U:H2'	1:A:72:U:C6	2.26	0.69
2:B:343:LEU:HD13	2:B:346:LYS:CB	2.19	0.67
2:B:788:ILE:HG23	2:B:793:SER:HB3	1.77	0.65
2:B:411:PRO:HD2	2:B:414:ILE:HD13	1.79	0.63
3:C:17:DC:H5''	3:C:17:DC:H6	1.63	0.62
2:B:1004:LEU:HD11	2:B:1042:ILE:HD11	1.82	0.62
2:B:1215:ALA:HB2	2:B:1221:GLN:HG3	1.84	0.60
2:B:343:LEU:O	2:B:343:LEU:CD1	2.41	0.60
2:B:1179:ILE:HD11	2:B:1192:LYS:HG2	1.84	0.59
2:B:342:GLN:HB2	2:B:383:MET:HE3	1.84	0.59
1:A:59:U:OP1	2:B:467:ARG:NH2	2.35	0.58
2:B:558:LYS:HD2	2:B:586:ARG:HH11	1.68	0.58
2:B:939:MET:HE3	2:B:953:VAL:HG21	1.85	0.58
2:B:212:LEU:HD21	2:B:225:LEU:HD22	1.87	0.57
2:B:501:ASN:HB3	2:B:708:ILE:HD12	1.85	0.56
1:A:69:A:H2'	1:A:70:C:H6	1.70	0.56
1:A:18:G:N7	2:B:71:ARG:NH1	2.53	0.56
1:A:32:A:H2'	1:A:33:G:O4'	2.06	0.55
2:B:704:PHE:O	2:B:708:ILE:HG12	2.07	0.55
2:B:780:ARG:NH1	2:B:806:LEU:O	2.39	0.55
1:A:72:U:H2'	1:A:73:G:O4'	2.07	0.54
3:C:-6:DA:H2'	3:C:-5:DA:C8	2.43	0.54
1:A:46:A:H2'	1:A:47:A:C8	2.43	0.54
2:B:528:LYS:HE3	2:B:539:PHE:CE1	2.43	0.53
2:B:614:ASP:OD1	2:B:664:ARG:NH2	2.37	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:17:DC:H5''	3:C:17:DC:C6	2.42	0.53
2:B:1110:ILE:HG23	2:B:1122:ARG:HD2	1.91	0.52
2:B:870:VAL:HG23	2:B:908:LEU:HG	1.91	0.52
2:B:58:THR:HA	2:B:731:PRO:HG2	1.91	0.52
2:B:187:GLN:NE2	7:B:1514:HOH:O	2.42	0.51
1:A:70:C:H2'	1:A:71:U:C6	2.46	0.51
2:B:1136:SER:HA	4:D:2:DG:O3'	2.11	0.51
2:B:343:LEU:HD13	2:B:346:LYS:HD2	1.93	0.50
1:A:22:U:H2'	1:A:23:U:C6	2.46	0.50
2:B:1117:ASP:N	2:B:1117:ASP:OD1	2.44	0.50
1:A:35:A:H2'	1:A:36:A:C8	2.46	0.50
2:B:434:LYS:NZ	7:B:1508:HOH:O	2.37	0.49
2:B:708:ILE:O	2:B:712:GLN:HG2	2.11	0.49
2:B:814:TYR:CZ	2:B:830:ILE:HG12	2.47	0.49
1:A:69:A:H2'	1:A:70:C:C6	2.46	0.49
1:A:70:C:H2'	1:A:71:U:H6	1.78	0.49
2:B:530:VAL:HG22	2:B:537:PRO:HA	1.94	0.49
2:B:1306:ALA:O	2:B:1310:ILE:HG12	2.12	0.49
1:A:54:G:H2'	1:A:55:C:C6	2.48	0.49
1:A:75:A:H8	1:A:75:A:O5'	1.96	0.48
1:A:79:G:OP2	7:A:201:HOH:O	2.20	0.48
2:B:763:MET:HE3	2:B:763:MET:HB2	1.72	0.48
2:B:898:ASP:O	2:B:905:ARG:NH2	2.47	0.47
1:A:17:G:H4'	2:B:447:ARG:HD2	1.96	0.47
2:B:338:LEU:HB3	2:B:383:MET:HE1	1.96	0.47
2:B:265:GLN:OE1	2:B:268:LYS:HG3	2.15	0.47
2:B:1122:ARG:HG2	2:B:1134:PHE:CE2	2.50	0.46
2:B:1277:SER:HA	2:B:1281:ILE:HG12	1.97	0.46
2:B:1163:LEU:HD21	2:B:1198:LEU:HD12	1.97	0.46
2:B:585:ASP:HB2	7:B:1851:HOH:O	2.15	0.46
2:B:1075:ASP:OD2	2:B:1078:ARG:HD2	2.16	0.46
2:B:137:HIS:HA	2:B:322:ILE:HD11	1.97	0.46
3:C:8:DC:H2'	3:C:9:DC:C6	2.51	0.46
2:B:154:ILE:O	2:B:158:LEU:HG	2.15	0.46
3:C:1:DA:H2''	3:C:2:DT:H5'	1.97	0.46
2:B:756:PRO:HD2	2:B:939:MET:CE	2.46	0.46
2:B:822:MET:HE3	2:B:822:MET:HB3	1.76	0.46
1:A:49:A:N3	2:B:1122:ARG:NH2	2.60	0.45
2:B:222:LEU:HD23	2:B:234:LYS:HE3	1.98	0.45
2:B:394:ASN:HB3	7:B:1806:HOH:O	2.15	0.45
2:B:1339:THR:O	2:B:1342:VAL:HG22	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:901:THR:O	2:B:904:GLU:HG2	2.16	0.45
2:B:1251:ASP:HB3	2:B:1252:ASN:H	1.61	0.45
2:B:817:GLN:HE22	2:B:857:LEU:HB3	1.82	0.45
2:B:1143:VAL:HG13	2:B:1195:ILE:HG23	1.99	0.45
2:B:1066:ASN:OD1	2:B:1067:GLY:N	2.50	0.45
2:B:225:LEU:HD23	2:B:242:ILE:HG21	1.99	0.44
4:D:3:DT:H2'	4:D:4:DA:C8	2.52	0.44
2:B:336:LYS:NZ	7:B:1506:HOH:O	2.36	0.44
2:B:468:LYS:HD2	2:B:483:ASP:HA	2.00	0.44
3:C:9:DC:H2'	3:C:10:DC:C6	2.53	0.44
1:A:46:A:H2'	1:A:47:A:H8	1.82	0.44
2:B:1042:ILE:HG23	2:B:1043:MET:HG2	1.98	0.44
2:B:560:THR:HA	2:B:586:ARG:HA	1.99	0.44
1:A:70:C:C2	1:A:71:U:C5	3.05	0.44
2:B:349:GLU:HG3	2:B:356:LYS:HG3	1.99	0.44
2:B:976:ARG:HG2	2:B:982:HIS:NE2	2.33	0.44
2:B:269:ASP:OD1	2:B:269:ASP:N	2.51	0.43
2:B:1229:PRO:HD2	2:B:1232:TYR:HD2	1.83	0.43
2:B:1279:ARG:HG2	2:B:1280:VAL:HG23	2.00	0.43
2:B:1122:ARG:HD3	7:B:1705:HOH:O	2.19	0.43
2:B:343:LEU:HD22	2:B:346:LYS:HD2	2.00	0.43
2:B:468:LYS:HG3	2:B:483:ASP:HB2	2.01	0.43
2:B:763:MET:HE1	2:B:931:VAL:HG21	2.00	0.43
3:C:9:DC:H2'	3:C:10:DC:H6	1.84	0.43
2:B:557:ARG:NH2	2:B:596:ASP:OD1	2.29	0.43
2:B:1179:ILE:HG13	2:B:1192:LYS:HE2	2.00	0.43
2:B:36:GLY:HA3	2:B:1359:ARG:O	2.18	0.42
2:B:628:ASP:OD1	2:B:631:MET:HG3	2.20	0.42
2:B:983:HIS:HD2	7:B:1844:HOH:O	2.01	0.42
2:B:851:SER:O	2:B:855:LYS:HG3	2.20	0.42
2:B:513:LEU:HD12	2:B:616:LEU:HB3	2.02	0.42
2:B:15:SER:HA	2:B:51:LEU:O	2.20	0.41
2:B:1052:LEU:C	2:B:1055:GLY:HA3	2.45	0.41
2:B:502:LEU:HD13	2:B:665:LYS:HD3	2.02	0.41
3:C:14:DT:H2'	3:C:15:DG:C8	2.56	0.41
2:B:323:LYS:HE2	2:B:327:GLU:OE2	2.20	0.41
2:B:401:LYS:NZ	7:B:1536:HOH:O	2.53	0.41
2:B:838:VAL:HG12	2:B:855:LYS:HE2	2.01	0.41
2:B:439:LYS:O	2:B:443:ILE:HG13	2.21	0.41
2:B:939:MET:CE	2:B:953:VAL:HG21	2.51	0.41
1:A:15:C:P	2:B:70:ARG:HH22	2.44	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:A:C4	1:A:69:A:C8	3.08	0.41
2:B:795:ILE:HD11	2:B:814:TYR:HE2	1.86	0.41
2:B:821:ASP:N	2:B:828:LEU:HG	2.36	0.41
2:B:343:LEU:HD13	2:B:346:LYS:CD	2.51	0.40
2:B:822:MET:HG3	2:B:856:VAL:HG23	2.03	0.40
3:C:-1:DC:H2''	3:C:0:DA:C8	2.56	0.40
1:A:33:G:H2'	1:A:35:A:N7	2.36	0.40
2:B:1268:GLU:O	2:B:1271:GLU:HB3	2.21	0.40
2:B:216:LEU:HB3	2:B:220:ARG:HD3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	1302/1372 (95%)	1262 (97%)	40 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	1186/1226 (97%)	1172 (99%)	14 (1%)	63	70

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	174	LEU
2	B	264	LEU
2	B	419	LEU
2	B	625	LEU
2	B	634	GLU
2	B	645	ASP
2	B	791	LEU
2	B	830	ILE
2	B	856	VAL
2	B	947	ASP
2	B	952	GLU
2	B	1050	ILE
2	B	1154	SER
2	B	1280	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	240	ASN
2	B	255	ASN
2	B	394	ASN
2	B	501	ASN
2	B	826	GLN
2	B	1041	ASN
2	B	1044	ASN
2	B	1101	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 16 ligands modelled in this entry, 16 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	81/81 (100%)	-0.66	0 100 100	37, 56, 164, 234	0
2	B	1320/1372 (96%)	0.26	64 (4%) 35 40	34, 60, 133, 200	0
3	C	28/28 (100%)	-0.29	0 100 100	44, 60, 129, 143	0
4	D	11/12 (91%)	-0.17	0 100 100	53, 75, 133, 150	0
All	All	1440/1493 (96%)	0.19	64 (4%) 39 44	34, 60, 138, 234	0

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	713	VAL	4.5
2	B	862	LYS	4.2
2	B	911	LEU	4.0
2	B	796	LEU	3.9
2	B	847	LEU	3.7
2	B	791	LEU	3.7
2	B	856	VAL	3.5
2	B	181	VAL	3.3
2	B	842	VAL	3.3
2	B	800	PRO	3.2
2	B	908	LEU	3.2
2	B	788	ILE	3.2
2	B	3	LYS	3.2
2	B	776	ASN	3.2
2	B	830	ILE	3.1
2	B	1367	GLY	3.0
2	B	882	TYR	3.0
2	B	717	GLY	3.0
2	B	1366	GLY	2.9
2	B	784	ILE	2.9
2	B	1014	LYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	846	PHE	2.8
2	B	823	TYR	2.7
2	B	1262	HIS	2.7
2	B	312	ILE	2.7
2	B	814	TYR	2.6
2	B	852	ILE	2.6
2	B	891	LEU	2.5
2	B	231	GLY	2.5
2	B	1055	GLY	2.5
2	B	778	ARG	2.5
2	B	779	GLU	2.5
2	B	804	THR	2.5
2	B	343	LEU	2.5
2	B	815	TYR	2.4
2	B	871	PRO	2.4
2	B	765	ARG	2.4
2	B	1078	ARG	2.4
2	B	1156	LYS	2.4
2	B	868	ASP	2.4
2	B	892	ILE	2.4
2	B	833	LEU	2.3
2	B	841	ILE	2.3
2	B	787	GLY	2.3
2	B	203	ALA	2.3
2	B	903	ALA	2.3
2	B	1153	LYS	2.3
2	B	870	VAL	2.3
2	B	1192	LYS	2.3
2	B	921	LEU	2.3
2	B	793	SER	2.2
2	B	1251	ASP	2.2
2	B	1258	PHE	2.2
2	B	1242	TYR	2.2
2	B	1032	ALA	2.1
2	B	806	LEU	2.1
2	B	853	ASP	2.1
2	B	1302	ILE	2.1
2	B	783	ARG	2.1
2	B	890	LYS	2.1
2	B	283	GLY	2.1
2	B	268	LYS	2.1
2	B	897	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	1194	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	K	A	107	1/1	0.79	0.16	117,117,117,117	0
6	K	B	1407	1/1	0.79	0.11	112,112,112,112	0
6	K	A	106	1/1	0.81	0.16	106,106,106,106	0
6	K	B	1402	1/1	0.89	0.11	102,102,102,102	0
6	K	B	1408	1/1	0.92	0.09	84,84,84,84	0
6	K	B	1401	1/1	0.95	0.08	85,85,85,85	0
6	K	B	1406	1/1	0.96	0.05	65,65,65,65	0
6	K	B	1404	1/1	0.97	0.06	68,68,68,68	0
6	K	B	1405	1/1	0.97	0.07	68,68,68,68	0
5	MG	A	101	1/1	0.97	0.07	74,74,74,74	0
6	K	A	104	1/1	0.97	0.12	67,67,67,67	0
6	K	B	1403	1/1	0.97	0.07	65,65,65,65	0
6	K	A	103	1/1	0.98	0.09	65,65,65,65	0
6	K	A	105	1/1	0.98	0.09	46,46,46,46	0
6	K	C	101	1/1	0.98	0.05	72,72,72,72	0
5	MG	A	102	1/1	0.99	0.03	39,39,39,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.