



wwPDB EM Validation Summary Report ⓘ

Mar 6, 2026 – 04:35 PM UTC

PDB ID : 7OYC / pdb_00007oyc
EMDB ID : EMD-13113
Title : Cryo-EM structure of the Xenopus egg 80S ribosome
Authors : Leesch, F.; Lorenzo-Orts, L.; Grishkovskaya, I.; Kandolf, S.; Belacic, K.; Meinhart, A.; Haselbach, D.; Pauli, A.
Deposited on : 2021-06-24
Resolution : 2.40 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	5628 (1.90 - 2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	11	154	
2	22	1826	
3	51	4115	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	71	120	
5	81	156	
6	A1	257	
7	A2	306	
8	B1	403	
9	B2	264	
10	C1	401	
11	C2	281	
12	D1	296	
13	D2	246	
14	E1	258	
15	E2	263	
16	F1	246	
17	F2	203	
18	G1	266	
19	G2	249	
20	H1	192	
21	H2	194	
22	I1	215	
23	I2	208	
24	J1	177	
25	J2	194	
26	K2	165	
27	L1	211	
28	L2	158	






Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	M1	138	
30	N1	204	
31	N2	151	
32	O1	231	
33	O2	151	
34	P1	184	
35	P2	145	
36	Q1	188	
37	Q2	146	
38	R1	197	
39	R2	135	
40	S1	176	
41	S2	152	
42	T1	160	
43	T2	146	
44	U1	128	
45	U2	119	
46	V1	140	
47	V2	83	
48	W1	155	
49	W2	130	
50	X1	155	
51	X2	143	
52	Y1	145	
53	Y2	132	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	Z1	136	
55	Z2	125	
56	a1	148	
57	a2	115	
58	b1	75	
59	b2	84	
60	c1	116	
61	c2	69	
62	d1	125	
63	d2	86	
64	e1	135	
65	e2	133	
66	f1	110	
67	g1	117	
68	g2	317	
69	h1	123	
70	i1	105	
71	i2	378	
72	j1	97	
73	k1	70	
74	l1	51	
75	m1	128	
76	n1	25	
77	o1	106	
78	p1	92	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
79	r1	137	
80	s1	113	
81	v2	858	

2 Entry composition

There are 83 unique types of molecules in this entry. The entry contains 198947 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Eukaryotic translation initiation factor 5A.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	11	136	Total	C	N	O	S	0	0
			1033	644	178	200	11		

- Molecule 2 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	22	1495	Total	C	N	O	P	0	0
			31922	14260	5748	10420	1494		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
22	287	C	U	conflict	GB X04025.1

- Molecule 3 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	51	3245	Total	C	N	O	P	0	0
			69603	30999	12763	22596	3245		

- Molecule 4 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	71	119	Total	C	N	O	P	0	0
			2538	1133	457	830	118		

- Molecule 5 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	81	147	Total	C	N	O	P	0	0
			3139	1399	564	1029	147		

- Molecule 6 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	A1	245	Total	C	N	O	S	0	0
			1868	1173	378	311	6		

- Molecule 7 is a protein called 40S ribosomal protein SA.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	A2	208	Total	C	N	O	S	0	0
			1643	1046	289	299	9		

- Molecule 8 is a protein called Rpl3-prov protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	B1	394	Total	C	N	O	S	0	0
			3170	2021	594	541	14		

- Molecule 9 is a protein called 40S ribosomal protein S3a-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	B2	213	Total	C	N	O	S	0	0
			1734	1103	309	309	13		

- Molecule 10 is a protein called 60S ribosomal protein L4-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	C1	351	Total	C	N	O	S	0	0
			2805	1763	557	469	16		

- Molecule 11 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	C2	215	Total	C	N	O	S	0	0
			1663	1077	285	292	9		

- Molecule 12 is a protein called Rpl5-b protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	D1	289	Total	C	N	O	S	0	0
			2348	1493	427	421	7		

- Molecule 13 is a protein called DNA-(apurinic or apyrimidinic site) lyase.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	D2	223	Total	C	N	O	S	0	0
			1732	1103	312	310	7		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D2	83	GLY	SER	conflict	UNP Q7ZYT3

- Molecule 14 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	E1	214	Total	C	N	O	S	0	0
			1739	1123	332	280	4		

- Molecule 15 is a protein called 40S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	E2	258	Total	C	N	O	S	0	0
			2055	1312	384	351	8		

- Molecule 16 is a protein called MGC130910 protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	F1	227	Total	C	N	O	S	0	0
			1877	1210	358	302	7		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F1	134	ALA	VAL	conflict	UNP Q3B8I3

- Molecule 17 is a protein called Ribosomal_S7 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	F2	182	Total	C	N	O	S	0	0
			1439	903	271	259	6		

- Molecule 18 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	G1	210	Total	C	N	O	S	0	0
			1695	1088	320	283	4		

- Molecule 19 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	G2	222	Total	C	N	O	S	0	0
			1796	1120	358	312	6		

- Molecule 20 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	H1	190	Total	C	N	O	S	0	0
			1517	955	285	269	8		

- Molecule 21 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	H2	186	Total	C	N	O	S	0	0
			1494	952	277	264	1		

- Molecule 22 is a protein called Ribosomal_L16 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	I1	202	Total	C	N	O	S	0	0
			1639	1042	316	268	13		

- Molecule 23 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	I2	198	Total	C	N	O	S	0	0
			1620	1017	319	279	5		

- Molecule 24 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	J1	167	Total	C	N	O	S	0	0
			1338	848	250	235	5		

- Molecule 25 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	J2	180	Total	C	N	O	S	0	0
			1497	955	298	242	2		

- Molecule 26 is a protein called 40S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	K2	93	Total	C	N	O	S	0	0
			779	513	133	128	5		

- Molecule 27 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	L1	199	Total	C	N	O	S	0	0
			1608	1012	330	262	4		

- Molecule 28 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	L2	140	Total	C	N	O	S	0	0
			1145	726	220	193	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L2	153	ALA	THR	conflict	UNP Q7SZ77

- Molecule 29 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	M1	134	Total	C	N	O	S	0	0
			1100	700	212	180	8		

- Molecule 30 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	N1	203	Total	C	N	O	S	0	0
			1691	1065	351	269	6		

- Molecule 31 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	N2	149	Total	C	N	O	S	0	0
			1204	770	230	203	1		

- Molecule 32 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	O1	199	Total	C	N	O	S	0	0
			1627	1054	314	255	4		

- Molecule 33 is a protein called Rps14.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	O2	133	Total	C	N	O	S	0	0
			998	610	196	186	6		

- Molecule 34 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	P1	152	Total	C	N	O	S	0	0
			1234	772	241	212	9		

- Molecule 35 is a protein called 40S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	P2	116	Total	C	N	O	S	0	0
			955	607	177	163	8		

- Molecule 36 is a protein called Ribosomal_L18e/L15P domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Q1	180	Total	C	N	O	S	0	0
			1454	912	299	237	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q1	116	ALA	SER	conflict	UNP A0A1L8FN04

- Molecule 37 is a protein called Rps16 protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Q2	134	Total	C	N	O	S	0	0
			1054	671	197	183	3		

- Molecule 38 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	R1	166	Total	C	N	O	S	0	0
			1382	858	298	217	9		

- Molecule 39 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	R2	132	Total	C	N	O	S	0	0
			1066	669	199	194	4		

- Molecule 40 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	S1	176	Total	C	N	O	S	0	0
			1455	934	280	232	9		

- Molecule 41 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	S2	136	Total	C	N	O	S	0	0
			1129	708	228	192	1		

- Molecule 42 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	T1	157	Total	C	N	O	S	0	0
			1291	814	257	215	5		

- Molecule 43 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	T2	137	Total	C	N	O	S	0	0
			1059	666	199	191	3		

- Molecule 44 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	U1	97	Total	C	N	O	S	0	0
			792	508	139	143	2		

- Molecule 45 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	U2	85	Total	C	N	O	S	0	0
			684	429	133	118	4		

- Molecule 46 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	V1	129	Total	C	N	O	S	0	0
			968	612	182	169	5		

- Molecule 47 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	V2	83	Total	C	N	O	S	0	0
			643	396	118	124	5		

- Molecule 48 is a protein called TRASH domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	W1	60	Total	C	N	O	S	0	0
			502	321	98	81	2		

- Molecule 49 is a protein called 40S ribosomal protein S15a.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	W2	129	Total	C	N	O	S	0	0
			1035	659	193	177	6		

- Molecule 50 is a protein called Ribosomal_L23eN domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	X1	119	Total	C	N	O	S	0	0
			976	624	181	170	1		

- Molecule 51 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	X2	139	Total	C	N	O	S	0	0
			1077	679	213	182	3		

- Molecule 52 is a protein called KOW domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	Y1	125	Total	C	N	O	S	0	0
			1039	654	208	174	3		

- Molecule 53 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	Y2	123	Total	C	N	O	S	0	0
			1004	637	195	167	5		

- Molecule 54 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	Z1	135	Total	C	N	O	S	0	0
			1109	713	211	182	3		

- Molecule 55 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	Z2	67	Total	C	N	O	S	0	0
			536	345	98	92	1		

- Molecule 56 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	a1	147	Total	C	N	O	S	0	0
			1164	741	233	186	4		

- Molecule 57 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	a2	98	Total	C	N	O	S	0	0
			780	484	161	130	5		

- Molecule 58 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	b1	63	Total	C	N	O	S	0	0
			527	328	112	84	3		

- Molecule 59 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	b2	81	Total	C	N	O	S	0	0
			631	397	116	111	7		

- Molecule 60 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	c1	94	Total	C	N	O	S	0	0
			732	465	130	131	6		

- Molecule 61 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	c2	59	Total	C	N	O	S	0	0
			459	279	89	89	2		

- Molecule 62 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	d1	106	Total	C	N	O	S	0	0
			884	558	173	152	1		

- Molecule 63 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	d2	55	Total	C	N	O	S	0	0
			455	282	95	72	6		

- Molecule 64 is a protein called Rpl32.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	e1	126	Total	C	N	O	S	0	0
			1037	657	209	166	5		

- Molecule 65 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	e2	51	Total	C	N	O	S	0	0
			407	250	90	66	1		

- Molecule 66 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	f1	107	Total	C	N	O	S	0	0
			869	551	174	140	4		

- Molecule 67 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	g1	104	Total	C	N	O	S	0	0
			830	520	171	133	6		

- Molecule 68 is a protein called Gnb2l1-prov protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	g2	310	Total	C	N	O	S	0	0
			2410	1516	421	460	13		

- Molecule 69 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	h1	120	Total	C	N	O		0	0
			995	627	203	165			

- Molecule 70 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	i1	98	Total	C	N	O	S	0	0
			812	508	174	124	6		

- Molecule 71 is a protein called HABP4_PA1-RBP1 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	i2	51	Total	C	N	O	S	0	0
			423	255	85	81	2		

- Molecule 72 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	j1	86	Total	C	N	O	S	0	0
			699	430	152	112	5		

- Molecule 73 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	k1	68	Total	C	N	O	S	0	0
			558	360	99	98	1		

- Molecule 74 is a protein called MGC116452 protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	l1	50	Total	C	N	O	S	0	0
			441	281	96	63	1		

- Molecule 75 is a protein called 60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	m1	50	Total	C	N	O	S	0	0
			411	254	87	64	6		

- Molecule 76 is a protein called Rpl41.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	n1	24	Total	C	N	O	S	0	0
			231	140	63	26	2		

- Molecule 77 is a protein called MGC85428 protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	o1	102	Total	C	N	O	S	0	0
			835	519	173	137	6		

- Molecule 78 is a protein called Rpl37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	p1	91	Total	C	N	O	S	0	0
			707	447	134	119	7		

- Molecule 79 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	r1	118	Total	C	N	O	S	0	0
			945	590	193	159	3		

- Molecule 80 is a protein called Death-associated protein-like 1-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	s1	31	Total	C	N	O	S	0	0
			251	158	50	42	1		

- Molecule 81 is a protein called Eef2-prov protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	v2	360	Total	C	N	O	S	0	0
			2813	1776	493	530	14		

- Molecule 82 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
82	51	123	Total	Mg	0
			123	123	
82	71	2	Total	Mg	0
			2	2	
82	81	2	Total	Mg	0
			2	2	
82	A1	1	Total	Mg	0
			1	1	
82	B1	1	Total	Mg	0
			1	1	
82	C1	1	Total	Mg	0
			1	1	
82	V1	1	Total	Mg	0
			1	1	
82	a1	1	Total	Mg	0
			1	1	
82	e1	1	Total	Mg	0
			1	1	
82	m1	1	Total	Mg	0
			1	1	

- Molecule 83 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
83	a2	1	Total	Zn	0
			1	1	
83	d2	1	Total	Zn	0
			1	1	
83	g1	1	Total	Zn	0
			1	1	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
83	j1	1	Total 1	Zn 1	0
83	m1	1	Total 1	Zn 1	0
83	o1	1	Total 1	Zn 1	0
83	p1	1	Total 1	Zn 1	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Eukaryotic translation initiation factor 5A




- Molecule 2: 18S rRNA






Chain 51:






C3993	C3917	U8834	G3712	U3617	A3506	G3389	C3290	C3202	C	G3065	A2939	U2853	G	U
G3994	G3918	A3842	U3713	G3618	G3507	U3390	G3294	U3203	C	A3066	A2940	G2854	C	C
U3995	G3919	G3619	A3714	U3509	U3509	G3392	A3295	U3204	C	A3070	G2941	U2855	U	C
G3996	G3920	C3845	A3715	U3509	U3509	A3393	C3296	C3206	C	A3071	G2942	G2856	C	A
	C3921		U3719	U3625	C3512				C	G3072	A2948	U2857	A	G
A4000	A3922	C3850	G3720	U3626	A3513	G3397	A3303	G3212	C	A3073	A2949	U2858	G	G
A4001	G3923	G3851		U3626	C3514	A3398	G3304	A3213	C		A2950	C2861	C2763	G
A4002	A3924	A3852	A3724	C3631	A3515	A3398		A3214	C		U2951	C2861	A2769	G
C4003	G3925	U3853	G3725	A3632	C3516	G3402	G3308	G3222	C	U3080	U2955	C2865	A2773	C
	C3926	A3854	U3726	C3633	C3517		G3309	G	C	G3081	U2872	C2865	G2774	G
A4006	C3927	C	G3743	U3637	A3518	A3405	G3310		C	A3082	U2873	C2865	A2775	G
U4007	U3928	G	U3744	A3638	C3519	A3407	G3311		C	G3083	U2874	C2865	A2776	G
G4008	C3929	C	U3745		U3520		G3312		C	U3086	G2875	C2865		G
U4009	U3930		C3746	A3641	A3521	C3413	U3313		C	G3087	A2964	C2865		C
A4010	C3931		G3747	G3641	A3522	U3414	U3314		C			A2876		G
A4011			A3748	A3642	C3538	U3415	U3315		C					C
A4012			G3749	A3643	C3539	U3416	A3316		C					C
A4013			C3750	A3644	C3540	G3416	A3317		C					C
				G3645	C3542		C3318		C					C
C4019	C3936	C3864		U3646	C3543	G3422	A3328		C					C
G4020	G3939	C3865	G3756	G3647	C3546	A3423	A3328		C					C
U4021	A3940	C3866	A3760	A3648	A3547	A3423			C					C
A4022	C3941	C3867	A3761	G3649	U3548	U3426	C3331		C					C
G4023	G3942	G3867	U3761	C3650	A3549	U3427	C3332		C					C
A4024	G3943	G3868	G3762	U3651	G3550	C3428	U3333		C					C
					C3551	A3429	G3334		C					C
A3945	A3945	C3874	G3769	G3652	C3554	A3429			C					C
A3946	G3875	G3876	C3770	G3653	C3554	U3431	A3337		C					C
C3947			U3771		U3556	G3441	A3338		C					C
U4030	C3948		A3772	U3657	C3557	G3442	A3339		C					C
			A3773		C3557	C3443	C3340		C					C
U4033	A3956	G3880		C3682	C3562				C					C
U4034	A3957	C3881	A3776	G3663	U3564	U3446	A3344		C					C
G3958	G3958	U3882		G3666	U3564	G3447	A3345		C					C
G3959	C3959	C3883	A3781	A3669	C3569	G3455	A3346		C					C
G3960	G3960	C3884	U3782	G3670	U3570	G3456	C3347		C					C
G3961	G3961	G3885	G3783	A3671	C3571	C3457			C					C
			G3784		C3572				C					C
C3964	C3964	A3887		G3674	A3574	C3460	G3353		C					C
C3965	C3965	U3888	G3788	G3675	C3574	C3461	U3354		C					C
							U3357		C					C
U3968	U3968	C3890	C3795	U3683	U3577	C3462	A3358		C					C
C3969	C3969	G	A3797	A3684	C3578				C					C
C3970	C3970	C		C3685		C3466	C3362		C					C
U3971	C3971	C		A3689	U3582		A3363		C					C
U3972	U3972	C	G3801	C3690	U3584	U3476	A3364		C					C
C3973	C3973	C	U3810	U3691	U3584		G3365		C					C
			G3811	G3692	U3584	U3479	C3368		C					C
				A3693	A3589				C					C
G3976	G3976	C	G3819	A3693	U3590	U3479	G3374		C					C
C3980	C3980	C				U3483			C					C
C3981	C3981	C					G3379		C					C
A3982	A3982	G	U3824	U3697	G3597	U3497			C					C
C3984	C3984	C	A3825	G3698	A3598				C					C
C3985	C3985	C		U3699	A3599		C3383		C					C
U3986	U3986	C			G3600	G3502	C3384		C					C
C3987	C3987	G	C3829	C3707	C3601	A3503	U3385		C					C
A3988	A3988	G	A3930				C3287		C					C
							U3288		C					C
G4073	G4073	C					A3201		C					C
A4079	A4079	C							C					C


- Molecule 9: 40S ribosomal protein S3a-A



- Molecule 10: 60S ribosomal protein L4-B




- Molecule 11: 40S ribosomal protein S2




- Molecule 12: Rpl5-b protein

Chain D1:  79% 18%




- Molecule 13: DNA-(apurinic or apyrimidinic site) lyase

Chain D2:  68% 22% 9%




- Molecule 14: 60S ribosomal protein L6

Chain E1:  61% 22% 17%




- Molecule 15: 40S ribosomal protein S4

Chain E2:  77% 21%




- Molecule 16: MGC130910 protein

Chain F1:  74% 18% 8%




- Molecule 17: Ribosomal_S7 domain-containing protein

Chain F2:  75% 14% 10%




- Molecule 18: 60S ribosomal protein L7a

Chain G1:  66% 13% 21%



- Molecule 19: 40S ribosomal protein S6

Chain G2:  73% 16% 11%



- Molecule 20: 60S ribosomal protein L9


Chain H1:  80% 19% 1%





- Molecule 21: 40S ribosomal protein S7

Chain H2: 68% 27%




- Molecule 22: Ribosomal_L16 domain-containing protein

Chain I1: 76% 17% 6%



- Molecule 23: 40S ribosomal protein S8

Chain I2: 77% 17% 5%



- Molecule 24: 60S ribosomal protein L11


Chain J1: 83% 11% 6%




- Molecule 25: 40S ribosomal protein S9

Chain J2: 75% 18% 7%







- Molecule 26: 40S ribosomal protein S10





- Molecule 27: 60S ribosomal protein L13




- Molecule 28: 40S ribosomal protein S11



- Molecule 29: 60S ribosomal protein L14



- Molecule 30: Ribosomal protein L15




- Molecule 31: 40S ribosomal protein S13

Chain N2:  77% 22%




- Molecule 32: 60S ribosomal protein L13a

Chain O1:  65% 21% 14%




- Molecule 33: Rps14

Chain O2:  68% 21% 12%




- Molecule 34: 60S ribosomal protein L17

Chain P1:  56% 27% 17%



- Molecule 35: 40S ribosomal protein S15

Chain P2:  61% 19% 20%




- Molecule 36: Ribosomal_L18e/L15P domain-containing protein

Chain Q1:  74% 22%




- Molecule 37: Rps16 protein

Chain Q2:  64% 27% 8%




- Molecule 38: 60S ribosomal protein L19

Chain R1:  71% 14% 16%




- Molecule 39: 40S ribosomal protein S17

Chain R2:  81% 17%



- Molecule 40: 60S ribosomal protein L18a


Chain S1:  78% 21%




- Molecule 41: 40S ribosomal protein S18

Chain S2:  67% 22% 11%


- Molecule 42: 60S ribosomal protein L21




- Molecule 43: 40S ribosomal protein S19



- Molecule 44: 60S ribosomal protein L22




- Molecule 45: 40S ribosomal protein S20




- Molecule 46: 60S ribosomal protein L23





- Molecule 47: 40S ribosomal protein S21




- Molecule 48: TRASH domain-containing protein




- Molecule 49: 40S ribosomal protein S15a




- Molecule 50: Ribosomal_L23eN domain-containing protein



- Molecule 51: 40S ribosomal protein S23



- Molecule 52: KOW domain-containing protein



- Molecule 53: 40S ribosomal protein S24

Chain Y2:  73% 20% 7%





- Molecule 54: 60S ribosomal protein L27

Chain Z1:  82% 18%



- Molecule 55: 40S ribosomal protein S25

Chain Z2:  43% 10% 46%



- Molecule 56: 60S ribosomal protein L27a

Chain a1:  78% 21%



- Molecule 57: 40S ribosomal protein S26

Chain a2:  66% 19% 15%




- Molecule 58: 60S ribosomal protein L29

Chain b1:  68% 16% 16%




- Molecule 59: 40S ribosomal protein S27

Chain b2:  79% 18%




- Molecule 60: 60S ribosomal protein L30

Chain c1: 62% 18% 19%




- Molecule 61: 40S ribosomal protein S28

Chain c2: 61% 23% 14%




- Molecule 62: 60S ribosomal protein L31

Chain d1: 71% 14% 15%




- Molecule 63: 40S ribosomal protein S29

Chain d2: 47% 17% 36%




- Molecule 64: Rpl32


Chain e1: 79% 14% 7%



- Molecule 65: 40S ribosomal protein S30

Chain e2: 34% 5% 62%






- Molecule 66: 60S ribosomal protein L35a

Chain f1: 85% 13% .




- Molecule 67: 60S ribosomal protein L34

Chain g1: 68% 21% 11%



- Molecule 68: Gnb2l1-prov protein

Chain g2: 74% 23% .



- Molecule 69: 60S ribosomal protein L35

Chain h1: 80% 18% .





- Molecule 70: 60S ribosomal protein L36

Chain i1: 88% 6% 7%



- Molecule 71: HABP4_PAI-RBP1 domain-containing protein



- Molecule 76: Rpl41

Chain n1:  68% 28%



- Molecule 77: MGC85428 protein

Chain o1:  76% 20%




- Molecule 78: Rpl37a

Chain p1:  76% 22%




- Molecule 79: 60S ribosomal protein L28

Chain r1:  71% 15% 14%




- Molecule 80: Death-associated protein-like 1-B

Chain s1:  13% 19% 8% 73%



- Molecule 81: Eef2-prov protein

Chain v2:  6% 31% 11% 58%



R767	Q775	A777	F782	N791	E792	R801	G806	L820	P821	D822	D823	P824	F825	D826	N827	T828	T829	R830	P831	S832	Q833	R839	K840	K841	K842	G843	L844	K845	E846	A850	L851	D852	D856	K857	L858															
V665	Q670	Y671	L672	N673	K676	D677	S678	V679	Q684	W685	A686	T687	G690	V691	L692	E695	W696	L697	G698	G699	V700	R701	F702	D703	Y704	H705	L709	D712	A713	I721	R726	R727	W728	C732	R739	L740	M741	E742	C751	V755	V756	Y760	N764							
D560	L561	E562	E563	D564	H565	A566	C567	I568	P569	P575	V576	V577	S578	Y579	R580	E581	T582	V583	S584	E585	E586	S587	M590	C591	L592	S593	K594	R601	R607	P608	F609	P610	D611	G612	L613	R633	E640	W641	D642	V643	T644	E645	I649	W650	D655	G656	N660	T663	D664	
LYS	THR	GLY	THR	ILE	SER	THR	PHE	HIS	HIS	ASN	PHE	THR	VAL	GLY	THR	LYS	F499	S500	V501	V505	K512	H513	P514	A515	D516	L517	V521	K525	R526	K529	S530	D531	P532	M533	V534	E539	E540	S541	G542	I545	A549	G550	E551	L552	E555	I556	C557	L558	K559	
VAL	SER	THR	GLY	LEU	LEU	VAL	ARG	ILE	GLY	PRO	ASN	PHE	THR	VAL	GLY	LYS	LYS	GLY	ASP	GLU	ASP	GLU	ALA	LEU	TYR	ILE	LYS	VAL	GLY	LEU	ARG	THR	TYR	PRO	CYS	GLY	ASN	ILE	VAL	GLY	VAL	VAL	ASP	GLN	TYR	VAL	LEU	VAL		
PRO	VAL	THR	ALA	GLN	LYS	THR	ARG	CYS	LEU	LEU	THR	ALA	LYS	GLY	LEU	ASP	GLU	ILE	LYS	ASP	GLU	ALA	LEU	TYR	ILE	GLY	VAL	LYS	GLY	LEU	MET	TYR	ILE	SER	VAL	SER	LYS	THR	PRO	ALA	GLY	THR	ILE	GLY	VAL	THR	VAL			
PHE	ASP	ALA	ILE	MET	ASN	PHE	LYS	LYS	GLY	THR	ALA	LYS	GLY	LEU	MET	LYS	ASP	GLU	ILE	LYS	ASP	GLU	ALA	LEU	TYR	ILE	GLY	VAL	LYS	GLY	LEU	MET	TYR	ILE	SER	VAL	SER	LYS	THR	PRO	ALA	GLY	THR	ILE	GLY	VAL	THR	VAL		
GLU	GLY	GLN	LEU	ALA	PRO	SER	GLU	ARG	CYS	GLY	THR	ALA	LYS	GLY	LEU	MET	LYS	ASP	GLU	ILE	LYS	ASP	GLU	ALA	LEU	TYR	ILE	GLY	VAL	LYS	GLY	LEU	MET	TYR	ILE	SER	VAL	SER	LYS	THR	PRO	ALA	GLY	THR	ILE	GLY	VAL	THR	VAL	
ILE	VAL	ASN	VAL	ASN	PRO	VAL	ILE	THR	LYS	TYR	GLY	GLY	GLY	CYS	THR	GLY	PRO	MET	ILE	ASN	ASP	THR	VAL	GLY	THR	ILE	GLY	VAL	LYS	GLY	LEU	MET	TYR	ILE	SER	VAL	SER	LYS	THR	PRO	ALA	GLY	THR	ILE	GLY	VAL	THR	VAL		
VAL	THR	ASP	GLY	ALA	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	412340	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	6.789	Depositor
Minimum map value	-2.088	Depositor
Average map value	0.046	Depositor
Map value standard deviation	0.188	Depositor
Recommended contour level	0.55	Depositor
Map size (Å)	508.8, 508.8, 508.8	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN, 5CT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	11	0.07	0/1030	0.25	0/1381
2	22	0.09	0/35698	0.17	0/55605
3	51	0.10	0/77857	0.17	0/121410
4	71	0.09	0/2837	0.14	0/4422
5	81	0.09	0/3506	0.15	0/5460
6	A1	0.11	0/1905	0.28	0/2554
7	A2	0.09	0/1680	0.25	0/2283
8	B1	0.10	0/3237	0.27	0/4329
9	B2	0.08	0/1762	0.28	0/2359
10	C1	0.11	0/2857	0.28	0/3836
11	C2	0.09	0/1699	0.24	0/2298
12	D1	0.09	0/2392	0.24	0/3206
13	D2	0.10	0/1760	0.26	0/2370
14	E1	0.09	0/1775	0.25	0/2373
15	E2	0.10	0/2098	0.28	0/2825
16	F1	0.10	0/1911	0.27	0/2549
17	F2	0.09	0/1459	0.28	0/1959
18	G1	0.10	0/1728	0.25	0/2328
19	G2	0.09	0/1820	0.27	0/2427
20	H1	0.09	0/1535	0.25	0/2061
21	H2	0.10	0/1516	0.29	0/2033
22	I1	0.10	0/1676	0.26	0/2238
23	I2	0.09	0/1648	0.26	0/2197
24	J1	0.09	0/1361	0.27	0/1821
25	J2	0.10	0/1522	0.27	0/2033
26	K2	0.08	0/803	0.28	0/1085
27	L1	0.11	0/1638	0.29	0/2192
28	L2	0.10	0/1165	0.28	0/1560
29	M1	0.09	0/1121	0.24	0/1496
30	N1	0.11	0/1732	0.29	0/2314
31	N2	0.09	0/1228	0.26	0/1652
32	O1	0.10	0/1659	0.27	0/2221

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	O2	0.10	0/1011	0.33	0/1355
34	P1	0.10	0/1260	0.28	0/1691
35	P2	0.08	0/972	0.24	0/1298
36	Q1	0.11	0/1476	0.30	0/1970
37	Q2	0.09	0/1070	0.26	0/1435
38	R1	0.10	0/1398	0.28	0/1849
39	R2	0.08	0/1080	0.24	0/1449
40	S1	0.11	0/1496	0.28	0/2011
41	S2	0.09	0/1146	0.27	0/1532
42	T1	0.10	0/1318	0.27	0/1761
43	T2	0.09	0/1078	0.24	0/1447
44	U1	0.10	0/807	0.28	0/1082
45	U2	0.09	0/691	0.26	0/924
46	V1	0.10	0/982	0.26	0/1317
47	V2	0.13	0/650	0.26	0/870
48	W1	0.11	0/515	0.29	0/687
49	W2	0.10	0/1052	0.25	0/1408
50	X1	0.09	0/993	0.24	0/1335
51	X2	0.09	0/1093	0.26	0/1460
52	Y1	0.10	0/1056	0.26	0/1406
53	Y2	0.09	0/1021	0.28	0/1356
54	Z1	0.09	0/1131	0.24	0/1508
55	Z2	0.09	0/542	0.25	0/729
56	a1	0.10	0/1196	0.25	0/1598
57	a2	0.11	0/793	0.28	0/1063
58	b1	0.09	0/538	0.23	0/708
59	b2	0.09	0/644	0.27	0/864
60	c1	0.09	0/742	0.21	0/996
61	c2	0.09	0/461	0.26	0/618
62	d1	0.10	0/899	0.30	0/1211
63	d2	0.09	0/466	0.27	0/619
64	e1	0.11	0/1055	0.29	0/1406
65	e2	0.10	0/410	0.30	0/537
66	f1	0.11	0/889	0.28	0/1192
67	g1	0.11	0/841	0.30	0/1121
68	g2	0.08	0/2467	0.24	0/3356
69	h1	0.09	0/1002	0.26	0/1323
70	i1	0.10	0/823	0.29	0/1089
71	i2	0.08	0/430	0.26	0/569
72	j1	0.11	0/713	0.30	0/942
73	k1	0.07	0/564	0.21	0/748
74	l1	0.11	0/451	0.28	0/596
75	m1	0.10	0/417	0.28	0/553

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
76	n1	0.13	0/232	0.37	0/295
77	o1	0.10	0/847	0.27	0/1117
78	p1	0.09	0/717	0.24	0/951
79	r1	0.10	0/959	0.29	0/1283
80	s1	0.58	0/256	0.68	1/344 (0.3%)
81	v2	0.09	0/2872	0.28	0/3889
All	All	0.10	0/213137	0.22	1/311745 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
9	B2	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
80	s1	108	GLN	N-CA-C	8.26	122.79	111.39

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
9	B2	74	LEU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	11	1033	0	1047	15	0
2	22	31922	0	16118	343	0
3	51	69603	0	35164	744	0
4	71	2538	0	1287	21	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	81	3139	0	1591	38	0
6	A1	1868	0	1965	40	0
7	A2	1643	0	1648	33	0
8	B1	3170	0	3316	65	0
9	B2	1734	0	1805	30	0
10	C1	2805	0	2967	49	0
11	C2	1663	0	1747	34	0
12	D1	2348	0	2395	36	0
13	D2	1732	0	1820	38	0
14	E1	1739	0	1889	37	0
15	E2	2055	0	2153	34	0
16	F1	1877	0	2024	32	0
17	F2	1439	0	1492	20	0
18	G1	1695	0	1811	25	0
19	G2	1796	0	1932	30	0
20	H1	1517	0	1606	26	0
21	H2	1494	0	1595	31	0
22	I1	1639	0	1697	27	0
23	I2	1620	0	1698	23	0
24	J1	1338	0	1374	11	0
25	J2	1497	0	1618	29	0
26	K2	779	0	796	12	0
27	L1	1608	0	1735	25	0
28	L2	1145	0	1206	18	0
29	M1	1100	0	1157	16	0
30	N1	1691	0	1747	55	0
31	N2	1204	0	1289	26	0
32	O1	1627	0	1778	33	0
33	O2	998	0	1021	21	0
34	P1	1234	0	1267	32	0
35	P2	955	0	1001	17	0
36	Q1	1454	0	1577	33	0
37	Q2	1054	0	1116	28	0
38	R1	1382	0	1524	27	0
39	R2	1066	0	1119	18	0
40	S1	1455	0	1513	30	0
41	S2	1129	0	1181	23	0
42	T1	1291	0	1347	24	0
43	T2	1059	0	1088	21	0
44	U1	792	0	811	10	0
45	U2	684	0	746	13	0
46	V1	968	0	1029	16	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
47	V2	643	0	642	13	0
48	W1	502	0	508	7	0
49	W2	1035	0	1080	17	0
50	X1	976	0	1050	10	0
51	X2	1077	0	1141	20	0
52	Y1	1039	0	1120	28	0
53	Y2	1004	0	1078	19	0
54	Z1	1109	0	1181	20	0
55	Z2	536	0	587	9	0
56	a1	1164	0	1206	23	0
57	a2	780	0	824	21	0
58	b1	527	0	553	9	0
59	b2	631	0	657	11	0
60	c1	732	0	769	13	0
61	c2	459	0	476	13	0
62	d1	884	0	932	16	0
63	d2	455	0	442	10	0
64	e1	1037	0	1127	16	0
65	e2	407	0	451	5	0
66	f1	869	0	898	9	0
67	g1	830	0	915	20	0
68	g2	2410	0	2361	45	0
69	h1	995	0	1123	16	0
70	i1	812	0	893	5	0
71	i2	423	0	398	9	0
72	j1	699	0	732	21	0
73	k1	558	0	624	6	0
74	l1	441	0	483	5	0
75	m1	411	0	441	10	0
76	n1	231	0	277	6	0
77	o1	835	0	897	14	0
78	p1	707	0	761	16	0
79	r1	945	0	1006	14	0
80	s1	251	0	256	13	0
81	v2	2813	0	2803	57	0
82	51	123	0	0	0	0
82	71	2	0	0	0	0
82	81	2	0	0	0	0
82	A1	1	0	0	0	0
82	B1	1	0	0	0	0
82	C1	1	0	0	0	0
82	V1	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
82	a1	1	0	0	0	0
82	e1	1	0	0	0	0
82	m1	1	0	0	0	0
83	a2	1	0	0	0	0
83	d2	1	0	0	0	0
83	g1	1	0	0	0	0
83	j1	1	0	0	0	0
83	m1	1	0	0	0	0
83	o1	1	0	0	0	0
83	p1	1	0	0	0	0
All	All	198947	0	150499	2246	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 2246 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:22:995:G:H1	2:22:1042:A:HO2'	0.91	0.89
2:22:1053:C:HO2'	49:W2:2:VAL:N	1.71	0.87
3:51:2857:A:H62	3:51:2988:G:H21	1.23	0.86
3:51:2175:G:H1	3:51:2235:A:H61	1.26	0.84
3:51:653:G:H1	3:51:703:C:H42	1.30	0.80

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	11	131/154 (85%)	123 (94%)	8 (6%)	0	100	100
6	A1	243/257 (95%)	233 (96%)	10 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	A2	206/306 (67%)	202 (98%)	4 (2%)	0	100	100
8	B1	392/403 (97%)	378 (96%)	14 (4%)	0	100	100
9	B2	211/264 (80%)	203 (96%)	8 (4%)	0	100	100
10	C1	349/401 (87%)	339 (97%)	10 (3%)	0	100	100
11	C2	213/281 (76%)	211 (99%)	2 (1%)	0	100	100
12	D1	287/296 (97%)	283 (99%)	4 (1%)	0	100	100
13	D2	221/246 (90%)	214 (97%)	7 (3%)	0	100	100
14	E1	206/258 (80%)	202 (98%)	4 (2%)	0	100	100
15	E2	256/263 (97%)	242 (94%)	14 (6%)	0	100	100
16	F1	225/246 (92%)	217 (96%)	8 (4%)	0	100	100
17	F2	178/203 (88%)	170 (96%)	8 (4%)	0	100	100
18	G1	206/266 (77%)	205 (100%)	1 (0%)	0	100	100
19	G2	220/249 (88%)	217 (99%)	3 (1%)	0	100	100
20	H1	188/192 (98%)	184 (98%)	4 (2%)	0	100	100
21	H2	184/194 (95%)	170 (92%)	14 (8%)	0	100	100
22	I1	198/215 (92%)	192 (97%)	6 (3%)	0	100	100
23	I2	194/208 (93%)	190 (98%)	4 (2%)	0	100	100
24	J1	165/177 (93%)	163 (99%)	2 (1%)	0	100	100
25	J2	178/194 (92%)	175 (98%)	3 (2%)	0	100	100
26	K2	91/165 (55%)	86 (94%)	5 (6%)	0	100	100
27	L1	197/211 (93%)	191 (97%)	6 (3%)	0	100	100
28	L2	136/158 (86%)	132 (97%)	4 (3%)	0	100	100
29	M1	132/138 (96%)	130 (98%)	2 (2%)	0	100	100
30	N1	201/204 (98%)	197 (98%)	4 (2%)	0	100	100
31	N2	147/151 (97%)	146 (99%)	1 (1%)	0	100	100
32	O1	197/231 (85%)	194 (98%)	3 (2%)	0	100	100
33	O2	131/151 (87%)	125 (95%)	6 (5%)	0	100	100
34	P1	150/184 (82%)	144 (96%)	6 (4%)	0	100	100
35	P2	114/145 (79%)	114 (100%)	0	0	100	100
36	Q1	178/188 (95%)	171 (96%)	7 (4%)	0	100	100
37	Q2	132/146 (90%)	129 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
38	R1	164/197 (83%)	164 (100%)	0	0	100	100
39	R2	130/135 (96%)	129 (99%)	1 (1%)	0	100	100
40	S1	174/176 (99%)	172 (99%)	2 (1%)	0	100	100
41	S2	134/152 (88%)	129 (96%)	5 (4%)	0	100	100
42	T1	155/160 (97%)	149 (96%)	6 (4%)	0	100	100
43	T2	135/146 (92%)	130 (96%)	5 (4%)	0	100	100
44	U1	95/128 (74%)	89 (94%)	6 (6%)	0	100	100
45	U2	81/119 (68%)	80 (99%)	1 (1%)	0	100	100
46	V1	127/140 (91%)	124 (98%)	3 (2%)	0	100	100
47	V2	81/83 (98%)	80 (99%)	1 (1%)	0	100	100
48	W1	58/155 (37%)	58 (100%)	0	0	100	100
49	W2	127/130 (98%)	125 (98%)	2 (2%)	0	100	100
50	X1	117/155 (76%)	115 (98%)	2 (2%)	0	100	100
51	X2	137/143 (96%)	131 (96%)	6 (4%)	0	100	100
52	Y1	123/145 (85%)	122 (99%)	1 (1%)	0	100	100
53	Y2	121/132 (92%)	112 (93%)	9 (7%)	0	100	100
54	Z1	133/136 (98%)	130 (98%)	3 (2%)	0	100	100
55	Z2	65/125 (52%)	64 (98%)	1 (2%)	0	100	100
56	a1	145/148 (98%)	139 (96%)	6 (4%)	0	100	100
57	a2	96/115 (84%)	93 (97%)	3 (3%)	0	100	100
58	b1	61/75 (81%)	57 (93%)	4 (7%)	0	100	100
59	b2	79/84 (94%)	76 (96%)	3 (4%)	0	100	100
60	c1	92/116 (79%)	91 (99%)	1 (1%)	0	100	100
61	c2	57/69 (83%)	55 (96%)	2 (4%)	0	100	100
62	d1	104/125 (83%)	98 (94%)	6 (6%)	0	100	100
63	d2	53/86 (62%)	53 (100%)	0	0	100	100
64	e1	124/135 (92%)	123 (99%)	1 (1%)	0	100	100
65	e2	47/133 (35%)	46 (98%)	1 (2%)	0	100	100
66	f1	105/110 (96%)	104 (99%)	1 (1%)	0	100	100
67	g1	102/117 (87%)	99 (97%)	3 (3%)	0	100	100
68	g2	308/317 (97%)	287 (93%)	21 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
69	h1	118/123 (96%)	115 (98%)	3 (2%)	0	100	100
70	i1	96/105 (91%)	96 (100%)	0	0	100	100
71	i2	47/378 (12%)	44 (94%)	3 (6%)	0	100	100
72	j1	84/97 (87%)	82 (98%)	2 (2%)	0	100	100
73	k1	66/70 (94%)	66 (100%)	0	0	100	100
74	l1	48/51 (94%)	47 (98%)	1 (2%)	0	100	100
75	m1	48/128 (38%)	48 (100%)	0	0	100	100
76	n1	22/25 (88%)	22 (100%)	0	0	100	100
77	o1	100/106 (94%)	98 (98%)	2 (2%)	0	100	100
78	p1	89/92 (97%)	88 (99%)	1 (1%)	0	100	100
79	r1	116/137 (85%)	115 (99%)	1 (1%)	0	100	100
80	s1	27/113 (24%)	24 (89%)	3 (11%)	0	100	100
81	v2	358/858 (42%)	339 (95%)	19 (5%)	0	100	100
All	All	11206/13815 (81%)	10880 (97%)	326 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	11	114/129 (88%)	112 (98%)	2 (2%)	51	73
6	A1	187/198 (94%)	187 (100%)	0	100	100
7	A2	175/252 (69%)	175 (100%)	0	100	100
8	B1	341/348 (98%)	338 (99%)	3 (1%)	70	85
9	B2	194/229 (85%)	192 (99%)	2 (1%)	68	84
10	C1	296/334 (89%)	294 (99%)	2 (1%)	76	88
11	C2	180/218 (83%)	180 (100%)	0	100	100
12	D1	243/248 (98%)	242 (100%)	1 (0%)	84	92

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
13	D2	186/204 (91%)	184 (99%)	2 (1%)	65	82
14	E1	192/230 (84%)	189 (98%)	3 (2%)	55	76
15	E2	221/225 (98%)	221 (100%)	0	100	100
16	F1	196/213 (92%)	196 (100%)	0	100	100
17	F2	154/171 (90%)	153 (99%)	1 (1%)	78	89
18	G1	182/223 (82%)	182 (100%)	0	100	100
19	G2	196/221 (89%)	196 (100%)	0	100	100
20	H1	170/172 (99%)	169 (99%)	1 (1%)	78	89
21	H2	165/174 (95%)	160 (97%)	5 (3%)	36	58
22	I1	174/181 (96%)	173 (99%)	1 (1%)	78	89
23	I2	171/178 (96%)	170 (99%)	1 (1%)	78	89
24	J1	140/149 (94%)	138 (99%)	2 (1%)	59	79
25	J2	160/168 (95%)	160 (100%)	0	100	100
26	K2	84/136 (62%)	83 (99%)	1 (1%)	63	81
27	L1	169/179 (94%)	167 (99%)	2 (1%)	63	81
28	L2	126/141 (89%)	126 (100%)	0	100	100
29	M1	115/118 (98%)	115 (100%)	0	100	100
30	N1	172/173 (99%)	172 (100%)	0	100	100
31	N2	130/131 (99%)	129 (99%)	1 (1%)	73	86
32	O1	171/194 (88%)	170 (99%)	1 (1%)	78	89
33	O2	104/119 (87%)	104 (100%)	0	100	100
34	P1	133/163 (82%)	132 (99%)	1 (1%)	73	86
35	P2	104/129 (81%)	103 (99%)	1 (1%)	68	84
36	Q1	157/163 (96%)	157 (100%)	0	100	100
37	Q2	109/119 (92%)	106 (97%)	3 (3%)	38	60
38	R1	147/175 (84%)	147 (100%)	0	100	100
39	R2	118/121 (98%)	118 (100%)	0	100	100
40	S1	155/155 (100%)	154 (99%)	1 (1%)	78	89
41	S2	118/132 (89%)	116 (98%)	2 (2%)	53	74
42	T1	137/139 (99%)	137 (100%)	0	100	100
43	T2	110/118 (93%)	110 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
44	U1	88/117 (75%)	88 (100%)	0	100	100
45	U2	78/106 (74%)	76 (97%)	2 (3%)	40	63
46	V1	100/107 (94%)	100 (100%)	0	100	100
47	V2	69/69 (100%)	69 (100%)	0	100	100
48	W1	52/126 (41%)	51 (98%)	1 (2%)	50	71
49	W2	112/113 (99%)	111 (99%)	1 (1%)	70	85
50	X1	108/136 (79%)	108 (100%)	0	100	100
51	X2	110/114 (96%)	107 (97%)	3 (3%)	39	62
52	Y1	117/135 (87%)	115 (98%)	2 (2%)	53	74
53	Y2	107/114 (94%)	107 (100%)	0	100	100
54	Z1	116/117 (99%)	116 (100%)	0	100	100
55	Z2	59/105 (56%)	59 (100%)	0	100	100
56	a1	120/121 (99%)	119 (99%)	1 (1%)	73	86
57	a2	85/99 (86%)	83 (98%)	2 (2%)	43	65
58	b1	56/62 (90%)	55 (98%)	1 (2%)	51	73
59	b2	73/76 (96%)	73 (100%)	0	100	100
60	c1	79/98 (81%)	78 (99%)	1 (1%)	61	80
61	c2	52/61 (85%)	51 (98%)	1 (2%)	50	71
62	d1	97/110 (88%)	96 (99%)	1 (1%)	68	84
63	d2	48/77 (62%)	48 (100%)	0	100	100
64	e1	114/121 (94%)	113 (99%)	1 (1%)	70	85
65	e2	42/113 (37%)	41 (98%)	1 (2%)	43	65
66	f1	87/89 (98%)	87 (100%)	0	100	100
67	g1	90/100 (90%)	88 (98%)	2 (2%)	45	67
68	g2	270/276 (98%)	268 (99%)	2 (1%)	76	88
69	h1	107/109 (98%)	106 (99%)	1 (1%)	70	85
70	i1	85/89 (96%)	84 (99%)	1 (1%)	63	81
71	i2	44/327 (14%)	44 (100%)	0	100	100
72	j1	73/80 (91%)	73 (100%)	0	100	100
73	k1	64/66 (97%)	62 (97%)	2 (3%)	35	57
74	l1	47/48 (98%)	47 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
75	m1	46/116 (40%)	46 (100%)	0	100	100
76	n1	23/24 (96%)	23 (100%)	0	100	100
77	o1	90/94 (96%)	90 (100%)	0	100	100
78	p1	74/75 (99%)	73 (99%)	1 (1%)	59	79
79	r1	103/119 (87%)	101 (98%)	2 (2%)	50	71
80	s1	27/96 (28%)	27 (100%)	0	100	100
81	v2	307/735 (42%)	300 (98%)	7 (2%)	44	66
All	All	9815/11810 (83%)	9740 (99%)	75 (1%)	70	86

5 of 75 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
67	g1	32	TYR
81	v2	665	VAL
68	g2	64	HIS
78	p1	52	VAL
24	J1	72	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 213 such sidechains are listed below:

Mol	Chain	Res	Type
37	Q2	97	GLN
50	X1	93	ASN
79	r1	22	ASN
40	S1	66	GLN
43	T2	52	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	22	1477/1826 (80%)	245 (16%)	14 (0%)
3	51	3216/4115 (78%)	512 (15%)	34 (1%)
4	71	118/120 (98%)	10 (8%)	0
5	81	144/156 (92%)	19 (13%)	1 (0%)
All	All	4955/6217 (79%)	786 (15%)	49 (0%)

5 of 786 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	22	2	A
2	22	3	C
2	22	4	C
2	22	25	A
2	22	33	G

5 of 49 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
3	51	1309	G
3	51	1974	A
3	51	1371	G
3	51	1680	G
3	51	2306	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	5CT	11	51	1	13,14,15	0.70	0	8,15,17	1.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5CT	11	51	1	-	8/13/14/16	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 8 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	11	51	5CT	NZ-C1-C2-C3
1	11	51	5CT	NZ-C1-C2-O1
1	11	51	5CT	C-CA-CB-CG
1	11	51	5CT	CD-CE-NZ-C1
1	11	51	5CT	CA-CB-CG-CD

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	11	51	5CT	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 141 ligands modelled in this entry, 141 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	22	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	22	1268:U	O3'	1269:U	P	4.01


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13113. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 223



Y Index: 235




Z Index: 193


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.55. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2175 nm^3 ; this corresponds to an approximate mass of 1964 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.417 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-13113 and PDB model 7OYC. Per-residue inclusion information can be found in section [3](#) on page [21](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.55 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.55).

9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.55) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9430	 0.5570
11	 0.4090	 0.4890
22	 0.9750	 0.5620
51	 0.9800	 0.5630
71	 0.9970	 0.5760
81	 0.9860	 0.5640
A1	 0.9420	 0.5890
A2	 0.9360	 0.5690
B1	 0.9360	 0.5720
B2	 0.8990	 0.5410
C1	 0.9550	 0.5780
C2	 0.9100	 0.5690
D1	 0.9470	 0.5510
D2	 0.8020	 0.5210
E1	 0.9430	 0.5480
E2	 0.9310	 0.5610
F1	 0.9380	 0.5720
F2	 0.8470	 0.5130
G1	 0.9380	 0.5570
G2	 0.8670	 0.4930
H1	 0.9220	 0.5620
H2	 0.8660	 0.5030
I1	 0.9330	 0.5610
I2	 0.8590	 0.5200
J1	 0.9000	 0.5260
J2	 0.9380	 0.5630
K2	 0.8970	 0.5240
L1	 0.9390	 0.5630
L2	 0.8880	 0.5510
M1	 0.9600	 0.5670
N1	 0.9740	 0.6000
N2	 0.9160	 0.5610
O1	 0.9650	 0.5800
O2	 0.9030	 0.5480
P1	 0.9600	 0.5730



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
P2	 0.8780	 0.5190
Q1	 0.9490	 0.5810
Q2	 0.9300	 0.5570
R1	 0.9060	 0.5500
R2	 0.8520	 0.5280
S1	 0.9590	 0.5840
S2	 0.8610	 0.5120
T1	 0.9270	 0.5630
T2	 0.9240	 0.5460
U1	 0.8750	 0.4780
U2	 0.8690	 0.5220
V1	 0.8980	 0.5760
V2	 0.9160	 0.5580
W1	 0.9110	 0.5770
W2	 0.9230	 0.5770
X1	 0.8950	 0.5530
X2	 0.8870	 0.5600
Y1	 0.9440	 0.5620
Y2	 0.9180	 0.5320
Z1	 0.9320	 0.5490
Z2	 0.8490	 0.5020
a1	 0.9780	 0.5970
a2	 0.9280	 0.5680
b1	 0.9220	 0.5470
b2	 0.9130	 0.5190
c1	 0.9300	 0.5440
c2	 0.7570	 0.4720
d1	 0.9190	 0.5400
d2	 0.9430	 0.5740
e1	 0.9400	 0.5780
e2	 0.8650	 0.5310
f1	 0.9580	 0.5840
g1	 0.9570	 0.5810
g2	 0.8570	 0.4900
h1	 0.9120	 0.5490
i1	 0.9280	 0.5450
i2	 0.6810	 0.4760
j1	 0.9610	 0.5910
k1	 0.8780	 0.5280
l1	 0.9340	 0.5750
m1	 0.9670	 0.5830
n1	 0.8090	 0.5400

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
o1	 0.9330	 0.5650
p1	 0.8830	 0.5700
r1	 0.9540	 0.5730
s1	 0.4730	 0.4860
v2	 0.6430	 0.4830