



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:14 AM UTC

PDB ID : 3P0I / pdb_00003p0i
Title : Leishmania major Tyrosyl-tRNA synthetase in complex with tyrosinol, cubic crystal form
Authors : Merritt, E.A.; Larson, E.T.; Medical Structural Genomics of Pathogenic Protozoa (MSGPP)
Deposited on : 2010-09-28
Resolution : 3.13 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2351 (3.18-3.10)
Clashscore	190562	2452 (3.18-3.10)
Ramachandran outliers	187476	2324 (3.18-3.10)
Sidechain outliers	187428	2324 (3.18-3.10)
RSRZ outliers	180081	2351 (3.18-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	690	4% 69% 24% • •
1	B	690	4% 56% 19% • 22%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 9311 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tyrosyl-tRNA synthetase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	673	Total	C	N	O	S	Se	0	0	0
			5143	3235	895	975	18	20			
1	B	536	Total	C	N	O	S	Se	0	1	0
			4144	2619	707	784	17	17			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MSE	-	expression tag	UNP Q4QFJ7
A	-6	ALA	-	expression tag	UNP Q4QFJ7
A	-5	HIS	-	expression tag	UNP Q4QFJ7
A	-4	HIS	-	expression tag	UNP Q4QFJ7
A	-3	HIS	-	expression tag	UNP Q4QFJ7
A	-2	HIS	-	expression tag	UNP Q4QFJ7
A	-1	HIS	-	expression tag	UNP Q4QFJ7
A	0	HIS	-	expression tag	UNP Q4QFJ7
B	-7	MSE	-	expression tag	UNP Q4QFJ7
B	-6	ALA	-	expression tag	UNP Q4QFJ7
B	-5	HIS	-	expression tag	UNP Q4QFJ7
B	-4	HIS	-	expression tag	UNP Q4QFJ7
B	-3	HIS	-	expression tag	UNP Q4QFJ7
B	-2	HIS	-	expression tag	UNP Q4QFJ7
B	-1	HIS	-	expression tag	UNP Q4QFJ7
B	0	HIS	-	expression tag	UNP Q4QFJ7

- Molecule 2 is 4-[(2S)-2-amino-3-hydroxypropyl]phenol (CCD ID: TYE) (formula: C₉H₁₃NO₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			12	9	1	2		
2	B	1	Total	C	N	O	0	0
			12	9	1	2		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tyrosyl-tRNA synthetase



• Molecule 1: Tyrosyl-tRNA synthetase





4 Data and refinement statistics

Property	Value	Source
Space group	I 2 3	Depositor
Cell constants a, b, c, α , β , γ	241.40Å 241.40Å 241.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	85.35 – 3.13 85.35 – 3.13	Depositor EDS
% Data completeness (in resolution range)	99.8 (85.35-3.13) 99.8 (85.35-3.13)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 3.13Å)	Xtriage
Refinement program	REFMAC refmac _5.5.0110	Depositor
R, R_{free}	0.239 , 0.268 0.244 , 0.269	Depositor DCC
R_{free} test set	2065 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	93.5	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 15.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.036 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	9311	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TYE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	0/5211	0.89	7/7031 (0.1%)
1	B	0.62	0/4206	0.89	5/5675 (0.1%)
All	All	0.63	0/9417	0.89	12/12706 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	354	ARG	NE-CZ-NH1	-12.35	109.15	121.50
1	A	354	ARG	NE-CZ-NH2	10.98	129.08	119.20
1	A	354	ARG	CD-NE-CZ	10.11	138.56	124.40
1	B	354	ARG	CD-NE-CZ	9.38	137.53	124.40
1	B	354	ARG	NE-CZ-NH2	-8.86	111.23	119.20
1	B	160	GLN	N-CA-C	-7.22	103.02	112.41
1	A	160	GLN	N-CA-C	-6.39	104.11	112.41
1	A	354	ARG	CG-CD-NE	-6.25	98.25	112.00
1	B	465	CYS	N-CA-C	5.80	117.47	111.03
1	B	354	ARG	NE-CZ-NH1	5.55	127.05	121.50
1	A	81	LYS	N-CA-C	5.38	116.83	111.07
1	A	359	THR	N-CA-C	5.14	118.81	111.92

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	354	ARG	Sidechain
1	B	354	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5143	0	5120	152	0
1	B	4144	0	4109	144	0
2	A	12	0	12	1	0
2	B	12	0	12	1	0
All	All	9311	0	9253	290	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (290) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:148:ILE:HD13	1:A:188:VAL:HG21	1.19	1.13
1:B:148:ILE:HD13	1:B:188:VAL:HG21	1.21	1.13
1:B:78:MSE:HE2	1:B:163[B]:TYR:CD2	1.90	1.05
1:B:78:MSE:HE2	1:B:163[B]:TYR:CE2	1.91	1.05
1:A:148:ILE:HG21	1:A:188:VAL:HG23	1.37	1.04
1:B:148:ILE:HG21	1:B:188:VAL:HG23	1.41	1.02
1:A:162:LEU:HD23	1:A:166:MSE:CE	1.95	0.97
1:B:105:MSE:CE	1:B:107:MSE:SE	2.62	0.97
1:B:45:MSE:HE1	1:B:99:VAL:HB	1.50	0.93
1:B:105:MSE:HE2	1:B:107:MSE:SE	2.18	0.93
1:A:660:LEU:HD22	1:A:668:MSE:HE2	1.51	0.93
1:B:148:ILE:HD13	1:B:188:VAL:CG2	1.99	0.92
1:A:148:ILE:HD13	1:A:188:VAL:CG2	2.01	0.91
1:A:105:MSE:CE	1:A:107:MSE:SE	2.69	0.90
1:B:45:MSE:HE1	1:B:99:VAL:CB	2.01	0.90

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:MSE:HE1	1:A:99:VAL:HB	1.58	0.85
1:A:105:MSE:HE2	1:A:107:MSE:CE	2.06	0.85
1:B:105:MSE:HE3	1:B:107:MSE:SE	2.26	0.84
1:A:105:MSE:HE3	1:A:107:MSE:SE	2.28	0.83
1:B:78:MSE:CE	1:B:163[B]:TYR:CD2	2.62	0.83
1:A:105:MSE:HE2	1:A:107:MSE:SE	2.29	0.82
1:B:162:LEU:HD23	1:B:166:MSE:CE	2.09	0.82
1:B:45:MSE:HE3	1:B:99:VAL:HG11	1.60	0.82
1:B:18:ILE:O	1:B:18:ILE:HG22	1.77	0.81
1:B:40:GLU:HB3	1:B:76:ALA:HB2	1.61	0.81
1:B:45:MSE:CE	1:B:99:VAL:HG11	2.12	0.80
1:A:162:LEU:HD23	1:A:166:MSE:HE1	1.64	0.79
1:B:148:ILE:CD1	1:B:188:VAL:HG21	2.10	0.79
1:B:78:MSE:CE	1:B:163[B]:TYR:HD2	1.96	0.77
1:A:18:ILE:HG22	1:A:18:ILE:O	1.82	0.77
1:B:378:MSE:SE	1:B:394:MSE:HE2	2.34	0.77
1:A:40:GLU:HB3	1:A:76:ALA:HB2	1.68	0.76
1:A:148:ILE:HG21	1:A:188:VAL:CG2	2.14	0.76
1:B:78:MSE:HB3	1:B:163[B]:TYR:CE2	2.22	0.75
1:B:80:ASP:CG	1:B:477:ARG:HH21	1.94	0.75
1:A:105:MSE:HE2	1:A:107:MSE:HE1	1.67	0.75
1:A:45:MSE:HE1	1:A:99:VAL:CB	2.17	0.74
1:A:131:LEU:CD2	1:A:499:ILE:HG21	2.18	0.74
1:A:78:MSE:HE1	1:A:162:LEU:HB3	1.70	0.74
1:A:19:GLN:HA	1:A:19:GLN:NE2	2.01	0.73
1:B:162:LEU:HD23	1:B:166:MSE:HE1	1.68	0.73
1:B:417:TRP:O	1:B:420:VAL:HG22	1.88	0.73
1:A:378:MSE:SE	1:A:394:MSE:HE2	2.38	0.72
1:B:105:MSE:HE2	1:B:107:MSE:CE	2.18	0.72
1:B:78:MSE:HE2	1:B:163[B]:TYR:HE2	1.53	0.72
1:B:18:ILE:O	1:B:18:ILE:CG2	2.37	0.72
1:A:417:TRP:O	1:A:420:VAL:HG22	1.90	0.71
1:B:77:LEU:HD22	1:B:86:LEU:HD13	1.71	0.71
1:B:19:GLN:HA	1:B:19:GLN:NE2	2.04	0.71
1:B:131:LEU:CD2	1:B:499:ILE:HG21	2.21	0.70
1:A:148:ILE:CD1	1:A:188:VAL:HG21	2.11	0.70
1:B:159:ALA:HB3	1:B:476:ALA:O	1.93	0.69
1:A:660:LEU:HD22	1:A:668:MSE:CE	2.22	0.69
1:B:223:MSE:HE2	1:B:224:SER:O	1.93	0.68
1:A:283:VAL:HG22	1:A:284:TYR:N	2.08	0.68
1:A:45:MSE:HE3	1:A:99:VAL:HG11	1.75	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:GLN:HA	1:A:19:GLN:HE21	1.58	0.67
1:B:148:ILE:HG21	1:B:188:VAL:CG2	2.21	0.66
1:B:159:ALA:HB3	1:B:476:ALA:C	2.21	0.66
1:A:440:CYS:SG	1:A:454:ILE:HD13	2.36	0.65
1:A:579:ILE:HD11	1:A:649:LEU:HD12	1.78	0.65
1:B:283:VAL:HG22	1:B:284:TYR:N	2.11	0.65
1:A:223:MSE:HE2	1:A:224:SER:O	1.96	0.65
1:A:388:LEU:HD11	1:A:446:TYR:CE1	2.32	0.65
1:B:19:GLN:HA	1:B:19:GLN:HE21	1.62	0.64
1:B:163[A]:TYR:OH	2:B:701:TYE:N	2.30	0.64
1:A:70:TRP:CZ3	1:A:174:LEU:HD21	2.33	0.64
1:B:78:MSE:HE3	1:B:473:ILE:HG12	1.80	0.64
1:B:78:MSE:HE2	1:B:163[B]:TYR:HD2	1.49	0.63
1:A:162:LEU:HD11	1:A:499:ILE:HG12	1.80	0.63
1:B:45:MSE:HE1	1:B:99:VAL:CG1	2.28	0.63
1:B:149:MSE:HE3	1:B:160:GLN:NE2	2.14	0.63
1:B:158:ALA:HB1	1:B:477:ARG:O	1.99	0.63
1:A:359:THR:N	1:A:360:LEU:HA	2.13	0.63
1:A:18:ILE:O	1:A:18:ILE:CG2	2.44	0.63
1:A:542:THR:HG21	1:A:544:GLU:OE2	1.99	0.63
1:B:70:TRP:CZ3	1:B:174:LEU:HD21	2.34	0.63
1:B:160:GLN:HB2	1:B:163[B]:TYR:CE1	2.35	0.62
1:A:163:TYR:OH	2:A:701:TYE:N	2.32	0.62
1:B:105:MSE:HE2	1:B:107:MSE:HE1	1.80	0.62
1:A:223:MSE:HE2	1:A:224:SER:C	2.25	0.61
1:B:46:HIS:CE1	1:B:48:ALA:HB3	2.36	0.61
1:B:159:ALA:HB3	1:B:476:ALA:CA	2.30	0.61
1:A:348:GLU:HA	1:A:351:LYS:HG3	1.83	0.61
1:A:571:ASN:C	1:A:571:ASN:HD22	2.09	0.60
1:A:45:MSE:CE	1:A:99:VAL:HG11	2.31	0.60
1:B:348:GLU:HA	1:B:351:LYS:HG3	1.83	0.60
1:B:158:ALA:O	1:B:159:ALA:C	2.44	0.60
1:B:159:ALA:HB3	1:B:476:ALA:HB1	1.84	0.59
1:B:44:ARG:HE	1:B:354:ARG:HE	1.51	0.59
1:A:417:TRP:HB3	1:A:503:MSE:HE1	1.84	0.58
1:B:40:GLU:HB3	1:B:76:ALA:CB	2.31	0.58
1:B:223:MSE:HE2	1:B:224:SER:C	2.28	0.57
1:B:351:LYS:HG2	1:B:354:ARG:NH1	2.19	0.57
1:A:41:PRO:HB3	1:A:92:VAL:HG12	1.86	0.57
1:A:261:THR:HG21	1:A:265:ALA:O	2.04	0.57
1:B:45:MSE:CE	1:B:99:VAL:CG1	2.81	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:MSE:SE	1:A:166:MSE:SE	3.22	0.57
1:B:7:TYR:HA	1:B:27:ILE:HD12	1.87	0.57
1:B:440:CYS:SG	1:B:454:ILE:HD13	2.45	0.57
1:A:77:LEU:HD22	1:A:86:LEU:HD13	1.87	0.57
1:A:221:ALA:HB1	1:A:266:PRO:HB2	1.87	0.57
1:A:565:VAL:HG13	1:A:567:TYR:CZ	2.40	0.57
1:A:158:ALA:O	1:A:159:ALA:C	2.48	0.56
1:A:587:ASN:ND2	1:A:632:GLY:O	2.33	0.56
1:B:138:THR:HG23	1:B:141:ARG:H	1.70	0.56
1:B:542:THR:HG21	1:B:544:GLU:OE2	2.05	0.56
1:B:417:TRP:HB3	1:B:503:MSE:HE1	1.87	0.56
1:A:40:GLU:HB3	1:A:76:ALA:CB	2.34	0.55
1:A:646:LEU:C	1:A:646:LEU:HD23	2.31	0.55
1:B:282:VAL:CG1	1:B:329:LEU:CD1	2.84	0.55
1:A:162:LEU:HD23	1:A:166:MSE:HE3	1.87	0.55
1:B:221:ALA:HB1	1:B:266:PRO:HB2	1.88	0.55
1:B:78:MSE:HE1	1:B:162:LEU:HB3	1.89	0.55
1:B:159:ALA:CB	1:B:476:ALA:HB1	2.37	0.54
1:A:135:ARG:HD3	1:A:420:VAL:O	2.07	0.54
1:B:148:ILE:HB	1:B:185:GLN:OE1	2.08	0.54
1:B:282:VAL:HG13	1:B:329:LEU:CD1	2.37	0.54
1:B:163[A]:TYR:HB3	1:B:164:PRO:HD3	1.89	0.54
1:A:138:THR:HG23	1:A:141:ARG:H	1.72	0.54
1:A:111:LEU:HD23	1:B:109:LYS:HG2	1.91	0.53
1:A:46:HIS:CE1	1:A:48:ALA:HB3	2.43	0.53
1:A:109:LYS:HG2	1:B:111:LEU:HD23	1.91	0.53
1:B:160:GLN:HG3	1:B:163[B]:TYR:CD1	2.44	0.53
1:B:223:MSE:HE2	1:B:225:LYS:HA	1.91	0.53
1:A:19:GLN:NE2	1:A:19:GLN:CA	2.72	0.53
1:A:417:TRP:O	1:A:420:VAL:CG2	2.55	0.52
1:B:351:LYS:HA	1:B:354:ARG:HG3	1.89	0.52
1:A:351:LYS:HG2	1:A:354:ARG:NH1	2.24	0.52
1:A:117:GLU:HG2	1:B:0:HIS:CD2	2.44	0.52
1:A:380:MSE:HE2	1:A:439:ASN:HB3	1.90	0.52
1:A:631:CYS:SG	1:A:636:LEU:HD23	2.50	0.52
1:A:599:HIS:NE2	1:A:603:GLN:OE1	2.43	0.52
1:A:282:VAL:HG13	1:A:329:LEU:CD1	2.40	0.52
1:B:420:VAL:HG12	1:B:432:ILE:HD12	1.92	0.51
1:A:442:LEU:HD13	1:A:568:LEU:O	2.10	0.51
1:A:123:ALA:HB1	1:A:465:CYS:SG	2.51	0.51
1:B:149:MSE:HE3	1:B:160:GLN:HE21	1.75	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:282:VAL:CG1	1:A:329:LEU:CD1	2.89	0.51
1:A:7:TYR:HA	1:A:27:ILE:HD12	1.92	0.51
1:A:398:THR:HG23	1:A:410:VAL:HG11	1.93	0.51
1:B:40:GLU:CB	1:B:76:ALA:HB2	2.37	0.51
1:A:149:MSE:HE3	1:A:160:GLN:NE2	2.26	0.50
1:B:105:MSE:HE1	1:B:112:PHE:HZ	1.76	0.50
1:B:160:GLN:CB	1:B:163[B]:TYR:CE1	2.94	0.50
1:A:351:LYS:HA	1:A:354:ARG:HG3	1.92	0.50
1:A:387:PRO:HB2	1:A:390:VAL:HG23	1.93	0.50
1:B:351:LYS:HG2	1:B:354:ARG:HH12	1.76	0.50
1:A:131:LEU:HD21	1:A:499:ILE:HG21	1.93	0.50
1:A:398:THR:HG21	1:A:452:VAL:CG2	2.42	0.50
1:B:78:MSE:HB3	1:B:163[B]:TYR:CZ	2.46	0.50
1:A:105:MSE:HE1	1:A:112:PHE:HZ	1.77	0.50
1:B:78:MSE:HE1	1:B:166:MSE:CE	2.42	0.50
1:B:78:MSE:SE	1:B:163[B]:TYR:CD2	3.15	0.50
1:A:195:TYR:CE2	1:A:199:ILE:HG21	2.47	0.50
1:B:13:VAL:HG13	1:B:56:ASN:CG	2.37	0.49
1:B:387:PRO:HB2	1:B:390:VAL:HG23	1.94	0.49
1:A:283:VAL:CG2	1:A:284:TYR:N	2.75	0.49
1:B:41:PRO:HB3	1:B:92:VAL:HG12	1.94	0.49
1:B:70:TRP:CE3	1:B:174:LEU:HD21	2.48	0.49
1:A:464:ASN:ND2	1:A:510:MSE:HE2	2.27	0.49
1:A:128:ARG:NH2	1:A:417:TRP:CD1	2.80	0.49
1:B:215:GLY:HA3	1:B:220:GLN:HG3	1.94	0.49
1:B:39:PHE:CZ	1:B:71:VAL:HG22	2.48	0.49
1:B:283:VAL:CG2	1:B:284:TYR:N	2.76	0.49
1:B:260:ILE:CG2	1:B:260:ILE:O	2.60	0.48
1:A:128:ARG:NH2	1:A:417:TRP:NE1	2.61	0.48
1:B:398:THR:HG21	1:B:452:VAL:CG2	2.42	0.48
1:B:214:ALA:HA	1:B:221:ALA:O	2.13	0.48
1:B:261:THR:HG21	1:B:265:ALA:O	2.13	0.48
1:B:160:GLN:HG3	1:B:163[B]:TYR:CE1	2.49	0.48
1:A:40:GLU:CB	1:A:76:ALA:HB2	2.42	0.48
1:A:420:VAL:HG12	1:A:432:ILE:HD12	1.96	0.48
1:B:159:ALA:HB3	1:B:476:ALA:CB	2.43	0.48
1:A:171:ILE:HD12	1:A:192:ALA:HB2	1.95	0.48
1:A:659:LEU:HB3	1:A:664:LEU:HD12	1.95	0.47
1:B:393:GLY:O	1:B:397:VAL:HG23	2.15	0.47
1:A:149:MSE:HE1	1:A:160:GLN:HG2	1.96	0.47
1:A:279:PHE:O	1:A:283:VAL:HG13	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:575:ILE:HD12	1:A:650:LEU:HD23	1.97	0.47
1:A:117:GLU:HG3	1:B:0:HIS:NE2	2.30	0.47
1:A:123:ALA:CB	1:A:465:CYS:SG	3.03	0.47
1:B:417:TRP:O	1:B:420:VAL:CG2	2.61	0.47
1:B:398:THR:HG23	1:B:410:VAL:HG11	1.97	0.46
1:B:223:MSE:O	1:B:223:MSE:SE	2.83	0.46
1:B:86:LEU:O	1:B:87:GLU:C	2.58	0.46
1:A:215:GLY:HA3	1:A:220:GLN:HG3	1.96	0.46
1:A:393:GLY:O	1:A:397:VAL:HG23	2.15	0.46
1:B:380:MSE:HE2	1:B:439:ASN:HB3	1.97	0.46
1:A:39:PHE:CZ	1:A:71:VAL:HG22	2.51	0.46
1:A:158:ALA:C	1:A:160:GLN:N	2.72	0.46
1:A:592:PRO:O	1:A:596:VAL:HG23	2.16	0.46
1:B:18:ILE:HB	1:B:207:ILE:HB	1.96	0.46
1:B:181:LEU:N	1:B:181:LEU:HD12	2.31	0.46
1:A:195:TYR:CZ	1:A:199:ILE:CG2	2.99	0.46
1:A:214:ALA:HA	1:A:221:ALA:O	2.16	0.46
1:A:571:ASN:C	1:A:571:ASN:ND2	2.72	0.46
1:A:575:ILE:CD1	1:A:650:LEU:HD23	2.46	0.46
1:B:158:ALA:C	1:B:160:GLN:N	2.74	0.46
1:B:171:ILE:HD12	1:B:192:ALA:HB2	1.97	0.46
1:A:260:ILE:O	1:A:260:ILE:CG2	2.63	0.46
1:A:70:TRP:CE3	1:A:174:LEU:HD21	2.50	0.45
1:A:660:LEU:HD13	1:A:668:MSE:HE3	1.98	0.45
1:B:105:MSE:HE1	1:B:112:PHE:CZ	2.52	0.45
1:A:45:MSE:HE1	1:A:99:VAL:CG1	2.46	0.45
1:A:605:GLY:O	1:A:606:ALA:HB2	2.16	0.45
1:B:113:LEU:HD12	1:B:174:LEU:HD22	1.99	0.45
1:A:72:ALA:HB1	1:A:75:PHE:HB2	1.99	0.45
1:B:45:MSE:HE1	1:B:99:VAL:CG2	2.45	0.45
1:B:279:PHE:O	1:B:283:VAL:HG13	2.16	0.45
1:A:630:ASP:HA	1:A:634:GLY:HA3	1.99	0.44
1:A:142:ILE:HD13	1:A:495:ALA:HB2	1.99	0.44
1:A:282:VAL:HG13	1:A:329:LEU:HD13	1.98	0.44
1:A:354:ARG:O	1:A:355:LYS:C	2.60	0.44
1:B:282:VAL:HG13	1:B:329:LEU:HD13	1.99	0.44
1:A:86:LEU:O	1:A:87:GLU:C	2.60	0.44
1:A:195:TYR:CZ	1:A:199:ILE:HG21	2.53	0.44
1:A:200:GLY:O	1:A:201:ARG:C	2.60	0.44
1:A:223:MSE:HE2	1:A:225:LYS:HA	1.99	0.44
1:A:181:LEU:HD12	1:A:181:LEU:N	2.32	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:350:VAL:O	1:B:354:ARG:HG2	2.17	0.44
1:B:434:ALA:O	1:B:438:VAL:HG23	2.18	0.44
1:A:149:MSE:HE3	1:A:160:GLN:HE21	1.83	0.44
1:B:533:THR:HG21	1:B:537:ILE:CD1	2.48	0.44
1:B:220:GLN:HE21	1:B:220:GLN:HB3	1.68	0.43
1:A:365:THR:HG23	1:A:477:ARG:NH1	2.32	0.43
1:B:183:LEU:HD13	1:B:209:SER:HB2	1.99	0.43
1:A:563:ASP:O	1:A:565:VAL:HG12	2.18	0.43
1:A:131:LEU:HD22	1:A:499:ILE:HG21	2.00	0.43
1:A:487:LEU:HD13	1:A:528:PHE:HB2	2.01	0.43
1:B:135:ARG:HD3	1:B:420:VAL:O	2.18	0.43
1:B:422:SER:HB2	1:B:424:GLU:HG2	1.99	0.43
1:A:418:SER:OG	1:A:457:GLU:OE1	2.36	0.43
1:B:148:ILE:HD12	1:B:167:GLN:OE1	2.18	0.43
1:A:653:SER:O	1:A:654:ALA:C	2.61	0.43
1:B:131:LEU:HD22	1:B:499:ILE:HG21	1.98	0.43
1:B:149:MSE:HE2	1:B:149:MSE:HB2	1.92	0.43
1:B:466:ASP:O	1:B:470:VAL:HG23	2.19	0.43
1:B:351:LYS:HA	1:B:354:ARG:CG	2.48	0.42
1:A:163:TYR:HB3	1:A:164:PRO:HD3	2.00	0.42
1:A:571:ASN:OD1	1:A:573:MSE:HE2	2.20	0.42
1:B:131:LEU:HD21	1:B:499:ILE:HG21	2.00	0.42
1:B:468:PHE:O	1:B:472:VAL:HG23	2.18	0.42
1:A:18:ILE:HB	1:A:207:ILE:HB	2.00	0.42
1:B:354:ARG:O	1:B:355:LYS:C	2.63	0.42
1:A:422:SER:HB2	1:A:424:GLU:HG2	2.00	0.42
1:B:114:TRP:O	1:B:115:SER:C	2.62	0.42
1:A:162:LEU:CD1	1:A:499:ILE:HG12	2.50	0.42
1:A:485:GLU:OE2	1:A:492:VAL:HG22	2.19	0.42
1:B:134:GLY:O	1:B:495:ALA:HB3	2.19	0.42
1:A:667:ASN:O	1:A:670:VAL:HG12	2.20	0.42
1:A:119:ILE:HG23	1:A:126:TYR:CD2	2.55	0.41
1:A:148:ILE:HB	1:A:185:GLN:OE1	2.19	0.41
1:B:19:GLN:NE2	1:B:19:GLN:CA	2.74	0.41
1:B:394:MSE:HE3	1:B:519:THR:CG2	2.50	0.41
1:B:418:SER:OG	1:B:457:GLU:OE1	2.36	0.41
1:B:149:MSE:HE1	1:B:160:GLN:HG2	2.02	0.41
1:A:601:LEU:HD23	1:A:601:LEU:C	2.44	0.41
1:A:45:MSE:CE	1:A:99:VAL:CG1	2.97	0.41
1:A:533:THR:HG21	1:A:537:ILE:CD1	2.51	0.41
1:A:105:MSE:HE1	1:A:112:PHE:CZ	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:195:TYR:CZ	1:B:199:ILE:CG2	3.03	0.41
1:B:223:MSE:HE3	1:B:233:PHE:HZ	1.86	0.41
1:B:409:THR:HG22	1:B:410:VAL:N	2.35	0.41
1:A:158:ALA:O	1:A:160:GLN:N	2.53	0.41
1:A:380:MSE:CE	1:A:439:ASN:HB3	2.50	0.41
1:A:468:PHE:O	1:A:472:VAL:HG23	2.20	0.41
1:B:261:THR:HG23	1:B:264:GLY:CA	2.51	0.41
1:B:282:VAL:CG1	1:B:329:LEU:HD11	2.50	0.41
1:A:505:VAL:HG21	1:A:528:PHE:CD1	2.56	0.41
1:A:117:GLU:CG	1:B:0:HIS:NE2	2.84	0.40
1:A:153:GLU:O	1:A:153:GLU:HG2	2.21	0.40
1:A:487:LEU:CD1	1:A:528:PHE:HB2	2.51	0.40
1:A:669:THR:CG2	1:A:670:VAL:N	2.83	0.40
1:B:119:ILE:HG23	1:B:126:TYR:CD2	2.56	0.40
1:B:153:GLU:HG2	1:B:153:GLU:O	2.21	0.40
1:A:173:PHE:CZ	1:B:31:PRO:HG3	2.57	0.40
1:A:466:ASP:O	1:A:470:VAL:HG23	2.21	0.40
1:A:473:ILE:O	1:A:476:ALA:HB3	2.21	0.40
1:B:158:ALA:O	1:B:160:GLN:N	2.54	0.40
1:A:114:TRP:O	1:A:115:SER:C	2.62	0.40
1:A:579:ILE:HG22	1:A:642:LYS:HE2	2.03	0.40
1:A:7:TYR:HA	1:A:27:ILE:CD1	2.50	0.40
1:A:448:LEU:HD12	1:A:449:PRO:HD2	2.03	0.40
1:B:487:LEU:HD13	1:B:528:PHE:HB2	2.03	0.40
1:A:30:LYS:HA	1:A:31:PRO:HD3	1.99	0.40
1:A:113:LEU:HD12	1:A:174:LEU:HD22	2.03	0.40
1:A:609:ILE:HD11	1:A:619:VAL:HG12	2.04	0.40
1:B:279:PHE:HA	1:B:283:VAL:HG13	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	669/690 (97%)	609 (91%)	52 (8%)	8 (1%)	10	34
1	B	533/690 (77%)	500 (94%)	28 (5%)	5 (1%)	14	41
All	All	1202/1380 (87%)	1109 (92%)	80 (7%)	13 (1%)	11	36

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	368	PRO
1	A	564	ASP
1	B	368	PRO
1	A	159	ALA
1	A	606	ALA
1	B	159	ALA
1	A	425	ILE
1	B	425	ILE
1	A	153	GLU
1	A	355	LYS
1	B	153	GLU
1	A	31	PRO
1	B	31	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	542/546 (99%)	500 (92%)	42 (8%)	12	34
1	B	442/546 (81%)	409 (92%)	33 (8%)	12	36
All	All	984/1092 (90%)	909 (92%)	75 (8%)	12	35

All (75) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	SER
1	A	18	ILE
1	A	27	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	36	TYR
1	A	53	LYS
1	A	73	ASP
1	A	86	LEU
1	A	90	ARG
1	A	94	ARG
1	A	149	MSE
1	A	155	THR
1	A	160	GLN
1	A	162	LEU
1	A	163	TYR
1	A	180	GLN
1	A	181	LEU
1	A	199	ILE
1	A	220	GLN
1	A	223	MSE
1	A	258	SER
1	A	260	ILE
1	A	262	ASP
1	A	267	VAL
1	A	269	THR
1	A	272	ARG
1	A	276	LEU
1	A	283	VAL
1	A	300	THR
1	A	365	THR
1	A	394	MSE
1	A	407	GLU
1	A	418	SER
1	A	450	SER
1	A	510	MSE
1	A	512	SER
1	A	546	ARG
1	A	552	ARG
1	A	568	LEU
1	A	571	ASN
1	A	669	THR
1	A	670	VAL
1	A	680	LYS
1	B	12	SER
1	B	18	ILE
1	B	25	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	27	ILE
1	B	36	TYR
1	B	53	LYS
1	B	73	ASP
1	B	86	LEU
1	B	90	ARG
1	B	94	ARG
1	B	149	MSE
1	B	155	THR
1	B	160	GLN
1	B	162	LEU
1	B	180	GLN
1	B	181	LEU
1	B	199	ILE
1	B	220	GLN
1	B	260	ILE
1	B	262	ASP
1	B	267	VAL
1	B	269	THR
1	B	272	ARG
1	B	276	LEU
1	B	283	VAL
1	B	300	THR
1	B	346	LEU
1	B	354	ARG
1	B	394	MSE
1	B	407	GLU
1	B	418	SER
1	B	450	SER
1	B	512	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	46	HIS
1	A	220	GLN
1	A	280	GLN
1	A	405	HIS
1	A	464	ASN
1	A	673	ASN
1	B	19	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	46	HIS
1	B	280	GLN
1	B	405	HIS
1	B	464	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	TYE	A	701	-	12,12,12	0.51	0	13,15,15	1.07	1 (7%)
2	TYE	B	701	-	12,12,12	0.74	0	13,15,15	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TYE	A	701	-	-	3/6/6/6	0/1/1/1
2	TYE	B	701	-	-	3/6/6/6	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	TYE	CG-CB-CA	-3.03	107.41	113.23

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	701	TYE	C-CA-CB-CG
2	A	701	TYE	O-C-CA-CB
2	A	701	TYE	O-C-CA-N
2	A	701	TYE	N-CA-CB-CG
2	B	701	TYE	N-CA-CB-CG
2	B	701	TYE	O-C-CA-CB

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	TYE	1	0
2	B	701	TYE	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	653/690 (94%)	0.59	31 (4%)	36 19	58, 60, 60, 60	0
1	B	519/690 (75%)	0.61	31 (5%)	27 14	34, 60, 60, 60	1 (0%)
All	All	1172/1380 (84%)	0.60	62 (5%)	32 16	34, 60, 60, 60	1 (0%)

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	356	ASP	7.6
1	A	359	THR	5.7
1	A	358	ALA	4.9
1	A	360	LEU	4.3
1	A	357	GLY	4.2
1	B	384	LEU	4.0
1	B	382	ALA	3.7
1	B	80	ASP	3.5
1	B	442	LEU	3.4
1	A	49	GLN	3.4
1	A	353	TYR	3.1
1	B	159	ALA	3.0
1	A	159	ALA	2.9
1	B	482	SER	2.9
1	B	163[A]	TYR	2.9
1	A	352	SER	2.8
1	A	117	GLU	2.8
1	B	259	ALA	2.8
1	B	436	LEU	2.8
1	B	543	LEU	2.7
1	B	147	THR	2.7
1	B	152	THR	2.6
1	A	355	LYS	2.6
1	A	615	ASN	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	75	PHE	2.5
1	B	489	GLY	2.5
1	B	86	LEU	2.5
1	A	85	GLU	2.4
1	A	88	LYS	2.4
1	A	86	LEU	2.4
1	B	446	TYR	2.4
1	B	77	LEU	2.4
1	B	154	GLY	2.4
1	B	151	LYS	2.4
1	A	633	SER	2.4
1	A	361	PRO	2.4
1	B	202	LYS	2.3
1	A	96	LEU	2.3
1	B	439	ASN	2.3
1	A	-1	HIS	2.3
1	B	525	ILE	2.3
1	B	477	ARG	2.3
1	A	89	ILE	2.2
1	A	612	GLY	2.2
1	B	352	SER	2.2
1	B	368	PRO	2.2
1	A	599	HIS	2.2
1	A	590	ALA	2.2
1	B	483	HIS	2.2
1	B	445	ALA	2.2
1	A	81	LYS	2.2
1	A	32	LEU	2.2
1	B	81	LYS	2.2
1	A	468	PHE	2.1
1	B	478	LYS	2.1
1	A	90	ARG	2.1
1	A	610	GLU	2.1
1	B	488	TYR	2.0
1	A	94	ARG	2.0
1	A	367	LEU	2.0
1	A	609	ILE	2.0
1	B	473	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	TYE	A	701	12/12	0.91	0.15	60,60,60,60	0
2	TYE	B	701	12/12	0.93	0.11	60,60,60,60	0

6.5 Other polymers [i](#)

There are no such residues in this entry.