



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:43 PM UTC

PDB ID : 4P0X / pdb_00004p0x
Title : Human farnesyl diphosphate synthase in complex with Taxodione
Authors : Liu, Y.L.; Oldfield, E.
Deposited on : 2014-02-23
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	348	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	1WO	A	1001	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	1WO	A	1002	-	-	-	X

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 2764 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Farnesyl pyrophosphate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	330	Total	C	N	O	S	0	0	0
			2657	1718	430	498	11			

- Molecule 2 is (5beta)-11-hydroxyabieta-7,9(11),13-triene-6,12-dione (CCD ID: 1WO) (formula: C₂₀H₂₆O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			23	20	3		
2	A	1	Total	C	O	0	0
			23	20	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	61	Total	O	0	0
			61	61		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Farnesyl pyrophosphate synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	110.62Å 110.62Å 78.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	55.31 – 2.50 55.31 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.7 (55.31-2.50) 99.7 (55.31-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.14 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.207 , 0.279 0.220 , 0.289	Depositor DCC
R_{free} test set	880 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	38.4	Xtriage
Anisotropy	0.114	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 50.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2764	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 1WO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.99	1/2710 (0.0%)	1.04	9/3665 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	151	PRO	N-CD	6.37	1.56	1.47

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	147	CYS	N-CA-C	7.78	120.45	110.65
1	A	173	LEU	N-CA-C	-5.57	105.29	111.36
1	A	148	ARG	N-CA-CB	-5.51	103.57	110.90
1	A	325	ILE	CB-CA-C	-5.32	104.96	112.14
1	A	151	PRO	CA-N-CD	-5.27	104.62	112.00
1	A	107	ASP	CB-CA-C	-5.22	99.69	109.72
1	A	150	GLN	CA-C-N	-5.22	113.32	119.84
1	A	150	GLN	C-N-CA	-5.22	113.32	119.84
1	A	330	GLU	N-CA-C	-5.05	105.78	111.28

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	113	ARG	Peptide
1	A	114	GLY	Peptide
1	A	179	PRO	Peptide
1	A	292	GLN	Peptide
1	A	295	ALA	Peptide
1	A	34	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2657	0	2628	78	0
2	A	46	0	52	40	0
3	A	61	0	0	2	0
All	All	2764	0	2680	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:239:PHE:HZ	2:A:1001:1WO:CAL	1.38	1.36
1:A:239:PHE:CZ	2:A:1001:1WO:CAL	2.28	1.16
1:A:60:ARG:NH2	2:A:1001:1WO:H3	1.62	1.14
1:A:239:PHE:CZ	2:A:1001:1WO:H12	1.85	1.07
1:A:60:ARG:HH22	2:A:1001:1WO:H3	1.16	0.99
1:A:239:PHE:HZ	2:A:1001:1WO:H11	1.29	0.94
1:A:19:GLN:HG2	3:A:1159:HOH:O	1.69	0.91
1:A:56:GLY:HA3	2:A:1001:1WO:H20	1.56	0.87
1:A:60:ARG:HH22	2:A:1001:1WO:CAG	1.90	0.83
1:A:113:ARG:NE	2:A:1001:1WO:H24	1.93	0.83
1:A:153:TYR:CE1	1:A:157:ILE:HD11	2.15	0.81
1:A:113:ARG:HG3	2:A:1001:1WO:H21	1.64	0.79
1:A:239:PHE:CE1	2:A:1001:1WO:H12	2.20	0.76
1:A:144:LYS:O	1:A:148:ARG:HB2	1.86	0.75
1:A:59:ASN:HD22	2:A:1001:1WO:H8	1.51	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:143:LEU:O	1:A:147:CYS:N	2.24	0.71
1:A:84:ARG:O	1:A:216:MET:HE1	1.91	0.70
1:A:143:LEU:O	1:A:147:CYS:CA	2.39	0.70
1:A:23:GLN:NE2	1:A:146:TYR:OH	2.25	0.70
1:A:113:ARG:HE	2:A:1001:1WO:H24	1.56	0.69
1:A:235:MET:HE1	1:A:344:LEU:HB3	1.74	0.69
1:A:60:ARG:CZ	2:A:1001:1WO:H3	2.23	0.68
1:A:147:CYS:O	1:A:153:TYR:CD1	2.48	0.67
1:A:113:ARG:CG	2:A:1001:1WO:H21	2.24	0.67
1:A:59:ASN:ND2	2:A:1001:1WO:H8	2.10	0.66
1:A:60:ARG:NH2	2:A:1001:1WO:CAG	2.49	0.66
1:A:239:PHE:CZ	2:A:1001:1WO:H11	2.15	0.65
1:A:143:LEU:O	1:A:147:CYS:HB2	1.97	0.64
1:A:59:ASN:HD22	2:A:1001:1WO:CAI	2.11	0.63
2:A:1001:1WO:H5	2:A:1001:1WO:OAD	1.98	0.63
1:A:56:GLY:CA	2:A:1001:1WO:H20	2.28	0.63
1:A:60:ARG:HH12	2:A:1001:1WO:CAG	2.14	0.61
1:A:214:MET:HE3	1:A:336:LEU:HD21	1.82	0.61
1:A:153:TYR:CZ	1:A:157:ILE:HD11	2.36	0.61
1:A:151:PRO:HD2	1:A:152:TYR:H	1.69	0.57
1:A:60:ARG:NH1	2:A:1001:1WO:CAG	2.68	0.56
1:A:113:ARG:HE	2:A:1001:1WO:H21	1.70	0.56
2:A:1001:1WO:H13	2:A:1001:1WO:CAH	2.36	0.56
2:A:1001:1WO:H13	2:A:1001:1WO:H2	1.88	0.56
2:A:1001:1WO:H13	2:A:1001:1WO:H6	1.89	0.56
1:A:235:MET:HE1	1:A:344:LEU:CB	2.36	0.55
1:A:60:ARG:HH12	2:A:1001:1WO:H4	1.71	0.55
1:A:278:ALA:O	1:A:280:PRO:HD3	2.07	0.55
1:A:143:LEU:O	1:A:147:CYS:CB	2.56	0.53
1:A:82:LEU:O	1:A:86:TRP:HD1	1.92	0.53
1:A:86:TRP:CD1	1:A:86:TRP:H	2.27	0.52
1:A:347:LYS:O	2:A:1002:1WO:H15	2.10	0.51
1:A:57:LYS:HE3	2:A:1001:1WO:H7	1.92	0.50
1:A:153:TYR:CE1	1:A:157:ILE:CD1	2.91	0.50
1:A:60:ARG:CZ	2:A:1001:1WO:CAG	2.89	0.49
1:A:278:ALA:O	1:A:280:PRO:CD	2.61	0.49
1:A:59:ASN:ND2	2:A:1001:1WO:CAI	2.75	0.49
1:A:147:CYS:O	1:A:153:TYR:CG	2.66	0.48
1:A:144:LYS:HG3	1:A:148:ARG:HG2	1.96	0.47
1:A:56:GLY:HA3	2:A:1001:1WO:OAA	2.15	0.47
1:A:321:SER:O	1:A:325:ILE:HG12	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:SER:HA	1:A:119:TYR:OH	2.16	0.46
1:A:347:LYS:CG	2:A:1002:1WO:H5	2.46	0.46
1:A:166:GLN:NE2	1:A:203:PHE:CE1	2.85	0.45
1:A:143:LEU:O	1:A:147:CYS:C	2.59	0.45
1:A:310:LEU:N	1:A:311:PRO:CD	2.80	0.45
1:A:82:LEU:O	1:A:86:TRP:CD1	2.70	0.44
1:A:347:LYS:HG3	2:A:1002:1WO:H5	2.00	0.44
1:A:113:ARG:NE	2:A:1001:1WO:H21	2.33	0.44
1:A:166:GLN:HE21	1:A:166:GLN:HB2	1.61	0.44
1:A:207:TYR:O	1:A:208:LEU:C	2.61	0.44
2:A:1001:1WO:CAL	2:A:1001:1WO:H2	2.47	0.43
1:A:82:LEU:HD12	1:A:82:LEU:HA	1.85	0.43
1:A:314:PHE:O	1:A:315:LEU:C	2.60	0.42
1:A:14:LYS:HD2	1:A:58:TYR:HB2	2.01	0.42
1:A:169:ILE:HD13	1:A:169:ILE:HA	1.77	0.42
1:A:100:LEU:HD22	1:A:112:ARG:NH1	2.34	0.42
1:A:20:HIS:HB2	3:A:1123:HOH:O	2.19	0.42
1:A:59:ASN:HD22	2:A:1001:1WO:CAH	2.32	0.42
1:A:208:LEU:HB3	1:A:209:PRO:HD3	2.01	0.42
1:A:84:ARG:C	1:A:216:MET:HE1	2.44	0.41
1:A:213:ALA:O	1:A:214:MET:C	2.62	0.41
1:A:273:GLN:OE1	1:A:277:ARG:NH1	2.54	0.41
1:A:68:PHE:CE1	1:A:72:VAL:HG21	2.56	0.41
1:A:113:ARG:HE	2:A:1001:1WO:CAV	2.27	0.41
1:A:57:LYS:HD2	2:A:1001:1WO:H7	2.03	0.41
1:A:151:PRO:CD	1:A:152:TYR:H	2.32	0.41
1:A:144:LYS:HG3	1:A:148:ARG:CG	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	320/348 (92%)	311 (97%)	8 (2%)	1 (0%)	36 55

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	114	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	280/299 (94%)	248 (89%)	32 (11%)	5 12

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	22	SER
1	A	23	GLN
1	A	30	GLU
1	A	37	GLU
1	A	45	LEU
1	A	62	LEU
1	A	76	LYS
1	A	77	GLN
1	A	78	ASP
1	A	81	SER
1	A	82	LEU
1	A	98	PHE
1	A	122	PRO
1	A	126	LEU
1	A	145	LEU
1	A	149	GLU
1	A	166	GLN
1	A	169	ILE
1	A	222	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	257	LYS
1	A	282	GLN
1	A	292	GLN
1	A	293	LYS
1	A	294	GLU
1	A	296	GLU
1	A	306	GLU
1	A	307	GLU
1	A	315	LEU
1	A	321	SER
1	A	328	LEU
1	A	348	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	59	ASN
1	A	83	GLN
1	A	166	GLN
1	A	276	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	1WO	A	1002	-	25,25,25	3.79	9 (36%)	33,41,41	2.00	8 (24%)
2	1WO	A	1001	-	25,25,25	3.23	13 (52%)	33,41,41	3.04	16 (48%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1WO	A	1002	-	-	0/4/58/58	0/3/3/3
2	1WO	A	1001	-	-	0/4/58/58	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1002	1WO	CAN-CAO	-10.54	1.40	1.52
2	A	1002	1WO	CAF-CAE	-9.23	1.39	1.53
2	A	1001	1WO	CAN-CAO	-9.04	1.42	1.52
2	A	1002	1WO	CAU-CAT	-8.06	1.41	1.52
2	A	1001	1WO	CAU-CAT	-7.47	1.42	1.52
2	A	1002	1WO	CAC-CAB	-5.46	1.35	1.50
2	A	1001	1WO	CAC-CAE	4.28	1.41	1.35
2	A	1001	1WO	CAF-CAE	-3.89	1.47	1.53
2	A	1002	1WO	CAC-CAE	3.74	1.40	1.35
2	A	1001	1WO	CAS-CAR	-3.51	1.36	1.43
2	A	1001	1WO	OAD-CAC	3.49	1.45	1.33
2	A	1001	1WO	CAC-CAB	-3.22	1.41	1.50
2	A	1002	1WO	CAQ-CAO	-3.21	1.40	1.46
2	A	1001	1WO	CAQ-CAO	-3.20	1.40	1.46
2	A	1002	1WO	CAR-CAE	-3.09	1.37	1.44
2	A	1002	1WO	CAS-CAR	-2.87	1.37	1.43
2	A	1001	1WO	CAV-CAU	2.77	1.62	1.51
2	A	1001	1WO	OAP-CAO	2.43	1.26	1.22
2	A	1001	1WO	CAT-CAB	-2.36	1.38	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1002	1WO	CAT-CAB	-2.29	1.38	1.47
2	A	1001	1WO	CAM-CAK	2.25	1.58	1.53
2	A	1001	1WO	CAL-CAK	-2.05	1.49	1.53

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	1WO	CAN-CAO-CAQ	-8.25	109.17	116.79
2	A	1001	1WO	CAH-CAF-CAE	6.21	119.10	110.88
2	A	1001	1WO	CAJ-CAI-CAH	5.53	122.06	110.43
2	A	1001	1WO	CAV-CAU-CAT	5.50	122.43	111.70
2	A	1002	1WO	CAU-CAT-CAB	5.29	122.88	117.28
2	A	1001	1WO	CAU-CAT-CAB	4.71	122.26	117.28
2	A	1001	1WO	CAU-CAT-CAS	-4.47	116.97	123.32
2	A	1002	1WO	CAU-CAT-CAS	-3.74	118.01	123.32
2	A	1002	1WO	CAG-CAF-CAE	-3.47	99.99	108.05
2	A	1002	1WO	CAH-CAF-CAN	3.47	113.45	108.55
2	A	1001	1WO	OAD-CAC-CAE	-3.34	120.41	123.96
2	A	1001	1WO	OAD-CAC-CAB	3.28	121.96	116.03
2	A	1002	1WO	CAG-CAF-CAN	-3.09	103.31	111.71
2	A	1002	1WO	CAK-CAN-CAO	-3.08	107.29	114.07
2	A	1001	1WO	CAW-CAU-CAT	-3.03	105.79	111.70
2	A	1001	1WO	CAR-CAQ-CAO	-2.97	119.43	121.65
2	A	1002	1WO	CAS-CAR-CAQ	-2.66	118.04	122.40
2	A	1001	1WO	CAM-CAK-CAL	2.53	111.55	107.87
2	A	1001	1WO	OAP-CAO-CAN	2.38	126.33	123.33
2	A	1001	1WO	CAH-CAF-CAN	2.31	111.81	108.55
2	A	1001	1WO	CAC-CAB-CAT	2.29	121.48	118.44
2	A	1001	1WO	CAS-CAR-CAQ	-2.28	118.66	122.40
2	A	1001	1WO	CAG-CAF-CAH	-2.18	106.11	109.43
2	A	1002	1WO	CAG-CAF-CAH	2.04	112.54	109.43

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.

2 monomers are involved in 40 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1002	1WO	3	0
2	A	1001	1WO	37	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	330/348 (94%)	0.56	38 (11%) 9 8	22, 47, 106, 131	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	147	CYS	8.6
1	A	11	ALA	8.1
1	A	86	TRP	7.9
1	A	295	ALA	5.2
1	A	38	ILE	5.0
1	A	73	GLU	4.6
1	A	113	ARG	4.5
1	A	36	PRO	4.3
1	A	184	ASP	4.0
1	A	258	ILE	3.9
1	A	37	GLU	3.7
1	A	30	GLU	3.7
1	A	148	ARG	3.6
1	A	34	GLY	3.4
1	A	20	HIS	3.4
1	A	187	ARG	3.4
1	A	76	LYS	3.3
1	A	180	GLN	3.2
1	A	280	PRO	3.0
1	A	14	LYS	3.0
1	A	186	VAL	2.9
1	A	77	GLN	2.9
1	A	81	SER	2.9
1	A	289	ASN	2.9
1	A	12	GLN	2.8
1	A	278	ALA	2.4
1	A	185	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	259	GLY	2.3
1	A	285	ILE	2.3
1	A	330	GLU	2.3
1	A	293	LYS	2.3
1	A	35	HIS	2.2
1	A	298	VAL	2.2
1	A	257	LYS	2.2
1	A	79	ALA	2.1
1	A	19	GLN	2.1
1	A	256	GLY	2.1
1	A	15	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	1WO	A	1001	23/23	0.50	0.31	41,75,90,100	0
2	1WO	A	1002	23/23	0.67	0.50	40,53,59,61	23




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 1WO A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 1WO A 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.