



Full wwPDB X-ray Structure Validation Report ⓘ

May 7, 2026 – 10:44 AM EDT

PDB ID : 3P11 / pdb_00003p11
Title : anti-EGFR/HER3 Fab DL11 in complex with domains I-III of the HER3 extracellular region
Authors : Eigenbrot, C.; Shia, S.
Deposited on : 2010-09-29
Resolution : 3.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1131 (3.80-3.60)
Clashscore	190562	1171 (3.80-3.60)
Ramachandran outliers	187476	1129 (3.80-3.60)
Sidechain outliers	187428	1126 (3.80-3.60)
RSRZ outliers	180081	1130 (3.80-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	228	
2	L	214	
3	A	522	
4	B	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	NAG	A	623	X	-	-	-
5	NAG	A	627	X	-	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7205 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fab DL11 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	218	Total	C	N	O	S	0	0	0
			1614	1016	270	322	6			

- Molecule 2 is a protein called Fab DL11 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	211	Total	C	N	O	S	0	0	0
			1624	1018	268	333	5			

- Molecule 3 is a protein called Receptor tyrosine-protein kinase erbB-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	506	Total	C	N	O	S	0	0	0
			3911	2433	705	729	44			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	514	GLY	-	expression tag	UNP P21860
A	515	ASN	-	expression tag	UNP P21860
A	516	SER	-	expression tag	UNP P21860
A	517	HIS	-	expression tag	UNP P21860
A	518	HIS	-	expression tag	UNP P21860
A	519	HIS	-	expression tag	UNP P21860
A	520	HIS	-	expression tag	UNP P21860
A	521	HIS	-	expression tag	UNP P21860
A	522	HIS	-	expression tag	UNP P21860

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	B	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab DL11 heavy chain




- Molecule 2: Fab DL11 light chain



- Molecule 3: Receptor tyrosine-protein kinase erbB-3





• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	208.39Å 48.40Å 130.38Å 90.00° 127.71° 90.00°	Depositor
Resolution (Å)	50.00 – 3.70 50.00 – 3.70	Depositor EDS
% Data completeness (in resolution range)	99.9 (50.00-3.70) 99.8 (50.00-3.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 3.66Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.245 , 0.323 0.240 , 0.323	Depositor DCC
R_{free} test set	574 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	131.5	Xtriage
Anisotropy	0.099	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 114.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.027 for -h-2*1,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7205	wwPDB-VP
Average B, all atoms (Å ²)	159.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	H	0.53	0/1651	0.73	2/2249 (0.1%)
2	L	0.51	0/1660	0.77	0/2256
3	A	0.54	0/4002	0.81	2/5432 (0.0%)
All	All	0.53	0/7313	0.79	4/9937 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	A	0	2

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	36	ARG	N-CA-C	-9.55	92.67	108.34
3	A	191	CYS	N-CA-C	5.61	117.71	109.24
1	H	125	ALA	CA-C-N	5.38	126.56	119.84
1	H	125	ALA	C-N-CA	5.38	126.56	119.84

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	A	188	LYS	Peptide
3	A	190	ILE	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1614	0	1570	48	0
2	L	1624	0	1572	38	0
3	A	3911	0	3768	89	0
4	B	28	0	25	3	0
5	A	28	0	26	3	0
All	All	7205	0	6961	164	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:389:ASN:HD21	4:B:1:NAG:C1	1.55	1.20
1:H:30:SER:OG	3:A:407:ARG:HG2	1.60	0.99
3:A:370:THR:HG22	5:A:623:NAG:H82	1.49	0.93
3:A:389:ASN:ND2	4:B:1:NAG:C1	2.33	0.91
2:L:54:LEU:HD22	2:L:58:VAL:HG13	1.58	0.84
1:H:39:GLN:HE22	2:L:38:GLN:HE22	1.28	0.81
2:L:54:LEU:HD22	2:L:58:VAL:CG1	2.10	0.80
3:A:455:LEU:HD11	3:A:462:ARG:NH2	1.98	0.78
2:L:55:TYR:O	2:L:58:VAL:HG12	1.85	0.77
1:H:35:HIS:CG	1:H:100(D):MET:HE2	2.20	0.76
3:A:35:GLU:O	3:A:57:PHE:HB2	1.86	0.75
2:L:30:ALA:HB3	3:A:472:ARG:HD3	1.71	0.73
1:H:63:VAL:HG13	1:H:67:PHE:HB2	1.69	0.73
3:A:77:THR:HG22	3:A:114:GLN:HB2	1.70	0.73
3:A:466:LYS:HG3	3:A:467:HIS:CD2	2.23	0.73
3:A:55:LEU:HB3	3:A:58:LEU:HD12	1.71	0.72
3:A:19:VAL:HG12	3:A:20:THR:H	1.54	0.72
1:H:82:MET:HE2	1:H:82(C):LEU:HD21	1.72	0.71
3:A:370:THR:CG2	5:A:623:NAG:H82	2.21	0.69
1:H:30:SER:CB	3:A:407:ARG:HG2	2.22	0.69
1:H:59:TYR:CZ	1:H:69:ILE:HG22	2.28	0.69
3:A:278:ASP:O	3:A:280:THR:N	2.26	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:324:VAL:HA	3:A:328:ASN:HD22	1.59	0.67
1:H:59:TYR:CE1	1:H:69:ILE:HG22	2.30	0.67
3:A:404:LEU:HD13	3:A:408:GLY:HA2	1.75	0.67
3:A:19:VAL:HG21	3:A:48:LEU:HD12	1.78	0.65
3:A:394:SER:HB2	3:A:425:ARG:HD3	1.80	0.64
2:L:31:THR:HG22	3:A:472:ARG:HH11	1.65	0.62
3:A:407:ARG:O	3:A:407:ARG:HG3	2.00	0.61
2:L:191:VAL:HG22	2:L:210:ASN:HD21	1.66	0.60
3:A:449:LEU:HD21	3:A:491:TRP:CH2	2.35	0.60
1:H:54:GLY:HA3	3:A:414:MET:SD	2.42	0.59
3:A:396:LEU:HD12	3:A:397:THR:N	2.17	0.59
3:A:350:ASN:N	3:A:350:ASN:HD22	2.00	0.59
3:A:298:LEU:O	3:A:298:LEU:HD12	2.03	0.59
1:H:24:ALA:HB3	1:H:76:ASN:ND2	2.18	0.58
3:A:332:PHE:O	3:A:335:CYS:HB2	2.04	0.56
2:L:11:LEU:C	2:L:11:LEU:HD12	2.30	0.56
3:A:347:THR:O	3:A:348:GLY:C	2.49	0.56
2:L:83:PHE:HZ	2:L:165:GLU:HG3	1.71	0.56
1:H:100(A):GLU:O	3:A:466:LYS:NZ	2.39	0.56
3:A:368:PHE:HB2	3:A:392:VAL:HG13	1.86	0.56
2:L:8:PRO:O	2:L:102:THR:HG23	2.06	0.55
1:H:63:VAL:HG22	1:H:67:PHE:CE1	2.41	0.55
3:A:115:LEU:HG	3:A:136:LEU:HD11	1.89	0.55
1:H:98:VAL:O	1:H:98:VAL:HG23	2.07	0.55
1:H:29:LEU:O	1:H:32:ASP:N	2.38	0.55
1:H:138:LEU:C	1:H:138:LEU:HD12	2.32	0.55
1:H:29:LEU:O	1:H:30:SER:C	2.48	0.54
3:A:92:TYR:O	3:A:94:GLY:N	2.36	0.54
3:A:100:VAL:HG12	3:A:133:ASN:ND2	2.22	0.54
3:A:336:THR:OG1	3:A:337:LYS:N	2.41	0.54
2:L:92:GLU:HB3	2:L:93:PRO:HD3	1.88	0.54
3:A:92:TYR:C	3:A:94:GLY:H	2.14	0.54
3:A:139:MET:HA	3:A:142:ILE:HD13	1.88	0.54
3:A:347:THR:O	3:A:351:GLY:N	2.38	0.54
2:L:108:ARG:HG2	2:L:109:THR:N	2.23	0.54
3:A:19:VAL:HG12	3:A:20:THR:N	2.23	0.53
1:H:30:SER:OG	3:A:407:ARG:CG	2.46	0.53
3:A:190:ILE:HG22	3:A:191:CYS:H	1.74	0.53
2:L:54:LEU:HD22	2:L:58:VAL:HG11	1.89	0.52
3:A:40:VAL:HB	3:A:64:VAL:HG22	1.92	0.52
3:A:19:VAL:HG13	3:A:26:GLN:OE1	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:85:VAL:HG21	3:A:226:ALA:HB2	1.92	0.51
1:H:164:HIS:HB2	1:H:181:VAL:HG12	1.91	0.51
2:L:30:ALA:CB	3:A:472:ARG:HD3	2.38	0.51
3:A:62:ARG:O	3:A:83:LEU:HD12	2.11	0.51
3:A:81:PRO:O	3:A:119:GLN:HB2	2.10	0.51
1:H:87:THR:HG23	1:H:110:THR:HA	1.92	0.51
2:L:2:ILE:HD13	2:L:29:LEU:HD21	1.93	0.51
3:A:430:ILE:O	3:A:455:LEU:HD12	2.11	0.50
1:H:37:VAL:HG13	1:H:46:GLU:O	2.12	0.50
1:H:18:LEU:HD22	1:H:19:ARG:H	1.76	0.50
1:H:37:VAL:HG22	1:H:47:TRP:HA	1.94	0.49
1:H:61:ASP:C	1:H:63:VAL:H	2.21	0.49
1:H:39:GLN:HB2	1:H:45:LEU:HD23	1.95	0.49
3:A:440:ASN:H	3:A:468:ASN:HD22	1.61	0.49
1:H:23:ALA:HA	1:H:77:THR:HG23	1.94	0.49
2:L:164:THR:HG22	2:L:165:GLU:O	2.13	0.49
2:L:69:THR:HG23	2:L:70:ASP:OD2	2.13	0.48
3:A:111:ALA:O	3:A:113:ARG:HD2	2.13	0.48
3:A:452:THR:HG22	3:A:459:THR:HG21	1.95	0.48
1:H:83:ARG:O	1:H:111:VAL:HG11	2.14	0.48
3:A:138:HIS:CD2	3:A:177:GLY:HA2	2.48	0.48
3:A:245:VAL:HG22	3:A:256:ASN:HB2	1.95	0.48
3:A:22:ASP:HB3	3:A:25:ASN:HB2	1.95	0.48
1:H:200:HIS:HB3	1:H:205:THR:HB	1.95	0.48
2:L:135:LEU:HD22	2:L:136:LEU:N	2.29	0.48
3:A:190:ILE:HG22	3:A:191:CYS:N	2.28	0.47
2:L:92:GLU:CB	2:L:93:PRO:HD3	2.44	0.47
1:H:63:VAL:HG22	1:H:67:PHE:CD1	2.49	0.47
3:A:290:LYS:HG3	3:A:303:PRO:HA	1.97	0.47
1:H:147:PRO:HD2	1:H:202:PRO:HB3	1.97	0.47
3:A:117:LEU:HD12	3:A:176:TRP:CZ3	2.49	0.47
3:A:144:TRP:O	3:A:148:VAL:HG23	2.15	0.46
3:A:422:LEU:HD21	3:A:443:LEU:HD21	1.96	0.46
1:H:11:LEU:HB2	1:H:147:PRO:HG3	1.96	0.46
3:A:98:ILE:HD12	3:A:123:ILE:HD11	1.97	0.46
3:A:278:ASP:HA	3:A:301:CYS:HB2	1.98	0.46
2:L:40:PRO:HG3	2:L:165:GLU:HG2	1.97	0.46
2:L:161:GLU:HB3	2:L:175:LEU:HD11	1.98	0.46
3:A:442:GLN:HE22	5:A:627:NAG:H62	1.81	0.46
2:L:141:PRO:O	2:L:198:HIS:HE1	1.98	0.46
3:A:9:VAL:HG22	3:A:10:CYS:N	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:126:PRO:O	1:H:127:SER:HB2	2.16	0.45
1:H:94:ARG:HD2	1:H:101:ASP:OD1	2.17	0.45
3:A:100:VAL:HG12	3:A:133:ASN:HD21	1.81	0.45
2:L:29:LEU:O	2:L:31:THR:N	2.49	0.45
3:A:63:GLU:HA	3:A:85:VAL:O	2.16	0.45
1:H:98:VAL:O	1:H:99:SER:CB	2.65	0.45
3:A:112:LEU:HD21	3:A:115:LEU:HD21	1.99	0.45
2:L:191:VAL:HG22	2:L:210:ASN:ND2	2.31	0.45
1:H:35:HIS:ND1	1:H:100(D):MET:HE2	2.31	0.45
2:L:107:LYS:HA	2:L:140:TYR:OH	2.17	0.45
2:L:175:LEU:HD12	2:L:176:SER:H	1.82	0.45
3:A:441:ARG:HA	3:A:441:ARG:HE	1.82	0.45
1:H:205:THR:HG22	1:H:207:VAL:HG23	1.99	0.45
2:L:11:LEU:HD12	2:L:11:LEU:O	2.16	0.45
3:A:117:LEU:O	3:A:118:THR:C	2.59	0.45
2:L:167:ASP:O	2:L:171:SER:HA	2.16	0.44
2:L:2:ILE:CD1	2:L:29:LEU:HD21	2.46	0.44
2:L:35:TRP:HB2	2:L:48:ILE:HB	1.99	0.44
3:A:58:LEU:HD23	3:A:61:ILE:HD12	2.00	0.44
3:A:363:GLU:O	3:A:366:ASN:ND2	2.51	0.44
1:H:184:VAL:HG11	1:H:194:TYR:CE1	2.52	0.44
3:A:174:ARG:NH1	3:A:186:LEU:HD21	2.33	0.44
3:A:289:ASP:C	3:A:290:LYS:HD2	2.42	0.44
3:A:455:LEU:HD11	3:A:462:ARG:HH21	1.79	0.44
1:H:51:ILE:HG23	1:H:51:ILE:O	2.17	0.44
3:A:92:TYR:C	3:A:94:GLY:N	2.76	0.44
3:A:412:LEU:C	3:A:412:LEU:HD23	2.43	0.44
2:L:113:PRO:HD2	2:L:201:LEU:CD1	2.48	0.44
3:A:102:LEU:HA	3:A:132:LYS:O	2.18	0.43
3:A:366:ASN:HA	3:A:392:VAL:HG22	1.99	0.43
3:A:87:ARG:HB3	3:A:89:THR:HG23	1.99	0.43
2:L:4:MET:HE2	2:L:88:CYS:SG	2.58	0.43
2:L:136:LEU:N	2:L:136:LEU:HD12	2.33	0.43
3:A:438:SER:HA	3:A:466:LYS:O	2.19	0.43
1:H:67:PHE:CE2	1:H:82:MET:HG2	2.53	0.43
3:A:345:LEU:HD23	3:A:345:LEU:N	2.34	0.43
1:H:19:ARG:HA	1:H:80:LEU:O	2.19	0.43
1:H:68:THR:O	1:H:68:THR:HG22	2.18	0.43
3:A:315:THR:CG2	3:A:316:GLY:N	2.82	0.42
3:A:389:ASN:ND2	4:B:1:NAG:O5	2.38	0.42
1:H:178:LEU:C	1:H:178:LEU:HD12	2.44	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:92:GLU:HB3	2:L:93:PRO:CD	2.48	0.42
1:H:147:PRO:HD2	1:H:202:PRO:CB	2.49	0.42
2:L:31:THR:HG22	3:A:472:ARG:NH1	2.33	0.42
3:A:101:MET:HE2	3:A:102:LEU:HD12	2.01	0.42
1:H:96:SER:N	1:H:100(C):ALA:O	2.51	0.41
2:L:106:ILE:CG2	2:L:107:LYS:N	2.83	0.41
3:A:420:THR:O	3:A:443:LEU:HD12	2.20	0.41
1:H:11:LEU:HD12	1:H:12:VAL:H	1.85	0.41
3:A:350:ASN:N	3:A:350:ASN:ND2	2.67	0.41
3:A:485:CYS:O	3:A:502:ARG:NE	2.53	0.41
2:L:135:LEU:HD22	2:L:135:LEU:C	2.45	0.41
1:H:39:GLN:C	1:H:88:ALA:HB1	2.45	0.41
1:H:59:TYR:OH	1:H:69:ILE:HG22	2.19	0.41
1:H:100(A):GLU:OE2	2:L:50:SER:N	2.54	0.41
3:A:324:VAL:HA	3:A:328:ASN:ND2	2.31	0.41
3:A:59:GLN:HG3	3:A:60:TRP:N	2.36	0.40
3:A:190:ILE:CG2	3:A:191:CYS:H	2.35	0.40
3:A:142:ILE:HG23	3:A:184:GLN:CD	2.46	0.40
1:H:16:GLY:O	1:H:82(C):LEU:HD12	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	214/228 (94%)	191 (89%)	17 (8%)	6 (3%)	4	27
2	L	209/214 (98%)	190 (91%)	15 (7%)	4 (2%)	6	33
3	A	504/522 (97%)	433 (86%)	62 (12%)	9 (2%)	6	34
All	All	927/964 (96%)	814 (88%)	94 (10%)	19 (2%)	6	32

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	35	GLU
3	A	55	LEU
3	A	279	GLN
1	H	99	SER
2	L	30	ALA
2	L	93	PRO
1	H	62	SER
1	H	64	LYS
3	A	328	ASN
3	A	284	ARG
2	L	138	ASN
1	H	30	SER
3	A	81	PRO
2	L	40	PRO
1	H	51	ILE
1	H	63	VAL
3	A	306	GLY
3	A	348	GLY
3	A	367	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	177/186 (95%)	159 (90%)	18 (10%)	7	29
2	L	186/188 (99%)	172 (92%)	14 (8%)	12	39
3	A	441/455 (97%)	410 (93%)	31 (7%)	14	41
All	All	804/829 (97%)	741 (92%)	63 (8%)	11	37

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	4	LEU
1	H	18	LEU
1	H	20	LEU
1	H	21	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	58	ASP
1	H	63	VAL
1	H	68	THR
1	H	69	ILE
1	H	70	SER
1	H	94	ARG
1	H	116	THR
1	H	120	SER
1	H	150	VAL
1	H	151	THR
1	H	175	LEU
1	H	181	VAL
1	H	193	THR
1	H	214	LYS
2	L	1	ASP
2	L	3	GLN
2	L	5	THR
2	L	23	CYS
2	L	76	SER
2	L	88	CYS
2	L	94	GLU
2	L	105	GLU
2	L	125	LEU
2	L	135	LEU
2	L	154	LEU
2	L	181	LEU
2	L	188	LYS
2	L	197	THR
3	A	36	ARG
3	A	95	LYS
3	A	105	ASN
3	A	151	ARG
3	A	181	GLU
3	A	210	ASP
3	A	217	SER
3	A	249	LEU
3	A	273	HIS
3	A	286	CYS
3	A	290	LYS
3	A	294	ASP
3	A	299	LYS
3	A	313	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	317	SER
3	A	319	SER
3	A	324	VAL
3	A	341	ASN
3	A	345	LEU
3	A	347	THR
3	A	350	ASN
3	A	352	ASP
3	A	360	LEU
3	A	392	VAL
3	A	441	ARG
3	A	449	LEU
3	A	456	ARG
3	A	475	VAL
3	A	480	VAL
3	A	499	LEU
3	A	505	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	3	GLN
1	H	35	HIS
1	H	39	GLN
1	H	76	ASN
1	H	199	ASN
1	H	200	HIS
2	L	79	GLN
2	L	124	GLN
2	L	210	ASN
3	A	110	HIS
3	A	242	GLN
3	A	256	ASN
3	A	341	ASN
3	A	350	ASN
3	A	355	HIS
3	A	366	ASN
3	A	381	GLN
3	A	389	ASN
3	A	406	ASN
3	A	442	GLN
3	A	446	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	467	HIS
3	A	468	ASN
3	A	503	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	B	1	4	14,14,15	0.77	1 (7%)	17,19,21	1.37	3 (17%)
4	NAG	B	2	4	14,14,15	0.61	0	17,19,21	0.97	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	1	4	-	0/6/23/26	0/1/1/1
4	NAG	B	2	4	-	1/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1	NAG	O5-C1	-2.05	1.40	1.43

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1	NAG	O5-C1-C2	-3.46	105.93	111.29
4	B	1	NAG	C3-C4-C5	2.47	114.72	110.23
4	B	1	NAG	C1-C2-N2	-2.39	106.67	110.43

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	2	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	A	623	3	14,14,15	0.60	0	17,19,21	1.39	3 (17%)
5	NAG	A	627	3	14,14,15	0.55	0	17,19,21	1.27	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	623	3	1/1/5/7	0/6/23/26	0/1/1/1
5	NAG	A	627	3	1/1/5/7	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	627	NAG	O5-C1-C2	-4.00	105.10	111.29
5	A	623	NAG	C1-O5-C5	3.17	116.44	112.19
5	A	623	NAG	C2-N2-C7	2.51	126.26	122.90
5	A	623	NAG	O7-C7-C8	-2.10	118.32	122.05

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	623	NAG	C1
5	A	627	NAG	C1

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	627	NAG	C4-C5-C6-O6
5	A	627	NAG	O5-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	623	NAG	2	0
5	A	627	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	218/228 (95%)	-0.76	0 100 100	102, 146, 179, 194	1 (0%)
2	L	211/214 (98%)	-0.82	0 100 100	113, 145, 177, 195	0
3	A	506/522 (96%)	-0.70	0 100 100	119, 164, 234, 318	0
All	All	935/964 (96%)	-0.74	0 100 100	102, 154, 212, 318	1 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	B	1	14/15	-	-	145,150,154,156	0
4	NAG	B	2	14/15	-	-	161,166,169,169	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	A	623	14/15	0.58	0.09	160,167,172,173	0
5	NAG	A	627	14/15	0.71	0.05	151,161,163,168	0

6.5 Other polymers [i](#)

There are no such residues in this entry.