



wwPDB EM Validation Summary Report ⓘ

Jun 17, 2026 – 07:05 pm BST

PDB ID : 8P17 / pdb_00008p17
EMDB ID : EMD-17347
Title : E167K RF2 on E. coli 70S release complex with UGG (Structure II)
Authors : Pundir, S.; Larsson, D.S.D.; Selmer, M.; Sanyal, S.
Deposited on : 2023-05-11
Resolution : 2.78 Å(reported)
Based on initial models : 8B0X, 1GQE, 7K00, 5MDV

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	10754 (2.28 - 3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	2	1542	55%39%6%
2	g	241	78%14%7%
3	h	233	78%12%10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	i	206	
5	j	167	
6	k	135	
7	l	179	
8	m	130	
9	n	130	
10	o	103	
11	p	129	
12	q	124	
13	r	118	
14	s	101	
15	t	89	
16	u	82	
17	v	84	
18	w	75	
19	x	92	
20	y	87	
21	z	71	
22	4	49	
23	5	76	
24	1	2904	
25	3	120	
26	B	273	
27	C	209	
28	D	201	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	E	179	
30	F	177	
31	J	142	
32	K	123	
33	L	144	
34	M	136	
35	N	127	
36	O	117	
37	P	115	
38	Q	118	
39	R	103	
40	S	110	
41	T	100	
42	U	104	
43	V	94	
44	W	85	
45	X	78	
46	Y	63	
47	Z	59	
48	b	57	
49	c	55	
50	d	46	
51	e	65	
52	f	38	
53	a	70	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	I	142	42% 40% 8% 52%
55	6	365	30% 89% 9% ••
56	G	149	67% 70% 28% •

2 Entry composition

There are 63 unique types of molecules in this entry. The entry contains 148609 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	2	1536	Total	C	N	O	P	0	0
			32966	14711	6044	10675	1536		

- Molecule 2 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	g	224	Total	C	N	O	S	0	0
			1753	1109	315	321	8		

- Molecule 3 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	h	210	Total	C	N	O	S	0	0
			1648	1043	309	292	4		

- Molecule 4 is a protein called Small ribosomal subunit protein uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	i	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 5 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	j	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	k	103	Total	C	N	O	S	0	0
			839	530	151	151	7		

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	l	154	Total	C	N	O	S	0	0
			1214	756	235	219	4		

- Molecule 8 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	m	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 9 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	n	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 10 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	o	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 11 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	p	117	Total	C	N	O	S	0	0
			877	540	173	161	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
p	119	IAS	ASN	variant	UNP P0A7R9

- Molecule 12 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	q	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 13 is a protein called Small ribosomal subunit protein uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	r	115	Total	C	N	O	S	0	0
			891	552	179	157	3		

- Molecule 14 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	s	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 15 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	t	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 16 is a protein called Small ribosomal subunit protein bS16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	u	81	Total	C	N	O	S	0	0
			643	403	127	112	1		

- Molecule 17 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	v	79	Total	C	N	O	S	0	0
			641	406	120	112	3		

- Molecule 18 is a protein called Small ribosomal subunit protein bS18.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	w	66	Total	C	N	O	S	0	0
			544	345	102	96	1		

- Molecule 19 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	x	84	Total	C	N	O	S	0	0
			668	427	127	112	2		

- Molecule 20 is a protein called Small ribosomal subunit protein bS20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	y	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 21 is a protein called Small ribosomal subunit protein bS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	z	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 22 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	4	26	Total	C	N	O	P	0	0
			562	251	104	181	26		

- Molecule 23 is a RNA chain called tRNA(fMet).

Mol	Chain	Residues	Atoms					AltConf	Trace
23	5	76	Total	C	N	O	P	2	0
			1665	742	302	543	78		

- Molecule 24 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	1	2899	Total	C	N	O	P	0	0
			62252	27778	11456	20119	2899		

- Molecule 25 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	3	119	Total	C	N	O	P	0	0
			2549	1135	466	829	119		

- Molecule 26 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	B	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 27 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	C	209	Total	C	N	O	S	0	0
			1566	980	288	294	4		

- Molecule 28 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	D	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 29 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	E	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 30 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	F	175	Total	C	N	O	S	0	0
			1313	826	241	244	2		

- Molecule 31 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 32 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	K	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 33 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	L	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 34 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	M	136	Total	C	N	O	S	0	0
			1075	686	205	177	7		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	82	MS6	MET	variant	UNP P0ADY7

- Molecule 35 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	N	118	Total	C	N	O	S	0	0
			945	585	194	161	5		

- Molecule 36 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	O	116	Total	C	N	O		0	0
			892	552	178	162			

- Molecule 37 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 38 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Q	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 39 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 40 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 41 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	T	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 42 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	U	102	Total	C	N	O	S	0	0
			779	492	146	141			

- Molecule 43 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 44 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	W	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 45 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 46 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	Y	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 47 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Z	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 48 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	b	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 49 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	c	51	Total	C	N	O	S	0	0
			417	269	76	72			

- Molecule 50 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	d	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 51 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 52 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 53 is a protein called Large ribosomal subunit protein bL31A.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	a	60	Total	C	N	O	S	0	0
			480	299	90	85	6		

- Molecule 54 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	I	68	Total	C	N	O	S	0	0
			484	298	89	94	3		

- Molecule 55 is a protein called Peptide chain release factor RF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	6	361	Total	C	N	O	S	0	0
			2855	1757	501	587	10		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
6	167	LYS	GLU	engineered mutation	UNP P07012


- Molecule 56 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	G	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 57 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
57	2	93	Total	Mg	0
			93	93	
57	s	1	Total	Mg	0
			1	1	
57	4	1	Total	Mg	0
			1	1	
57	5	2	Total	Mg	0
			2	2	
57	1	222	Total	Mg	0
			222	222	
57	3	4	Total	Mg	0
			4	4	
57	C	1	Total	Mg	0
			1	1	
57	b	1	Total	Mg	0
			1	1	

- Molecule 58 is SPERMIDINE (CCD ID: SPD) (formula: C₇H₁₉N₃).




Mol	Chain	Residues	Atoms			AltConf
58	2	1	Total	C	N	0
			10	7	3	
58	2	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	

- Molecule 59 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
59	2	38	Total	K	0
			38	38	
59	1	90	Total	K	0
			90	90	

- Molecule 60 is 1,4-DIAMINOBUTANE (CCD ID: PUT) (formula: $C_4H_{12}N_2$).




Mol	Chain	Residues	Atoms			AltConf
60	2	1	Total	C	N	0
			6	4	2	
60	2	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
60	1	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	

- Molecule 61 is SPERMINE (CCD ID: SPM) (formula: $C_{10}H_{26}N_4$).



Mol	Chain	Residues	Atoms			AltConf
61	1	1	Total	C	N	0
			14	10	4	

- Molecule 62 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
62	f	1	Total	Zn	0
			1	1	
62	a	1	Total	Zn	0
			1	1	

- Molecule 63 is water.

Mol	Chain	Residues	Atoms		AltConf
63	1	1	Total	O	0
			1	1	

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
63	6	1	Total	O	0
			1	1	

3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S RNA








• Molecule 2: Small ribosomal subunit protein uS2




• Molecule 3: Small ribosomal subunit protein uS3




• Molecule 4: Small ribosomal subunit protein uS4




- Molecule 5: Small ribosomal subunit protein uS5




- Molecule 6: 30S ribosomal protein S6




- Molecule 7: 30S ribosomal protein S7




- Molecule 8: Small ribosomal subunit protein uS8




- Molecule 9: Small ribosomal subunit protein uS9




- Molecule 10: Small ribosomal subunit protein uS10




- Molecule 11: Small ribosomal subunit protein uS11




- Molecule 12: Small ribosomal subunit protein uS12




- Molecule 13: Small ribosomal subunit protein uS13




- Molecule 14: Small ribosomal subunit protein uS14



- Molecule 15: Small ribosomal subunit protein uS15




- Molecule 16: Small ribosomal subunit protein bS16









- Molecule 17: Small ribosomal subunit protein uS17





- Molecule 18: Small ribosomal subunit protein bS18




- Molecule 19: Small ribosomal subunit protein uS19




- Molecule 20: Small ribosomal subunit protein bS20



- Molecule 21: Small ribosomal subunit protein bS21




- Molecule 22: mRNA




- Molecule 23: tRNA(fMet)

Chain 5: 




• Molecule 24: 23S rRNA

Chain 1: 




A2657	C2658	G2661	A2665	A2682	G2688	U2689	U2690	U2698	C2699	A2700	U2701	C2710	G2714	C2715	C2716	A2721	A2726	U2727	U2728	C2729	C2732	A2733	A2740	A2741	C2744	C2745	A2746	C2747	A2748	C2752	C2755	G2775	A2778	U2779	C2780	A2781	C2788	C2789	C2794	C2795	U2796																			
U2554	U2555	C2556	U2557	U2558	A2566	C2567	U2568	C2573	C2574	U2576	U2578	C2579	U2580	U2581	C2582	C2583	U2584	U2585	U2586	A2590	C2591	U2592	U2595	C2596	U2597	U2598	U2599	A2602	C2603	U2609	U2613	C2614	U2615	G2623	C2627	C2628	U2629	C2636	U2637	C2638	A2639	C2640	C2641	C2646	C2649	U2650														
A2453	C2456	U2457	U2460	A2461	C2462	A2469	C2470	A2476	U2477	A2478	G2481	A2482	C2483	U2491	G2494	C2495	C2496	G2502	A2503	U2504	C2505	U2506	C2512	A2513	U2514	C2515	A2518	U2519	C2520	G2525	C2529	G2532	U2533	A2534	U2537	U2538	G2543	C2544	A2547	U2548	U2552	C2553																		
C2332	A2333	U2334	A2335	U2336	C2337	C2338	C2339	A2340	C2341	G2345	A2346	C2347	C2350	G2361	A2362	C2363	C2364	C2373	C2374	A2377	A2381	C2382	C2383	U2384	C2385	A2386	U2388	C2389	U2390	A2391	U2392	A2398	U2399	G2304	U2305	G2308	U2312	C2313	A2314	C2315	C2316	A2317	A2322	C2325	C2326	A2327	A2328	U2329	A2348	A2451	C2452									
A2657	C2658	G2661	A2665	A2682	G2688	U2689	U2690	U2698	C2699	A2700	U2701	C2710	G2714	C2715	C2716	A2721	A2726	U2727	U2728	C2729	C2732	A2733	A2740	A2741	C2744	C2745	A2746	C2747	A2748	C2752	C2755	G2775	A2778	U2779	C2780	A2781	C2788	C2789	C2794	C2795	U2796																			
U1508	A1509	G1510	U1513	G1514	A1515	C1526	U1527	A1528	G1529	C1530	C1531	A1532	C1533	U1534	A1535	C1536	G1537	G1540	C1541	U1542	G1543	A1544	A1545	U1546	C1547	A1548	U1549	U1554	C1558	U1559	G1560	U1563	C1564	C1565	A1566	A1569	A1570	A1571	A1572	U1578	A1583	U1584	C1585	A1586	U1589	A1590	A1591	U1594												
A1413	C1414	U1415	G1416	A1419	A1420	G1421	A1427	C1428	G1429	C1430	A1431	G1432	A1433	A1434	G1435	U1438	A1439	U1440	G1441	U1442	A1443	G1444	G1452	A1453	U1458	C1459	U1460	C1463	G1464	G1465	A1469	U1470	G1475	G1478	G1482	U1483	U1484	U1485	U1486	C1493	A1494	A1495	A1496	U1497	G1498	U1506	C1507													
C1595	A1596	A1597	U1598	U1599	C1600	C1607	A1608	G1631	A1632	C1633	A1634	G1645	U1646	U1647	U1648	G1649	C1656	U1657	A1664	U1665	G1667	A1672	C1673	G1674	A1677	A1678	G1682	U1683	G1684	G1703	C1704	G1715	U1720	U1721	C1726	C1727	C1728	U1729	C1730	G1731	C1732	U1733	G1734	A1735																
U1736	C1737	U1738	A1739	A1744	A1745	A1746	C1748	C1764	C1771	A1772	A1773	A1780	U1781	U1782	A1786	C1790	A1791	A1794	C1795	U1796	C1797	U1798	C1799	C1800	A1801	A1802	A1803	A1808	A1809	C1816	G1828	A1829	G1842	C1843	U1847	A1853	A1854	U1855	U1856	C1857	A1858	C1868	C1869	C1870																
A1871	A1872	C1873	C1874	C1875	C1881	U1882	U1883	U1884	A1889	A1890	G1906	A1907	U1910	A1913	C1914	3TD1915	A1919	G1929	G1930	U1931	A1932	U1933	C1934	U1935	A1936	U1937	U1938	U1939	U1944	G1945	U1946	C1947	U1955	U1956	C1957	U1963	U1964	C1965	A1966	C1967	A1970	U1971	U1972	G1984	U1991	U1992	U1993													
U1993	U1994	U1995	U1996	U1997	U1998	U1999	U2000	U2001	U2002	U2003	U2004	U2005	U2006	U2007	U2008	U2009	U2010	U2011	U2012	U2013	U2014	U2015	U2016	U2017	U2018	U2019	U2020	U2021	U2022	U2023	U2024	U2025	U2026	U2027	U2028	U2029	U2030	U2031	U2032	U2033	U2034	U2035	U2036	U2037	U2038	U2039	U2040													
C2041	C2042	C2043	C2044	C2045	C2046	C2047	C2048	C2049	C2050	C2051	C2052	C2053	C2054	C2055	C2056	C2057	C2058	C2059	C2060	C2061	C2062	C2063	C2064	C2065	C2066	C2067	C2068	C2069	C2070	C2071	C2072	C2073	C2074	C2075	C2076	C2077	C2078	C2079	C2080	C2081	C2082	C2083	C2084	C2085	C2086	C2087	C2088	C2089	C2090	C2091	C2092	C2093	C2094	C2095	C2096	C2097	C2098	C2099	C2100	C2101
G2102	C2103	C2104	U2105	U2106	U2107	A2108	U2109	U2110	U2111	U2112	U2113	A2114	U2115	U2116	A2117	U2118	U2119	U2120	U2121	U2122	U2123	U2124	U2125	U2126	U2127	U2128	U2129	U2130	U2131	U2132	U2133	U2134	U2135	U2136	U2137	U2138	U2139	U2140	U2141	U2142	U2143	U2144	U2145	U2146	U2147	U2148	U2149	U2150	U2151	U2152	U2153	A2154	U2155	U2156	U2157	A2158	U2159	U2160	U2161	
G2162	A2163	C2164	C2165	U2166	U2167	U2168	U2169	U2170	U2171	U2172	A2173	C2174	C2175	A2176	C2177	C2178	C2179	U2180	U2181	U2182	A2183	A2184	U2185	U2186	U2187	U2188	U2189	U2190	A2191	U2192	U2193	U2194	U2195	A2198	A2199	U2204	A2205	C2206	U2211	U2216	U2225	C2226	U2227	U2228	U2229	U2230	U2231	U2232	U2233	U2234	U2235	U2236	U2237	U2238	U2239	U2240				
A2241	C2242	U2243	A2244	U2245	G2246	A2247	C2248	U2249	G2250	C2251	U2257	C2258	U2259	A2266	A2267	A2268	U2273	A2274	G2279	C2283	C2284	C2285	C2286	A2287	U2288	C2289	U2290	U2291	U2292	A2298	U2299	G2304	U2305	G2308	U2312	C2313	A2314	C2315	C2316	A2317	A2322	C2325	C2326	A2327	A2328	U2329	A2348	A2451	C2452											
C2332	A2333	U2334	A2335	U2336	C2337	C2338	C2339	A2340	C2341	G2345	A2346	C2347	C2350	G2361	A2362	C2363	C2364	C2373	C2374	A2377	A2381	C2382	C2383	U2384	C2385	A2386	U2388	C2389	U2390	A2391	U2392	A2398	U2399	G2304	U2305	G2308	U2312	C2313	A2314	C2315	C2316	A2317	A2322	C2325	C2326	A2327	A2328	U2329	A2348	A2451	C2452									
A2453	C2456	U2457	U2460	A2461	C2462	A2469	C2470	A2476	U2477	A2478	G2481	A2482	C2483	U2491	G2494	C2495	C2496	G2502	A2503	U2504	C2505	U2506	C2512	A2513	U2514	C2515	A2518	U2519	C2520	G2525	C2529	G2532	U2533	A2534	U2537	U2538	G2543	C2544	A2547	U2548	U2552	C2553																		
U2554	U2555	C2556	U2557	U2558	A2566	C2567	U2568	C2573	C2574	U2576	U2578	C2579	U2580	U2581	C2582	C2583	U2584	U2585	U2586	A2590	C2591	U2592	U2595	C2596	U2597	U2598	U2599	A2602	C2603	U2609	U2613	C2614	U2615	G2623	C2627	C2628	U2629	C2636	U2637	C2638	A2639	C2640	C2641	C2646	C2649	U2650														
A2657	C2658	G2661	A2665	A2682	G2688	U2689	U2690	U2698	C2699	A2700	U2701	C2710	G2714	C2715	C2716	A2721	A2726	U2727	U2728	C2729	C2732	A2733	A2740	A2741	C2744	C2745	A2746	C2747	A2748	C2752	C2755	G2775	A2778	U2779	C2780	A2781	C2788	C2789	C2794	C2795	U2796																			




• Molecule 25: 5S rRNA

Chain 3: 68% 28% ..



• Molecule 26: 50S ribosomal protein L2

Chain B: 82% 17% .



• Molecule 27: 50S ribosomal protein L3

Chain C: 89% 9% .




• Molecule 28: 50S ribosomal protein L4

Chain D: 91% 9%




• Molecule 29: 50S ribosomal protein L5


Chain E: 5% 80% 18% .




- Molecule 30: 50S ribosomal protein L6




- Molecule 31: 50S ribosomal protein L13




- Molecule 32: 50S ribosomal protein L14




- Molecule 33: 50S ribosomal protein L15



- Molecule 34: Large ribosomal subunit protein uL16




- Molecule 35: 50S ribosomal protein L17





- Molecule 36: 50S ribosomal protein L18






- Molecule 37: 50S ribosomal protein L19



- Molecule 38: 50S ribosomal protein L20





- Molecule 39: 50S ribosomal protein L21





- Molecule 40: 50S ribosomal protein L22



- Molecule 41: 50S ribosomal protein L23



- Molecule 42: 50S ribosomal protein L24



- Molecule 43: 50S ribosomal protein L25

Chain V:  82% 17% .




- Molecule 44: 50S ribosomal protein L27

Chain W:  74% 15% 11%




- Molecule 45: 50S ribosomal protein L28

Chain X:  85% 13% ..





- Molecule 46: 50S ribosomal protein L29

Chain Y:  6% 81% 16% ..




- Molecule 47: 50S ribosomal protein L30

Chain Z:  5% 93% 5% .




- Molecule 48: 50S ribosomal protein L32

Chain b:  89% 9% .




- Molecule 49: 50S ribosomal protein L33

Chain c:  82% 11% 7%



- Molecule 50: 50S ribosomal protein L34

Chain d:  91% 9%





- Molecule 51: 50S ribosomal protein L35

Chain e:  82% 17%



- Molecule 52: 50S ribosomal protein L36

Chain f:  95% 5%






- Molecule 53: Large ribosomal subunit protein bL31A

Chain a:  7% 64% 21% 14%





- Molecule 54: 50S ribosomal protein L11


Chain I:  42% 40% 8% 52%



- Molecule 55: Peptide chain release factor RF2

Chain 6:  30% 89% 9%





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	22082	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	38.14	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1300	Depositor
Magnification	105000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.253	Depositor
Minimum map value	-0.397	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.056	Depositor
Recommended contour level	0.19	Depositor
Map size (Å)	433.44598, 433.44598, 433.44598	wwPDB
Map dimensions	520, 520, 520	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83355, 0.83355, 0.83355	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 3TD, 6MZ, OMU, PUT, OMG, SPD, IAS, G7M, MG, 5MC, 4OC, 1MG, PSU, MS6, 2MG, MA6, OMC, K, 2MA, 5MU, SPM, ZN, 4D4, UR3, MEQ, H2U, D2T

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	2	0.24	0/36631	0.29	0/57136
2	g	0.17	0/1784	0.31	0/2403
3	h	0.20	0/1675	0.30	0/2256
4	i	0.19	0/1665	0.26	0/2227
5	j	0.22	0/1165	0.33	0/1568
6	k	0.18	0/858	0.28	0/1160
7	l	0.16	0/1230	0.29	0/1649
8	m	0.21	0/989	0.28	0/1326
9	n	0.18	0/1034	0.28	0/1375
10	o	0.20	0/796	0.35	0/1077
11	p	0.20	0/884	0.31	0/1191
12	q	0.22	0/960	0.31	0/1286
13	r	0.16	0/900	0.27	0/1204
14	s	0.19	0/817	0.25	0/1088
15	t	0.19	0/722	0.26	0/964
16	u	0.20	0/653	0.30	0/877
17	v	0.19	0/650	0.28	0/871
18	w	0.20	0/553	0.27	0/742
19	x	0.17	0/685	0.25	0/922
20	y	0.19	0/676	0.24	0/895
21	z	0.18	0/597	0.25	0/792
22	4	0.21	0/630	0.34	0/981
23	5	0.22	0/1859	0.29	0/2894
24	1	0.27	0/69147	0.30	0/107869
25	3	0.21	0/2850	0.26	0/4444
26	B	0.25	0/2121	0.32	0/2852
27	C	0.24	0/1576	0.30	0/2119
28	D	0.22	0/1571	0.31	0/2113
29	E	0.18	0/1434	0.30	0/1926
30	F	0.18	0/1333	0.30	0/1805
31	J	0.23	0/1152	0.27	0/1551

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	K	0.24	0/955	0.32	0/1279
33	L	0.22	0/1062	0.27	0/1413
34	M	0.23	0/1073	0.30	0/1433
35	N	0.24	0/958	0.33	0/1281
36	O	0.19	0/902	0.31	0/1209
37	P	0.23	0/929	0.30	0/1242
38	Q	0.25	0/960	0.29	0/1278
39	R	0.24	0/829	0.37	0/1107
40	S	0.24	0/864	0.29	0/1156
41	T	0.21	0/744	0.32	0/994
42	U	0.19	0/787	0.31	0/1051
43	V	0.21	0/766	0.33	0/1025
44	W	0.24	0/589	0.31	0/779
45	X	0.25	0/635	0.29	0/848
46	Y	0.18	0/502	0.24	0/667
47	Z	0.23	0/453	0.32	0/605
48	b	0.22	0/450	0.28	0/599
49	c	0.21	0/424	0.29	0/565
50	d	0.25	0/380	0.28	0/498
51	e	0.24	0/513	0.29	0/676
52	f	0.24	0/303	0.31	0/397
53	a	0.15	0/488	0.31	0/649
54	I	0.15	0/486	0.37	0/650
55	6	0.20	0/2884	0.29	0/3885
56	G	0.29	0/1122	0.65	0/1515
All	All	0.24	0/159655	0.30	0/238364

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2	32966	0	16606	462	0
2	g	1753	0	1780	21	0
3	h	1648	0	1722	15	0
4	i	1643	0	1707	23	0
5	j	1152	0	1196	10	0
6	k	839	0	833	8	0
7	l	1214	0	1267	19	0
8	m	979	0	1031	12	0
9	n	1022	0	1070	12	0
10	o	786	0	828	15	0
11	p	877	0	884	12	0
12	q	957	0	1017	14	0
13	r	891	0	952	13	0
14	s	805	0	844	10	0
15	t	714	0	734	3	0
16	u	643	0	661	5	0
17	v	641	0	682	11	0
18	w	544	0	565	3	0
19	x	668	0	693	6	0
20	y	670	0	719	6	0
21	z	589	0	629	7	0
22	4	562	0	279	21	0
23	5	1665	0	848	14	0
24	1	62252	0	31316	647	0
25	3	2549	0	1291	28	0
26	B	2082	0	2154	33	0
27	C	1566	0	1618	12	0
28	D	1552	0	1619	12	0
29	E	1410	0	1444	21	0
30	F	1313	0	1358	16	0
31	J	1129	0	1162	15	0
32	K	946	0	1023	9	0
33	L	1053	0	1129	13	0
34	M	1075	0	1145	22	0
35	N	945	0	989	8	0
36	O	892	0	923	8	0
37	P	917	0	962	13	0
38	Q	947	0	1019	9	0
39	R	816	0	839	10	0
40	S	857	0	922	6	0
41	T	738	0	807	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
42	U	779	0	830	9	0
43	V	753	0	780	12	0
44	W	582	0	599	11	0
45	X	625	0	652	7	0
46	Y	501	0	531	9	0
47	Z	449	0	488	2	0
48	b	444	0	458	5	0
49	c	417	0	451	4	0
50	d	377	0	418	4	0
51	e	504	0	572	7	0
52	f	302	0	340	1	0
53	a	480	0	478	9	0
54	I	484	0	521	6	0
55	6	2855	0	2756	22	0
56	G	1111	0	1148	32	0
57	1	222	0	0	0	0
57	2	93	0	0	0	0
57	3	4	0	0	0	0
57	4	1	0	0	0	0
57	5	2	0	0	0	0
57	C	1	0	0	0	0
57	b	1	0	0	0	0
57	s	1	0	0	0	0
58	1	110	0	209	3	0
58	2	20	0	38	5	0
59	1	90	0	0	0	0
59	2	38	0	0	0	0
60	1	66	0	132	5	0
60	2	12	0	24	3	0
61	1	14	0	26	0	0
62	a	1	0	0	0	0
62	f	1	0	0	0	0
63	1	1	0	0	0	0
63	6	1	0	0	0	0
All	All	148609	0	100718	1609	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 1609 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
24:1:2100:G:H1	24:1:2189:U:H3	1.15	0.94
1:2:1363:A:O2'	1:2:1365:G:N7	2.05	0.89
24:1:1056:G:H4'	24:1:1086:A:H8	1.37	0.87
1:2:1086:U:H3	1:2:1099:G:H22	1.25	0.83
24:1:568:U:H1'	24:1:2030:6MZ:H9C1	1.60	0.83

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	g	222/241 (92%)	216 (97%)	6 (3%)	0	100	100
3	h	208/233 (89%)	204 (98%)	4 (2%)	0	100	100
4	i	203/206 (98%)	200 (98%)	3 (2%)	0	100	100
5	j	154/167 (92%)	149 (97%)	5 (3%)	0	100	100
6	k	101/135 (75%)	100 (99%)	1 (1%)	0	100	100
7	l	152/179 (85%)	145 (95%)	7 (5%)	0	100	100
8	m	127/130 (98%)	124 (98%)	3 (2%)	0	100	100
9	n	125/130 (96%)	123 (98%)	2 (2%)	0	100	100
10	o	96/103 (93%)	92 (96%)	3 (3%)	1 (1%)	12	35
11	p	113/129 (88%)	110 (97%)	3 (3%)	0	100	100
12	q	120/124 (97%)	116 (97%)	4 (3%)	0	100	100
13	r	113/118 (96%)	109 (96%)	4 (4%)	0	100	100
14	s	98/101 (97%)	97 (99%)	1 (1%)	0	100	100
15	t	86/89 (97%)	82 (95%)	4 (5%)	0	100	100
16	u	79/82 (96%)	76 (96%)	3 (4%)	0	100	100
17	v	77/84 (92%)	76 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
18	w	64/75 (85%)	64 (100%)	0	0	100	100
19	x	82/92 (89%)	82 (100%)	0	0	100	100
20	y	84/87 (97%)	84 (100%)	0	0	100	100
21	z	68/71 (96%)	68 (100%)	0	0	100	100
26	B	269/273 (98%)	266 (99%)	3 (1%)	0	100	100
27	C	206/209 (99%)	202 (98%)	3 (2%)	1 (0%)	24	52
28	D	199/201 (99%)	196 (98%)	3 (2%)	0	100	100
29	E	175/179 (98%)	166 (95%)	9 (5%)	0	100	100
30	F	173/177 (98%)	165 (95%)	8 (5%)	0	100	100
31	J	140/142 (99%)	139 (99%)	1 (1%)	0	100	100
32	K	121/123 (98%)	118 (98%)	3 (2%)	0	100	100
33	L	142/144 (99%)	139 (98%)	3 (2%)	0	100	100
34	M	132/136 (97%)	130 (98%)	2 (2%)	0	100	100
35	N	116/127 (91%)	111 (96%)	5 (4%)	0	100	100
36	O	114/117 (97%)	112 (98%)	2 (2%)	0	100	100
37	P	112/115 (97%)	109 (97%)	3 (3%)	0	100	100
38	Q	115/118 (98%)	115 (100%)	0	0	100	100
39	R	101/103 (98%)	97 (96%)	4 (4%)	0	100	100
40	S	108/110 (98%)	106 (98%)	2 (2%)	0	100	100
41	T	91/100 (91%)	86 (94%)	5 (6%)	0	100	100
42	U	100/104 (96%)	97 (97%)	3 (3%)	0	100	100
43	V	92/94 (98%)	90 (98%)	2 (2%)	0	100	100
44	W	74/85 (87%)	72 (97%)	2 (3%)	0	100	100
45	X	75/78 (96%)	75 (100%)	0	0	100	100
46	Y	60/63 (95%)	60 (100%)	0	0	100	100
47	Z	56/59 (95%)	53 (95%)	3 (5%)	0	100	100
48	b	54/57 (95%)	54 (100%)	0	0	100	100
49	c	49/55 (89%)	49 (100%)	0	0	100	100
50	d	44/46 (96%)	44 (100%)	0	0	100	100
51	e	62/65 (95%)	61 (98%)	1 (2%)	0	100	100
52	f	36/38 (95%)	36 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
53	a	56/70 (80%)	54 (96%)	2 (4%)	0	100	100
54	I	66/142 (46%)	64 (97%)	2 (3%)	0	100	100
55	6	358/365 (98%)	355 (99%)	3 (1%)	0	100	100
56	G	147/149 (99%)	133 (90%)	13 (9%)	1 (1%)	18	44
All	All	6015/6420 (94%)	5871 (98%)	141 (2%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
10	o	57	VAL
27	C	149	ASN
56	G	76	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	g	186/199 (94%)	181 (97%)	5 (3%)	39	71
3	h	172/190 (90%)	167 (97%)	5 (3%)	37	70
4	i	172/173 (99%)	169 (98%)	3 (2%)	53	80
5	j	119/126 (94%)	118 (99%)	1 (1%)	73	89
6	k	90/116 (78%)	88 (98%)	2 (2%)	45	75
7	l	127/147 (86%)	126 (99%)	1 (1%)	73	89
8	m	104/105 (99%)	104 (100%)	0	100	100
9	n	105/107 (98%)	104 (99%)	1 (1%)	68	86
10	o	86/90 (96%)	85 (99%)	1 (1%)	63	84
11	p	89/98 (91%)	89 (100%)	0	100	100
12	q	102/103 (99%)	102 (100%)	0	100	100
13	r	93/96 (97%)	93 (100%)	0	100	100
14	s	83/84 (99%)	83 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
15	t	76/77 (99%)	76 (100%)	0	100	100
16	u	65/65 (100%)	65 (100%)	0	100	100
17	v	73/78 (94%)	70 (96%)	3 (4%)	27	59
18	w	57/65 (88%)	57 (100%)	0	100	100
19	x	72/79 (91%)	72 (100%)	0	100	100
20	y	65/66 (98%)	65 (100%)	0	100	100
21	z	60/61 (98%)	59 (98%)	1 (2%)	53	80
26	B	216/218 (99%)	214 (99%)	2 (1%)	70	87
27	C	163/163 (100%)	160 (98%)	3 (2%)	51	79
28	D	165/165 (100%)	165 (100%)	0	100	100
29	E	148/150 (99%)	148 (100%)	0	100	100
30	F	136/138 (99%)	133 (98%)	3 (2%)	45	75
31	J	116/116 (100%)	115 (99%)	1 (1%)	70	87
32	K	104/104 (100%)	104 (100%)	0	100	100
33	L	103/103 (100%)	102 (99%)	1 (1%)	68	86
34	M	107/107 (100%)	103 (96%)	4 (4%)	30	62
35	N	98/103 (95%)	97 (99%)	1 (1%)	68	86
36	O	86/87 (99%)	85 (99%)	1 (1%)	63	84
37	P	99/100 (99%)	99 (100%)	0	100	100
38	Q	89/90 (99%)	89 (100%)	0	100	100
39	R	84/84 (100%)	80 (95%)	4 (5%)	23	53
40	S	93/93 (100%)	93 (100%)	0	100	100
41	T	80/84 (95%)	77 (96%)	3 (4%)	29	61
42	U	83/85 (98%)	81 (98%)	2 (2%)	43	74
43	V	78/78 (100%)	76 (97%)	2 (3%)	40	72
44	W	58/63 (92%)	58 (100%)	0	100	100
45	X	67/68 (98%)	65 (97%)	2 (3%)	36	69
46	Y	54/55 (98%)	53 (98%)	1 (2%)	50	78
47	Z	48/49 (98%)	48 (100%)	0	100	100
48	b	47/48 (98%)	47 (100%)	0	100	100
49	c	46/49 (94%)	45 (98%)	1 (2%)	45	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
50	d	38/38 (100%)	38 (100%)	0	100	100
51	e	51/52 (98%)	50 (98%)	1 (2%)	48	77
52	f	34/34 (100%)	34 (100%)	0	100	100
53	a	55/62 (89%)	53 (96%)	2 (4%)	31	63
54	I	50/110 (46%)	49 (98%)	1 (2%)	48	77
55	6	305/310 (98%)	302 (99%)	3 (1%)	68	86
56	G	114/114 (100%)	108 (95%)	6 (5%)	20	49
All	All	5011/5245 (96%)	4944 (99%)	67 (1%)	59	83

5 of 67 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
54	I	78	LEU
55	6	273	GLN
56	G	55	GLU
26	B	242	LYS
26	B	239	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 62 such sidechains are listed below:

Mol	Chain	Res	Type
26	B	90	ASN
55	6	281	HIS
31	J	58	ASN
55	6	280	GLN
56	G	20	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2	1534/1542 (99%)	236 (15%)	5 (0%)
22	4	25/49 (51%)	7 (28%)	1 (4%)
23	5	73/76 (96%)	29 (39%)	0
24	1	2897/2904 (99%)	438 (15%)	6 (0%)
25	3	118/120 (98%)	10 (8%)	0
All	All	4647/4691 (99%)	720 (15%)	12 (0%)

5 of 720 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2	2	A
1	2	7	A
1	2	9	G
1	2	22	G
1	2	23	C

5 of 12 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
24	1	504	A
24	1	784	G
24	1	2162	G
24	1	827	U
1	2	1026	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

41 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	5MC	2	967	1	18,22,23	0.32	0	26,32,35	0.41	0
24	3TD	1	1915	24	19,22,23	0.53	0	21,32,35	0.73	0
1	PSU	2	516	57,1	18,21,22	0.58	0	22,30,33	0.60	1 (4%)
24	6MZ	1	1618	24	22,25,26	0.32	0	30,36,39	0.45	0
1	4OC	2	1402	57,1	20,23,24	0.37	0	26,32,35	0.63	0
55	MEQ	6	252	55	8,9,10	0.93	0	5,10,12	0.58	0
24	PSU	1	2580	24	18,21,22	0.63	1 (5%)	22,30,33	0.67	1 (4%)
1	5MC	2	1407	1	18,22,23	0.35	0	26,32,35	0.45	0
24	PSU	1	955	24	18,21,22	0.57	0	22,30,33	0.57	0
24	PSU	1	2605	24	18,21,22	0.55	0	22,30,33	0.61	0
24	PSU	1	1911	24	18,21,22	0.53	0	22,30,33	0.56	0
34	MS6	M	82	34	5,7,8	0.26	0	2,7,9	0.06	0
24	2MG	1	1835	24	23,26,27	0.33	0	32,38,41	0.31	0
1	G7M	2	527	1,59	23,26,27	0.36	0	35,39,42	0.52	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
24	PSU	1	2504	24,59	18,21,22	0.57	0	22,30,33	0.62	0
11	IAS	p	119	11	6,7,8	0.95	0	6,8,10	1.24	1 (16%)
24	5MC	1	1962	24,59	18,22,23	0.32	0	26,32,35	0.43	0
24	6MZ	1	2030	24	22,25,26	0.34	0	30,36,39	0.44	0
24	2MG	1	2445	24	23,26,27	0.39	0	32,38,41	0.33	0
34	4D4	M	81	34	9,11,12	0.65	0	8,13,15	1.93	3 (37%)
24	PSU	1	746	57,24	18,21,22	0.62	0	22,30,33	0.38	0
24	OMC	1	2498	57,24	19,22,23	0.36	0	26,31,34	0.43	0
24	5MU	1	747	24	19,22,23	0.35	0	28,32,35	0.32	0
24	OMG	1	2251	24,23,59	23,26,27	0.35	0	33,38,41	0.40	0
24	2MA	1	2503	57,24,59	22,25,26	1.00	1 (4%)	33,37,40	1.28	3 (9%)
1	MA6	2	1518	1	23,26,27	0.32	0	34,38,41	0.69	1 (2%)
1	2MG	2	1207	1,59	23,26,27	0.31	0	32,38,41	0.36	0
27	MEQ	C	150	27	8,9,10	0.84	0	5,10,12	0.51	0
1	2MG	2	966	1	23,26,27	0.34	0	32,38,41	0.33	0
24	PSU	1	2457	24	18,21,22	0.60	0	22,30,33	0.57	0
24	5MU	1	1939	24,59	19,22,23	0.56	0	28,32,35	0.90	3 (10%)
24	G7M	1	2069	24,59	23,26,27	0.38	0	35,39,42	0.50	0
1	2MG	2	1516	1	23,26,27	0.35	0	32,38,41	0.42	0
1	MA6	2	1519	1	23,26,27	0.36	0	34,38,41	0.72	1 (2%)
12	D2T	q	89	12	7,9,10	0.89	0	6,11,13	1.74	2 (33%)
24	1MG	1	745	24	22,26,27	0.39	0	33,39,42	0.60	1 (3%)
24	PSU	1	1917	24	18,21,22	0.56	0	22,30,33	0.56	0
24	OMU	1	2552	57,24	19,22,23	0.33	0	26,31,34	0.42	0
1	UR3	2	1498	1	19,22,23	0.33	0	26,32,35	0.35	0
24	H2U	1	2449	24	18,21,22	0.32	0	21,30,33	0.46	0
24	PSU	1	2604	24	18,21,22	0.54	0	22,30,33	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MC	2	967	1	-	0/7/25/26	0/2/2/2
24	3TD	1	1915	24	-	3/7/25/26	0/2/2/2
1	PSU	2	516	57,1	-	0/7/25/26	0/2/2/2
24	6MZ	1	1618	24	-	0/9/27/28	0/3/3/3
1	4OC	2	1402	57,1	-	0/9/29/30	0/2/2/2
55	MEQ	6	252	55	-	2/8/9/11	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	PSU	1	2580	24	-	0/7/25/26	0/2/2/2
1	5MC	2	1407	1	-	0/7/25/26	0/2/2/2
24	PSU	1	955	24	-	0/7/25/26	0/2/2/2
24	PSU	1	2605	24	-	0/7/25/26	0/2/2/2
24	PSU	1	1911	24	-	0/7/25/26	0/2/2/2
34	MS6	M	82	34	-	1/4/6/8	-
24	2MG	1	1835	24	-	0/9/27/28	0/3/3/3
1	G7M	2	527	1,59	-	3/7/25/26	0/3/3/3
24	PSU	1	2504	24,59	-	0/7/25/26	0/2/2/2
11	IAS	p	119	11	-	1/7/7/8	-
24	5MC	1	1962	24,59	-	0/7/25/26	0/2/2/2
24	6MZ	1	2030	24	-	2/9/27/28	0/3/3/3
24	2MG	1	2445	24	-	2/9/27/28	0/3/3/3
34	4D4	M	81	34	-	3/11/12/14	-
24	PSU	1	746	57,24	-	2/7/25/26	0/2/2/2
24	OMC	1	2498	57,24	-	0/9/27/28	0/2/2/2
24	5MU	1	747	24	-	0/7/25/26	0/2/2/2
24	OMG	1	2251	24,23,59	-	1/9/27/28	0/3/3/3
24	2MA	1	2503	57,24,59	-	2/7/25/26	0/3/3/3
1	MA6	2	1518	1	-	0/11/29/30	0/3/3/3
1	2MG	2	1207	1,59	-	0/9/27/28	0/3/3/3
27	MEQ	C	150	27	-	3/8/9/11	-
1	2MG	2	966	1	-	2/9/27/28	0/3/3/3
24	PSU	1	2457	24	-	0/7/25/26	0/2/2/2
24	5MU	1	1939	24,59	-	2/7/25/26	0/2/2/2
24	G7M	1	2069	24,59	-	1/7/25/26	0/3/3/3
1	2MG	2	1516	1	-	0/9/27/28	0/3/3/3
1	MA6	2	1519	1	-	1/11/29/30	0/3/3/3
12	D2T	q	89	12	-	3/7/12/14	-
24	1MG	1	745	24	-	0/7/25/26	0/3/3/3
24	PSU	1	1917	24	-	0/7/25/26	0/2/2/2
24	OMU	1	2552	57,24	-	0/9/27/28	0/2/2/2
1	UR3	2	1498	1	-	0/7/25/26	0/2/2/2
24	H2U	1	2449	24	-	0/7/38/39	0/2/2/2
24	PSU	1	2604	24	-	0/7/25/26	0/2/2/2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	1	2503	2MA	C6-N6	-3.54	1.25	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	1	2580	PSU	O4'-C1'	-2.12	1.40	1.43

The worst 5 of 17 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	1	2503	2MA	N6-C6-N1	4.36	123.20	117.03
34	M	81	4D4	NE-CZ-NH2	3.72	127.24	120.70
24	1	2503	2MA	C2-N1-C6	3.70	123.84	118.08
24	1	2503	2MA	C5-C6-N1	-3.34	113.24	119.01
34	M	81	4D4	O-C-CA	-3.03	116.85	124.78

There are no chirality outliers.

5 of 34 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
27	C	150	MEQ	O-C-CA-CB
24	1	746	PSU	C2'-C1'-C5-C4
24	1	1915	3TD	O4'-C4'-C5'-O5'
24	1	1939	5MU	O4'-C4'-C5'-O5'
24	1	2030	6MZ	O4'-C4'-C5'-O5'

There are no ring outliers.

11 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	2	1402	4OC	2	0
24	1	2030	6MZ	2	0
24	1	2251	OMG	1	0
1	2	1207	2MG	1	0
27	C	150	MEQ	1	0
1	2	966	2MG	2	0
24	1	2457	PSU	1	0
1	2	1516	2MG	1	0
1	2	1519	MA6	1	0
12	q	89	D2T	1	0
24	1	2552	OMU	1	0

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 482 ligands modelled in this entry, 455 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
60	PUT	1	3331	-	5,5,5	0.11	0	4,4,4	0.14	0
60	PUT	1	3326	-	5,5,5	0.09	0	4,4,4	0.19	0
58	SPD	1	3204	-	9,9,9	0.09	0	8,8,8	0.24	0
60	PUT	1	3332	-	5,5,5	0.12	0	4,4,4	0.15	0
60	PUT	1	3329	-	5,5,5	0.09	0	4,4,4	0.21	0
60	PUT	1	3335	-	5,5,5	0.09	0	4,4,4	0.18	0
58	SPD	1	3203	-	9,9,9	0.07	0	8,8,8	0.16	0
58	SPD	1	3333	-	9,9,9	0.11	0	8,8,8	0.15	0
61	SPM	1	3213	-	13,13,13	0.35	0	12,12,12	0.96	0
60	PUT	1	3324	-	5,5,5	0.11	0	4,4,4	0.15	0
60	PUT	2	1734	-	5,5,5	0.14	0	4,4,4	0.15	0
60	PUT	1	3330	-	5,5,5	0.09	0	4,4,4	0.19	0
60	PUT	1	3327	-	5,5,5	0.11	0	4,4,4	0.16	0
58	SPD	2	1689	-	9,9,9	0.09	0	8,8,8	0.19	0
58	SPD	1	3209	-	9,9,9	0.08	0	8,8,8	0.33	0
58	SPD	1	3210	-	9,9,9	0.07	0	8,8,8	0.15	0
58	SPD	2	1690	-	9,9,9	0.10	0	8,8,8	0.22	0
58	SPD	1	3212	-	9,9,9	0.12	0	8,8,8	0.15	0
58	SPD	1	3206	-	9,9,9	0.12	0	8,8,8	0.14	0
58	SPD	1	3207	-	9,9,9	0.07	0	8,8,8	0.16	0
60	PUT	2	1733	-	5,5,5	0.10	0	4,4,4	0.18	0
58	SPD	1	3211	-	9,9,9	0.06	0	8,8,8	0.18	0
58	SPD	1	3208	-	9,9,9	0.08	0	8,8,8	0.17	0
60	PUT	1	3328	-	5,5,5	0.12	0	4,4,4	0.17	0
60	PUT	1	3325	-	5,5,5	0.08	0	4,4,4	0.18	0
60	PUT	1	3323	-	5,5,5	0.06	0	4,4,4	0.18	0
58	SPD	1	3205	-	9,9,9	0.12	0	8,8,8	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	PUT	1	3331	-	-	1/3/3/3	-
60	PUT	1	3326	-	-	1/3/3/3	-
58	SPD	1	3204	-	-	2/7/7/7	-
60	PUT	1	3332	-	-	2/3/3/3	-
60	PUT	1	3329	-	-	1/3/3/3	-
60	PUT	1	3335	-	-	3/3/3/3	-
58	SPD	1	3203	-	-	1/7/7/7	-
58	SPD	1	3333	-	-	2/7/7/7	-
61	SPM	1	3213	-	-	7/11/11/11	-
60	PUT	1	3324	-	-	2/3/3/3	-
60	PUT	2	1734	-	-	2/3/3/3	-
60	PUT	1	3330	-	-	1/3/3/3	-
60	PUT	1	3327	-	-	1/3/3/3	-
58	SPD	2	1689	-	-	2/7/7/7	-
58	SPD	1	3209	-	-	3/7/7/7	-
58	SPD	1	3210	-	-	4/7/7/7	-
58	SPD	2	1690	-	-	3/7/7/7	-
58	SPD	1	3212	-	-	4/7/7/7	-
58	SPD	1	3206	-	-	1/7/7/7	-
58	SPD	1	3207	-	-	5/7/7/7	-
60	PUT	2	1733	-	-	0/3/3/3	-
58	SPD	1	3211	-	-	0/7/7/7	-
58	SPD	1	3208	-	-	2/7/7/7	-
60	PUT	1	3328	-	-	0/3/3/3	-
60	PUT	1	3325	-	-	2/3/3/3	-
60	PUT	1	3323	-	-	1/3/3/3	-
58	SPD	1	3205	-	-	2/7/7/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 55 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	1	3327	PUT	C1-C2-C3-C4
58	1	3209	SPD	C3-C4-C5-N6
58	1	3210	SPD	C3-C4-C5-N6
61	1	3213	SPM	C7-C8-C9-N10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
58	1	3208	SPD	N6-C7-C8-C9

There are no ring outliers.

10 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
60	1	3331	PUT	1	0
60	1	3332	PUT	2	0
60	1	3329	PUT	1	0
60	2	1734	PUT	3	0
58	2	1689	SPD	1	0
58	1	3209	SPD	1	0
58	1	3210	SPD	1	0
58	2	1690	SPD	4	0
58	1	3206	SPD	1	0
60	1	3325	PUT	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-17347. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 260




Y Index: 260




Z Index: 260


6.2.2 Raw map



X Index: 260



Y Index: 260




Z Index: 260


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 264




Y Index: 246




Z Index: 231


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.19. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1076 nm³; this corresponds to an approximate mass of 972 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.360 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.360 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.78	-	-
Author-provided FSC curve	2.78	3.13	2.84
Unmasked-calculated*	3.95	7.43	4.17

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.95 differs from the reported value 2.78 by more than 10 %

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-17347 and PDB model 8P17. Per-residue inclusion information can be found in section [3](#) on page [19](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.19 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.19).

9.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.19) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9020	 0.5450
1	 0.9450	 0.5610
2	 0.9530	 0.5500
3	 0.9550	 0.5490
4	 0.6800	 0.3420
5	 0.9000	 0.5420
6	 0.5690	 0.3900
B	 0.9170	 0.5940
C	 0.9100	 0.5830
D	 0.8570	 0.5590
E	 0.7550	 0.4860
F	 0.7410	 0.4600
G	 0.3210	 0.3520
I	 0.2050	 0.1260
J	 0.9170	 0.5760
K	 0.8530	 0.5740
L	 0.8920	 0.5720
M	 0.8890	 0.5760
N	 0.9450	 0.5940
O	 0.8460	 0.5260
P	 0.8540	 0.5660
Q	 0.9430	 0.5960
R	 0.8780	 0.5640
S	 0.8980	 0.5820
T	 0.8560	 0.5450
U	 0.8400	 0.5260
V	 0.8250	 0.5250
W	 0.8820	 0.5520
X	 0.8920	 0.5730
Y	 0.8140	 0.5080
Z	 0.8670	 0.5550
a	 0.6970	 0.4580
b	 0.8950	 0.5780
c	 0.8290	 0.5440
d	 0.9580	 0.6100



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
e	 0.9530	 0.6060
f	 0.9210	 0.5650
g	 0.7290	 0.4690
h	 0.8410	 0.5220
i	 0.8480	 0.5250
j	 0.8850	 0.5590
k	 0.7740	 0.5040
l	 0.7530	 0.4760
m	 0.8780	 0.5520
n	 0.8280	 0.5020
o	 0.7630	 0.4670
p	 0.8420	 0.5410
q	 0.8540	 0.5630
r	 0.8100	 0.5050
s	 0.8630	 0.5330
t	 0.8550	 0.5460
u	 0.8970	 0.5410
v	 0.8130	 0.5190
w	 0.8200	 0.5230
x	 0.7700	 0.5020
y	 0.8570	 0.5330
z	 0.7050	 0.4520