



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 09:11 AM EDT

PDB ID : 2P3Y / pdb_00002p3y
Title : Crystal structure of VPA0735 from *Vibrio parahaemolyticus*. NorthEast Structural Genomics target VpR109
Authors : Seetharaman, J.; Neely, H.; Forouhar, F.; Wang, D.; Fang, Y.; Cunningham, K.; Ma, L.-C.; Xia, R.; Liu, J.; Baran, M.C.; Acton, T.B.; Rost, B.; Montelione, G.T.; Tong, L.; Hunt, J.F.; Northeast Structural Genomics Consortium (NESG)
Deposited on : 2007-03-10
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	491	
1	B	491	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8142 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hypothetical protein VPA0735.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	461	Total	C	N	O	Se	0	0	0
			3726	2387	625	700	14			
1	B	461	Total	C	N	O	Se	0	0	0
			3726	2387	625	700	14			

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	UNP Q87I71
A	13	MSE	MET	modified residue	UNP Q87I71
A	45	MSE	MET	modified residue	UNP Q87I71
A	48	MSE	MET	modified residue	UNP Q87I71
A	52	MSE	MET	modified residue	UNP Q87I71
A	71	MSE	MET	modified residue	UNP Q87I71
A	88	MSE	MET	modified residue	UNP Q87I71
A	131	MSE	MET	modified residue	UNP Q87I71
A	134	MSE	MET	modified residue	UNP Q87I71
A	135	MSE	MET	modified residue	UNP Q87I71
A	263	MSE	MET	modified residue	UNP Q87I71
A	297	MSE	MET	modified residue	UNP Q87I71
A	352	MSE	MET	modified residue	UNP Q87I71
A	407	MSE	MET	modified residue	UNP Q87I71
A	469	MSE	MET	modified residue	UNP Q87I71
A	476	MSE	MET	modified residue	UNP Q87I71
A	484	LEU	-	cloning artifact	UNP Q87I71
A	485	GLU	-	cloning artifact	UNP Q87I71
A	486	HIS	-	cloning artifact	UNP Q87I71
A	487	HIS	-	cloning artifact	UNP Q87I71
A	488	HIS	-	cloning artifact	UNP Q87I71
A	489	HIS	-	cloning artifact	UNP Q87I71
A	490	HIS	-	cloning artifact	UNP Q87I71
A	491	HIS	-	cloning artifact	UNP Q87I71
B	1	MSE	MET	modified residue	UNP Q87I71

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	13	MSE	MET	modified residue	UNP Q87I71
B	45	MSE	MET	modified residue	UNP Q87I71
B	48	MSE	MET	modified residue	UNP Q87I71
B	52	MSE	MET	modified residue	UNP Q87I71
B	71	MSE	MET	modified residue	UNP Q87I71
B	88	MSE	MET	modified residue	UNP Q87I71
B	131	MSE	MET	modified residue	UNP Q87I71
B	134	MSE	MET	modified residue	UNP Q87I71
B	135	MSE	MET	modified residue	UNP Q87I71
B	263	MSE	MET	modified residue	UNP Q87I71
B	297	MSE	MET	modified residue	UNP Q87I71
B	352	MSE	MET	modified residue	UNP Q87I71
B	407	MSE	MET	modified residue	UNP Q87I71
B	469	MSE	MET	modified residue	UNP Q87I71
B	476	MSE	MET	modified residue	UNP Q87I71
B	484	LEU	-	cloning artifact	UNP Q87I71
B	485	GLU	-	cloning artifact	UNP Q87I71
B	486	HIS	-	cloning artifact	UNP Q87I71
B	487	HIS	-	cloning artifact	UNP Q87I71
B	488	HIS	-	cloning artifact	UNP Q87I71
B	489	HIS	-	cloning artifact	UNP Q87I71
B	490	HIS	-	cloning artifact	UNP Q87I71
B	491	HIS	-	cloning artifact	UNP Q87I71


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	326	Total O 326 326	0	0
2	B	364	Total O 364 364	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Hypothetical protein VPA0735



- Molecule 1: Hypothetical protein VPA0735



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	61.76Å 64.25Å 78.52Å 84.81° 89.14° 76.47°	Depositor
Resolution (Å)	35.70 – 1.80 35.70 – 1.80	Depositor EDS
% Data completeness (in resolution range)	80.7 (35.70-1.80) 86.0 (35.70-1.80)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	0.02	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.39 (at 1.79Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.204 , 0.234 0.217 , 0.212	Depositor DCC
R_{free} test set	8483 reflections (4.37%)	wwPDB-VP
Wilson B-factor (Å ²)	14.3	Xtriage
Anisotropy	0.665	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 47.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	8142	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	12/3812 (0.3%)	0.89	14/5149 (0.3%)
1	B	0.60	12/3812 (0.3%)	0.97	19/5149 (0.4%)
All	All	0.58	24/7624 (0.3%)	0.93	33/10298 (0.3%)

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	52	MSE	SE-CE	-6.49	1.75	1.95
1	B	407	MSE	SE-CE	-6.32	1.76	1.95
1	B	48	MSE	SE-CE	-6.19	1.76	1.95
1	A	469	MSE	SE-CE	-6.08	1.77	1.95
1	A	134	MSE	SE-CE	-6.00	1.77	1.95
1	B	295	ARG	C-O	-5.84	1.17	1.24
1	B	45	MSE	SE-CE	-5.49	1.78	1.95
1	A	71	MSE	SE-CE	-5.44	1.79	1.95
1	A	88	MSE	CG-SE	-5.39	1.79	1.95
1	B	263	MSE	SE-CE	-5.37	1.79	1.95
1	A	352	MSE	SE-CE	-5.31	1.79	1.95
1	B	71	MSE	SE-CE	-5.31	1.79	1.95
1	A	135	MSE	SE-CE	-5.31	1.79	1.95
1	A	131	MSE	SE-CE	-5.31	1.79	1.95
1	A	476	MSE	SE-CE	-5.30	1.79	1.95
1	B	297	MSE	SE-CE	-5.30	1.79	1.95
1	A	52	MSE	SE-CE	-5.30	1.79	1.95
1	B	469	MSE	SE-CE	-5.29	1.79	1.95
1	A	297	MSE	SE-CE	-5.29	1.79	1.95
1	B	134	MSE	SE-CE	-5.29	1.79	1.95
1	A	45	MSE	SE-CE	-5.29	1.79	1.95
1	B	476	MSE	SE-CE	-5.28	1.79	1.95
1	B	131	MSE	SE-CE	-5.16	1.79	1.95
1	A	88	MSE	SE-CE	-5.15	1.80	1.95

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	435	TYR	N-CA-CB	-13.97	86.89	110.49
1	B	435	TYR	N-CA-C	-10.13	89.21	110.80
1	B	377	GLY	N-CA-C	8.58	123.92	114.40
1	B	434	TYR	N-CA-C	-7.84	97.11	109.50
1	B	479	ILE	N-CA-C	-6.87	100.72	109.58
1	B	329	SER	N-CA-C	-6.80	99.90	110.17
1	B	177	TYR	N-CA-C	-6.54	97.87	108.41
1	A	377	GLY	N-CA-C	6.50	122.31	113.99
1	A	329	SER	N-CA-C	-6.14	100.84	110.36
1	A	141	ARG	N-CA-C	-5.84	101.03	110.32
1	A	210	THR	N-CA-C	-5.83	100.64	109.85
1	A	416	ASP	N-CA-C	5.82	117.82	109.14
1	B	162	VAL	N-CA-C	5.75	114.83	108.05
1	B	269	LEU	N-CA-C	-5.66	106.15	113.16
1	B	319	ASP	N-CA-C	-5.60	101.76	110.10
1	B	416	ASP	N-CA-C	5.57	117.64	109.24
1	A	269	LEU	N-CA-C	-5.55	106.18	113.17
1	B	141	ARG	N-CA-C	-5.49	101.59	110.32
1	A	110	VAL	N-CA-C	-5.43	98.65	107.28
1	B	354	SER	N-CA-C	5.42	117.88	110.24
1	B	110	VAL	N-CA-C	-5.40	98.69	107.28
1	A	479	ILE	N-CA-C	-5.36	101.81	108.89
1	B	210	THR	N-CA-C	-5.34	101.41	109.85
1	A	319	ASP	N-CA-C	-5.29	102.21	110.10
1	A	107	THR	N-CA-C	5.28	117.59	110.31
1	B	79	ASN	N-CA-C	5.27	120.72	113.97
1	B	260	ARG	N-CA-C	5.25	117.75	111.71
1	A	147	SER	CB-CA-C	-5.24	110.56	116.63
1	A	260	ARG	N-CA-C	5.15	117.63	111.71
1	B	150	GLY	CA-C-N	5.07	125.09	119.32
1	B	150	GLY	C-N-CA	5.07	125.09	119.32
1	A	172	ASN	CA-C-N	5.03	124.93	119.85
1	A	172	ASN	C-N-CA	5.03	124.93	119.85

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3726	0	3651	103	0
1	B	3726	0	3651	87	0
2	A	326	0	0	7	0
2	B	364	0	0	4	0
All	All	8142	0	7302	180	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:134:MSE:O	1:B:134:MSE:HE2	1.52	1.07
1:A:45:MSE:HE1	1:B:303:TYR:HB2	1.37	1.04
1:A:45:MSE:HE2	1:B:300:SER:HA	1.40	1.00
1:B:407:MSE:HE3	1:B:415:PRO:HG3	1.42	0.97
1:A:124:ILE:HD12	1:A:135:MSE:HE2	1.49	0.95
1:B:474:TRP:HH2	1:B:476:MSE:HE3	1.30	0.94
1:A:91:PHE:CD2	1:A:227:VAL:HG21	2.03	0.94
1:B:91:PHE:CE2	1:B:227:VAL:HG21	2.04	0.92
1:B:88:MSE:HE2	1:B:210:THR:HG23	1.52	0.90
1:A:62:LEU:HD11	1:A:297:MSE:HE2	1.55	0.88
1:B:91:PHE:CD2	1:B:227:VAL:HG21	2.09	0.87
1:B:75:ASN:HD21	1:B:248:GLN:HE22	1.22	0.86
1:A:75:ASN:HD21	1:A:248:GLN:HE22	1.24	0.85
1:B:474:TRP:CH2	1:B:476:MSE:HE3	2.14	0.83
1:A:91:PHE:CE2	1:A:227:VAL:HG21	2.13	0.82
1:A:108:PRO:HG2	1:A:192:ILE:HB	1.59	0.81
1:A:465:PRO:HB2	1:A:469:MSE:HG2	1.65	0.79
1:A:297:MSE:HE3	1:B:52:MSE:HB2	1.64	0.79
1:A:52:MSE:HB2	1:B:297:MSE:HE3	1.66	0.77
1:B:62:LEU:HD11	1:B:297:MSE:HE2	1.66	0.76
1:B:436:GLY:O	1:B:449:GLN:HA	1.86	0.75
1:A:134:MSE:O	1:A:134:MSE:HE2	1.86	0.75
1:B:135:MSE:HE2	1:B:179:ILE:HG21	1.69	0.74
1:B:465:PRO:HB2	1:B:469:MSE:HG2	1.69	0.74
1:A:71:MSE:HE3	1:A:249:ILE:HG12	1.70	0.73
1:A:135:MSE:HE3	1:A:146:LEU:HD21	1.71	0.72
1:A:468:LYS:HG2	1:A:474:TRP:HB2	1.70	0.72
1:B:107:THR:HG21	1:B:191:ARG:NH1	2.08	0.69
1:A:23:GLU:HB2	2:A:565:HOH:O	1.93	0.69
1:A:88:MSE:HE2	1:A:110:VAL:HG12	1.73	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:386:PRO:HD3	1:B:476:MSE:HG3	1.76	0.68
1:B:88:MSE:HE1	1:B:208:ILE:HG22	1.74	0.67
1:A:40:PRO:CG	1:A:45:MSE:HE3	2.25	0.67
1:A:416:ASP:HB2	2:A:643:HOH:O	1.96	0.66
1:B:106:THR:HG21	2:B:771:HOH:O	1.97	0.65
1:B:385:VAL:HG13	1:B:476:MSE:CE	2.26	0.65
1:A:40:PRO:HG2	1:A:45:MSE:HE3	1.79	0.65
1:A:24:THR:CG2	1:A:35:PHE:HB2	2.27	0.64
1:A:124:ILE:HD12	1:A:135:MSE:CE	2.27	0.64
1:B:217:LYS:O	1:B:218:LEU:HB2	1.95	0.64
1:B:385:VAL:HG13	1:B:476:MSE:HE2	1.80	0.63
1:A:297:MSE:HE3	1:B:52:MSE:CB	2.29	0.62
1:B:434:TYR:O	1:B:447:TRP:HA	1.99	0.62
1:A:396:SER:HB2	2:A:643:HOH:O	2.00	0.61
1:A:71:MSE:HE1	1:A:185:VAL:HG21	1.82	0.61
1:A:436:GLY:O	1:A:449:GLN:HA	2.00	0.61
1:B:135:MSE:HE1	1:B:161:ILE:HG13	1.83	0.61
1:B:161:ILE:HD12	1:B:161:ILE:N	2.16	0.61
1:B:465:PRO:CB	1:B:469:MSE:HG2	2.32	0.60
1:A:45:MSE:HE1	1:B:303:TYR:CB	2.23	0.59
1:A:334:GLU:HB3	1:A:337:GLU:CG	2.33	0.59
1:B:24:THR:CG2	1:B:35:PHE:HB2	2.33	0.59
1:B:322:SER:HB3	2:B:621:HOH:O	2.03	0.59
1:A:349:SER:CB	1:A:352:MSE:HE3	2.34	0.58
1:A:45:MSE:HE2	1:B:300:SER:CA	2.25	0.58
1:A:377:GLY:HA3	1:A:451:ASN:O	2.03	0.58
1:A:465:PRO:CB	1:A:469:MSE:HG2	2.33	0.58
1:A:52:MSE:CB	1:B:297:MSE:HE3	2.33	0.57
1:B:149:LEU:HB2	2:B:814:HOH:O	2.03	0.57
2:A:597:HOH:O	1:B:52:MSE:HG3	2.04	0.57
1:B:101:ILE:HD11	1:B:405:ARG:HG3	1.85	0.57
1:B:385:VAL:HA	1:B:476:MSE:HE2	1.87	0.57
1:B:104:ASN:ND2	1:B:463:TYR:OH	2.39	0.56
1:A:435:TYR:HD1	1:A:448:VAL:HG11	1.70	0.56
1:A:135:MSE:HE1	1:A:159:TYR:HB3	1.85	0.56
1:A:349:SER:OG	1:A:352:MSE:HE3	2.07	0.55
1:B:404:ASN:O	1:B:405:ARG:HG2	2.05	0.55
1:A:469:MSE:HG3	1:A:470:PHE:N	2.22	0.55
1:B:131:MSE:HB3	1:B:190:ILE:CG2	2.38	0.54
1:A:45:MSE:CE	1:B:300:SER:HA	2.27	0.54
1:A:91:PHE:CE2	1:A:227:VAL:CG2	2.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:MSE:O	1:A:147:SER:HB3	2.08	0.54
1:B:469:MSE:SE	1:B:469:MSE:C	3.01	0.53
1:B:161:ILE:HD12	1:B:161:ILE:H	1.72	0.53
1:B:91:PHE:CE2	1:B:227:VAL:CG2	2.86	0.53
1:A:75:ASN:ND2	1:A:248:GLN:HE22	2.03	0.52
1:A:435:TYR:CD1	1:A:448:VAL:HG11	2.45	0.52
1:A:70:ILE:CD1	1:A:346:ILE:HD11	2.39	0.52
1:A:70:ILE:HD11	1:A:346:ILE:HD11	1.92	0.52
1:A:214:ALA:C	1:A:216:GLY:H	2.17	0.52
1:A:361:GLN:HG2	2:A:699:HOH:O	2.09	0.51
1:A:444:GLU:O	1:A:447:TRP:CD1	2.63	0.51
1:A:46:LYS:HB3	1:A:46:LYS:NZ	2.26	0.51
1:A:135:MSE:CE	1:A:161:ILE:HD11	2.41	0.51
1:A:468:LYS:HG3	1:A:473:SER:OG	2.09	0.51
1:B:70:ILE:CD1	1:B:346:ILE:HD11	2.40	0.51
1:B:444:GLU:O	1:B:447:TRP:CD1	2.64	0.51
1:A:217:LYS:O	1:A:218:LEU:HB2	2.11	0.51
1:A:135:MSE:SE	1:A:146:LEU:HD21	2.61	0.50
1:B:94:LEU:HD23	1:B:94:LEU:O	2.10	0.50
1:B:102:THR:HA	1:B:400:TYR:CE1	2.47	0.50
1:A:93:THR:OG1	1:A:95:LYS:HD3	2.12	0.50
1:A:196:ASP:O	1:A:199:ARG:HB3	2.11	0.49
1:A:172:ASN:N	1:A:173:PRO:HD3	2.27	0.49
1:A:135:MSE:CE	1:A:146:LEU:HD21	2.42	0.49
1:B:104:ASN:CG	1:B:107:THR:HG22	2.38	0.49
1:B:128:GLU:HG3	1:B:155:LYS:HA	1.93	0.49
1:A:143:LEU:HD11	1:A:181:PRO:HB3	1.95	0.48
1:B:25:VAL:HG22	1:B:34:LYS:HG2	1.94	0.48
1:B:57:ALA:HB2	1:B:269:LEU:HD11	1.95	0.48
1:A:111:ILE:HD13	1:A:187:TYR:OH	2.14	0.48
1:A:434:TYR:O	1:A:447:TRP:HA	2.14	0.48
1:B:447:TRP:CH2	1:B:449:GLN:HB2	2.48	0.48
1:A:143:LEU:CD1	1:A:181:PRO:HB3	2.45	0.47
1:B:404:ASN:C	1:B:405:ARG:HG2	2.39	0.47
1:A:149:LEU:HD12	1:A:149:LEU:N	2.30	0.47
1:A:121:PRO:HB2	1:A:213:TYR:HB3	1.96	0.47
1:A:100:ILE:HB	1:A:103:ALA:HB2	1.97	0.47
1:B:377:GLY:HA3	1:B:451:ASN:O	2.14	0.47
1:B:131:MSE:SE	1:B:190:ILE:HG21	2.64	0.47
1:B:385:VAL:HG13	1:B:476:MSE:HE1	1.96	0.47
1:A:102:THR:HA	1:A:400:TYR:CE1	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:MSE:HB3	1:A:190:ILE:CG2	2.44	0.46
1:A:438:LYS:NZ	1:A:438:LYS:HB2	2.29	0.46
1:A:390:PRO:HD3	1:A:474:TRP:CD2	2.51	0.46
1:A:448:VAL:HG22	1:A:448:VAL:O	2.14	0.46
1:A:45:MSE:HE1	1:B:303:TYR:CD2	2.50	0.46
1:A:447:TRP:CH2	1:A:449:GLN:HB2	2.50	0.46
1:A:327:GLN:O	1:A:334:GLU:HG2	2.16	0.46
1:B:390:PRO:HD3	1:B:474:TRP:CD2	2.50	0.46
1:B:199:ARG:HG3	1:B:199:ARG:HH11	1.80	0.46
1:B:70:ILE:HD11	1:B:346:ILE:HD11	1.98	0.46
1:B:93:THR:OG1	1:B:95:LYS:HD3	2.16	0.46
1:A:65:ILE:HB	1:A:66:PRO:HD3	1.97	0.45
1:B:71:MSE:HA	1:B:71:MSE:HE3	1.99	0.45
1:A:183:THR:HG22	1:A:256:GLU:OE2	2.15	0.45
1:B:75:ASN:ND2	1:B:248:GLN:HE22	2.03	0.45
1:B:94:LEU:HD23	1:B:94:LEU:C	2.42	0.45
1:A:356:ILE:HB	1:A:359:PHE:HB3	1.98	0.45
1:B:100:ILE:HB	1:B:103:ALA:HB2	1.99	0.45
1:B:183:THR:HG22	1:B:256:GLU:OE2	2.17	0.45
1:A:334:GLU:HB3	1:A:337:GLU:HG3	1.97	0.45
1:A:104:ASN:ND2	1:A:463:TYR:OH	2.50	0.44
1:A:59:GLN:HE22	1:A:297:MSE:HE1	1.82	0.44
1:A:93:THR:OG1	1:A:96:GLN:HG3	2.17	0.44
1:A:25:VAL:HG22	1:A:34:LYS:HG2	1.99	0.44
1:A:140:GLN:OE1	1:A:346:ILE:HD12	2.17	0.44
1:A:468:LYS:HG2	1:A:474:TRP:CB	2.44	0.44
1:A:135:MSE:HE1	1:A:159:TYR:CB	2.47	0.44
1:A:135:MSE:HE3	1:A:146:LEU:CD2	2.46	0.44
1:B:468:LYS:HD3	2:B:747:HOH:O	2.18	0.44
1:B:24:THR:HG22	1:B:35:PHE:HB2	2.00	0.43
1:B:135:MSE:HG3	1:B:143:LEU:HB2	2.00	0.43
1:B:215:ASP:OD1	1:B:215:ASP:O	2.37	0.43
1:B:125:ASN:HD22	1:B:158:LYS:HG2	1.84	0.43
1:B:136:LEU:HD11	1:B:347:THR:HA	2.01	0.43
1:A:394:PHE:HB2	1:A:419:SER:OG	2.19	0.43
1:B:386:PRO:CD	1:B:476:MSE:HG3	2.47	0.43
1:A:205:VAL:HB	1:A:206:PRO:HD3	2.00	0.43
1:A:363:TYR:N	1:A:363:TYR:CD2	2.87	0.43
1:B:434:TYR:CD1	1:B:440:VAL:HG21	2.54	0.43
1:A:94:LEU:HD23	1:A:94:LEU:O	2.19	0.42
1:B:65:ILE:HB	1:B:66:PRO:HD3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:ILE:HD13	1:B:187:TYR:OH	2.18	0.42
1:A:310:PRO:HA	1:A:318:LYS:HG2	2.01	0.42
1:A:67:ALA:HA	1:A:138:VAL:O	2.20	0.42
1:A:235:ILE:HD13	2:A:705:HOH:O	2.19	0.42
1:A:399:VAL:HG21	1:A:448:VAL:HG11	2.02	0.42
1:A:214:ALA:O	1:A:216:GLY:N	2.53	0.42
1:A:24:THR:HG23	1:A:35:PHE:HB2	1.99	0.41
1:A:162:VAL:HA	1:A:163:PRO:HD3	1.96	0.41
1:A:315:THR:HA	1:A:478:ASP:OD2	2.21	0.41
1:A:57:ALA:HB2	1:A:269:LEU:CD1	2.50	0.41
1:B:469:MSE:HG3	1:B:470:PHE:N	2.35	0.41
1:A:382:LYS:NZ	1:A:382:LYS:HB3	2.35	0.41
1:B:394:PHE:HB2	1:B:419:SER:OG	2.21	0.41
1:A:349:SER:HB3	1:A:352:MSE:HE3	2.01	0.41
1:B:57:ALA:HB2	1:B:269:LEU:CD1	2.51	0.41
2:A:597:HOH:O	1:B:56:ARG:NH2	2.52	0.41
1:A:451:ASN:HA	1:A:452:PRO:HD3	1.95	0.41
1:B:37:SER:O	1:B:38:ASP:HB2	2.21	0.41
1:B:67:ALA:HA	1:B:138:VAL:O	2.21	0.41
1:A:94:LEU:HD23	1:A:94:LEU:C	2.45	0.41
1:B:104:ASN:HB3	1:B:107:THR:HG22	2.01	0.40
1:A:57:ALA:HB2	1:A:269:LEU:HD11	2.03	0.40
1:A:384:HIS:O	1:A:386:PRO:HD3	2.20	0.40
1:B:75:ASN:HD22	1:B:75:ASN:HA	1.69	0.40
1:B:362:ARG:HA	1:B:362:ARG:HD2	1.89	0.40
1:A:438:LYS:HB2	1:A:438:LYS:HZ2	1.86	0.40
1:B:28:SER:HB3	1:B:31:GLY:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	459/491 (94%)	444 (97%)	11 (2%)	4 (1%)	14	5
1	B	459/491 (94%)	444 (97%)	13 (3%)	2 (0%)	30	19
All	All	918/982 (94%)	888 (97%)	24 (3%)	6 (1%)	18	8

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	214	ALA
1	A	334	GLU
1	A	449	GLN
1	B	449	GLN
1	A	215	ASP
1	B	218	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/416 (98%)	399 (98%)	7 (2%)	53	45
1	B	406/416 (98%)	399 (98%)	7 (2%)	53	45
All	All	812/832 (98%)	798 (98%)	14 (2%)	53	45

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	LYS
1	A	95	LYS
1	A	134	MSE
1	A	337	GLU
1	A	363	TYR
1	A	382	LYS
1	A	469	MSE
1	B	95	LYS
1	B	134	MSE
1	B	231	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	305	LYS
1	B	405	ARG
1	B	415	PRO
1	B	469	MSE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	ASN
1	A	79	ASN
1	A	125	ASN
1	A	207	ASN
1	A	316	ASN
1	A	368	GLN
1	A	373	ASN
1	A	404	ASN
1	B	42	GLN
1	B	75	ASN
1	B	79	ASN
1	B	98	GLN
1	B	125	ASN
1	B	278	ASN
1	B	301	ASN
1	B	316	ASN
1	B	368	GLN
1	B	373	ASN
1	B	404	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	447/491 (91%)	0.50	31 (6%) 23 21	11, 21, 32, 43	0
1	B	447/491 (91%)	0.26	18 (4%) 42 41	9, 18, 30, 49	0
All	All	894/982 (91%)	0.38	49 (5%) 30 29	9, 19, 31, 49	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	448	VAL	6.8
1	A	215	ASP	5.9
1	B	447	TRP	5.0
1	A	447	TRP	5.0
1	A	214	ALA	4.5
1	A	217	LYS	4.3
1	B	435	TYR	4.2
1	B	22	GLN	3.8
1	B	91	PHE	3.7
1	B	448	VAL	3.6
1	B	215	ASP	3.5
1	A	422	ASN	3.5
1	A	359	PHE	3.2
1	A	198	ASP	3.2
1	B	422	ASN	2.8
1	A	149	LEU	2.8
1	A	197	VAL	2.8
1	B	427	SER	2.7
1	B	187	TYR	2.7
1	A	91	PHE	2.7
1	B	24	THR	2.6
1	A	105	PHE	2.5
1	A	334	GLU	2.5
1	A	95	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	95	LYS	2.3
1	B	25	VAL	2.3
1	B	28	SER	2.3
1	A	173	PRO	2.3
1	A	468	LYS	2.3
1	A	337	GLU	2.3
1	B	23	GLU	2.3
1	A	314	GLY	2.2
1	A	213	TYR	2.2
1	A	199	ARG	2.2
1	A	94	LEU	2.2
1	B	231	ASP	2.2
1	A	109	TYR	2.1
1	A	106	THR	2.1
1	A	218	LEU	2.1
1	A	92	ASN	2.1
1	B	198	ASP	2.1
1	A	104	ASN	2.1
1	A	193	LEU	2.1
1	A	190	ILE	2.0
1	A	24	THR	2.0
1	A	183	THR	2.0
1	B	106	THR	2.0
1	B	216	GLY	2.0
1	A	482	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.