



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:15 AM UTC

PDB ID : 6P3Q / pdb_00006p3q
Title : Calpain-5 (CAPN5) Protease Core (PC)
Authors : Velez, G.; Sun, Y.J.; Khan, S.; Yang, J.; Koster, H.J.; Lokesh, G.; Mahajan, V.
Deposited on : 2019-05-24
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	359	
1	B	359	

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 5594 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Calpain-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	345	Total	C	N	O	S	0	0	0
			2799	1779	490	514	16			
1	B	345	Total	C	N	O	S	0	0	0
			2795	1776	489	515	15			

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP O15484
A	-1	SER	-	expression tag	UNP O15484
A	0	HIS	-	expression tag	UNP O15484
A	344	LEU	-	expression tag	UNP O15484
A	345	GLU	-	expression tag	UNP O15484
A	346	ASN	-	expression tag	UNP O15484
A	347	LEU	-	expression tag	UNP O15484
A	348	TYR	-	expression tag	UNP O15484
A	349	PHE	-	expression tag	UNP O15484
A	350	GLN	-	expression tag	UNP O15484
A	351	GLY	-	expression tag	UNP O15484
A	352	HIS	-	expression tag	UNP O15484
A	353	HIS	-	expression tag	UNP O15484
A	354	HIS	-	expression tag	UNP O15484
A	355	HIS	-	expression tag	UNP O15484
A	356	HIS	-	expression tag	UNP O15484
B	-2	GLY	-	expression tag	UNP O15484
B	-1	SER	-	expression tag	UNP O15484
B	0	HIS	-	expression tag	UNP O15484
B	344	LEU	-	expression tag	UNP O15484
B	345	GLU	-	expression tag	UNP O15484
B	346	ASN	-	expression tag	UNP O15484
B	347	LEU	-	expression tag	UNP O15484
B	348	TYR	-	expression tag	UNP O15484
B	349	PHE	-	expression tag	UNP O15484

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	350	GLN	-	expression tag	UNP O15484
B	351	GLY	-	expression tag	UNP O15484
B	352	HIS	-	expression tag	UNP O15484
B	353	HIS	-	expression tag	UNP O15484
B	354	HIS	-	expression tag	UNP O15484
B	355	HIS	-	expression tag	UNP O15484
B	356	HIS	-	expression tag	UNP O15484

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	84.04Å 51.58Å 110.64Å 90.00° 110.42° 90.00°	Depositor
Resolution (Å)	51.84 – 2.80 51.84 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.5 (51.84-2.80) 99.6 (51.84-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.89 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.227 , 0.285 0.229 , 0.290	Depositor DCC
R_{free} test set	1062 reflections (4.76%)	wwPDB-VP
Wilson B-factor (Å ²)	52.0	Xtriage
Anisotropy	0.593	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 33.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5594	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/2874	0.67	0/3891
1	B	0.41	0/2871	0.63	0/3890
All	All	0.45	0/5745	0.65	0/7781

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2799	0	2687	28	0
1	B	2795	0	2677	41	0
All	All	5594	0	5364	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:17:ARG:HD2	1:B:21:ARG:HH21	1.41	0.86
1:A:263:ARG:HE	1:A:276:LYS:HZ3	1.22	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:254:TYR:HE2	1:B:284:ASN:HD22	1.33	0.75
1:B:17:ARG:HH11	1:B:21:ARG:NH2	1.88	0.70
1:B:220:LYS:HE2	1:B:224:ARG:NH2	2.09	0.68
1:B:75:GLN:NE2	1:B:81:CYS:SG	2.69	0.65
1:A:50:ARG:O	1:A:142:THR:HB	1.97	0.64
1:B:98:GLN:HE21	1:B:104:TRP:CD1	2.18	0.61
1:A:254:TYR:HE2	1:A:284:ASN:HD22	1.49	0.60
1:A:88:SER:HB2	1:A:285:PRO:HB3	1.84	0.59
1:A:203:ASP:OD1	1:A:206:ASN:ND2	2.35	0.59
1:B:67:GLY:O	1:B:70:SER:OG	2.18	0.59
1:B:117:TYR:OH	1:B:138:ASP:OD2	2.10	0.58
1:B:218:MET:HE3	1:B:228:ILE:HG21	1.86	0.56
1:A:75:GLN:NE2	1:A:81:CYS:SG	2.79	0.56
1:A:221:VAL:HG21	1:A:339:LYS:HD2	1.87	0.56
1:B:221:VAL:HG21	1:B:339:LYS:HD2	1.88	0.56
1:B:348:TYR:O	1:B:349:PHE:HB2	2.05	0.55
1:A:266:HIS:HA	1:A:269:LEU:HD13	1.90	0.54
1:A:199:LEU:HD21	1:A:337:ILE:HD13	1.89	0.54
1:B:17:ARG:HD2	1:B:21:ARG:NH2	2.18	0.51
1:B:293:GLY:HA2	1:B:296:SER:H	1.76	0.51
1:B:327:PHE:O	1:B:330:VAL:HG22	2.10	0.51
1:B:195:GLU:HB3	1:B:339:LYS:HE3	1.93	0.50
1:B:126:TRP:CG	1:B:191:GLY:HA2	2.47	0.50
1:B:17:ARG:CG	1:B:21:ARG:HE	2.25	0.49
1:A:64:PHE:CE1	1:A:68:ILE:HD12	2.48	0.48
1:B:58:CYS:SG	1:B:156:ASN:HB3	2.53	0.48
1:B:236:THR:HG23	1:B:239:ASP:H	1.78	0.48
1:B:64:PHE:CE1	1:B:68:ILE:HD12	2.49	0.48
1:B:212:ASN:O	1:B:216:GLU:HG2	2.13	0.48
1:A:17:ARG:HD2	1:A:21:ARG:HH21	1.79	0.47
1:B:135:VAL:O	1:B:169:LYS:NZ	2.38	0.47
1:A:55:LYS:HE2	1:A:109:TRP:HE1	1.79	0.47
1:A:291:TRP:NE1	1:A:325:MET:HG2	2.30	0.47
1:B:50:ARG:O	1:B:142:THR:HB	2.14	0.46
1:B:294:PRO:O	1:B:295:TRP:HB2	2.15	0.46
1:B:236:THR:OG1	1:B:237:ALA:N	2.49	0.46
1:B:264:LEU:H	1:B:264:LEU:HD23	1.80	0.46
1:B:297:ASP:HA	1:B:302:TRP:CG	2.51	0.46
1:B:88:SER:HB2	1:B:285:PRO:HB3	1.96	0.45
1:B:288:GLU:OE2	1:B:289:ARG:NH1	2.50	0.45
1:A:208:GLU:O	1:A:212:ASN:ND2	2.50	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:72:ASP:N	1:B:72:ASP:OD1	2.48	0.45
1:A:212:ASN:O	1:A:216:GLU:HG2	2.17	0.44
1:A:199:LEU:HD11	1:A:337:ILE:CD1	2.48	0.44
1:A:12:ASN:O	1:A:16:LEU:HD13	2.17	0.44
1:A:126:TRP:CG	1:A:191:GLY:HA2	2.52	0.44
1:A:50:ARG:HB2	1:A:142:THR:HG22	2.00	0.44
1:A:85:ALA:CB	1:A:253:ALA:HB3	2.48	0.44
1:A:90:LEU:HD22	1:A:189:PHE:CD2	2.53	0.43
1:B:94:GLU:HA	1:B:97:TRP:NE1	2.32	0.43
1:B:137:ASP:O	1:B:165:LYS:NZ	2.49	0.43
1:B:299:SER:OG	1:B:301:GLU:OE1	2.35	0.43
1:B:141:PRO:HG2	1:B:149:TYR:CD2	2.54	0.42
1:A:33:PRO:HB2	1:A:35:THR:HG23	2.00	0.42
1:A:17:ARG:HD2	1:A:21:ARG:NH2	2.35	0.42
1:A:32:PHE:CE1	1:A:169:LYS:HA	2.55	0.42
1:B:126:TRP:CD1	1:B:191:GLY:HA2	2.55	0.41
1:B:283:ARG:HH22	1:B:319:ASP:CG	2.28	0.41
1:B:317:VAL:HB	1:B:322:GLU:HB2	2.02	0.41
1:B:293:GLY:HA2	1:B:294:PRO:C	2.46	0.41
1:A:126:TRP:CD1	1:A:191:GLY:HA2	2.56	0.41
1:A:182:THR:O	1:A:186:LEU:HG	2.21	0.40
1:A:263:ARG:HH21	1:A:276:LYS:NZ	2.19	0.40
1:B:57:ILE:HA	1:B:145:ASN:OD1	2.21	0.40
1:B:206:ASN:O	1:B:207:ASP:C	2.64	0.40
1:B:310:ARG:HA	1:B:313:MET:CE	2.52	0.40
1:A:199:LEU:HD12	1:A:334:PHE:C	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	341/359 (95%)	326 (96%)	15 (4%)	0	100	100
1	B	343/359 (96%)	326 (95%)	16 (5%)	1 (0%)	36	66
All	All	684/718 (95%)	652 (95%)	31 (4%)	1 (0%)	48	77

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	207	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	296/308 (96%)	283 (96%)	13 (4%)	25	59
1	B	295/308 (96%)	287 (97%)	8 (3%)	39	74
All	All	591/616 (96%)	570 (96%)	21 (4%)	31	66

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	ASP
1	A	52	LYS
1	A	72	ASP
1	A	95	SER
1	A	105	LYS
1	A	142	THR
1	A	153	ASN
1	A	219	LEU
1	A	229	SER
1	A	236	THR
1	A	243	ARG
1	A	264	LEU
1	A	326	THR
1	B	35	THR
1	B	72	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	142	THR
1	B	219	LEU
1	B	229	SER
1	B	243	ARG
1	B	264	LEU
1	B	289	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	153	ASN
1	A	292	ASN
1	B	213	GLN
1	B	284	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	345/359 (96%)	0.05	4 (1%) 76 68	23, 42, 75, 93	0
1	B	345/359 (96%)	0.24	5 (1%) 73 64	30, 50, 85, 99	0
All	All	690/718 (96%)	0.14	9 (1%) 75 66	23, 47, 82, 99	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	264	LEU	2.8
1	B	68	ILE	2.8
1	B	349	PHE	2.6
1	B	265	GLY	2.3
1	A	265	GLY	2.2
1	B	266	HIS	2.2
1	A	269	LEU	2.2
1	B	200	THR	2.2
1	A	349	PHE	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.