



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 20, 2026 – 12:17 pm BST

PDB ID : 7P3B / pdb_00007p3b
Title : Human RNA ligase RTCB in complex with GMP and Co(II)
Authors : Kroupova, A.; Ackle, F.; Jinek, M.
Deposited on : 2021-07-07
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	507	% 84% 12% ..
1	B	507	3% 81% 16% ..

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 15242 atoms, of which 7375 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called RNA-splicing ligase RtcB homolog.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	490	Total	C	H	N	O	S	0	0	0
			7346	2331	3629	658	701	27			
1	B	497	Total	C	H	N	O	S	0	1	0
			7475	2366	3700	670	711	28			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	SER	-	expression tag	UNP Q9Y3I0
A	0	ASN	-	expression tag	UNP Q9Y3I0
A	1	ALA	-	expression tag	UNP Q9Y3I0
B	-1	SER	-	expression tag	UNP Q9Y3I0
B	0	ASN	-	expression tag	UNP Q9Y3I0
B	1	ALA	-	expression tag	UNP Q9Y3I0

- Molecule 2 is GUANOSINE-5'-MONOPHOSPHATE (CCD ID: 5GP) (formula: C₁₀H₁₄N₅O₈P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	P	
			36	10	12	5	8	1	
2	B	1	Total	C	H	N	O	P	
			36	10	12	5	8	1	

- Molecule 3 is COBALT (II) ION (CCD ID: CO) (formula: Co) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Co		
			2	2	0	0
3	B	2	Total	Co		
			2	2	0	0

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	H	O		
			7	2	3	2	0	0
4	B	1	Total	C	H	O		
			7	2	3	2	0	0

- Molecule 5 is FORMIC ACID (CCD ID: FMT) (formula: CH₂O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	H	O	0	0
			5	1	2	2		
5	B	1	Total	C	H	O	0	0
			5	1	2	2		
5	B	1	Total	C	H	O	0	0
			5	1	2	2		
5	B	1	Total	C	H	O	0	0
			5	1	2	2		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	H	O	0	0
			14	3	8	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	147	Total	O	0	0
			147	147		
7	B	150	Total	O	0	0
			150	150		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: RNA-splicing ligase RtcB homolog



• Molecule 1: RNA-splicing ligase RtcB homolog



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	96.91Å 96.91Å 227.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.99 – 2.30 48.99 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.99-2.30) 99.9 (48.99-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.11 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.192 , 0.220 0.194 , 0.226	Depositor DCC
R_{free} test set	2447 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	40.6	Xtriage
Anisotropy	0.392	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 41.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15242	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, CO, 5GP, FMT, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.40	26/3787 (0.7%)	1.09	10/5124 (0.2%)
1	B	1.64	42/3843 (1.1%)	1.12	20/5196 (0.4%)
All	All	1.52	68/7630 (0.9%)	1.10	30/10320 (0.3%)

All (68) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	37	TYR	C-O	-7.55	1.14	1.24
1	A	406	GLY	C-O	-6.73	1.19	1.24
1	B	184	TYR	C-O	-6.59	1.15	1.24
1	B	268	GLN	C-O	-6.45	1.16	1.24
1	B	498	ARG	C-O	-6.38	1.17	1.24
1	B	145	GLN	C-O	-6.37	1.16	1.24
1	B	167	ASP	C-O	-6.30	1.16	1.24
1	A	171	ALA	C-O	-6.26	1.16	1.24
1	A	216	LEU	C-O	-6.12	1.18	1.24
1	B	490	ILE	C-O	-6.12	1.16	1.24
1	B	123	GLY	C-O	-6.05	1.17	1.23
1	B	103	ASP	C-O	-6.01	1.17	1.24
1	A	176	VAL	C-O	-5.92	1.16	1.24
1	B	172	LEU	C-O	-5.90	1.17	1.24
1	B	180	LEU	C-O	-5.89	1.17	1.24
1	A	222	LEU	C-O	-5.88	1.16	1.24
1	A	28	PRO	C-O	-5.86	1.17	1.23
1	B	178	TRP	C-O	-5.84	1.17	1.24
1	B	170	GLU	C-O	-5.72	1.17	1.24
1	A	326	PHE	C-O	-5.69	1.17	1.24
1	B	461	VAL	C-O	-5.67	1.18	1.24
1	A	88	VAL	C-O	-5.63	1.18	1.24
1	B	406	GLY	C-O	-5.63	1.20	1.24
1	B	322	SER	C-O	-5.63	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	457	ILE	C-O	-5.57	1.18	1.24
1	B	325	THR	C-O	-5.56	1.17	1.24
1	A	408	CYS	C-O	-5.56	1.17	1.23
1	B	120	ILE	C-O	-5.51	1.18	1.24
1	B	306	TYR	C-O	-5.50	1.17	1.24
1	B	146	ALA	C-O	-5.45	1.17	1.24
1	A	264	GLY	C-O	-5.39	1.17	1.23
1	B	74	ALA	C-O	-5.38	1.17	1.24
1	A	332	PHE	C-O	-5.37	1.17	1.24
1	B	479	THR	C-O	-5.35	1.17	1.24
1	B	153	VAL	C-O	-5.35	1.18	1.23
1	B	248	ILE	C-O	-5.34	1.18	1.24
1	B	237	ILE	C-O	-5.34	1.17	1.24
1	A	153	VAL	C-O	-5.29	1.18	1.24
1	B	99	MET	C-O	-5.27	1.18	1.24
1	A	247	GLY	C-O	-5.26	1.17	1.24
1	B	333	ALA	C-O	-5.26	1.18	1.24
1	B	309	GLY	C-O	-5.25	1.17	1.23
1	B	267	HIS	C-O	-5.23	1.18	1.24
1	A	426	THR	C-O	-5.21	1.18	1.24
1	A	265	LEU	C-O	-5.17	1.18	1.24
1	B	187	ALA	C-O	-5.17	1.18	1.24
1	B	301	PRO	C-O	-5.14	1.17	1.24
1	B	295	CYS	C-O	-5.14	1.17	1.23
1	B	96	ILE	C-O	-5.14	1.18	1.24
1	A	151	ILE	C-O	-5.14	1.18	1.24
1	B	318	TRP	C-O	-5.13	1.18	1.24
1	B	328	THR	C-O	-5.12	1.18	1.24
1	A	248	ILE	C-O	-5.09	1.18	1.24
1	B	216	LEU	C-O	-5.09	1.19	1.24
1	B	324	MET	C-O	-5.09	1.18	1.24
1	B	305	ASP	CG-OD2	-5.08	1.15	1.25
1	A	177	ASP	C-O	-5.07	1.18	1.24
1	A	173	GLU	C-O	-5.06	1.17	1.24
1	B	179	SER	C-O	-5.05	1.18	1.24
1	B	181	ARG	C-O	-5.05	1.18	1.24
1	A	266	GLY	C-O	-5.04	1.17	1.23
1	B	169	GLU	C-O	-5.03	1.18	1.24
1	A	259	HIS	C-O	-5.03	1.18	1.24
1	A	210	ARG	C-O	-5.03	1.18	1.24
1	A	382	PRO	C-O	-5.03	1.18	1.24
1	A	267	HIS	C-O	-5.01	1.18	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	181	ARG	C-O	-5.01	1.18	1.24
1	B	165	ALA	C-O	-5.00	1.18	1.24

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	151	ILE	N-CA-C	9.10	117.97	107.77
1	A	37	TYR	CA-C-O	-8.72	110.66	120.43
1	B	136	VAL	N-CA-C	8.72	120.51	111.00
1	B	83	ILE	N-CA-C	7.75	118.96	108.11
1	B	82	SER	N-CA-C	-6.90	97.99	108.96
1	A	229	ALA	N-CA-C	-6.46	97.88	108.41
1	B	427	CYS	N-CA-C	6.40	118.58	110.33
1	B	155	VAL	N-CA-C	6.19	116.93	110.62
1	B	215	GLY	N-CA-C	6.19	120.16	112.73
1	A	82	SER	N-CA-C	-6.17	99.16	108.96
1	A	151	ILE	N-CA-C	6.14	114.65	107.77
1	B	229	ALA	N-CA-C	-6.09	98.36	108.34
1	B	174	MET	N-CA-C	5.99	120.86	113.50
1	B	86	PRO	N-CA-C	5.88	121.48	113.84
1	B	222	LEU	N-CA-C	5.80	118.82	111.69
1	B	29	ASN	N-CA-C	5.73	119.47	111.90
1	B	277	MET	N-CA-C	5.68	119.47	112.54
1	B	446	GLN	N-CA-C	-5.60	104.80	111.69
1	A	174	MET	N-CA-C	5.58	120.36	113.50
1	A	262	SER	N-CA-C	5.54	119.03	112.72
1	B	151	ILE	CB-CA-C	-5.42	104.55	110.78
1	A	387	LEU	N-CA-C	5.36	119.53	112.89
1	B	121	ASN	N-CA-C	5.36	118.97	111.74
1	A	215	GLY	N-CA-C	5.32	119.12	112.73
1	B	471	ALA	CA-C-N	5.31	125.12	119.28
1	B	471	ALA	C-N-CA	5.31	125.12	119.28
1	B	161	ILE	N-CA-C	-5.29	104.08	108.63
1	B	122	CYS	N-CA-C	-5.20	102.36	110.10
1	A	83	ILE	N-CA-C	5.14	115.31	108.11
1	A	88	VAL	N-CA-C	5.11	116.81	109.51

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3717	3629	3631	24	0
1	B	3775	3700	3705	26	0
2	A	24	12	12	1	0
2	B	24	12	12	1	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	B	8	6	6	0	0
5	B	12	8	4	1	0
6	B	6	8	8	0	0
7	A	147	0	0	1	0
7	B	150	0	0	1	0
All	All	7867	7375	7378	49	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (49) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:405:MET:HE1	1:B:466:LEU:HD21	1.64	0.78
1:B:163:MET:HE2	1:B:219:LEU:HD23	1.76	0.66
1:A:449:LEU:HD13	1:A:467:VAL:HG21	1.76	0.66
1:B:259:HIS:CE1	2:B:601:5GP:H5'1	2.34	0.62
1:B:324:MET:HE2	1:B:324:MET:HA	1.83	0.59
1:A:277:MET:HG2	1:A:296:ALA:HB2	1.85	0.57
1:B:434:LEU:N	1:B:434:LEU:HD23	2.23	0.54
1:B:12:LEU:HD21	1:B:66:MET:SD	2.49	0.52
1:A:470:GLU:HA	1:A:470:GLU:OE1	2.11	0.51
1:A:461:VAL:O	1:A:461:VAL:HG23	2.11	0.50
1:A:363:VAL:HG13	1:A:368:ARG:HD2	1.93	0.50
1:B:227:HIS:N	1:B:227:HIS:CD2	2.79	0.50
1:B:461:VAL:HG12	1:B:504:LYS:HB2	1.93	0.50
1:A:461:VAL:HG12	1:A:504:LYS:HB2	1.92	0.50
1:A:418:GLY:HA3	7:A:726:HOH:O	2.11	0.49
1:B:176:VAL:HG23	1:B:318:TRP:HB3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:87:ASP:OD1	1:A:87:ASP:N	2.45	0.48
1:B:434:LEU:HD23	1:B:434:LEU:H	1.78	0.48
1:B:173:GLU:OE2	5:B:610:FMT:O2	2.32	0.47
1:A:349:TYR:HE2	1:A:351:VAL:HG12	1.78	0.47
1:B:277:MET:HG2	1:B:296:ALA:HB2	1.96	0.47
1:A:363:VAL:CG1	1:A:368:ARG:HD2	2.45	0.47
1:A:259:HIS:CE1	2:A:601:5GP:H5'1	2.50	0.46
1:A:12:LEU:HD13	1:A:47:PHE:CE1	2.51	0.46
1:A:459:ILE:HG12	1:A:461:VAL:HG13	1.97	0.46
1:B:379:ARG:HB2	7:B:768:HOH:O	2.14	0.46
1:B:405:MET:HE1	1:B:466:LEU:CD2	2.39	0.45
1:A:186:TRP:CD1	1:B:291:ARG:HD2	2.51	0.45
1:A:445:PHE:CE2	1:A:465:LYS:HG2	2.52	0.44
1:B:153:VAL:HG12	1:B:462:ALA:HB2	1.99	0.44
1:A:8:GLU:HA	1:A:8:GLU:OE1	2.18	0.44
1:B:349:TYR:HE2	1:B:351:VAL:HG12	1.82	0.43
1:B:361:HIS:CE1	1:B:423:PHE:HB3	2.54	0.43
1:A:349:TYR:CE2	1:A:351:VAL:HG12	2.53	0.43
1:B:349:TYR:HD2	1:B:351:VAL:HG13	1.83	0.42
1:B:451:LYS:O	1:B:455:MET:HG3	2.19	0.42
1:A:121:ASN:OD1	1:A:352:SER:HB2	2.18	0.42
1:B:153:VAL:HG22	1:B:222:LEU:HD23	2.02	0.42
1:A:114:GLY:O	1:A:375:LYS:HD3	2.19	0.42
1:A:94:PHE:CG	1:A:115:GLY:HA2	2.55	0.41
1:B:349:TYR:CE2	1:B:351:VAL:HG12	2.55	0.41
1:A:153:VAL:HG22	1:A:505:GLY:HA2	2.00	0.41
1:B:195:GLU:HG2	1:B:199:MET:HG2	2.02	0.41
1:B:461:VAL:O	1:B:461:VAL:HG23	2.21	0.41
1:A:104:MET:HE2	1:A:104:MET:HB3	1.92	0.41
1:B:357:LYS:HE2	1:B:357:LYS:HB3	1.78	0.41
1:B:434:LEU:N	1:B:434:LEU:CD2	2.84	0.41
1:A:128:ARG:O	1:A:345:LEU:HA	2.21	0.40
1:A:460:ARG:HD3	1:A:460:ARG:HA	1.93	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	484/507 (96%)	472 (98%)	12 (2%)	0	100	100
1	B	491/507 (97%)	480 (98%)	11 (2%)	0	100	100
All	All	975/1014 (96%)	952 (98%)	23 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	386/409 (94%)	384 (100%)	2 (0%)	81	90
1	B	393/409 (96%)	389 (99%)	4 (1%)	68	82
All	All	779/818 (95%)	773 (99%)	6 (1%)	73	86

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	428	HIS
1	A	449	LEU
1	B	15	ILE
1	B	219	LEU
1	B	235	ASP
1	B	428	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	A	330	GLN
1	A	385	HIS
1	B	142	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 13 ligands modelled in this entry, 4 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	FMT	B	605	-	2,2,2	0.59	0	1,1,1	0.89	0
5	FMT	B	608	-	2,2,2	0.63	0	1,1,1	0.78	0
5	FMT	B	610	-	2,2,2	0.34	0	1,1,1	0.79	0
2	5GP	A	601	3	26,26,26	1.71	8 (30%)	40,40,40	1.94	10 (25%)
2	5GP	B	601	3	26,26,26	1.31	4 (15%)	40,40,40	2.02	11 (27%)
6	GOL	B	609	-	5,5,5	0.27	0	5,5,5	0.67	0
4	ACT	B	604	-	3,3,3	0.90	0	3,3,3	0.71	0
4	ACT	B	607	-	3,3,3	0.63	0	3,3,3	1.01	0
5	FMT	B	606	-	2,2,2	0.45	0	1,1,1	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	B	609	-	-	0/4/4/4	-
2	5GP	A	601	3	-	3/10/26/26	0/3/3/3
2	5GP	B	601	3	-	5/10/26/26	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	5GP	C6-N1	-4.33	1.30	1.38
2	A	601	5GP	C5-N7	-3.28	1.32	1.39
2	B	601	5GP	C6-N1	-2.94	1.33	1.38
2	A	601	5GP	C4-N9	-2.87	1.30	1.38
2	B	601	5GP	C5-N7	-2.61	1.34	1.39
2	B	601	5GP	C4-N9	-2.52	1.31	1.38
2	B	601	5GP	C5-C4	2.51	1.45	1.38
2	A	601	5GP	C2-N1	-2.42	1.31	1.37
2	A	601	5GP	P-OP2	-2.31	1.46	1.54
2	A	601	5GP	P-OP3	-2.26	1.46	1.54
2	A	601	5GP	C5-C4	2.11	1.44	1.38
2	A	601	5GP	O4'-C4'	-2.07	1.40	1.45

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	5GP	C5-C4-N3	-5.98	118.76	128.46
2	B	601	5GP	C5-C4-N3	-5.77	119.10	128.46
2	B	601	5GP	C2-N3-C4	4.64	120.56	112.30
2	A	601	5GP	C2-N3-C4	4.31	119.98	112.30
2	B	601	5GP	C6-C5-N7	4.09	137.86	130.25
2	A	601	5GP	N9-C4-N3	4.03	134.03	125.94
2	A	601	5GP	C6-C5-N7	3.79	137.30	130.25
2	B	601	5GP	N9-C4-N3	3.52	133.01	125.94
2	B	601	5GP	N2-C2-N3	-3.48	112.95	119.73
2	B	601	5GP	C4-C5-N7	-3.31	105.48	110.72
2	A	601	5GP	C4-C5-N7	-2.89	106.14	110.72
2	A	601	5GP	C2-N1-C6	-2.71	120.15	125.10
2	A	601	5GP	N2-C2-N3	-2.71	114.47	119.73
2	B	601	5GP	N2-C2-N1	2.70	122.46	116.71
2	B	601	5GP	C2-N1-C6	-2.48	120.57	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	5GP	C5-C6-N1	2.42	119.35	113.19
2	A	601	5GP	O6-C6-C5	-2.30	120.49	126.60
2	B	601	5GP	OP2-P-OP3	2.27	116.30	107.64
2	A	601	5GP	OP3-P-OP1	2.19	119.24	110.68
2	B	601	5GP	O6-C6-C5	-2.13	120.94	126.60
2	B	601	5GP	C5-C6-N1	2.10	118.51	113.19

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	601	5GP	C5'-O5'-P-OP1
2	B	601	5GP	C5'-O5'-P-OP3
2	B	601	5GP	C5'-O5'-P-OP2
2	A	601	5GP	C3'-C4'-C5'-O5'
2	B	601	5GP	O4'-C4'-C5'-O5'
2	B	601	5GP	C3'-C4'-C5'-O5'
2	A	601	5GP	O4'-C4'-C5'-O5'
2	A	601	5GP	C5'-O5'-P-OP2

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	610	FMT	1	0
2	A	601	5GP	1	0
2	B	601	5GP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	490/507 (96%)	-0.17	6 (1%) 76 77	26, 45, 74, 99	0
1	B	497/507 (98%)	-0.06	14 (2%) 55 57	25, 47, 81, 131	1 (0%)
All	All	987/1014 (97%)	-0.12	20 (2%) 65 66	25, 46, 77, 131	1 (0%)

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	55[A]	ARG	8.5
1	B	445	PHE	5.5
1	A	434	LEU	5.4
1	B	464	PRO	5.3
1	A	55	ARG	5.0
1	B	59	VAL	3.9
1	B	444	ASP	3.8
1	B	466	LEU	3.1
1	A	45	LEU	2.9
1	B	16	ASN	2.8
1	B	157	SER	2.8
1	B	465	LYS	2.8
1	B	437	ALA	2.4
1	B	390	VAL	2.4
1	A	444	ASP	2.3
1	A	44	LYS	2.3
1	B	505	GLY	2.2
1	B	153	VAL	2.2
1	B	472	PRO	2.1
1	A	278	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	ACT	B	607	4/4	0.59	0.26	58,59,70,70	0
5	FMT	B	608	3/3	0.70	0.19	59,61,73,73	0
4	ACT	B	604	4/4	0.75	0.22	58,60,70,70	0
5	FMT	B	606	3/3	0.77	0.17	49,49,59,60	0
5	FMT	B	610	3/3	0.82	0.12	30,31,37,38	0
5	FMT	B	605	3/3	0.89	0.14	50,52,62,63	0
6	GOL	B	609	6/6	0.89	0.11	60,72,74,74	0
2	5GP	B	601	24/24	0.94	0.08	36,43,52,52	0
2	5GP	A	601	24/24	0.97	0.06	29,33,39,40	0
3	CO	B	603	1/1	0.99	0.02	32,32,32,32	0
3	CO	A	603	1/1	0.99	0.03	34,34,34,34	0
3	CO	A	602	1/1	1.00	0.02	27,27,27,27	0
3	CO	B	602	1/1	1.00	0.01	32,32,32,32	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 5GP B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 5GP A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CO B 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CO A 603:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CO A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.