



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:55 PM UTC

PDB ID : 1P45 / pdb_00001p45
Title : Targeting tuberculosis and malaria through inhibition of enoyl reductase: compound activity and structural data
Authors : Kuo, M.R.; Morbidoni, H.R.; Alland, D.; Sneddon, S.F.; Gourlie, B.B.; Staveski, M.M.; Leonard, M.; Gregory, J.S.; Janjigian, A.D.; Yee, C.; Musser, J.M.; Kreiswirth, B.N.; Iwamoto, H.; Perozzo, R.; Jacobs Jr., W.R.; Sacchetti, J.C.; Fidock, D.A.; TB Structural Genomics Consortium (TBSGC)
Deposited on : 2003-04-21
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	269	3% 41% 40% 17% .
1	B	269	6% 38% 35% 20% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	TCL	B	500	-	-	X	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 4171 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-[acyl-carrier-protein] reductase [NADH].


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	268	Total	C	N	O	S	0	0	0
			1994	1263	348	373	10			
1	B	268	Total	C	N	O	S	0	0	0
			1993	1263	348	372	10			

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is TRICLOSAN (CCD ID: TCL) (formula: $C_{12}H_7Cl_3O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	Cl	O	0	0
			17	12	3	2		
3	A	1	Total	C	Cl	O	0	0
			17	12	3	2		
3	B	1	Total	C	Cl	O	0	0
			17	12	3	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	20	Total	O	0	0
			20	20		
4	B	25	Total	O	0	0
			25	25		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]



• Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]



4 Data and refinement statistics

Property	Value	Source
Space group	I 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	94.82Å 104.12Å 189.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.60 30.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	94.8 (30.00-2.60) 94.8 (30.00-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.09 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.1, CNS	Depositor
R, R_{free}	0.225 , 0.290 0.228 , 0.287	Depositor DCC
R_{free} test set	1481 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	47.0	Xtriage
Anisotropy	0.734	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 29.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4171	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, TCL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.69	23/2032 (1.1%)	1.74	33/2758 (1.2%)
1	B	1.81	23/2031 (1.1%)	1.77	38/2758 (1.4%)
All	All	1.75	46/4063 (1.1%)	1.75	71/5516 (1.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	10
All	All	0	13

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	147	MET	SD-CE	-12.04	1.49	1.79
1	B	214	GLN	CB-CG	10.85	1.85	1.52
1	B	79	THR	CA-CB	9.46	1.68	1.53
1	A	171	VAL	C-O	-8.41	1.14	1.24
1	B	261	ASP	CG-OD2	7.12	1.38	1.25
1	A	47	ILE	CA-CB	7.03	1.63	1.54
1	A	143	SER	C-O	-6.99	1.16	1.23
1	B	194	ILE	CA-CB	-6.93	1.44	1.54
1	A	256	ASP	C-O	6.84	1.32	1.23
1	A	232	MET	SD-CE	6.82	1.96	1.79
1	B	92	VAL	CA-CB	-6.60	1.45	1.54
1	B	232	MET	SD-CE	-6.57	1.63	1.79
1	B	199	MET	SD-CE	-6.54	1.63	1.79
1	A	105	ILE	CA-CB	6.45	1.62	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	175	VAL	CA-CB	-6.29	1.46	1.54
1	B	264	ALA	C-O	-6.29	1.16	1.24
1	A	202	ILE	CA-CB	6.17	1.62	1.54
1	B	79	THR	CA-C	6.12	1.60	1.52
1	B	214	GLN	CG-CD	6.09	1.67	1.52
1	B	155	MET	SD-CE	-6.02	1.64	1.79
1	A	153	ARG	CA-CB	-5.99	1.43	1.53
1	B	259	TYR	CA-C	5.97	1.60	1.53
1	A	48	GLN	N-CA	5.89	1.53	1.46
1	A	186	SER	N-CA	5.83	1.53	1.46
1	A	196	THR	CA-CB	5.76	1.61	1.53
1	B	214	GLN	CA-CB	5.73	1.63	1.53
1	A	255	GLY	C-O	-5.71	1.15	1.24
1	B	149	PHE	CA-C	5.70	1.59	1.52
1	A	50	ILE	CA-CB	5.69	1.61	1.54
1	B	56	ALA	CA-C	5.67	1.60	1.52
1	A	241	THR	CA-CB	5.67	1.62	1.53
1	B	213	ALA	CA-C	5.64	1.60	1.52
1	A	161	MET	SD-CE	-5.61	1.65	1.79
1	B	80	GLU	N-CA	5.60	1.53	1.46
1	B	202	ILE	CA-CB	5.54	1.61	1.54
1	A	239	ALA	CA-CB	-5.52	1.44	1.53
1	A	130	MET	CG-SD	5.45	1.94	1.80
1	B	152	SER	N-CA	5.29	1.52	1.46
1	A	120	ILE	CA-CB	5.28	1.61	1.54
1	B	236	THR	CA-C	5.22	1.59	1.52
1	A	181	LYS	CB-CG	5.22	1.68	1.52
1	B	92	VAL	C-O	5.19	1.29	1.24
1	B	215	ILE	N-CA	5.16	1.50	1.46
1	B	86	ASN	CA-C	5.13	1.58	1.52
1	A	155	MET	SD-CE	5.11	1.92	1.79
1	A	129	SER	CA-C	5.05	1.59	1.52

All (71) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	4	LEU	N-CA-C	9.20	121.31	111.28
1	A	153	ARG	N-CA-C	9.19	122.85	108.79
1	A	173	ARG	NE-CZ-NH2	-8.81	111.27	119.20
1	A	171	VAL	N-CA-C	-8.32	102.13	110.62
1	B	235	ALA	CA-C-N	-8.28	110.20	120.06
1	B	235	ALA	C-N-CA	-8.28	110.20	120.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	177	ARG	CB-CA-C	8.01	125.99	110.46
1	A	249	TRP	N-CA-C	7.60	122.39	113.20
1	B	71	LEU	N-CA-C	7.42	120.02	111.11
1	B	166	SER	N-CA-C	-7.42	103.27	111.36
1	B	202	ILE	N-CA-C	7.36	124.65	109.34
1	B	229	GLY	N-CA-C	-7.33	103.44	112.68
1	B	50	ILE	N-CA-C	7.29	120.16	111.05
1	B	41	PHE	CA-C-N	-7.26	110.98	122.08
1	B	41	PHE	C-N-CA	-7.26	110.98	122.08
1	B	47	ILE	N-CA-C	7.02	117.13	110.53
1	B	214	GLN	CB-CG-CD	6.97	124.45	112.60
1	B	173	ARG	CG-CD-NE	-6.94	96.74	112.00
1	B	32	GLN	N-CA-C	6.86	121.73	112.88
1	B	214	GLN	CA-CB-CG	6.86	127.82	114.10
1	A	13	SER	N-CA-C	6.74	119.03	110.33
1	B	130	MET	CG-SD-CE	-6.73	86.09	100.90
1	B	15	ILE	N-CA-C	6.54	118.86	109.51
1	A	179	ALA	N-CA-C	6.42	120.69	112.34
1	A	42	ASP	N-CA-C	6.30	124.23	110.80
1	A	177	ARG	CA-CB-CG	6.27	126.64	114.10
1	A	130	MET	N-CA-C	6.23	118.07	111.28
1	B	255	GLY	N-CA-C	-6.19	106.70	115.30
1	B	171	VAL	CB-CA-C	-6.09	101.30	111.29
1	B	215	ILE	N-CA-C	6.08	116.42	111.62
1	A	173	ARG	NE-CZ-NH1	6.04	127.53	121.50
1	A	202	ILE	CB-CA-C	6.03	120.33	112.24
1	B	42	ASP	N-CA-C	6.01	122.19	114.56
1	A	169	GLU	N-CA-C	-5.96	104.12	111.33
1	B	224	GLN	CA-CB-CG	5.89	125.88	114.10
1	A	196	THR	N-CA-C	-5.80	102.35	110.35
1	B	203	VAL	N-CA-C	5.77	121.34	109.34
1	B	213	ALA	N-CA-C	5.77	123.08	110.80
1	B	19	SER	CB-CA-C	5.76	118.75	109.07
1	B	101	THR	N-CA-C	5.72	118.25	111.33
1	B	104	GLY	N-CA-C	5.66	121.64	111.34
1	A	262	GLY	CA-C-O	-5.57	110.88	120.57
1	A	161	MET	N-CA-C	-5.57	105.22	112.23
1	A	162	THR	N-CA-C	-5.54	105.14	111.07
1	B	59	PRO	N-CA-C	-5.52	102.27	111.26
1	B	68	GLU	N-CA-C	-5.50	105.28	111.28
1	A	184	VAL	CA-C-N	5.46	128.53	120.82
1	A	184	VAL	C-N-CA	5.46	128.53	120.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	113	TYR	N-CA-C	5.45	117.98	111.71
1	B	121	HIS	N-CA-C	-5.45	105.24	111.07
1	A	268	LEU	N-CA-C	-5.42	105.47	112.68
1	B	87	LYS	CA-CB-CG	5.38	124.86	114.10
1	B	79	THR	OG1-CB-CG2	-5.28	98.75	109.30
1	B	143	SER	N-CA-C	5.26	117.07	108.55
1	A	173	ARG	N-CA-C	-5.25	105.47	111.14
1	A	78	VAL	CB-CA-C	5.22	118.88	112.04
1	A	47	ILE	CA-C-O	-5.20	115.64	121.05
1	A	153	ARG	NE-CZ-NH1	-5.18	116.32	121.50
1	A	174	PHE	N-CA-C	5.16	116.90	111.28
1	A	93	HIS	CB-CA-C	5.13	118.98	110.78
1	B	8	LYS	N-CA-C	5.12	117.52	110.35
1	A	256	ASP	O-C-N	5.12	128.78	122.84
1	B	240	LYS	CA-CB-CG	5.11	124.32	114.10
1	A	193	PRO	N-CD-CG	-5.10	95.55	103.20
1	A	218	LEU	CA-C-N	5.06	127.32	120.38
1	A	218	LEU	C-N-CA	5.06	127.32	120.38
1	B	95	ILE	CB-CA-C	-5.05	103.09	110.62
1	A	189	VAL	CB-CA-C	-5.04	103.61	110.77
1	B	204	GLY	N-CA-C	-5.03	101.26	113.18
1	A	191	ALA	N-CA-C	5.03	117.33	110.55
1	B	153	ARG	CG-CD-NE	-5.03	100.94	112.00

There are no chirality outliers.

All (13) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	138	MET	Peptide
1	A	3	GLY	Peptide
1	A	41	PHE	Peptide
1	B	123	SER	Peptide
1	B	197	LEU	Peptide
1	B	2	THR	Peptide
1	B	200	SER	Peptide
1	B	203	VAL	Peptide
1	B	207	LEU	Peptide
1	B	208	GLY	Peptide
1	B	209	GLU	Peptide
1	B	268	LEU	Peptide
1	B	44	LEU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1994	0	2008	96	0
1	B	1993	0	2008	132	0
2	A	44	0	25	2	0
2	B	44	0	26	4	0
3	A	34	0	12	3	0
3	B	17	0	6	7	0
4	A	20	0	0	1	0
4	B	25	0	0	3	0
All	All	4171	0	4085	225	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (225) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:214:GLN:CB	1:B:214:GLN:CG	1.85	1.53
1:B:120:ILE:O	1:B:124:ALA:HB3	1.65	0.95
1:A:202:ILE:HD11	1:A:215:ILE:HG21	1.50	0.92
1:B:14:GLY:O	2:B:350:NAD:O3B	1.89	0.91
1:A:245:LEU:HD13	1:A:250:LEU:HD12	1.56	0.88
1:A:215:ILE:O	1:A:219:GLU:HB2	1.74	0.87
1:A:195:ARG:HH21	1:A:203:VAL:HG11	1.44	0.82
1:B:103:MET:HE1	3:B:500:TCL:H121	1.64	0.79
1:B:3:GLY:O	1:B:6:ASP:N	2.17	0.77
1:B:202:ILE:HD12	1:B:202:ILE:H	1.48	0.77
1:A:20:SER:OG	2:A:300:NAD:O2A	2.03	0.77
1:A:47:ILE:O	1:A:51:THR:HG22	1.84	0.76
1:B:205:GLY:C	1:B:207:LEU:H	1.94	0.75
1:A:172:ASN:ND2	4:A:451:HOH:O	2.19	0.75
1:B:103:MET:CE	3:B:500:TCL:H121	2.17	0.75
1:B:93:HIS:HD2	1:B:127:TYR:HA	1.53	0.73
1:B:209:GLU:HA	1:B:209:GLU:OE1	1.88	0.72
1:A:69:GLU:O	1:A:73:SER:HB3	1.88	0.72
1:B:254:THR:HG21	4:B:501:HOH:O	1.88	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:HIS:O	1:A:28:VAL:HG23	1.90	0.72
1:B:137:ILE:O	1:B:137:ILE:CG1	2.37	0.71
1:B:199:MET:O	1:B:202:ILE:HB	1.90	0.71
1:B:93:HIS:CE1	1:B:95:ILE:HB	2.27	0.69
1:A:45:ARG:NH1	1:A:45:ARG:HB2	2.07	0.69
1:B:259:TYR:CD2	1:B:265:HIS:CD2	2.81	0.69
1:A:46:LEU:O	1:A:50:ILE:HG12	1.94	0.67
1:A:202:ILE:HB	1:A:207:LEU:HD22	1.75	0.67
1:B:201:ALA:O	1:B:204:GLY:HA3	1.95	0.67
1:B:138:MET:HE1	1:B:144:ILE:HG12	1.77	0.65
1:B:213:ALA:C	1:B:215:ILE:H	2.05	0.65
1:B:98:MET:HE1	1:B:116:VAL:HA	1.77	0.65
1:B:203:VAL:H	1:B:204:GLY:HA3	1.62	0.65
1:B:202:ILE:H	1:B:202:ILE:CD1	2.11	0.64
1:A:214:GLN:HE21	1:A:214:GLN:HA	1.62	0.64
1:B:49:ARG:O	1:B:52:ASP:HB2	1.98	0.63
1:A:195:ARG:HD3	1:A:232:MET:HE2	1.80	0.63
1:B:30:GLN:C	1:B:32:GLN:N	2.54	0.63
1:B:189:VAL:HA	1:B:258:ILE:O	1.98	0.62
1:B:67:ASN:HD22	1:B:70:HIS:H	1.48	0.62
1:A:47:ILE:O	1:A:51:THR:CG2	2.48	0.61
1:A:195:ARG:CD	1:A:232:MET:HE2	2.30	0.61
1:B:205:GLY:C	1:B:207:LEU:N	2.58	0.61
1:A:46:LEU:HD23	1:A:50:ILE:HD11	1.82	0.61
1:B:118:LYS:NZ	4:B:523:HOH:O	2.10	0.61
1:B:48:GLN:HG2	1:B:60:LEU:HD23	1.82	0.60
1:B:30:GLN:C	1:B:32:GLN:H	2.09	0.60
1:B:198:ALA:C	1:B:202:ILE:HD13	2.27	0.59
1:B:137:ILE:O	1:B:137:ILE:HG13	2.01	0.59
1:A:93:HIS:NE2	1:A:126:SER:OG	2.36	0.59
1:B:93:HIS:CD2	1:B:127:TYR:HA	2.38	0.59
1:B:93:HIS:O	1:B:146:GLY:HA2	2.03	0.59
1:A:83:GLY:O	1:A:86:ASN:HB2	2.03	0.58
1:B:168:LEU:HD22	1:B:188:LEU:HD21	1.84	0.58
1:B:185:ARG:HA	1:B:254:THR:HG23	1.85	0.58
1:B:93:HIS:HD2	1:B:127:TYR:CA	2.15	0.58
1:B:193:PRO:HB2	1:B:232:MET:HE2	1.86	0.58
1:B:147:MET:O	1:B:165:LYS:NZ	2.36	0.58
1:A:67:ASN:OD1	1:A:70:HIS:CD2	2.58	0.57
1:A:67:ASN:C	1:A:67:ASN:HD22	2.11	0.57
1:A:195:ARG:HE	1:A:203:VAL:HG21	1.68	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:47:ILE:HG22	1:B:51:THR:CG2	2.33	0.57
1:A:261:ASP:OD2	1:A:265:HIS:HB3	2.04	0.57
1:A:45:ARG:HB2	1:A:45:ARG:HH11	1.68	0.57
1:A:245:LEU:HD21	1:A:258:ILE:HG13	1.87	0.56
1:A:9:ARG:HD2	1:A:87:LYS:O	2.05	0.56
1:B:30:GLN:O	1:B:32:GLN:N	2.39	0.56
1:A:87:LYS:NZ	1:A:136:PRO:O	2.26	0.56
1:B:21:ILE:HG13	2:B:350:NAD:O1N	2.05	0.56
1:B:206:ALA:O	1:B:208:GLY:N	2.39	0.56
1:B:13:SER:HB3	1:B:92:VAL:O	2.06	0.56
1:B:234:ASP:OD1	1:B:236:THR:HG23	2.06	0.56
1:A:53:ARG:HB3	1:A:53:ARG:CZ	2.36	0.55
1:A:13:SER:HB2	1:A:92:VAL:O	2.06	0.55
1:A:121:HIS:CD2	1:B:113:TYR:CG	2.94	0.55
1:B:213:ALA:O	1:B:215:ILE:N	2.39	0.55
1:A:67:ASN:HB3	1:A:70:HIS:HD2	1.72	0.55
1:A:50:ILE:O	1:A:53:ARG:HG2	2.07	0.54
1:A:185:ARG:HG2	1:A:253:THR:O	2.07	0.54
1:B:193:PRO:HD2	1:B:230:TRP:NE1	2.22	0.54
1:B:199:MET:HA	1:B:202:ILE:HG12	1.89	0.54
2:B:350:NAD:C7N	3:B:500:TCL:C3	2.86	0.54
1:A:5:LEU:HB3	1:A:34:ALA:HB2	1.89	0.54
1:B:202:ILE:CD1	1:B:202:ILE:N	2.72	0.53
1:B:203:VAL:N	1:B:204:GLY:HA3	2.22	0.53
1:B:241:THR:O	1:B:244:ALA:HB3	2.07	0.53
1:B:202:ILE:HD12	1:B:202:ILE:N	2.22	0.53
1:B:226:ALA:O	1:B:227:PRO:C	2.50	0.53
1:B:54:LEU:O	1:B:55:PRO:O	2.26	0.53
1:B:201:ALA:O	1:B:204:GLY:CA	2.56	0.53
1:A:171:VAL:O	1:A:175:VAL:HG23	2.09	0.53
1:B:20:SER:O	1:B:23:PHE:HB3	2.08	0.53
1:B:135:LEU:N	1:B:136:PRO:CD	2.71	0.52
1:B:199:MET:N	1:B:202:ILE:HD13	2.25	0.52
1:A:112:PRO:O	1:A:113:TYR:C	2.51	0.52
1:B:44:LEU:N	1:B:44:LEU:CD2	2.72	0.52
1:B:67:ASN:ND2	1:B:70:HIS:H	2.08	0.52
1:A:30:GLN:HE21	1:A:36:LEU:HD12	1.74	0.52
1:A:245:LEU:CD1	1:A:250:LEU:HD12	2.36	0.52
1:A:60:LEU:HD22	1:A:61:LEU:N	2.25	0.52
1:B:122:ILE:O	1:B:126:SER:OG	2.26	0.52
1:B:78:VAL:O	1:B:82:ILE:HG12	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:22:ALA:HB2	1:B:94:SER:HB3	1.93	0.51
1:A:16:ILE:HG23	1:A:17:THR:HG23	1.90	0.51
1:B:213:ALA:C	1:B:215:ILE:N	2.68	0.51
1:B:259:TYR:CE2	1:B:265:HIS:HD2	2.28	0.51
1:B:120:ILE:O	1:B:124:ALA:CB	2.50	0.51
1:A:127:TYR:OH	1:A:144:ILE:HG22	2.11	0.50
1:B:194:ILE:O	1:B:199:MET:HE3	2.12	0.50
1:A:11:LEU:HA	1:A:37:VAL:O	2.11	0.50
1:A:102:GLY:O	1:A:159:ASN:HB2	2.12	0.49
1:B:98:MET:SD	1:B:119:GLY:HA3	2.52	0.49
1:B:259:TYR:CE2	1:B:265:HIS:CD2	3.01	0.49
1:A:245:LEU:HD13	1:A:250:LEU:CD1	2.36	0.49
1:B:73:SER:O	1:B:74:LEU:C	2.55	0.49
1:B:194:ILE:O	1:B:199:MET:CE	2.61	0.49
1:A:70:HIS:O	1:A:74:LEU:HB2	2.12	0.49
1:A:215:ILE:HG12	3:A:450:TCL:O17	2.13	0.49
1:B:198:ALA:C	1:B:202:ILE:CD1	2.86	0.49
1:B:195:ARG:HA	1:B:199:MET:HE3	1.95	0.48
1:B:4:LEU:H	1:B:32:GLN:HE21	1.62	0.48
1:B:90:GLY:HA2	1:B:143:SER:O	2.13	0.48
1:B:65:VAL:CG1	1:B:126:SER:HB3	2.44	0.48
1:B:235:ALA:O	1:B:236:THR:C	2.56	0.47
1:A:53:ARG:HB3	1:A:53:ARG:NH1	2.30	0.47
1:A:73:SER:O	1:A:77:ARG:HG3	2.14	0.47
1:A:102:GLY:C	1:A:103:MET:HG3	2.40	0.47
1:A:145:VAL:HA	1:A:187:ASN:O	2.15	0.47
1:B:50:ILE:O	1:B:53:ARG:HB2	2.15	0.47
1:A:67:ASN:HD22	1:A:68:GLU:N	2.13	0.47
1:B:205:GLY:O	1:B:207:LEU:N	2.49	0.46
1:B:3:GLY:O	1:B:5:LEU:N	2.48	0.46
1:A:42:ASP:C	1:A:42:ASP:OD1	2.56	0.46
1:A:153:ARG:HH11	1:A:153:ARG:HD2	1.47	0.46
1:A:173:ARG:HB3	1:B:154:ALA:HB2	1.96	0.46
1:B:201:ALA:O	1:B:204:GLY:C	2.58	0.46
1:B:13:SER:OG	1:B:95:ILE:HG13	2.16	0.46
1:B:105:ILE:HD12	1:B:105:ILE:H	1.81	0.46
1:A:236:THR:N	1:A:237:PRO:CD	2.79	0.46
2:B:350:NAD:N7N	3:B:500:TCL:C4	2.79	0.46
1:B:103:MET:HE3	3:B:500:TCL:H121	1.97	0.46
1:B:210:GLU:O	1:B:213:ALA:HB3	2.16	0.46
1:B:171:VAL:O	1:B:172:ASN:C	2.55	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:204:GLY:HA2	1:B:205:GLY:HA2	1.70	0.45
1:A:8:LYS:HE3	1:A:248:ASP:OD1	2.16	0.45
1:B:44:LEU:N	1:B:44:LEU:HD22	2.31	0.45
1:B:32:GLN:O	1:B:32:GLN:HG3	2.16	0.45
1:A:263:GLY:O	1:A:266:THR:OG1	2.32	0.45
1:A:9:ARG:C	1:A:10:ILE:HG13	2.42	0.44
1:B:65:VAL:HG11	1:B:126:SER:HB3	1.99	0.44
1:A:195:ARG:HD2	1:A:232:MET:HE2	1.99	0.44
1:B:134:LEU:O	1:B:138:MET:HB2	2.16	0.44
1:A:67:ASN:CG	1:A:70:HIS:CD2	2.96	0.44
1:B:93:HIS:CD2	1:B:127:TYR:CA	2.98	0.44
1:A:78:VAL:O	1:A:82:ILE:HG13	2.18	0.43
1:B:244:ALA:O	1:B:247:SER:HB3	2.18	0.43
1:A:66:GLN:HA	1:A:121:HIS:CE1	2.53	0.43
1:A:132:LYS:HD2	1:B:109:PHE:HB3	2.00	0.43
1:A:249:TRP:O	1:A:250:LEU:HD23	2.18	0.43
1:B:5:LEU:O	1:B:8:LYS:HB2	2.18	0.43
1:B:103:MET:HE1	3:B:500:TCL:C12	2.41	0.43
1:B:137:ILE:O	1:B:137:ILE:HG12	2.18	0.43
1:B:247:SER:HG	1:B:249:TRP:H	1.64	0.43
1:A:11:LEU:HD23	1:A:12:VAL:N	2.34	0.43
1:A:17:THR:C	1:A:19:SER:H	2.25	0.43
1:A:67:ASN:CB	1:A:70:HIS:HD2	2.31	0.43
1:A:158:TYR:CZ	1:A:161:MET:HG3	2.53	0.43
1:A:171:VAL:HG12	1:A:175:VAL:HG21	2.00	0.43
1:A:121:HIS:CD2	1:B:113:TYR:CD2	3.06	0.43
1:B:199:MET:HA	1:B:202:ILE:CG1	2.48	0.43
1:A:195:ARG:NH2	1:A:203:VAL:HG11	2.24	0.43
1:A:91:VAL:HG23	1:A:138:MET:HE3	2.00	0.43
1:A:97:PHE:O	1:A:119:GLY:HA2	2.19	0.43
1:B:30:GLN:O	1:B:31:GLU:C	2.62	0.43
1:B:101:THR:HG23	1:B:111:ALA:HA	2.01	0.43
1:B:145:VAL:HA	1:B:187:ASN:O	2.19	0.43
1:A:44:LEU:CD1	1:A:60:LEU:HD11	2.49	0.42
1:A:103:MET:HE1	3:A:400:TCL:H121	2.01	0.42
1:B:23:PHE:CD1	1:B:23:PHE:C	2.97	0.42
1:A:168:LEU:O	1:A:169:GLU:C	2.61	0.42
1:B:11:LEU:CD1	1:B:11:LEU:C	2.92	0.42
1:A:23:PHE:CD1	1:A:23:PHE:C	2.97	0.42
1:A:30:GLN:C	1:A:32:GLN:H	2.26	0.42
1:B:47:ILE:O	1:B:51:THR:HG23	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:186:SER:H	1:B:254:THR:CG2	2.33	0.42
1:A:241:THR:HG21	1:A:260:ALA:HB2	2.02	0.42
1:B:5:LEU:HB3	1:B:34:ALA:HB2	2.02	0.42
1:B:102:GLY:O	1:B:159:ASN:HB2	2.20	0.42
1:A:75:ALA:CB	1:A:137:ILE:HD13	2.50	0.42
1:B:208:GLY:C	1:B:210:GLU:N	2.77	0.42
1:B:24:HIS:CD2	1:B:235:ALA:HB3	2.55	0.42
1:B:43:ARG:HD2	1:B:43:ARG:N	2.35	0.42
1:B:97:PHE:CE2	1:B:99:PRO:HD3	2.55	0.41
1:A:101:THR:HG23	1:A:111:ALA:HA	2.02	0.41
1:B:15:ILE:CD1	1:B:23:PHE:HA	2.51	0.41
1:B:67:ASN:HD22	1:B:70:HIS:N	2.16	0.41
1:B:265:HIS:ND1	1:B:266:THR:N	2.69	0.41
1:A:27:ARG:O	1:A:31:GLU:HG3	2.20	0.41
1:A:66:GLN:OE1	1:A:118:LYS:HE2	2.20	0.41
1:A:98:MET:HE3	1:A:160:TRP:O	2.21	0.41
1:A:154:ALA:HB1	1:B:177:ARG:HD2	2.01	0.41
1:A:48:GLN:HA	1:A:51:THR:HG23	2.03	0.41
1:B:3:GLY:HA2	1:B:32:GLN:HG3	2.02	0.41
1:B:149:PHE:O	1:B:150:ASP:C	2.63	0.41
1:B:186:SER:H	1:B:254:THR:HG22	1.85	0.41
1:A:44:LEU:CD1	1:A:60:LEU:CD1	2.99	0.41
1:B:60:LEU:O	1:B:60:LEU:HG	2.19	0.41
1:B:78:VAL:HG11	1:B:88:LEU:HD11	2.03	0.41
1:B:103:MET:HE1	3:B:500:TCL:CL15	2.58	0.41
1:B:166:SER:HB3	4:B:502:HOH:O	2.21	0.41
1:B:195:ARG:HA	1:B:199:MET:CE	2.51	0.41
1:A:101:THR:HG21	1:A:112:PRO:HD2	2.03	0.41
1:A:147:MET:HE1	1:A:242:VAL:CG2	2.50	0.41
1:A:149:PHE:CZ	1:A:222:TRP:CH2	3.09	0.41
1:B:47:ILE:O	1:B:50:ILE:N	2.53	0.41
1:A:67:ASN:C	1:A:67:ASN:ND2	2.76	0.41
1:B:93:HIS:HE1	1:B:95:ILE:HB	1.81	0.40
1:A:14:GLY:O	2:A:300:NAD:O3B	2.37	0.40
1:B:23:PHE:CE2	1:B:54:LEU:HD13	2.57	0.40
1:B:67:ASN:ND2	1:B:69:GLU:CB	2.84	0.40
1:A:215:ILE:HG23	3:A:450:TCL:H11	2.03	0.40
1:B:9:ARG:O	1:B:88:LEU:HD23	2.21	0.40
1:A:155:MET:HG3	1:A:156:PRO:O	2.22	0.40
1:B:185:ARG:HA	1:B:254:THR:CG2	2.50	0.40
1:A:24:HIS:ND1	1:A:27:ARG:NH2	2.65	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:PRO:O	1:A:157:ALA:HB3	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	266/269 (99%)	242 (91%)	20 (8%)	4 (2%)	8	18
1	B	266/269 (99%)	223 (84%)	26 (10%)	17 (6%)	1	1
All	All	532/538 (99%)	465 (87%)	46 (9%)	21 (4%)	2	3

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3	GLY
1	A	42	ASP
1	A	84	ALA
1	B	4	LEU
1	B	45	ARG
1	B	55	PRO
1	B	56	ALA
1	B	202	ILE
1	B	206	ALA
1	B	207	LEU
1	B	31	GLU
1	B	213	ALA
1	B	214	GLN
1	A	55	PRO
1	B	204	GLY
1	B	210	GLU
1	B	124	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	16	ILE
1	B	159	ASN
1	B	199	MET
1	B	221	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	203/205 (99%)	150 (74%)	53 (26%)	0	1
1	B	203/205 (99%)	141 (70%)	62 (30%)	0	0
All	All	406/410 (99%)	291 (72%)	115 (28%)	0	1

All (115) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LEU
1	A	8	LYS
1	A	9	ARG
1	A	13	SER
1	A	15	ILE
1	A	16	ILE
1	A	20	SER
1	A	31	GLU
1	A	35	GLN
1	A	37	VAL
1	A	42	ASP
1	A	44	LEU
1	A	45	ARG
1	A	46	LEU
1	A	50	ILE
1	A	51	THR
1	A	53	ARG
1	A	60	LEU
1	A	71	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	73	SER
1	A	74	LEU
1	A	82	ILE
1	A	89	ASP
1	A	99	PRO
1	A	100	GLN
1	A	101	THR
1	A	105	ILE
1	A	106	ASN
1	A	117	SER
1	A	135	LEU
1	A	137	ILE
1	A	139	ASN
1	A	145	VAL
1	A	168	LEU
1	A	170	SER
1	A	172	ASN
1	A	177	ARG
1	A	188	LEU
1	A	197	LEU
1	A	202	ILE
1	A	207	LEU
1	A	209	GLU
1	A	214	GLN
1	A	216	GLN
1	A	217	LEU
1	A	231	ASN
1	A	236	THR
1	A	245	LEU
1	A	247	SER
1	A	253	THR
1	A	256	ASP
1	A	258	ILE
1	A	269	LEU
1	B	4	LEU
1	B	9	ARG
1	B	11	LEU
1	B	13	SER
1	B	15	ILE
1	B	17	THR
1	B	21	ILE
1	B	31	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	39	THR
1	B	43	ARG
1	B	44	LEU
1	B	45	ARG
1	B	48	GLN
1	B	49	ARG
1	B	50	ILE
1	B	51	THR
1	B	53	ARG
1	B	54	LEU
1	B	57	LYS
1	B	60	LEU
1	B	65	VAL
1	B	67	ASN
1	B	69	GLU
1	B	73	SER
1	B	79	THR
1	B	80	GLU
1	B	87	LYS
1	B	100	GLN
1	B	101	THR
1	B	103	MET
1	B	105	ILE
1	B	117	SER
1	B	126	SER
1	B	129	SER
1	B	130	MET
1	B	132	LYS
1	B	137	ILE
1	B	152	SER
1	B	168	LEU
1	B	170	SER
1	B	173	ARG
1	B	185	ARG
1	B	188	LEU
1	B	194	ILE
1	B	195	ARG
1	B	197	LEU
1	B	199	MET
1	B	202	ILE
1	B	203	VAL
1	B	207	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	209	GLU
1	B	210	GLU
1	B	214	GLN
1	B	215	ILE
1	B	224	GLN
1	B	236	THR
1	B	238	VAL
1	B	247	SER
1	B	251	PRO
1	B	253	THR
1	B	254	THR
1	B	265	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	GLN
1	A	70	HIS
1	A	100	GLN
1	A	139	ASN
1	A	187	ASN
1	A	214	GLN
1	A	265	HIS
1	B	66	GLN
1	B	67	ASN
1	B	93	HIS
1	B	100	GLN
1	B	159	ASN
1	B	187	ASN
1	B	216	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	TCL	B	500	-	18,18,18	1.91	5 (27%)	25,25,25	1.59	4 (16%)
3	TCL	A	400	-	18,18,18	1.64	6 (33%)	25,25,25	1.72	6 (24%)
2	NAD	B	350	-	46,48,48	1.98	7 (15%)	64,73,73	2.33	21 (32%)
3	TCL	A	450	-	18,18,18	1.75	6 (33%)	25,25,25	1.83	6 (24%)
2	NAD	A	300	-	46,48,48	1.77	7 (15%)	64,73,73	2.13	25 (39%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TCL	B	500	-	-	0/4/4/4	0/2/2/2
3	TCL	A	400	-	-	0/4/4/4	0/2/2/2
2	NAD	B	350	-	-	10/30/62/62	0/5/5/5
3	TCL	A	450	-	-	0/4/4/4	0/2/2/2
2	NAD	A	300	-	-	9/30/62/62	0/5/5/5

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	350	NAD	O7N-C7N	8.40	1.39	1.24
2	A	300	NAD	O7N-C7N	7.96	1.38	1.24
2	B	350	NAD	PA-O3	5.13	1.65	1.59
3	B	500	TCL	C10-C11	4.32	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	350	NAD	C2A-N1A	3.87	1.40	1.33
3	B	500	TCL	C8-C9	3.77	1.46	1.39
2	B	350	NAD	C2A-N3A	3.74	1.40	1.33
2	A	300	NAD	C8A-N7A	3.25	1.37	1.31
2	A	300	NAD	C7N-N7N	-3.18	1.27	1.33
3	A	400	TCL	C13-C12	3.03	1.43	1.38
3	A	450	TCL	C13-C12	3.02	1.43	1.38
2	B	350	NAD	PN-O3	2.95	1.62	1.59
3	A	450	TCL	C11-CL15	-2.93	1.67	1.74
2	A	300	NAD	O2B-C2B	-2.91	1.35	1.43
3	A	450	TCL	C8-C9	2.75	1.44	1.39
3	B	500	TCL	C3-C2	2.74	1.43	1.38
3	A	450	TCL	C3-C2	2.71	1.43	1.38
2	A	300	NAD	PA-O3	2.69	1.62	1.59
3	A	400	TCL	C10-C11	2.58	1.42	1.38
3	A	450	TCL	C12-C11	2.55	1.42	1.38
2	B	350	NAD	C8A-N7A	2.54	1.36	1.31
3	A	400	TCL	C8-C9	2.53	1.44	1.39
3	B	500	TCL	C12-C11	2.51	1.42	1.38
3	A	400	TCL	O7-C8	2.50	1.44	1.39
2	B	350	NAD	O4B-C4B	-2.38	1.39	1.45
3	B	500	TCL	O7-C8	2.34	1.44	1.39
3	A	400	TCL	C12-C11	2.30	1.42	1.38
3	A	400	TCL	C6-C5	2.21	1.44	1.40
2	A	300	NAD	O4D-C4D	-2.14	1.40	1.45
3	A	450	TCL	O17-C6	-2.13	1.32	1.36
2	A	300	NAD	PN-O2N	-2.03	1.45	1.55

All (62) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	350	NAD	O2N-PN-O3	-7.08	88.14	107.27
2	B	350	NAD	O7N-C7N-C3N	-6.22	112.00	119.60
2	A	300	NAD	N3A-C2A-N1A	-5.58	120.13	128.58
2	B	350	NAD	C3N-C7N-N7N	5.22	124.17	117.74
2	B	350	NAD	C4D-O4D-C1D	-5.08	105.28	109.92
2	A	300	NAD	O7N-C7N-N7N	-4.87	115.58	122.62
3	A	450	TCL	C10-C11-CL15	-4.84	113.10	119.17
2	A	300	NAD	N9A-C8A-N7A	-4.61	107.40	113.94
2	B	350	NAD	C4A-N9A-C8A	4.48	110.44	105.74
3	A	400	TCL	C10-C9-C8	4.37	126.56	121.01
2	B	350	NAD	N3A-C2A-N1A	-4.32	122.05	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	500	TCL	C10-C11-CL15	4.18	124.41	119.17
2	A	300	NAD	C4D-O4D-C1D	-4.13	106.15	109.92
2	B	350	NAD	C3B-C2B-C1B	-4.07	93.77	101.46
2	B	350	NAD	N9A-C8A-N7A	-4.01	108.24	113.94
3	B	500	TCL	C13-C12-C11	3.93	123.20	119.24
2	A	300	NAD	O4B-C1B-N9A	3.85	115.49	108.09
2	B	350	NAD	C4B-O4B-C1B	-3.51	101.72	109.47
2	A	300	NAD	C4A-N9A-C1B	-3.47	118.52	126.63
2	A	300	NAD	O7N-C7N-C3N	3.46	123.83	119.60
3	A	450	TCL	O7-C8-C9	-3.41	111.89	119.51
2	A	300	NAD	C5A-N7A-C8A	3.40	108.79	103.45
3	A	400	TCL	C10-C11-CL15	3.25	123.24	119.17
2	A	300	NAD	C5A-C4A-N3A	-3.14	122.40	126.72
2	B	350	NAD	C4A-N9A-C1B	-3.13	119.31	126.63
2	A	300	NAD	C4A-C5A-N7A	-2.97	107.18	110.58
3	A	400	TCL	C13-C12-C11	2.83	122.09	119.24
2	A	300	NAD	C4B-O4B-C1B	-2.81	103.26	109.47
2	B	350	NAD	O2B-C2B-C1B	2.78	119.66	110.10
3	A	450	TCL	C12-C11-C10	2.72	125.09	121.53
2	A	300	NAD	C1B-N9A-C8A	2.69	133.07	127.09
2	B	350	NAD	C2B-C3B-C4B	2.65	107.73	102.61
3	B	500	TCL	C12-C11-C10	-2.62	118.10	121.53
2	A	300	NAD	C2A-N3A-C4A	2.49	117.91	111.83
2	A	300	NAD	C2B-C3B-C4B	-2.48	97.82	102.61
2	A	300	NAD	O3D-C3D-C2D	-2.45	103.95	111.82
2	A	300	NAD	C4A-N9A-C8A	2.44	108.30	105.74
2	B	350	NAD	C6N-N1N-C1D	-2.42	114.98	119.73
2	A	300	NAD	C6A-C5A-C4A	2.38	120.42	117.18
3	A	400	TCL	C8-C9-CL16	-2.35	116.75	119.44
2	A	300	NAD	O3-PN-O1N	2.33	117.70	110.70
2	B	350	NAD	O4B-C1B-C2B	2.31	111.56	106.62
2	A	300	NAD	C2B-C1B-N9A	2.31	119.04	113.30
2	A	300	NAD	C3N-C7N-N7N	2.30	120.57	117.74
3	A	450	TCL	O17-C6-C5	-2.29	114.76	120.13
3	A	400	TCL	O7-C8-C13	2.27	126.69	120.74
2	A	300	NAD	C5A-C4A-N9A	2.24	108.25	105.81
2	B	350	NAD	C2B-C1B-N9A	-2.23	107.75	113.30
2	A	300	NAD	O5D-C5D-C4D	2.23	116.60	108.99
2	B	350	NAD	C2N-C3N-C4N	2.23	120.85	118.26
3	A	400	TCL	C1-C6-C5	-2.22	117.66	119.81
2	B	350	NAD	O2N-PN-O1N	2.21	122.73	112.44
2	B	350	NAD	C6N-N1N-C2N	2.20	123.75	121.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	500	TCL	C8-O7-C5	2.18	123.29	118.09
2	B	350	NAD	C5A-C6A-N6A	-2.18	117.89	123.29
2	A	300	NAD	C2A-N1A-C6A	2.17	122.30	118.73
3	A	450	TCL	C13-C8-C9	2.15	122.05	118.87
2	A	300	NAD	O4B-C4B-C3B	2.13	109.38	105.15
2	A	300	NAD	C2N-C3N-C4N	2.09	120.69	118.26
2	B	350	NAD	N6A-C6A-N1A	2.04	122.92	118.38
3	A	450	TCL	O7-C8-C13	2.03	126.06	120.74
2	B	350	NAD	O3B-C3B-C4B	-2.02	105.27	111.08

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	300	NAD	C5B-O5B-PA-O1A
2	A	300	NAD	C5B-O5B-PA-O3
2	A	300	NAD	PN-O3-PA-O5B
2	A	300	NAD	C5D-O5D-PN-O3
2	A	300	NAD	C5D-O5D-PN-O1N
2	A	300	NAD	C5D-O5D-PN-O2N
2	A	300	NAD	O4D-C1D-N1N-C2N
2	B	350	NAD	C5B-O5B-PA-O1A
2	B	350	NAD	C5D-O5D-PN-O3
2	B	350	NAD	C5D-O5D-PN-O1N
2	B	350	NAD	C5D-O5D-PN-O2N
2	B	350	NAD	O4D-C1D-N1N-C2N
2	B	350	NAD	O4D-C1D-N1N-C6N
2	B	350	NAD	C2D-C1D-N1N-C2N
2	B	350	NAD	C2D-C1D-N1N-C6N
2	B	350	NAD	PN-O3-PA-O5B
2	A	300	NAD	C5B-O5B-PA-O2A
2	B	350	NAD	O4B-C4B-C5B-O5B
2	A	300	NAD	O4D-C1D-N1N-C6N

There are no ring outliers.

5 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	500	TCL	7	0
3	A	400	TCL	1	0
2	B	350	NAD	4	0



Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	450	TCL	2	0
2	A	300	NAD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	268/269 (99%)	0.20	7 (2%) 57 51	32, 51, 72, 87	0
1	B	268/269 (99%)	0.46	16 (5%) 27 22	29, 50, 82, 102	0
All	All	536/538 (99%)	0.33	23 (4%) 40 34	29, 51, 77, 102	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	210	GLU	5.5
1	B	202	ILE	4.5
1	B	197	LEU	3.9
1	B	207	LEU	3.8
1	B	204	GLY	3.8
1	B	203	VAL	3.7
1	B	211	ALA	3.6
1	B	209	GLU	3.3
1	B	201	ALA	3.3
1	A	2	THR	3.0
1	B	206	ALA	2.8
1	B	43	ARG	2.8
1	A	35	GLN	2.7
1	B	84	ALA	2.7
1	A	214	GLN	2.5
1	B	200	SER	2.5
1	B	214	GLN	2.4
1	A	45	ARG	2.4
1	B	45	ARG	2.3
1	A	217	LEU	2.2
1	A	56	ALA	2.0
1	B	100	GLN	2.0
1	A	105	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	TCL	A	450	17/17	0.91	0.13	62,66,73,75	0
3	TCL	B	500	17/17	0.93	0.10	45,49,57,69	0
2	NAD	B	350	44/44	0.94	0.09	35,48,61,61	0
3	TCL	A	400	17/17	0.94	0.11	49,54,58,64	0
2	NAD	A	300	44/44	0.96	0.08	35,46,53,57	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around TCL A 450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TCL B 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around NAD B 350:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TCL A 400:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAD A 300:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.