



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:52 AM UTC

PDB ID : 1P5W / pdb_00001p5w
Title : The structures of host range controlling regions of the capsids of canine and feline parvoviruses and mutants
Authors : Agbandje-McKenna, M.; Govindasamy, L.
Deposited on : 2003-04-28
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1209 (3.32-3.28)
Ramachandran outliers	187476	1188 (3.32-3.28)
Sidechain outliers	187428	1187 (3.32-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	B	11	
2	A	548	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	3DR	B	1	X	-	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4620 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(P*(3DR)P*TP*AP*CP*CP*TP*CP*TP*TP*GP*C)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	11	Total	C	N	O	P	0	0	0
			210	101	30	68	11			

- Molecule 2 is a protein called Coat protein VP2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	544	Total	C	N	O	S	0	0	0
			4322	2747	739	820	16			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	93	ARG	ASN	engineered mutation	UNP P17455

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Mg	0	0
			2	2		
3	A	2	Total	Mg	0	0
			2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	2	Total	O	0	0
			2	2		
4	A	82	Total	O	0	0
			82	82		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: 5'-D(P*(3DR)P*TP*AP*CP*CP*TP*CP*TP*TP*GP*C)-3'

Chain B: 



- Molecule 2: Coat protein VP2

Chain A: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	372.42Å 373.02Å 377.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 3.30	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-3.30)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.13	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.200 , 0.202	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4620	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 3DR, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.95	0/220	3.29	20/336 (6.0%)
2	A	0.66	5/4450 (0.1%)	1.10	28/6085 (0.5%)
All	All	0.68	5/4670 (0.1%)	1.31	48/6421 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	2	0
2	A	1	2
All	All	3	2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	360	GLY	C-N	-17.52	1.09	1.33
2	A	366	THR	N-CA	-10.49	1.29	1.46
2	A	366	THR	CA-CB	-9.55	1.41	1.53
2	A	366	THR	CA-C	-8.31	1.42	1.52
2	A	367	ASP	N-CA	7.15	1.55	1.46

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	8	DT	C2'-C3'-O3'	20.95	142.92	111.50
1	B	4	DC	C2'-C3'-O3'	20.30	141.96	111.50
1	B	9	DT	N1-C1'-C2'	-18.84	85.24	113.50
1	B	6	DT	N1-C1'-C2'	-15.85	89.72	113.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	6	DT	C2'-C3'-O3'	14.64	133.46	111.50
1	B	3	DA	C4'-C3'-O3'	14.60	131.90	110.00
2	A	366	THR	N-CA-C	12.52	124.23	108.45
1	B	7	DC	C2'-C3'-O3'	-11.72	93.91	111.50
1	B	5	DC	C2'-C3'-O3'	11.61	128.92	111.50
2	A	360	GLY	CA-C-N	11.16	142.86	121.54
2	A	360	GLY	C-N-CA	11.16	142.86	121.54
1	B	9	DT	C2'-C3'-O3'	10.77	127.65	111.50
2	A	366	THR	N-CA-CB	10.15	128.83	110.76
2	A	365	GLN	OE1-CD-NE2	-9.80	112.80	122.60
2	A	370	GLN	OE1-CD-NE2	-9.75	112.85	122.60
1	B	3	DA	P-O3'-C3'	9.15	133.93	120.20
2	A	360	GLY	O-C-N	-8.59	111.53	122.70
2	A	367	ASP	CA-CB-CG	-7.87	104.73	112.60
1	B	10	DG	C2'-C3'-O3'	7.81	123.22	111.50
1	B	7	DC	C4'-C3'-O3'	7.72	121.58	110.00
1	B	8	DT	C4'-C3'-O3'	-7.39	98.91	110.00
1	B	11	DC	C2'-C3'-O3'	7.35	122.53	111.50
1	B	6	DT	P-O3'-C3'	-7.26	109.30	120.20
1	B	2	DT	C2'-C3'-O3'	-6.94	101.09	111.50
2	A	93	ARG	O-C-N	-6.79	113.55	122.59
2	A	365	GLN	CG-CD-NE2	6.64	126.36	116.40
2	A	370	GLN	CG-CD-NE2	6.64	126.36	116.40
2	A	263	THR	N-CA-C	-6.63	100.70	110.52
2	A	583	LEU	N-CA-C	-6.48	105.90	113.88
2	A	257	THR	N-CA-C	6.14	118.47	111.11
2	A	43	GLY	N-CA-C	6.05	119.96	111.19
1	B	9	DT	O4'-C1'-N1	6.04	117.46	108.40
2	A	234	HIS	N-CA-C	5.97	117.87	111.36
1	B	5	DC	N1-C1'-C2'	5.89	122.34	113.50
2	A	322	THR	N-CA-C	5.86	119.09	110.59
2	A	232	ILE	N-CA-C	5.67	118.00	108.81
1	B	4	DC	N1-C1'-C2'	5.56	121.84	113.50
2	A	342	TYR	N-CA-C	5.38	117.72	109.07
1	B	4	DC	O4'-C4'-C3'	5.34	113.41	105.40
2	A	534	VAL	N-CA-C	5.34	115.58	108.11
2	A	366	THR	CA-CB-OG1	5.27	117.51	109.60
2	A	350	GLN	N-CA-C	5.25	119.24	112.41
2	A	304	GLY	N-CA-C	-5.25	102.54	112.51
2	A	578	LEU	N-CA-C	5.21	116.64	111.07
2	A	78	ASN	N-CA-C	5.16	118.10	110.46
2	A	349	THR	N-CA-C	5.14	119.03	112.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	130	VAL	N-CA-C	5.05	117.36	111.05
2	A	547	PRO	N-CA-C	-5.03	103.64	111.13

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	1	3DR	C4',C3'
2	A	366	THR	CA

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	A	366	THR	Peptide
2	A	93	ARG	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	210	0	121	12	0
2	A	4322	0	4124	125	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	82	0	0	0	0
4	B	2	0	0	0	0
All	All	4620	0	4245	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:366:THR:CG2	2:A:367:ASP:H	1.17	1.36
2:A:366:THR:CG2	2:A:367:ASP:N	1.74	1.10
2:A:366:THR:HG23	2:A:367:ASP:H	0.94	1.09

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:366:THR:HG22	2:A:367:ASP:N	1.30	1.08
2:A:366:THR:HG22	2:A:367:ASP:CA	1.86	1.05
2:A:554:ASN:H	2:A:557:ASN:HD21	1.05	1.04
2:A:193:GLU:HB3	2:A:206:THR:HG21	1.46	0.97
2:A:93:ARG:NH2	2:A:227:GLY:O	1.95	0.97
2:A:319:MET:HE3	2:A:329:THR:HG23	1.58	0.86
2:A:557:ASN:HD22	2:A:558:GLN:N	1.72	0.86
2:A:362:GLY:HA2	2:A:366:THR:OG1	1.75	0.85
2:A:92:VAL:HG12	2:A:92:VAL:O	1.78	0.83
2:A:554:ASN:H	2:A:557:ASN:ND2	1.78	0.81
1:B:3:DA:H61	2:A:267:PHE:H	1.26	0.79
2:A:422:LEU:H	2:A:422:LEU:HD23	1.51	0.76
2:A:96:MET:HG2	2:A:220:PRO:HA	1.66	0.76
2:A:101:ILE:HD12	2:A:216:ARG:CZ	2.18	0.74
2:A:214:TRP:O	2:A:350:GLN:HG2	1.88	0.73
1:B:3:DA:N6	2:A:267:PHE:H	1.87	0.73
2:A:366:THR:HG22	2:A:367:ASP:HA	1.69	0.72
2:A:443:ASN:H	2:A:446:ASN:HD22	1.37	0.72
1:B:10:DG:H2''	1:B:11:DC:O5'	1.91	0.71
2:A:133:MET:HE1	2:A:539:LEU:HD23	1.72	0.71
2:A:422:LEU:HA	2:A:423:PRO:C	2.20	0.67
2:A:554:ASN:N	2:A:557:ASN:HD21	1.87	0.67
2:A:73:MET:HE3	2:A:520:ARG:CZ	2.26	0.66
2:A:99:ASP:CG	2:A:216:ARG:HH21	2.02	0.66
2:A:177:LEU:HD22	2:A:263:THR:HG22	1.78	0.65
2:A:133:MET:HE1	2:A:539:LEU:CD2	2.26	0.64
2:A:557:ASN:HD22	2:A:557:ASN:C	2.05	0.64
1:B:7:DC:OP1	2:A:180:ASN:ND2	2.31	0.64
2:A:443:ASN:HD22	2:A:445:THR:H	1.47	0.63
2:A:349:THR:HG22	2:A:350:GLN:HG3	1.81	0.62
2:A:361:ARG:HG2	2:A:362:GLY:N	2.15	0.61
2:A:133:MET:CE	2:A:539:LEU:HD23	2.30	0.60
2:A:326:THR:H	2:A:329:THR:HB	1.66	0.60
2:A:349:THR:CG2	2:A:350:GLN:HG3	2.32	0.60
2:A:457:LEU:HD23	2:A:457:LEU:N	2.17	0.60
2:A:213:GLN:HG3	2:A:240:ASP:HB2	1.85	0.58
2:A:562:VAL:HG13	2:A:563:PRO:HD2	1.86	0.58
2:A:238:PRO:HA	2:A:241:VAL:HG23	1.86	0.57
2:A:360:GLY:HA3	2:A:375:ASN:ND2	2.19	0.57
1:B:3:DA:C8	2:A:493:ASN:HB3	2.40	0.57
2:A:193:GLU:CB	2:A:206:THR:HG21	2.28	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:361:ARG:CG	2:A:362:GLY:N	2.68	0.57
2:A:129:ILE:O	2:A:133:MET:HB2	2.05	0.56
2:A:133:MET:HG3	2:A:537:ALA:HB1	1.86	0.56
2:A:322:THR:HG21	2:A:420:PHE:HD2	1.71	0.55
2:A:376:PRO:HG2	2:A:400:TYR:HB3	1.88	0.55
2:A:422:LEU:HD23	2:A:422:LEU:N	2.21	0.54
2:A:443:ASN:ND2	2:A:445:THR:H	2.04	0.54
2:A:96:MET:HE3	2:A:220:PRO:CB	2.38	0.53
2:A:324:TYR:O	2:A:329:THR:HG21	2.08	0.53
2:A:336:VAL:O	2:A:408:ARG:NH2	2.41	0.53
1:B:2:DT:H4'	1:B:2:DT:OP1	2.08	0.53
2:A:199:PRO:HG2	2:A:200:TRP:CE3	2.44	0.52
2:A:48:GLN:O	2:A:64:ASN:HB2	2.10	0.51
2:A:213:GLN:HG3	2:A:240:ASP:CB	2.40	0.51
2:A:460:VAL:HG11	2:A:484:VAL:HA	1.92	0.51
2:A:435:PRO:HB3	2:A:439:LYS:O	2.10	0.51
2:A:118:GLY:CA	2:A:465:PRO:HB2	2.42	0.50
2:A:69:VAL:CG1	2:A:205:PRO:HD3	2.41	0.50
2:A:133:MET:HE3	2:A:539:LEU:HA	1.93	0.50
2:A:216:ARG:NH1	2:A:231:ASN:OD1	2.42	0.50
2:A:133:MET:CG	2:A:537:ALA:HB1	2.41	0.50
1:B:10:DG:C2'	1:B:11:DC:O5'	2.57	0.49
2:A:292:ASN:HB2	2:A:306:ILE:O	2.11	0.49
2:A:174:MET:HE2	2:A:252:VAL:HG11	1.93	0.49
2:A:422:LEU:H	2:A:422:LEU:CD2	2.25	0.48
2:A:96:MET:HE3	2:A:220:PRO:HB2	1.96	0.48
2:A:138:LEU:HG	2:A:268:PHE:CD2	2.49	0.48
2:A:422:LEU:N	2:A:422:LEU:CD2	2.76	0.48
2:A:366:THR:HG23	2:A:367:ASP:N	1.77	0.48
2:A:368:GLU:H	2:A:401:ILE:CD1	2.27	0.48
2:A:185:PHE:CD2	2:A:187:PRO:HD3	2.48	0.48
2:A:557:ASN:ND2	2:A:557:ASN:C	2.71	0.48
2:A:382:ARG:NH2	2:A:392:GLY:O	2.46	0.48
1:B:3:DA:C2	1:B:9:DT:H73	2.49	0.47
2:A:340:ALA:HB3	2:A:357:ILE:HD12	1.94	0.47
2:A:183:MET:HE2	2:A:183:MET:N	2.29	0.47
2:A:557:ASN:HD22	2:A:558:GLN:H	1.58	0.47
2:A:66:SER:HA	2:A:529:TRP:O	2.14	0.46
2:A:261:PHE:CD1	2:A:261:PHE:C	2.93	0.46
2:A:92:VAL:O	2:A:92:VAL:CG1	2.50	0.46
2:A:199:PRO:HG2	2:A:200:TRP:HE3	1.80	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:319:MET:HE3	2:A:329:THR:CG2	2.38	0.46
2:A:469:ILE:O	2:A:487:PRO:HD2	2.16	0.46
2:A:583:LEU:C	2:A:583:LEU:HD23	2.41	0.46
2:A:216:ARG:NH2	2:A:218:LEU:HD22	2.31	0.45
2:A:365:GLN:OE1	2:A:409:TYR:CD1	2.69	0.45
2:A:365:GLN:OE1	2:A:409:TYR:CE1	2.68	0.45
2:A:443:ASN:ND2	2:A:445:THR:N	2.64	0.45
2:A:149:VAL:C	2:A:150:LEU:HD12	2.41	0.45
2:A:322:THR:C	2:A:323:ASN:HD22	2.25	0.45
2:A:215:ASP:HB2	2:A:234:HIS:HB2	1.98	0.45
2:A:92:VAL:O	2:A:93:ARG:O	2.35	0.44
2:A:380:PHE:CD1	2:A:380:PHE:N	2.85	0.44
2:A:368:GLU:HA	2:A:371:ALA:HB2	2.00	0.44
2:A:370:GLN:O	2:A:371:ALA:C	2.61	0.44
1:B:2:DT:O2	2:A:179:SER:HA	2.18	0.44
2:A:213:GLN:CD	2:A:214:TRP:N	2.76	0.44
2:A:218:LEU:HD13	2:A:231:ASN:OD1	2.18	0.44
2:A:365:GLN:OE1	2:A:409:TYR:CZ	2.71	0.44
2:A:142:GLU:HB3	2:A:265:THR:HA	2.00	0.43
2:A:266:PHE:CD1	2:A:266:PHE:C	2.96	0.43
2:A:459:ASN:HD21	2:A:487:PRO:HA	1.83	0.43
2:A:266:PHE:CD1	2:A:495:PRO:HG3	2.54	0.43
2:A:150:LEU:HG	2:A:525:SER:HB2	1.99	0.43
2:A:339:SER:O	2:A:449:ASN:HA	2.19	0.43
2:A:281:THR:O	2:A:282:ASN:C	2.60	0.43
2:A:449:ASN:OD1	2:A:449:ASN:C	2.62	0.42
2:A:362:GLY:HA2	2:A:366:THR:CB	2.48	0.42
2:A:410:PRO:HA	2:A:413:ASP:OD2	2.20	0.42
2:A:130:VAL:CG1	2:A:578:LEU:HD22	2.49	0.42
2:A:497:GLN:HE21	2:A:497:GLN:HB2	1.60	0.42
1:B:3:DA:N6	2:A:267:PHE:N	2.61	0.41
2:A:365:GLN:OE1	2:A:409:TYR:CG	2.74	0.41
2:A:104:GLN:HE21	2:A:106:VAL:HG22	1.85	0.41
2:A:323:ASN:HD22	2:A:323:ASN:N	2.19	0.41
2:A:470:TRP:HA	2:A:488:PHE:O	2.19	0.41
1:B:7:DC:H2'	1:B:8:DT:C6	2.55	0.41
2:A:122:ASN:OD1	2:A:122:ASN:C	2.63	0.41
1:B:10:DG:H2'	1:B:11:DC:C6	2.56	0.41
2:A:443:ASN:ND2	2:A:445:THR:HG23	2.36	0.41
2:A:366:THR:HG21	2:A:401:ILE:HD13	2.02	0.41
2:A:365:GLN:OE1	2:A:409:TYR:CD2	2.74	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:368:GLU:H	2:A:401:ILE:HD11	1.86	0.41
2:A:431:LEU:C	2:A:433:THR:H	2.28	0.40
2:A:422:LEU:HB2	2:A:423:PRO:HA	2.03	0.40
2:A:118:GLY:HA3	2:A:465:PRO:HB2	2.02	0.40
2:A:443:ASN:O	2:A:446:ASN:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	A	540/548 (98%)	505 (94%)	31 (6%)	4 (1%)	18 49

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	367	ASP
2	A	93	ARG
2	A	371	ALA
2	A	94	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	A	473/476 (99%)	454 (96%)	19 (4%)	28 56

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	47	ASN
2	A	80	ARG
2	A	93	ARG
2	A	130	VAL
2	A	147	ASN
2	A	191	ARG
2	A	216	ARG
2	A	230	THR
2	A	270	CYS
2	A	349	THR
2	A	367	ASP
2	A	390	THR
2	A	422	LEU
2	A	433	THR
2	A	465	PRO
2	A	497	GLN
2	A	517	ASN
2	A	555	VAL
2	A	557	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	104	GLN
2	A	147	ASN
2	A	166	ASN
2	A	167	ASN
2	A	242	GLN
2	A	302	ASN
2	A	309	GLN
2	A	323	ASN
2	A	350	GLN
2	A	375	ASN
2	A	403	HIS
2	A	428	ASN
2	A	443	ASN
2	A	446	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	459	ASN
2	A	466	ASN
2	A	491	GLN
2	A	492	ASN
2	A	517	ASN
2	A	557	ASN
2	A	560	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	3DR	B	1	1	8,11,12	6.48	3 (37%)	7,14,17	13.76	5 (71%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	3DR	B	1	1	2/2/3/3	1/3/15/16	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1	3DR	O3'-C3'	-12.25	1.17	1.43
1	B	1	3DR	C2'-C3'	11.76	1.73	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1	3DR	C3'-C4'	6.76	1.70	1.53

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1	3DR	O3'-C3'-C2'	25.78	171.90	111.43
1	B	1	3DR	C1'-C2'-C3'	-21.66	80.05	103.26
1	B	1	3DR	O4'-C4'-C3'	-11.07	87.43	103.73
1	B	1	3DR	C5'-C4'-C3'	7.73	157.88	114.64
1	B	1	3DR	O3'-C3'-C4'	-2.88	99.16	110.07

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	1	3DR	C4'
1	B	1	3DR	C3'

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	1	3DR	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	360:GLY	C	361:ARG	N	1.09

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.