



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:40 PM UTC

PDB ID : 3P50 / pdb_00003p50
Title : Structure of propofol bound to a pentameric ligand-gated ion channel, GLIC
Authors : Nury, H.; Van Renterghem, C.; Weng, Y.; Tran, A.; Baaden, M.; Dufresne, V.; Changeux, J.P.; Sonner, J.M.; Delarue, M.; Corringer, P.J.
Deposited on : 2010-10-07
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1169 (3.32-3.28)
Clashscore	190562	1209 (3.32-3.28)
Ramachandran outliers	187476	1188 (3.32-3.28)
Sidechain outliers	187428	1187 (3.32-3.28)
RSRZ outliers	180081	1169 (3.32-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	318	80% 15% ..
1	B	318	82% 14% ..
1	C	318	79% 18% ..
1	D	318	80% 16% ..
1	E	318	81% 16% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PFL	A	319	-	X	-	-
3	PFL	D	320	-	X	-	-
3	PFL	E	319	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 13003 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glr4197 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	311	Total	C	N	O	S	0	0	0
			2525	1664	404	453	4			
1	B	311	Total	C	N	O	S	0	0	0
			2525	1664	404	453	4			
1	C	311	Total	C	N	O	S	0	0	0
			2525	1664	404	453	4			
1	D	311	Total	C	N	O	S	0	0	0
			2525	1664	404	453	4			
1	E	311	Total	C	N	O	S	0	0	0
			2525	1664	404	453	4			

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ALA	-	expression tag	UNP Q7NDN8
A	318	GLY	-	expression tag	UNP Q7NDN8
B	1	ALA	-	expression tag	UNP Q7NDN8
B	318	GLY	-	expression tag	UNP Q7NDN8
C	1	ALA	-	expression tag	UNP Q7NDN8
C	318	GLY	-	expression tag	UNP Q7NDN8
D	1	ALA	-	expression tag	UNP Q7NDN8
D	318	GLY	-	expression tag	UNP Q7NDN8
E	1	ALA	-	expression tag	UNP Q7NDN8
E	318	GLY	-	expression tag	UNP Q7NDN8

- Molecule 2 is DODECYL-BETA-D-MALTOSIDE (CCD ID: LMT) (formula: C₂₄H₄₆O₁₁).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			14	13	1		
2	A	1	Total	C	O	0	0
			35	24	11		
2	B	1	Total	C	O	0	0
			14	13	1		
2	D	1	Total	C	O	0	0
			14	13	1		
2	D	1	Total	C	O	0	0
			14	13	1		
2	E	1	Total	C	O	0	0
			14	13	1		

- Molecule 3 is 2,6-BIS(1-METHYLETHYL)PHENOL (CCD ID: PFL) (formula: C₁₂H₁₈O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	12	1		
3	B	1	Total	C	O	0	0
			13	12	1		
3	C	1	Total	C	O	0	0
			13	12	1		
3	D	1	Total	C	O	0	0
			13	12	1		
3	E	1	Total	C	O	0	0
			13	12	1		

- Molecule 4 is DIUNDECYL PHOSPHATIDYL CHOLINE (CCD ID: PLC) (formula: C₃₂H₆₅NO₈P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O P 28 18 1 8 1	0	0
4	A	1	Total C 9 9	0	0
4	B	1	Total C N O P 28 18 1 8 1	0	0
4	B	1	Total C 9 9	0	0
4	C	1	Total C N O P 28 18 1 8 1	0	0
4	C	1	Total C 9 9	0	0
4	D	1	Total C N O P 28 18 1 8 1	0	0
4	D	1	Total C 9 9	0	0
4	E	1	Total C N O P 28 18 1 8 1	0	0
4	E	1	Total C 9 9	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	4	Total O 4 4	0	0
5	B	5	Total O 5 5	0	0
5	C	3	Total O 3 3	0	0
5	D	4	Total O 4 4	0	0
5	E	7	Total O 7 7	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Glr4197 protein




• Molecule 1: Glr4197 protein



• Molecule 1: Glr4197 protein





• Molecule 1: Glr4197 protein





● Molecule 1: Glr4197 protein



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	181.13Å 132.78Å 159.97Å 90.00° 102.32° 90.00°	Depositor
Resolution (Å)	12.00 – 3.30 12.00 – 3.30	Depositor EDS
% Data completeness (in resolution range)	90.6 (12.00-3.30) 90.6 (12.00-3.30)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.58 (at 3.30Å)	Xtriage
Refinement program	BUSTER 2.9.3	Depositor
R, R_{free}	0.183 , 0.203 0.206 , 0.226	Depositor DCC
R_{free} test set	2614 reflections (4.67%)	wwPDB-VP
Wilson B-factor (Å ²)	67.4	Xtriage
Anisotropy	0.303	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 88.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13003	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PFL, LMT, PLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.80	0/2593	1.30	8/3545 (0.2%)
1	B	0.81	0/2593	1.29	7/3545 (0.2%)
1	C	0.81	0/2593	1.30	14/3545 (0.4%)
1	D	0.80	0/2593	1.29	13/3545 (0.4%)
1	E	0.79	0/2593	1.29	12/3545 (0.3%)
All	All	0.80	0/12965	1.29	54/17725 (0.3%)

There are no bond length outliers.

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	7	PRO	N-CA-C	9.16	119.26	110.47
1	A	138	ARG	N-CA-C	6.76	119.14	108.79
1	D	154	ASP	CA-CB-CG	6.68	119.28	112.60
1	D	7	PRO	N-CA-C	6.68	118.85	110.70
1	C	7	PRO	N-CA-C	6.67	118.83	110.70
1	C	138	ARG	N-CA-C	6.45	118.66	108.79
1	E	91	ASP	CA-CB-CG	6.43	119.03	112.60
1	E	7	PRO	N-CA-C	6.40	118.51	110.70
1	E	138	ARG	N-CA-C	6.37	118.53	108.79
1	B	138	ARG	N-CA-C	6.32	118.46	108.79
1	A	91	ASP	CA-CB-CG	6.22	118.83	112.60
1	A	7	PRO	N-CA-C	6.13	118.18	110.70
1	C	91	ASP	CA-CB-CG	6.10	118.70	112.60
1	C	168	VAL	CA-C-N	6.09	129.11	120.53
1	C	168	VAL	C-N-CA	6.09	129.11	120.53
1	A	168	VAL	CA-C-N	6.06	129.07	120.53
1	A	168	VAL	C-N-CA	6.06	129.07	120.53
1	D	138	ARG	N-CA-C	5.79	117.64	108.79
1	B	152	ASN	CA-CB-CG	5.78	118.38	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	152	ASN	CA-CB-CG	5.73	118.33	112.60
1	A	152	ASN	CA-CB-CG	5.68	118.28	112.60
1	E	169	VAL	N-CA-C	5.62	117.03	110.62
1	E	168	VAL	CA-C-N	5.62	128.45	120.53
1	E	168	VAL	C-N-CA	5.62	128.45	120.53
1	D	187	GLN	N-CA-C	5.60	117.53	108.41
1	C	152	ASN	CA-CB-CG	5.55	118.15	112.60
1	C	187	GLN	N-CA-C	5.55	117.46	108.41
1	E	187	GLN	N-CA-C	5.51	117.40	108.41
1	B	187	GLN	N-CA-C	5.49	117.36	108.41
1	D	56	PRO	CA-C-N	5.48	127.58	120.56
1	D	56	PRO	C-N-CA	5.48	127.58	120.56
1	D	25	ILE	N-CA-C	-5.48	107.09	111.81
1	D	169	VAL	N-CA-C	5.45	116.83	110.62
1	D	168	VAL	CA-C-N	5.42	128.17	120.53
1	D	168	VAL	C-N-CA	5.42	128.17	120.53
1	C	56	PRO	CA-C-N	5.37	127.43	120.56
1	C	56	PRO	C-N-CA	5.37	127.43	120.56
1	A	169	VAL	N-CA-C	5.33	116.70	110.62
1	E	152	ASN	CA-CB-CG	5.23	117.83	112.60
1	A	187	GLN	N-CA-C	5.22	116.92	108.41
1	D	57	VAL	N-CA-C	5.20	115.42	110.53
1	E	25	ILE	N-CA-C	-5.20	106.73	111.67
1	C	68	PRO	CA-C-N	5.17	127.72	120.28
1	C	68	PRO	C-N-CA	5.17	127.72	120.28
1	C	57	VAL	N-CA-C	5.16	115.38	110.53
1	C	169	VAL	N-CA-C	5.14	116.48	110.62
1	D	91	ASP	CA-CB-CG	5.10	117.70	112.60
1	B	56	PRO	CA-C-N	5.09	126.94	120.72
1	B	56	PRO	C-N-CA	5.09	126.94	120.72
1	E	287	ARG	CA-C-N	5.09	127.41	120.54
1	E	287	ARG	C-N-CA	5.09	127.41	120.54
1	E	181	GLU	CB-CG-CD	5.09	121.25	112.60
1	B	17	THR	CB-CA-C	5.03	119.11	110.81
1	C	25	ILE	N-CA-C	-5.02	106.90	111.67

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2525	0	2545	26	0
1	B	2525	0	2545	20	0
1	C	2525	0	2545	21	0
1	D	2525	0	2545	22	0
1	E	2525	0	2545	19	0
2	A	49	0	71	8	0
2	B	14	0	25	1	0
2	D	28	0	50	1	0
2	E	14	0	25	0	0
3	A	13	0	18	3	0
3	B	13	0	17	2	0
3	C	13	0	18	2	0
3	D	13	0	17	2	0
3	E	13	0	17	0	0
4	A	37	0	44	1	0
4	B	37	0	44	2	0
4	C	37	0	44	1	0
4	D	37	0	44	1	0
4	E	37	0	44	1	0
5	A	4	0	0	0	0
5	B	5	0	0	0	0
5	C	3	0	0	0	0
5	D	4	0	0	0	0
5	E	7	0	0	0	0
All	All	13003	0	13203	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:PHE:HE2	1:B:85:ARG:HD3	1.25	1.02
1:D:78:PHE:HE2	1:D:85:ARG:HD3	1.25	1.01
1:A:78:PHE:HE2	1:A:85:ARG:HD3	1.23	0.99

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:78:PHE:HE2	1:E:85:ARG:HD3	1.25	0.98
1:C:78:PHE:HE2	1:C:85:ARG:HD3	1.25	0.97
1:C:205:MET:HE2	1:C:238:PHE:HB3	1.54	0.89
1:B:205:MET:HE2	1:B:238:PHE:HB3	1.55	0.88
1:E:205:MET:HE2	1:E:238:PHE:HB3	1.55	0.88
1:A:205:MET:HE2	1:A:238:PHE:HB3	1.56	0.87
1:D:205:MET:HE2	1:D:238:PHE:HB3	1.59	0.85
1:A:78:PHE:CE2	1:A:85:ARG:HD3	2.11	0.85
1:B:78:PHE:CE2	1:B:85:ARG:HD3	2.13	0.84
1:E:78:PHE:CE2	1:E:85:ARG:HD3	2.13	0.84
1:D:78:PHE:CE2	1:D:85:ARG:HD3	2.13	0.83
1:C:78:PHE:CE2	1:C:85:ARG:HD3	2.14	0.82
2:A:501:LMT:H12	2:A:502:LMT:H122	1.65	0.79
1:D:133:ARG:NH1	1:D:176:LEU:O	2.24	0.71
1:C:133:ARG:NH1	1:C:176:LEU:O	2.24	0.69
1:B:187:GLN:OE1	1:B:189:ARG:NH2	2.27	0.68
1:A:134:SER:HB3	1:A:139:ASN:HA	1.76	0.67
1:E:187:GLN:OE1	1:E:189:ARG:NH2	2.28	0.67
1:D:237:ALA:HA	2:D:319:LMT:H82	1.77	0.67
1:B:133:ARG:NH1	1:B:176:LEU:O	2.29	0.66
1:D:187:GLN:OE1	1:D:189:ARG:NH2	2.29	0.65
1:A:187:GLN:OE1	1:A:189:ARG:NH2	2.29	0.65
1:D:255:THR:HG23	3:D:320:PFL:H111	1.80	0.64
1:A:255:THR:HG23	3:A:319:PFL:H111	1.79	0.63
1:A:233:ILE:HG21	2:A:502:LMT:H6D	1.80	0.63
1:C:187:GLN:OE1	1:C:189:ARG:NH2	2.30	0.62
1:C:255:THR:HG23	3:C:319:PFL:H111	1.82	0.62
1:E:133:ARG:NH1	1:E:176:LEU:O	2.33	0.62
1:A:237:ALA:HA	2:A:501:LMT:H92	1.84	0.59
1:B:32:ASP:OD1	1:B:192:ARG:NH2	2.34	0.58
1:A:32:ASP:OD1	1:A:192:ARG:NH2	2.37	0.58
2:A:502:LMT:O3'	2:A:502:LMT:H3B	2.03	0.58
1:D:32:ASP:OD1	1:D:192:ARG:NH2	2.36	0.57
1:B:69:GLU:CD	1:B:69:GLU:H	2.12	0.57
2:A:502:LMT:H101	2:B:501:LMT:H21	1.86	0.57
1:B:118:ARG:HH12	4:B:320:PLC:H83	1.70	0.57
1:A:55:ASP:OD2	1:A:57:VAL:HB	2.05	0.57
1:B:255:THR:HG23	3:B:319:PFL:H111	1.86	0.57
1:A:69:GLU:H	1:A:69:GLU:CD	2.13	0.56
1:C:32:ASP:OD1	1:C:192:ARG:NH2	2.38	0.56
1:D:69:GLU:H	1:D:69:GLU:CD	2.12	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:26:GLU:HB2	1:E:40:ASN:HB3	1.87	0.56
1:A:7:PRO:HG3	1:A:135:VAL:HG21	1.88	0.56
1:E:69:GLU:H	1:E:69:GLU:CD	2.13	0.56
1:B:205:MET:HE2	1:B:238:PHE:CB	2.33	0.56
1:E:205:MET:HE2	1:E:238:PHE:CB	2.33	0.56
1:E:118:ARG:HH12	4:E:320:PLC:H83	1.72	0.55
1:E:32:ASP:OD1	1:E:192:ARG:NH2	2.37	0.55
1:D:8:PRO:HB3	1:D:49:ASP:OD1	2.07	0.54
2:A:501:LMT:C1	2:A:502:LMT:H122	2.37	0.54
1:C:205:MET:HE2	1:C:238:PHE:CB	2.32	0.54
1:C:69:GLU:H	1:C:69:GLU:CD	2.14	0.54
1:B:7:PRO:HG3	1:B:135:VAL:HG21	1.88	0.53
1:D:205:MET:HE2	1:D:238:PHE:CB	2.36	0.53
1:C:26:GLU:HB2	1:C:40:ASN:HB3	1.91	0.53
1:D:26:GLU:HB2	1:D:40:ASN:HB3	1.91	0.52
1:A:8:PRO:HB3	1:A:49:ASP:OD1	2.10	0.52
1:C:118:ARG:HH12	4:C:320:PLC:H83	1.75	0.52
1:C:16:LEU:HD11	1:C:47:TRP:HB2	1.92	0.51
1:D:118:ARG:HH12	4:D:321:PLC:H83	1.75	0.51
1:C:134:SER:HB3	1:C:139:ASN:HA	1.93	0.51
1:C:173:ASN:HB3	1:C:180:LEU:HD11	1.93	0.50
1:E:173:ASN:HB3	1:E:180:LEU:HD11	1.93	0.50
1:C:55:ASP:HB3	1:C:58:ARG:HB3	1.94	0.50
2:A:501:LMT:H21	2:A:502:LMT:H102	1.93	0.50
1:B:26:GLU:HB2	1:B:40:ASN:HB3	1.92	0.49
1:D:7:PRO:HG3	1:D:135:VAL:HG21	1.94	0.49
1:A:26:GLU:HB2	1:A:40:ASN:HB3	1.94	0.49
1:A:205:MET:HE2	1:A:238:PHE:CB	2.34	0.49
4:A:320:PLC:H4'2	4:A:321:PLC:H6'1	1.96	0.48
1:A:135:VAL:HG23	1:A:138:ARG:H	1.78	0.48
1:D:133:ARG:CZ	1:D:179:ARG:HB2	2.45	0.47
1:E:16:LEU:HD11	1:E:47:TRP:HB2	1.96	0.47
1:D:134:SER:HB3	1:D:139:ASN:HA	1.97	0.47
1:A:201:ILE:O	1:A:205:MET:HB2	2.16	0.46
1:B:173:ASN:HB3	1:B:180:LEU:HD11	1.98	0.46
1:B:202:ILE:HG12	3:B:319:PFL:H112	1.97	0.46
1:E:59:SER:C	1:E:61:VAL:H	2.23	0.46
1:A:230:SER:CB	1:B:229:VAL:HG11	2.46	0.46
1:A:255:THR:OG1	3:A:319:PFL:H121	2.16	0.45
1:C:7:PRO:HG3	1:C:135:VAL:HG21	1.98	0.45
1:A:202:ILE:HG12	3:A:319:PFL:H112	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:201:ILE:O	1:D:205:MET:HB2	2.18	0.44
1:C:11:ILE:HG13	1:C:12:ALA:H	1.83	0.44
1:E:7:PRO:HG3	1:E:135:VAL:HG21	2.00	0.44
1:B:76:ILE:HD12	1:B:142:LEU:HD21	2.00	0.44
1:B:230:SER:CB	1:C:229:VAL:HG11	2.48	0.44
1:B:11:ILE:HG13	1:B:12:ALA:H	1.83	0.43
1:A:133:ARG:CZ	1:A:179:ARG:HB2	2.48	0.43
4:B:320:PLC:H4'2	4:B:321:PLC:H6'1	2.00	0.43
1:D:11:ILE:HG13	1:D:12:ALA:H	1.84	0.43
1:E:11:ILE:HG13	1:E:12:ALA:H	1.83	0.43
1:A:11:ILE:HG13	1:A:12:ALA:H	1.84	0.43
1:A:173:ASN:HB3	1:A:180:LEU:HD11	2.02	0.42
1:D:255:THR:OG1	3:D:320:PFL:H121	2.20	0.42
1:B:201:ILE:O	1:B:205:MET:HB2	2.19	0.42
1:E:76:ILE:HD12	1:E:142:LEU:HD21	2.00	0.42
1:A:46:SER:HA	1:A:100:VAL:O	2.20	0.42
1:D:230:SER:CB	1:E:229:VAL:HG11	2.51	0.41
1:E:201:ILE:O	1:E:205:MET:HB2	2.20	0.41
1:B:222:GLU:CD	1:B:222:GLU:H	2.29	0.41
1:D:222:GLU:H	1:D:222:GLU:CD	2.28	0.41
2:A:501:LMT:H62	2:A:502:LMT:H82	2.03	0.41
1:D:76:ILE:HD12	1:D:142:LEU:HD21	2.02	0.40
1:A:222:GLU:CD	1:A:222:GLU:H	2.30	0.40
1:A:229:VAL:HG11	1:E:230:SER:CB	2.51	0.40
1:C:76:ILE:HD12	1:C:142:LEU:HD21	2.03	0.40
1:C:255:THR:OG1	3:C:319:PFL:H121	2.21	0.40
1:C:310:LEU:HD23	1:C:310:LEU:HA	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	309/318 (97%)	295 (96%)	13 (4%)	1 (0%)	36	65
1	B	309/318 (97%)	296 (96%)	13 (4%)	0	100	100
1	C	309/318 (97%)	297 (96%)	12 (4%)	0	100	100
1	D	309/318 (97%)	297 (96%)	11 (4%)	1 (0%)	36	65
1	E	309/318 (97%)	294 (95%)	14 (4%)	1 (0%)	36	65
All	All	1545/1590 (97%)	1479 (96%)	63 (4%)	3 (0%)	43	71

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	57	VAL
1	D	155	VAL
1	E	155	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/284 (99%)	260 (93%)	20 (7%)	13	40
1	B	280/284 (99%)	259 (92%)	21 (8%)	12	38
1	C	280/284 (99%)	257 (92%)	23 (8%)	10	35
1	D	280/284 (99%)	260 (93%)	20 (7%)	13	40
1	E	280/284 (99%)	261 (93%)	19 (7%)	14	42
All	All	1400/1420 (99%)	1297 (93%)	103 (7%)	13	38

All (103) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	CYS
1	A	33	LYS
1	A	69	GLU
1	A	100	VAL
1	A	137	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	140	ILE
1	A	141	VAL
1	A	147	GLU
1	A	163	GLU
1	A	178	ASP
1	A	181	GLU
1	A	219	THR
1	A	222	GLU
1	A	225	VAL
1	A	233	ILE
1	A	259	ILE
1	A	273	VAL
1	A	280	LYS
1	A	304	LEU
1	A	305	LEU
1	B	17	THR
1	B	27	CYS
1	B	33	LYS
1	B	65	THR
1	B	69	GLU
1	B	137	THR
1	B	141	VAL
1	B	147	GLU
1	B	163	GLU
1	B	170	LYS
1	B	178	ASP
1	B	181	GLU
1	B	219	THR
1	B	222	GLU
1	B	225	VAL
1	B	233	ILE
1	B	259	ILE
1	B	273	VAL
1	B	280	LYS
1	B	304	LEU
1	B	305	LEU
1	C	17	THR
1	C	27	CYS
1	C	33	LYS
1	C	57	VAL
1	C	69	GLU
1	C	93	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	137	THR
1	C	141	VAL
1	C	147	GLU
1	C	163	GLU
1	C	170	LYS
1	C	178	ASP
1	C	179	ARG
1	C	181	GLU
1	C	219	THR
1	C	222	GLU
1	C	225	VAL
1	C	233	ILE
1	C	259	ILE
1	C	273	VAL
1	C	280	LYS
1	C	304	LEU
1	C	305	LEU
1	D	33	LYS
1	D	57	VAL
1	D	69	GLU
1	D	137	THR
1	D	140	ILE
1	D	141	VAL
1	D	147	GLU
1	D	163	GLU
1	D	178	ASP
1	D	179	ARG
1	D	181	GLU
1	D	219	THR
1	D	222	GLU
1	D	225	VAL
1	D	233	ILE
1	D	259	ILE
1	D	273	VAL
1	D	280	LYS
1	D	304	LEU
1	D	305	LEU
1	E	27	CYS
1	E	33	LYS
1	E	63	VAL
1	E	65	THR
1	E	69	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	137	THR
1	E	141	VAL
1	E	147	GLU
1	E	163	GLU
1	E	178	ASP
1	E	181	GLU
1	E	219	THR
1	E	222	GLU
1	E	225	VAL
1	E	259	ILE
1	E	273	VAL
1	E	280	LYS
1	E	304	LEU
1	E	305	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	152	ASN
1	B	307	ASN
1	C	83	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	LMT	A	502	-	36,36,36	1.89	8 (22%)	47,47,47	2.21	14 (29%)
4	PLC	E	320	-	27,27,41	1.56	4 (14%)	33,35,49	3.04	11 (33%)
4	PLC	B	320	-	27,27,41	1.65	4 (14%)	33,35,49	3.13	11 (33%)
4	PLC	E	321	-	8,8,41	0.62	0	7,7,49	0.54	0
3	PFL	E	319	-	13,13,13	3.45	8 (61%)	18,18,18	1.41	5 (27%)
4	PLC	A	320	-	27,27,41	1.55	5 (18%)	33,35,49	3.09	11 (33%)
3	PFL	C	319	-	13,13,13	3.44	9 (69%)	18,18,18	1.31	2 (11%)
2	LMT	E	501	-	13,13,36	0.69	0	12,12,47	0.74	0
4	PLC	D	321	-	27,27,41	1.66	4 (14%)	33,35,49	3.16	12 (36%)
4	PLC	A	321	-	8,8,41	0.78	0	7,7,49	0.55	0
2	LMT	D	319	-	13,13,36	0.50	0	12,12,47	0.61	0
2	LMT	A	501	-	13,13,36	0.54	0	12,12,47	0.81	0
4	PLC	C	320	-	27,27,41	1.51	5 (18%)	33,35,49	3.03	11 (33%)
4	PLC	B	321	-	8,8,41	0.73	0	7,7,49	0.55	0
3	PFL	B	319	-	13,13,13	2.97	8 (61%)	18,18,18	1.31	2 (11%)
2	LMT	D	501	-	13,13,36	0.39	0	12,12,47	1.01	0
3	PFL	A	319	-	13,13,13	3.60	9 (69%)	18,18,18	1.36	4 (22%)
3	PFL	D	320	-	13,13,13	3.66	9 (69%)	18,18,18	1.31	3 (16%)
2	LMT	B	501	-	13,13,36	0.53	0	12,12,47	0.97	0
4	PLC	C	321	-	8,8,41	0.70	0	7,7,49	0.71	0
4	PLC	D	322	-	8,8,41	0.56	0	7,7,49	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LMT	A	502	-	-	7/21/61/61	0/2/2/2
4	PLC	E	320	-	-	18/30/30/45	-
4	PLC	B	320	-	-	18/30/30/45	-
4	PLC	E	321	-	-	1/6/6/45	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PFL	E	319	-	-	4/8/8/8	0/1/1/1
4	PLC	A	320	-	-	18/30/30/45	-
3	PFL	C	319	-	-	4/8/8/8	0/1/1/1
2	LMT	E	501	-	-	4/11/11/61	-
4	PLC	D	321	-	-	17/30/30/45	-
4	PLC	A	321	-	-	1/6/6/45	-
2	LMT	D	319	-	-	6/11/11/61	-
2	LMT	A	501	-	-	2/11/11/61	-
4	PLC	C	320	-	-	18/30/30/45	-
4	PLC	B	321	-	-	2/6/6/45	-
3	PFL	B	319	-	-	5/8/8/8	0/1/1/1
2	LMT	D	501	-	-	5/11/11/61	-
3	PFL	A	319	-	-	4/8/8/8	0/1/1/1
3	PFL	D	320	-	-	4/8/8/8	0/1/1/1
2	LMT	B	501	-	-	6/11/11/61	-
4	PLC	C	321	-	-	1/6/6/45	-
4	PLC	D	322	-	-	1/6/6/45	-

All (73) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	320	PFL	C1-C6	6.28	1.48	1.39
3	A	319	PFL	C1-C6	6.17	1.48	1.39
3	E	319	PFL	C1-C2	6.09	1.48	1.39
3	C	319	PFL	C1-C6	5.87	1.48	1.39
3	A	319	PFL	C3-C2	5.66	1.46	1.39
4	E	320	PLC	P-O1P	5.65	1.70	1.50
4	D	321	PLC	P-O1P	5.53	1.70	1.50
3	D	320	PFL	C1-C2	5.53	1.47	1.39
4	B	320	PLC	P-O1P	5.49	1.69	1.50
2	A	502	LMT	O1'-C1'	5.28	1.49	1.40
3	E	319	PFL	C1-C6	5.25	1.47	1.39
3	D	320	PFL	C3-C2	5.22	1.46	1.39
3	A	319	PFL	C1-C2	5.21	1.47	1.39
3	C	319	PFL	C1-C2	5.13	1.47	1.39
4	A	320	PLC	P-O1P	4.92	1.67	1.50
4	C	320	PLC	P-O1P	4.77	1.67	1.50
3	C	319	PFL	C3-C2	4.75	1.45	1.39
3	C	319	PFL	C5-C6	4.70	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	319	PFL	C3-C2	4.69	1.45	1.39
3	B	319	PFL	C1-C6	4.68	1.46	1.39
3	D	320	PFL	C2-C7	4.60	1.59	1.52
3	B	319	PFL	C3-C2	4.59	1.45	1.39
2	A	502	LMT	C4B-C5B	4.44	1.62	1.53
3	D	320	PFL	C5-C6	4.42	1.45	1.39
3	B	319	PFL	C1-C2	4.29	1.45	1.39
3	A	319	PFL	C2-C7	4.26	1.58	1.52
3	A	319	PFL	C5-C6	4.16	1.44	1.39
3	E	319	PFL	C2-C7	4.01	1.58	1.52
3	E	319	PFL	C5-C6	4.00	1.44	1.39
3	B	319	PFL	C5-C6	3.83	1.44	1.39
3	B	319	PFL	C2-C7	3.75	1.57	1.52
3	C	319	PFL	C2-C7	3.70	1.57	1.52
2	A	502	LMT	O5B-C5B	3.53	1.53	1.44
3	C	319	PFL	C6-C10	3.45	1.57	1.52
3	A	319	PFL	C8-C7	3.45	1.60	1.53
3	E	319	PFL	C4-C5	3.42	1.44	1.38
3	D	320	PFL	C4-C3	3.40	1.44	1.38
3	E	319	PFL	C6-C10	3.34	1.57	1.52
4	D	321	PLC	O2-C2	3.16	1.54	1.46
3	C	319	PFL	C8-C7	3.14	1.59	1.53
2	A	502	LMT	O5'-C1'	3.13	1.49	1.41
3	A	319	PFL	C4-C3	2.96	1.44	1.38
2	A	502	LMT	O5'-C5'	2.92	1.51	1.44
3	E	319	PFL	C8-C7	2.84	1.59	1.53
4	B	320	PLC	O2-C'	2.79	1.42	1.34
4	D	321	PLC	O2-C'	2.78	1.42	1.34
3	D	320	PFL	C8-C7	2.75	1.59	1.53
3	D	320	PFL	C6-C10	2.73	1.56	1.52
4	B	320	PLC	O2-C2	2.73	1.53	1.46
3	B	319	PFL	C8-C7	2.68	1.58	1.53
2	A	502	LMT	C3B-C2B	2.64	1.59	1.52
3	D	320	PFL	C4-C5	2.64	1.43	1.38
4	D	321	PLC	P-O3P	2.61	1.69	1.59
4	A	320	PLC	O2-C2	2.58	1.52	1.46
3	B	319	PFL	C6-C10	2.49	1.55	1.52
4	C	320	PLC	O3-C3	2.49	1.50	1.45
4	B	320	PLC	P-O3P	2.47	1.69	1.59
3	C	319	PFL	C4-C5	2.47	1.43	1.38
3	A	319	PFL	C4-C5	2.46	1.43	1.38
2	A	502	LMT	C1B-C2B	2.43	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	320	PLC	O2-C2	2.40	1.52	1.46
3	B	319	PFL	C4-C5	2.39	1.43	1.38
4	C	320	PLC	P-O4P	2.31	1.68	1.59
4	A	320	PLC	O2-C'	2.30	1.40	1.34
3	C	319	PFL	C4-C3	2.28	1.42	1.38
4	E	320	PLC	P-O3P	2.24	1.68	1.59
4	C	320	PLC	O2-C2	2.24	1.51	1.46
4	A	320	PLC	P-O3P	2.16	1.67	1.59
4	C	320	PLC	O2-C'	2.15	1.40	1.34
4	E	320	PLC	O2-C'	2.12	1.40	1.34
3	A	319	PFL	C11-C10	-2.09	1.48	1.53
4	A	320	PLC	C1'-C'	2.05	1.56	1.50
2	A	502	LMT	C1'-C2'	2.04	1.58	1.52

All (86) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	320	PLC	C6-N-C5	11.08	153.97	109.91
4	D	321	PLC	C6-N-C5	11.01	153.69	109.91
4	B	320	PLC	C6-N-C5	10.97	153.52	109.91
4	C	320	PLC	C6-N-C5	10.73	152.54	109.91
4	E	320	PLC	C6-N-C5	10.71	152.48	109.91
2	A	502	LMT	O1B-C4'-C5'	7.97	130.39	109.48
4	D	321	PLC	C2-O2-C'	7.06	134.69	117.80
4	B	320	PLC	C2-O2-C'	7.03	134.63	117.80
4	E	320	PLC	C2-O2-C'	6.72	133.89	117.80
4	C	320	PLC	C2-O2-C'	6.63	133.66	117.80
4	A	320	PLC	C2-O2-C'	6.51	133.37	117.80
4	B	320	PLC	C7-N-C6	-6.42	92.12	108.98
4	A	320	PLC	C7-N-C6	-6.13	92.88	108.98
4	C	320	PLC	C7-N-C6	-5.94	93.37	108.98
4	E	320	PLC	C7-N-C6	-5.87	93.56	108.98
4	D	321	PLC	C7-N-C6	-5.76	93.86	108.98
2	A	502	LMT	O1B-C4'-C3'	-5.09	94.29	107.23
2	A	502	LMT	C1B-O1B-C4'	4.92	129.63	117.98
2	A	502	LMT	O1B-C1B-O5B	-4.74	98.22	110.69
4	D	321	PLC	C8-N-C6	-4.53	97.08	108.98
4	C	320	PLC	C3-O3-CB	4.52	128.24	117.08
4	D	321	PLC	O2-C'-C1'	4.52	121.25	111.48
4	A	320	PLC	C8-N-C6	-4.49	97.19	108.98
4	D	321	PLC	C3-O3-CB	4.41	127.95	117.08
4	B	320	PLC	O2-C'-C1'	4.31	120.81	111.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	320	PLC	C3-O3-CB	4.29	127.67	117.08
4	E	320	PLC	C8-N-C5	-4.27	92.92	109.91
4	B	320	PLC	C8-N-C6	-4.27	97.76	108.98
4	E	320	PLC	C3-O3-CB	4.17	127.38	117.08
4	C	320	PLC	C8-N-C6	-4.07	98.28	108.98
4	A	320	PLC	C3-O3-CB	4.01	126.98	117.08
4	E	320	PLC	O2-C'-C1'	4.00	120.14	111.48
4	A	320	PLC	O2-C'-C1'	3.99	120.12	111.48
4	C	320	PLC	C8-N-C5	-3.98	94.08	109.91
4	D	321	PLC	C8-N-C5	-3.91	94.36	109.91
4	A	320	PLC	C8-N-C5	-3.90	94.41	109.91
4	C	320	PLC	O2-C'-C1'	3.90	119.91	111.48
4	B	320	PLC	C8-N-C5	-3.84	94.65	109.91
4	E	320	PLC	C8-N-C6	-3.57	99.59	108.98
4	D	321	PLC	C4-C5-N	3.46	126.91	115.82
2	A	502	LMT	O5B-C5B-C4B	3.11	115.30	109.70
3	E	319	PFL	C12-C10-C6	3.05	116.98	111.71
3	A	319	PFL	C12-C10-C6	3.02	116.93	111.71
4	C	320	PLC	C4-C5-N	2.99	125.42	115.82
3	D	320	PFL	C12-C10-C6	2.94	116.78	111.71
3	B	319	PFL	C12-C10-C11	-2.93	104.19	110.23
4	E	320	PLC	C4-C5-N	2.93	125.21	115.82
2	A	502	LMT	O1B-C1B-C2B	-2.89	100.97	108.09
4	A	320	PLC	C4-C5-N	2.88	125.07	115.82
3	C	319	PFL	C12-C10-C11	-2.85	104.34	110.23
4	B	320	PLC	C4-C5-N	2.78	124.74	115.82
3	B	319	PFL	C12-C10-C6	2.76	116.47	111.71
2	A	502	LMT	O5'-C1'-O1'	2.71	116.46	110.04
2	A	502	LMT	C1'-C2'-C3'	2.64	115.56	110.01
2	A	502	LMT	C3'-C4'-C5'	-2.56	105.25	110.93
3	C	319	PFL	C12-C10-C6	2.56	116.12	111.71
3	D	320	PFL	C12-C10-C11	-2.51	105.06	110.23
4	D	321	PLC	O3-CB-C1B	2.46	122.81	112.38
4	B	320	PLC	P-O4P-C4	-2.44	109.62	121.26
4	E	320	PLC	O2-C2-C1	2.43	117.06	108.34
4	A	320	PLC	O3-CB-C1B	2.42	122.64	112.38
4	E	320	PLC	P-O4P-C4	-2.41	109.80	121.26
3	E	319	PFL	C1-C6-C10	2.41	124.59	120.68
4	A	320	PLC	P-O4P-C4	-2.35	110.07	121.26
4	C	320	PLC	O2-C2-C1	2.35	116.76	108.34
4	C	320	PLC	P-O4P-C4	-2.30	110.33	121.26
4	B	320	PLC	O3-CB-C1B	2.27	122.03	112.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	320	PLC	O2-C2-C1	2.26	116.44	108.34
2	A	502	LMT	O6'-C6'-C5'	-2.24	103.71	111.33
2	A	502	LMT	C1B-O5B-C5B	-2.23	109.36	113.72
4	D	321	PLC	P-O4P-C4	-2.22	110.67	121.26
2	A	502	LMT	O2'-C2'-C3'	-2.20	105.19	110.38
2	A	502	LMT	O3B-C3B-C2B	2.19	115.53	110.38
4	D	321	PLC	O2-C2-C3	2.18	116.18	108.34
3	E	319	PFL	C5-C6-C1	-2.16	115.23	117.91
3	D	320	PFL	O1-C1-C2	-2.16	114.65	120.59
3	A	319	PFL	C12-C10-C11	-2.16	105.78	110.23
3	E	319	PFL	C12-C10-C11	-2.16	105.78	110.23
4	D	321	PLC	O2-C2-C1	2.15	116.04	108.34
4	E	320	PLC	O3-CB-C1B	2.12	121.36	112.38
4	C	320	PLC	O3-CB-C1B	2.11	121.34	112.38
3	A	319	PFL	O1-C1-C2	-2.10	114.80	120.59
4	B	320	PLC	O2-C2-C1	2.10	115.88	108.34
2	A	502	LMT	O5'-C5'-C4'	2.07	114.00	109.72
3	A	319	PFL	C3-C2-C7	2.06	122.79	119.83
3	E	319	PFL	C4-C5-C6	2.03	123.42	120.99

There are no chirality outliers.

All (146) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	319	PFL	C12-C10-C6-C1
3	A	319	PFL	C12-C10-C6-C5
3	B	319	PFL	C12-C10-C6-C1
3	B	319	PFL	C12-C10-C6-C5
3	C	319	PFL	C12-C10-C6-C1
3	C	319	PFL	C12-C10-C6-C5
3	D	320	PFL	C12-C10-C6-C1
3	D	320	PFL	C12-C10-C6-C5
3	E	319	PFL	C12-C10-C6-C1
3	E	319	PFL	C12-C10-C6-C5
4	A	320	PLC	C1-O3P-P-O1P
4	A	320	PLC	C4-O4P-P-O1P
4	A	320	PLC	C4-O4P-P-O2P
4	A	320	PLC	C4-O4P-P-O3P
4	B	320	PLC	C1-O3P-P-O1P
4	B	320	PLC	C4-O4P-P-O1P
4	B	320	PLC	C4-O4P-P-O2P
4	B	320	PLC	C4-O4P-P-O3P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	C	320	PLC	C1-O3P-P-O1P
4	C	320	PLC	C4-O4P-P-O1P
4	C	320	PLC	C4-O4P-P-O2P
4	C	320	PLC	C4-O4P-P-O3P
4	D	321	PLC	C1-O3P-P-O1P
4	D	321	PLC	C1-O3P-P-O4P
4	D	321	PLC	C4-O4P-P-O1P
4	D	321	PLC	C4-O4P-P-O2P
4	D	321	PLC	C4-O4P-P-O3P
4	E	320	PLC	C1-O3P-P-O1P
4	E	320	PLC	C1-O3P-P-O4P
4	E	320	PLC	C4-O4P-P-O1P
4	E	320	PLC	C4-O4P-P-O2P
4	E	320	PLC	C4-O4P-P-O3P
2	D	319	LMT	O1'-C1-C2-C3
2	A	502	LMT	O5'-C5'-C6'-O6'
2	A	502	LMT	C4'-C5'-C6'-O6'
4	A	320	PLC	C4-C5-N-C7
4	B	320	PLC	C4-C5-N-C7
4	C	320	PLC	C4-C5-N-C7
4	D	321	PLC	C4-C5-N-C7
4	E	320	PLC	C4-C5-N-C7
4	B	320	PLC	C'-C1'-C2'-C3'
4	E	320	PLC	C'-C1'-C2'-C3'
2	A	501	LMT	C2-C1-O1'-C1'
4	C	320	PLC	C'-C1'-C2'-C3'
4	D	321	PLC	C'-C1'-C2'-C3'
4	A	320	PLC	C'-C1'-C2'-C3'
3	D	320	PFL	C3-C2-C7-C8
3	E	319	PFL	C3-C2-C7-C8
2	D	501	LMT	C5-C6-C7-C8
3	A	319	PFL	C3-C2-C7-C8
2	E	501	LMT	C2-C1-O1'-C1'
3	B	319	PFL	C3-C2-C7-C9
3	C	319	PFL	C3-C2-C7-C8
2	D	501	LMT	C2-C3-C4-C5
4	D	321	PLC	C1'-C'-O2-C2
4	E	320	PLC	C1'-C'-O2-C2
2	B	501	LMT	C11-C10-C9-C8
3	C	319	PFL	C3-C2-C7-C9
4	B	320	PLC	C1'-C'-O2-C2
3	E	319	PFL	C3-C2-C7-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	D	321	PLC	C2'-C3'-C4'-C5'
4	E	320	PLC	C2'-C3'-C4'-C5'
3	D	320	PFL	C3-C2-C7-C9
4	A	320	PLC	C1'-C'-O2-C2
4	B	320	PLC	C2'-C3'-C4'-C5'
4	A	320	PLC	C2'-C3'-C4'-C5'
2	D	319	LMT	C2-C3-C4-C5
4	C	320	PLC	C2'-C3'-C4'-C5'
4	D	321	PLC	O'-C'-O2-C2
4	E	320	PLC	O'-C'-O2-C2
2	B	501	LMT	C2-C3-C4-C5
2	D	501	LMT	C7-C8-C9-C10
3	A	319	PFL	C3-C2-C7-C9
4	B	320	PLC	O'-C'-O2-C2
3	B	319	PFL	C3-C2-C7-C8
4	C	320	PLC	C1'-C'-O2-C2
4	A	320	PLC	O'-C'-O2-C2
2	A	502	LMT	O1'-C1-C2-C3
4	E	320	PLC	C3'-C4'-C5'-C6'
2	B	501	LMT	C7-C8-C9-C10
4	A	320	PLC	C1-C2-O2-C'
4	B	320	PLC	C1-C2-O2-C'
4	C	320	PLC	C1-C2-O2-C'
4	D	321	PLC	C1-C2-O2-C'
4	E	320	PLC	C1-C2-O2-C'
4	A	320	PLC	C1'-C2'-C3'-C4'
4	C	320	PLC	C1'-C2'-C3'-C4'
4	C	320	PLC	C3'-C4'-C5'-C6'
4	D	321	PLC	C1'-C2'-C3'-C4'
4	A	320	PLC	C3'-C4'-C5'-C6'
4	B	320	PLC	C1'-C2'-C3'-C4'
4	B	320	PLC	C3'-C4'-C5'-C6'
2	D	501	LMT	C4-C5-C6-C7
4	D	321	PLC	C3'-C4'-C5'-C6'
4	E	320	PLC	C1'-C2'-C3'-C4'
2	D	319	LMT	C1-C2-C3-C4
2	A	502	LMT	C2-C3-C4-C5
4	C	320	PLC	O'-C'-O2-C2
4	D	322	PLC	C3'-C4'-C5'-C6'
4	A	320	PLC	O2-C2-C3-O3
4	C	320	PLC	O2-C2-C3-O3
4	D	321	PLC	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	501	LMT	C1-C2-C3-C4
2	B	501	LMT	C6-C7-C8-C9
2	A	502	LMT	C1-C2-C3-C4
4	B	320	PLC	O2-C2-C3-O3
4	E	320	PLC	O2-C2-C3-O3
2	B	501	LMT	C4-C5-C6-C7
2	D	319	LMT	C2-C1-O1'-C1'
4	A	320	PLC	O3P-C1-C2-O2
4	A	320	PLC	C1-O3P-P-O2P
4	A	320	PLC	C1-O3P-P-O4P
4	B	320	PLC	C1-O3P-P-O2P
4	B	320	PLC	C1-O3P-P-O4P
4	C	320	PLC	C1-O3P-P-O2P
4	C	320	PLC	C1-O3P-P-O4P
4	D	321	PLC	C1-O3P-P-O2P
4	E	320	PLC	C1-O3P-P-O2P
2	A	502	LMT	C3-C4-C5-C6
2	E	501	LMT	C1-C2-C3-C4
4	C	320	PLC	O3P-C1-C2-O2
4	B	321	PLC	C4'-C5'-C6'-C7'
4	C	321	PLC	C4'-C5'-C6'-C7'
2	D	319	LMT	C11-C10-C9-C8
2	D	501	LMT	C11-C10-C9-C8
4	A	320	PLC	C4-C5-N-C8
4	C	320	PLC	C4-C5-N-C8
2	B	501	LMT	O1'-C1-C2-C3
4	E	320	PLC	C4-C5-N-C8
2	E	501	LMT	C3-C4-C5-C6
4	B	320	PLC	O3P-C1-C2-O2
4	D	321	PLC	O3P-C1-C2-O2
4	B	320	PLC	C4-C5-N-C8
2	E	501	LMT	C2-C3-C4-C5
2	A	502	LMT	C4-C5-C6-C7
4	E	320	PLC	O3P-C1-C2-O2
4	A	320	PLC	C4-C5-N-C6
4	C	320	PLC	C4-C5-N-C6
4	D	321	PLC	C4-C5-N-C8
2	D	319	LMT	C3-C4-C5-C6
4	B	320	PLC	C4-C5-N-C6
4	E	320	PLC	C4-C5-N-C6
4	A	321	PLC	C2'-C3'-C4'-C5'
4	B	321	PLC	C2'-C3'-C4'-C5'

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	E	321	PLC	C2'-C3'-C4'-C5'
3	B	319	PFL	C1-C2-C7-C9


There are no ring outliers.


15 monomers are involved in 24 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	502	LMT	7	0
4	E	320	PLC	1	0
4	B	320	PLC	2	0
4	A	320	PLC	1	0
3	C	319	PFL	2	0
4	D	321	PLC	1	0
4	A	321	PLC	1	0
2	D	319	LMT	1	0
2	A	501	LMT	5	0
4	C	320	PLC	1	0
4	B	321	PLC	1	0
3	B	319	PFL	2	0
3	A	319	PFL	3	0
3	D	320	PFL	2	0
2	B	501	LMT	1	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	311/318 (97%)	-0.38	3 (0%) 79 63	42, 66, 105, 134	0
1	B	311/318 (97%)	-0.46	1 (0%) 90 82	41, 65, 92, 105	0
1	C	311/318 (97%)	-0.46	0 100 100	40, 62, 100, 132	0
1	D	311/318 (97%)	-0.44	0 100 100	37, 64, 102, 131	0
1	E	311/318 (97%)	-0.46	1 (0%) 90 82	40, 64, 100, 120	0
All	All	1555/1590 (97%)	-0.44	5 (0%) 90 82	37, 64, 101, 134	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	11	ILE	3.7
1	A	10	PRO	3.1
1	B	5	VAL	3.0
1	A	61	VAL	2.4
1	E	86	ASP	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	PLC	B	320	28/42	0.55	0.25	108,112,118,119	0
4	PLC	E	320	28/42	0.59	0.23	106,110,116,117	0
4	PLC	B	321	9/42	0.60	0.17	74,74,76,77	0
4	PLC	E	321	9/42	0.61	0.14	71,71,73,74	0
4	PLC	D	321	28/42	0.63	0.23	104,108,114,115	0
4	PLC	A	321	9/42	0.64	0.14	73,73,74,75	0
4	PLC	A	320	28/42	0.64	0.20	107,111,117,118	0
4	PLC	C	320	28/42	0.66	0.20	107,111,117,118	0
4	PLC	C	321	9/42	0.68	0.16	68,68,70,71	0
3	PFL	A	319	13/13	0.72	0.20	123,131,135,137	0
2	LMT	A	502	35/35	0.72	0.17	92,97,105,106	0
4	PLC	D	322	9/42	0.73	0.28	103,103,104,105	0
3	PFL	E	319	13/13	0.74	0.19	128,134,137,138	0
2	LMT	B	501	14/35	0.76	0.22	103,108,110,111	0
2	LMT	A	501	14/35	0.79	0.24	117,122,124,124	0
2	LMT	E	501	14/35	0.79	0.18	107,112,115,115	0
3	PFL	D	320	13/13	0.81	0.17	128,132,137,137	0
3	PFL	C	319	13/13	0.82	0.17	133,137,140,142	0
2	LMT	D	501	14/35	0.85	0.21	105,110,112,112	0
2	LMT	D	319	14/35	0.89	0.21	115,119,122,122	0
3	PFL	B	319	13/13	0.91	0.12	130,135,136,136	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PLC B 320:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLC E 320:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around PLC B 321:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLC E 321:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PLC D 321:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLC A 321:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PLC A 320:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLC C 320:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PLC C 321:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT A 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PLC D 322:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT E 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around LMT D 319:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.