



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 05:36 PM UTC

PDB ID : 1P6C / pdb_00001p6c
Title : crystal structure of phosphotriesterase triple mutant H254G/H257W/L303T
complexed with diisopropylmethylphosphonate
Authors : Hill, C.M.; Li, W.; Thoden, J.B.; Holden, H.M.; Raushel, F.M.
Deposited on : 2003-04-29
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	336	% 74% 19% 5% .
1	B	336	70% 25% ...

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5431 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Parathion hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	331	Total	C	N	O	S	0	0	0
			2526	1598	448	473	7			
1	B	330	Total	C	N	O	S	0	2	0
			2526	1598	447	474	7			


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	254	GLY	HIS	engineered mutation	UNP P0A433
A	257	TRP	HIS	engineered mutation	UNP P0A433
A	303	THR	LEU	engineered mutation	UNP P0A433
B	254	GLY	HIS	engineered mutation	UNP P0A433
B	257	TRP	HIS	engineered mutation	UNP P0A433
B	303	THR	LEU	engineered mutation	UNP P0A433

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		

- Molecule 3 is DIETHYL 4-METHYLBENZYLPHOSPHONATE (CCD ID: EBP) (formula: C₁₂H₁₉O₃P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			16	12	3	1		
3	B	1	Total	C	O	P	0	0
			16	12	3	1		

- Molecule 4 is METHYLPHOSPHONIC ACID DIISOPROPYL ESTER (CCD ID: DII) (formula: $C_7H_{17}O_3P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	P	0	0
			11	7	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O	P	0	0
			11	7	3	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	163	Total	O	0	0
			163	163		
5	B	158	Total	O	0	0
			158	158		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Parathion hydrolase

Chain A: 



• Molecule 1: Parathion hydrolase

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	130.40Å 91.90Å 69.70Å 90.00° 90.90° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00 30.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	85.3 (30.00-2.00) 85.2 (30.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.00 (at 2.00Å)	Xtriage
Refinement program	TNT	Depositor
R, R_{free}	0.181 , 0.246 0.183 , 0.183	Depositor DCC
R_{free} test set	4728 reflections (9.98%)	wwPDB-VP
Wilson B-factor (Å ²)	21.7	Xtriage
Anisotropy	0.501	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 117.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.156 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5431	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: DII, KCX, ZN, EBP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.09	0/2561	1.56	28/3478 (0.8%)
1	B	1.07	0/2569	1.56	18/3489 (0.5%)
All	All	1.08	0/5130	1.56	46/6967 (0.7%)

There are no bond length outliers.

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	54	THR	N-CA-C	7.74	122.73	113.28
1	A	54	THR	N-CA-C	7.61	122.59	113.16
1	A	253	ASP	N-CA-C	6.93	122.59	113.30
1	A	49	ALA	N-CA-C	6.88	118.78	111.28
1	A	331	ARG	N-CA-C	6.73	121.53	113.12
1	B	353	ASN	CA-C-O	6.62	125.22	118.73
1	B	106	ILE	N-CA-C	-6.54	106.36	112.83
1	B	333	ILE	CA-C-O	6.45	123.01	118.69
1	A	106	ILE	N-CA-C	-6.37	106.52	112.83
1	B	333	ILE	N-CA-CB	6.36	115.41	110.45
1	B	321	ASN	CA-C-N	6.20	126.10	119.28
1	B	321	ASN	C-N-CA	6.20	126.10	119.28
1	B	253	ASP	N-CA-C	6.16	121.63	112.94
1	A	321	ASN	CA-C-N	6.16	125.84	119.56
1	A	321	ASN	C-N-CA	6.16	125.84	119.56
1	A	159	GLU	CB-CA-C	-6.14	109.51	116.63
1	B	65	PHE	N-CA-C	6.11	117.61	111.07
1	A	357	PHE	CA-CB-CG	5.89	119.69	113.80
1	A	358	LEU	N-CA-C	5.87	118.46	111.71
1	A	327	PHE	CA-CB-CG	-5.71	108.09	113.80
1	B	288	ILE	N-CA-C	-5.62	105.25	110.53
1	A	79	LEU	N-CA-C	-5.60	105.17	111.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	176	ALA	N-CA-C	5.55	117.45	110.24
1	A	128	THR	N-CA-CB	5.54	119.01	110.60
1	A	66	LEU	CB-CA-C	5.49	119.90	110.79
1	A	153	GLU	N-CA-C	5.46	117.23	111.28
1	B	266	ALA	N-CA-C	5.45	117.30	111.36
1	A	329	PRO	CB-CA-C	-5.41	104.44	112.55
1	B	171	ALA	N-CA-C	5.36	117.21	109.07
1	B	196	VAL	N-CA-CB	-5.24	104.60	109.99
1	A	69	TRP	CB-CA-C	-5.22	103.60	111.27
1	A	236	ASP	CA-C-N	-5.22	112.25	120.60
1	A	236	ASP	C-N-CA	-5.22	112.25	120.60
1	B	255	ILE	N-CA-C	5.22	120.15	108.88
1	A	164	ARG	N-CA-C	5.21	118.31	109.76
1	B	336	LEU	N-CA-CB	5.20	117.85	110.16
1	A	65	PHE	N-CA-C	5.16	116.59	111.07
1	B	172	THR	N-CA-CB	5.15	121.10	111.52
1	B	306	PHE	N-CA-CB	-5.13	102.97	110.86
1	A	274	ILE	CB-CA-C	-5.12	105.35	112.36
1	A	72	PHE	CA-CB-CG	-5.07	108.73	113.80
1	B	110	VAL	N-CA-C	5.05	116.37	110.62
1	A	240	LEU	N-CA-C	5.04	116.46	111.07
1	A	171	ALA	N-CA-C	5.01	116.46	108.79
1	A	192	LEU	CA-C-N	5.00	127.92	120.31
1	A	192	LEU	C-N-CA	5.00	127.92	120.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2526	0	2543	49	0
1	B	2526	0	2542	52	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	16	0	19	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	16	0	19	2	0
4	A	11	0	17	1	0
4	B	11	0	17	1	0
5	A	163	0	0	7	0
5	B	158	0	0	3	0
All	All	5431	0	5157	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:176:ALA:H	1:A:211:GLN:HE22	1.31	0.78
1:B:110:VAL:HG13	1:B:163:ILE:HD12	1.68	0.73
1:A:82:LYS:HE2	1:A:304:PHE:O	1.91	0.71
1:B:333:ILE:HB	1:B:334:PRO:HD3	1.77	0.66
4:A:7:DII:H62	4:A:7:DII:H72	1.77	0.65
1:A:36:ARG:NH2	5:A:479:HOH:O	2.29	0.65
1:B:363:ARG:HG2	1:B:364:ALA:N	2.12	0.65
1:A:176:ALA:H	1:A:211:GLN:NE2	1.95	0.65
1:B:328:ILE:HB	1:B:329:PRO:HD3	1.78	0.64
1:A:169:KCX:OQ2	1:A:201:HIS:HB2	1.98	0.63
1:B:139:ARG:HB3	5:B:465:HOH:O	1.98	0.63
1:B:272:LEU:HD21	1:B:317:MET:HE3	1.81	0.63
1:B:294:LYS:O	1:B:356:ARG:NH2	2.32	0.62
1:A:202:THR:HB	1:A:208:ASP:HB2	1.81	0.62
1:A:46:ILE:HD12	1:A:359:SER:HB3	1.82	0.61
1:A:262:LEU:HD21	1:A:316:VAL:HG13	1.82	0.60
1:A:84:VAL:O	1:A:88:ARG:HG3	2.02	0.60
1:B:46:ILE:CG2	1:B:355:ALA:HB1	2.32	0.60
1:B:46:ILE:HG22	1:B:355:ALA:HB1	1.83	0.60
1:B:314:MET:HE2	1:B:314:MET:HA	1.83	0.60
1:A:154:ILE:HG23	5:A:445:HOH:O	2.02	0.59
1:B:333:ILE:CB	1:B:334:PRO:HD3	2.33	0.58
1:A:76:ARG:NH2	5:A:505:HOH:O	2.23	0.57
1:A:164:ARG:NH1	5:A:501:HOH:O	2.38	0.56
1:A:337:ARG:NH1	1:A:343:GLN:H	2.03	0.56
1:B:156:TYR:CG	3:B:6:EBP:H122	2.41	0.55
1:B:257:TRP:CE3	1:B:272:LEU:HD23	2.43	0.53
4:B:8:DII:O2	4:B:8:DII:H62	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:353:ASN:HB2	1:B:354:PRO:HD3	1.90	0.53
1:A:131:TRP:CG	1:A:132:PHE:H	2.27	0.53
1:B:84:VAL:O	1:B:88:ARG:HG3	2.08	0.52
1:B:170:VAL:HG22	1:B:200:THR:HG22	1.91	0.52
1:B:249:LEU:N	1:B:249:LEU:HD12	2.24	0.52
3:A:5:EBP:H6	3:A:5:EBP:H92	1.92	0.51
1:A:333:ILE:HB	1:A:334:PRO:HD3	1.91	0.50
1:B:202:THR:HB	1:B:208:ASP:HB2	1.94	0.50
1:B:293:MET:HG2	5:B:387:HOH:O	2.12	0.50
1:A:171:ALA:HB2	1:A:201:HIS:HB3	1.93	0.50
1:A:300:ASN:OD1	1:A:327:PHE:HB3	2.11	0.49
1:A:353:ASN:HB2	1:A:354:PRO:HD3	1.94	0.49
1:B:291:GLY:HA2	5:B:387:HOH:O	2.11	0.49
1:A:241:THR:HG22	1:A:292:TYR:CE1	2.48	0.49
3:A:5:EBP:H6	3:A:5:EBP:C9	2.43	0.49
1:A:286:ALA:O	1:A:290:GLN:HG2	2.14	0.48
1:A:241:THR:HG22	1:A:292:TYR:HE1	1.78	0.48
1:A:111:SER:O	5:A:485:HOH:O	2.20	0.47
1:B:106:ILE:HG22	1:B:106:ILE:O	2.13	0.47
1:B:302:TRP:CH2	1:B:321:ASN:HB3	2.49	0.47
1:A:341:VAL:HG13	1:A:342:PRO:HD2	1.97	0.47
1:A:159:GLU:HG2	1:B:67:ARG:O	2.14	0.47
1:A:34:GLY:HA2	1:A:360:PRO:O	2.15	0.46
1:A:106:ILE:HD11	1:A:131:TRP:CG	2.51	0.46
1:A:143:VAL:HG12	5:A:387:HOH:O	2.14	0.46
1:A:285:LYS:O	1:A:286:ALA:C	2.58	0.46
1:B:55:HIS:CE1	1:B:101:VAL:HG21	2.51	0.46
1:A:185:LYS:O	1:A:189:ARG:HG3	2.16	0.46
1:B:136:LEU:HD23	1:B:136:LEU:HA	1.74	0.45
1:B:311:THR:O	1:B:312:ASN:HB2	2.15	0.45
1:B:106:ILE:HD11	1:B:131:TRP:CD1	2.51	0.45
1:A:337:ARG:HH11	1:A:343:GLN:HB2	1.81	0.45
1:B:328:ILE:HB	1:B:329:PRO:CD	2.44	0.45
1:B:343:GLN:O	1:B:346:LEU:HB2	2.16	0.45
1:A:175:LYS:HB2	1:A:175:LYS:HE3	1.63	0.45
1:B:50:GLY:O	1:B:51:PHE:C	2.60	0.44
1:B:156:TYR:CD2	3:B:6:EBP:H122	2.52	0.44
1:B:207:ARG:O	1:B:208:ASP:C	2.59	0.44
1:A:290:GLN:HG2	1:A:290:GLN:H	1.49	0.44
1:B:314:MET:HE2	1:B:317:MET:HB2	1.98	0.44
1:B:333:ILE:HG23	1:B:346:LEU:HD13	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:341:VAL:HA	1:A:342:PRO:HD3	1.86	0.44
1:A:337:ARG:HH11	1:A:343:GLN:H	1.66	0.43
1:B:326:ALA:C	1:B:329:PRO:HD2	2.43	0.43
1:A:326:ALA:C	1:A:329:PRO:HD2	2.43	0.43
1:B:60:GLY:O	1:B:306:PHE:HA	2.19	0.43
1:A:326:ALA:O	1:A:329:PRO:HD2	2.19	0.43
1:B:135:PRO:O	1:B:136:LEU:C	2.61	0.43
1:A:327:PHE:CE2	1:A:331:ARG:HD3	2.54	0.43
1:B:106:ILE:HD11	1:B:131:TRP:CG	2.54	0.43
1:B:321:ASN:HA	1:B:322:PRO:HD2	1.78	0.43
1:B:45:THR:OG1	1:B:48:GLU:HG3	2.19	0.43
1:B:363:ARG:CG	1:B:364:ALA:N	2.80	0.42
1:A:51:PHE:C	1:A:51:PHE:CD1	2.97	0.42
1:B:353:ASN:HB2	1:B:354:PRO:CD	2.49	0.42
1:A:262:LEU:CD2	1:A:316:VAL:HG13	2.48	0.42
1:B:169:KCX:OQ1	1:B:201:HIS:HB2	2.19	0.42
1:B:223:PRO:HB3	1:B:248:TYR:CZ	2.55	0.42
1:A:106:ILE:HD11	1:A:131:TRP:CD1	2.55	0.42
1:A:285:LYS:NZ	1:A:289:ASP:OD2	2.51	0.42
1:B:282:LEU:HD23	1:B:282:LEU:HA	1.93	0.41
1:B:313:ILE:HD12	1:B:313:ILE:HA	1.74	0.41
1:A:275:ARG:HH11	1:A:275:ARG:HD3	1.72	0.41
1:A:178:PRO:O	1:A:181:GLU:HB2	2.21	0.41
1:A:314:MET:HA	1:A:314:MET:HE2	2.01	0.41
1:B:333:ILE:N	1:B:334:PRO:CD	2.83	0.41
1:B:57:HIS:O	1:B:303:THR:HA	2.21	0.41
1:A:283:LEU:HD23	1:A:283:LEU:HA	1.94	0.40
1:B:117:SER:HB2	1:B:124:ILE:HD12	2.03	0.40
1:B:131:TRP:CG	1:B:132:PHE:H	2.39	0.40
1:A:51:PHE:C	1:A:51:PHE:HD1	2.29	0.40
1:A:181:GLU:O	1:A:185:LYS:HG3	2.21	0.40
1:B:230:HIS:HB3	1:B:233:ASP:OD2	2.21	0.40
1:B:255:ILE:N	1:B:256:PRO:HD2	2.36	0.40
1:A:96:ARG:HD3	5:A:403:HOH:O	2.21	0.40
1:A:131:TRP:CG	1:A:132:PHE:N	2.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	328/336 (98%)	307 (94%)	20 (6%)	1 (0%)	36	35
1	B	329/336 (98%)	311 (94%)	17 (5%)	1 (0%)	36	35
All	All	657/672 (98%)	618 (94%)	37 (6%)	2 (0%)	36	35

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	236	ASP
1	B	260	ILE

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	263/267 (98%)	245 (93%)	18 (7%)	14	11
1	B	265/267 (99%)	240 (91%)	25 (9%)	8	5
All	All	528/534 (99%)	485 (92%)	43 (8%)	11	7

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	ARG
1	A	89	ARG
1	A	164	ARG
1	A	173	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	175	LYS
1	A	201	HIS
1	A	211	GLN
1	A	241	THR
1	A	263	GLU
1	A	267	SER
1	A	274	ILE
1	A	290	GLN
1	A	293	MET
1	A	295	GLN
1	A	298	VAL
1	A	299	SER
1	A	314	MET
1	A	319	ARG
1	B	35	ASP
1	B	47	SER
1	B	58	ILE
1	B	77	LYS
1	B	96	ARG
1	B	98	ILE
1	B	110	VAL
1	B	111[A]	SER
1	B	111[B]	SER
1	B	116	VAL
1	B	184	LEU
1	B	211	GLN
1	B	222	SER
1	B	238[A]	SER
1	B	238[B]	SER
1	B	255	ILE
1	B	264	ASP
1	B	269	SER
1	B	274	ILE
1	B	293	MET
1	B	299	SER
1	B	314	MET
1	B	333	ILE
1	B	339	LYS
1	B	362	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	155	GLN
1	A	180	GLN
1	A	211	GLN
1	B	212	GLN
1	B	290	GLN
1	B	312	ASN
1	B	321	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	KCX	B	169	1,2	10,11,12	2.88	2 (20%)	6,12,14	3.89	1 (16%)
1	KCX	A	169	1,2	10,11,12	2.63	2 (20%)	6,12,14	4.12	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	B	169	1,2	-	4/9/10/12	-
1	KCX	A	169	1,2	-	3/9/10/12	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	169	KCX	OQ1-CX	6.57	1.33	1.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	169	KCX	CX-NZ	6.13	1.46	1.35
1	B	169	KCX	CX-NZ	5.92	1.45	1.35
1	A	169	KCX	OQ1-CX	5.40	1.31	1.21

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	169	KCX	OQ1-CX-NZ	-10.04	109.66	124.92
1	B	169	KCX	OQ1-CX-NZ	-9.25	110.86	124.92

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	169	KCX	C-CA-CB-CG
1	B	169	KCX	C-CA-CB-CG
1	A	169	KCX	CG-CD-CE-NZ
1	A	169	KCX	CA-CB-CG-CD
1	B	169	KCX	CA-CB-CG-CD
1	B	169	KCX	OQ1-CX-NZ-CE
1	B	169	KCX	OQ2-CX-NZ-CE

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	169	KCX	1	0
1	A	169	KCX	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DII	B	8	-	8,10,10	2.23	2 (25%)	9,14,14	1.11	1 (11%)
4	DII	A	7	2	8,10,10	2.71	2 (25%)	9,14,14	1.03	1 (11%)
3	EBP	B	6	-	16,16,16	3.24	5 (31%)	21,21,21	1.50	1 (4%)
3	EBP	A	5	-	16,16,16	3.22	3 (18%)	21,21,21	1.48	3 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DII	B	8	-	-	4/10/10/10	-
4	DII	A	7	2	-	4/10/10/10	-
3	EBP	B	6	-	-	1/13/13/13	0/1/1/1
3	EBP	A	5	-	-	1/13/13/13	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	5	EBP	P-C7	-11.68	1.62	1.79
3	B	6	EBP	P-C7	-11.60	1.62	1.79
4	A	7	DII	P1-O1	5.65	1.56	1.47
4	B	8	DII	P1-C7	-4.90	1.64	1.77
4	A	7	DII	P1-C7	-4.85	1.64	1.77
4	B	8	DII	P1-O1	3.57	1.52	1.47
3	B	6	EBP	C3-C2	3.00	1.43	1.38
3	B	6	EBP	C6-C5	2.73	1.43	1.38
3	A	5	EBP	C3-C2	2.72	1.43	1.38
3	B	6	EBP	C6-C1	2.32	1.43	1.38
3	B	6	EBP	C2-C1	2.30	1.43	1.38
3	A	5	EBP	C6-C5	2.11	1.42	1.38

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	6	EBP	O3-P-C7	-5.43	102.19	114.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	5	EBP	O3-P-C7	-4.97	103.21	114.20
3	A	5	EBP	O2-P-O3	2.26	120.58	114.23
3	A	5	EBP	P-C7-C1	-2.20	108.47	113.76
4	A	7	DII	O1-P1-C7	-2.16	107.30	114.97
4	B	8	DII	O1-P1-C7	-2.05	107.68	114.97

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	7	DII	C1-O2-P1-C7
4	B	8	DII	C4-O3-P1-O1
4	B	8	DII	C4-O3-P1-O2
4	B	8	DII	C6-C4-O3-P1
3	B	6	EBP	C9-O1-P-C7
4	B	8	DII	C1-O2-P1-O3
4	A	7	DII	C4-O3-P1-C7
4	A	7	DII	C1-O2-P1-O1
3	A	5	EBP	C9-O1-P-C7
4	A	7	DII	C1-O2-P1-O3

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	8	DII	1	0
4	A	7	DII	1	0
3	B	6	EBP	2	0
3	A	5	EBP	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	330/336 (98%)	-0.18	2 (0%) 85 85	13, 27, 61, 100	0
1	B	329/336 (97%)	-0.19	0 100 100	13, 26, 59, 97	2 (0%)
All	All	659/672 (98%)	-0.19	2 (0%) 90 89	13, 27, 61, 100	2 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	34	GLY	3.0
1	A	262	LEU	2.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	KCX	A	169	12/13	0.94	0.08	15,24,29,29	0
1	KCX	B	169	12/13	0.94	0.07	15,20,24,28	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	DII	B	8	11/11	0.72	0.34	0,32,70,78	0
3	EBP	A	5	16/16	0.73	0.15	0,35,85,88	0
4	DII	A	7	11/11	0.79	0.19	0,44,64,81	0
3	EBP	B	6	16/16	0.94	0.09	17,31,81,90	0
2	ZN	A	402	1/1	0.98	0.03	28,28,28,28	0
2	ZN	B	404	1/1	0.98	0.03	27,27,27,27	0
2	ZN	B	403	1/1	0.99	0.02	23,23,23,23	0
2	ZN	A	401	1/1	0.99	0.01	23,23,23,23	0

6.5 Other polymers [i](#)

There are no such residues in this entry.