



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:29 AM UTC

PDB ID : 3P6Z / pdb_00003p6z
Title : Structural basis of thrombin mediated factor V activation: essential role of the hirudin-like sequence Glu666-Glu672 for processing at the heavy chain-B domain junction
Authors : Corral-Rodriguez, M.A.; Bock, P.E.; Hernandez-Carvajal, E.; Gutierrez-Gallego, R.; Fuentes-Prior, P.
Deposited on : 2010-10-11
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	36	
1	G	36	
2	B	259	
2	H	259	
3	C	71	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	I	71	 6% 6% 89%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	0G6	B	707	X	-	-	-
5	0G6	H	707	X	-	-	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 5445 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thrombin light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	30	Total	C	N	O	S	0	5	0
			254	156	44	52	2			
1	G	29	Total	C	N	O	S	0	5	0
			246	151	43	51	1			

- Molecule 2 is a protein called Thrombin heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	255	Total	C	N	O	S	0	10	0
			2091	1331	372	372	16			
2	H	255	Total	C	N	O	S	0	12	0
			2100	1332	375	378	15			

- Molecule 3 is a protein called Coagulation factor V.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	7	Total	C	N	O	0	0	0
			60	40	7	13			
3	I	8	Total	C	N	O	0	0	0
			66	43	8	15			

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	639	ALA	-	expression tag	UNP P12259
C	640	HIS	-	expression tag	UNP P12259
C	641	HIS	-	expression tag	UNP P12259
C	642	HIS	-	expression tag	UNP P12259
C	643	HIS	-	expression tag	UNP P12259
C	644	HIS	-	expression tag	UNP P12259
C	645	HIS	-	expression tag	UNP P12259
C	646	VAL	-	expression tag	UNP P12259

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	647	GLY	-	expression tag	UNP P12259
C	648	THR	-	expression tag	UNP P12259
C	649	TRP	-	expression tag	UNP P12259
C	650	GLU	-	expression tag	UNP P12259
C	651	ASN	-	expression tag	UNP P12259
C	652	LEU	-	expression tag	UNP P12259
C	653	TYR	-	expression tag	UNP P12259
C	654	PHE	-	expression tag	UNP P12259
C	655	GLN	-	expression tag	UNP P12259
C	656	SER	-	expression tag	UNP P12259
I	639	ALA	-	expression tag	UNP P12259
I	640	HIS	-	expression tag	UNP P12259
I	641	HIS	-	expression tag	UNP P12259
I	642	HIS	-	expression tag	UNP P12259
I	643	HIS	-	expression tag	UNP P12259
I	644	HIS	-	expression tag	UNP P12259
I	645	HIS	-	expression tag	UNP P12259
I	646	VAL	-	expression tag	UNP P12259
I	647	GLY	-	expression tag	UNP P12259
I	648	THR	-	expression tag	UNP P12259
I	649	TRP	-	expression tag	UNP P12259
I	650	GLU	-	expression tag	UNP P12259
I	651	ASN	-	expression tag	UNP P12259
I	652	LEU	-	expression tag	UNP P12259
I	653	TYR	-	expression tag	UNP P12259
I	654	PHE	-	expression tag	UNP P12259
I	655	GLN	-	expression tag	UNP P12259
I	656	SER	-	expression tag	UNP P12259

- Molecule 4 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Na 1 1	0	0
4	B	2	Total Na 2 2	0	0
4	G	1	Total Na 1 1	0	0
4	H	5	Total Na 5 5	0	0

- Molecule 5 is D-phenylalanyl-N-[(2S,3S)-6-{{[amino(iminio)methyl]amino}}-1-chloro-2-hydroxyhexan-3-yl]-L-prolinamide (CCD ID: 0G6) (formula: C₂₁H₃₄ClN₆O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	N	O	0	0
			30	21	6	3		
5	H	1	Total	C	N	O	0	0
			30	21	6	3		

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	H	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	3	Total	Cl	0	0
			3	3		

- Molecule 8 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			8	6	2		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	31	Total	O	0	2
			33	33		
9	B	222	Total	O	0	10
			232	232		
9	C	1	Total	O	0	0
			1	1		
9	G	36	Total	O	0	4
			38	38		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	H	213	Total 214	O 214	0	1
9	I	2	Total 2	O 2	0	0



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Thrombin light chain





- Molecule 1: Thrombin light chain




- Molecule 2: Thrombin heavy chain




- Molecule 2: Thrombin heavy chain



- Molecule 3: Coagulation factor V



● Molecule 3: Coagulation factor V



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	52.21Å 62.26Å 67.51Å 99.38° 110.46° 92.26°	Depositor
Resolution (Å)	31.92 – 1.70 31.92 – 1.70	Depositor EDS
% Data completeness (in resolution range)	94.5 (31.92-1.70) 94.9 (31.92-1.70)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.17 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.200 , 0.239 0.200 , 0.238	Depositor DCC
R_{free} test set	2047 reflections (2.50%)	wwPDB-VP
Wilson B-factor (Å ²)	22.3	Xtriage
Anisotropy	0.143	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 52.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.118 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5445	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, NA, MPD, 0G6, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.25	0/288	1.17	0/381
1	G	1.27	0/282	1.13	0/373
2	B	1.30	4/2202 (0.2%)	1.16	6/2972 (0.2%)
2	H	1.31	5/2221 (0.2%)	1.23	4/2998 (0.1%)
3	C	1.08	0/62	1.31	0/84
3	I	0.94	0/68	1.02	0/92
All	All	1.30	9/5123 (0.2%)	1.19	10/6900 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	C	0	1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	563	ALA	CA-CB	7.82	1.64	1.53
2	H	404	ALA	CA-CB	5.86	1.62	1.53
2	B	613	ILE	CA-CB	5.75	1.60	1.54
2	B	475	SER	C-O	-5.20	1.19	1.24
2	H	561	GLY	C-O	-5.20	1.17	1.23
2	H	572	PHE	C-O	5.20	1.30	1.24
2	H	589	SER	CA-C	5.16	1.57	1.52
2	B	570	GLY	N-CA	5.11	1.51	1.44
2	H	394	SER	CA-C	5.01	1.58	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	510	THR	CB-CA-C	7.57	122.59	109.65
2	B	367	GLY	N-CA-C	-6.00	105.59	112.79
2	H	483	LEU	CA-C-N	-5.86	114.57	120.31
2	H	483	LEU	C-N-CA	-5.86	114.57	120.31
2	B	425	ARG	NE-CZ-NH1	-5.85	115.65	121.50
2	B	411	PRO	N-CA-C	5.60	117.53	110.70
2	B	563	ALA	N-CA-C	-5.29	102.16	110.36
2	B	425	ARG	NE-CZ-NH2	5.15	123.83	119.20
2	B	510	THR	CB-CA-C	5.08	118.16	109.72
2	H	601	GLY	N-CA-C	-5.01	105.36	112.37

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	671	PRO	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	254	0	242	4	0
1	G	246	0	229	3	0
2	B	2091	0	2060	40	0
2	H	2100	0	2043	30	0
3	C	60	0	51	1	0
3	I	66	0	56	0	0
4	A	1	0	0	0	0
4	B	2	0	0	0	0
4	G	1	0	0	0	0
4	H	5	0	0	0	0
5	B	30	0	30	6	0
5	H	30	0	30	10	0
6	B	14	0	13	0	0
6	H	14	0	13	0	0
7	B	3	0	0	0	0
8	B	8	0	14	1	0
9	A	33	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	B	232	0	0	2	0
9	C	1	0	0	0	0
9	G	38	0	0	2	0
9	H	214	0	0	2	0
9	I	2	0	0	0	0
All	All	5445	0	4781	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:381[B]:LEU:HD11	2:B:466:MET:HE1	1.23	1.12
2:B:436:ARG:HG3	2:B:436:ARG:HH11	1.29	0.94
2:B:399[B]:ARG:NH2	9:B:1214:HOH:O	1.99	0.94
2:B:381[B]:LEU:HD12	2:B:424:VAL:HG12	1.52	0.90
2:B:423:LEU:CD2	2:B:443[A]:MET:SD	2.62	0.88
2:B:436:ARG:HH11	2:B:436:ARG:CG	1.87	0.86
2:B:381[B]:LEU:HD23	2:B:391[B]:CYS:SG	2.17	0.84
2:H:568:SER:CB	5:H:707:OG6:C2	2.58	0.81
2:H:547:ASN:OD1	2:H:608[A]:ARG:CD	2.31	0.78
2:H:406:HIS:CD2	5:H:707:OG6:C3	2.66	0.78
2:H:568:SER:OG	5:H:707:OG6:CA2	2.32	0.77
2:B:423:LEU:HD21	2:B:443[A]:MET:SD	2.27	0.74
2:H:547:ASN:OD1	2:H:608[A]:ARG:HD2	1.89	0.73
2:B:509:GLU:O	2:B:512:THR:HB	1.92	0.70
2:B:621:GLY:HA3	2:H:452:ARG:HH22	1.57	0.69
2:B:568:SER:OG	5:B:707:OG6:CA2	2.42	0.68
2:B:568:SER:CB	5:B:707:OG6:C2	2.73	0.67
2:B:381[B]:LEU:CD1	2:B:424:VAL:HG12	2.22	0.67
2:B:568:SER:OG	5:B:707:OG6:O2	2.14	0.64
2:H:579:ASN:O	2:H:580[B]:ASN:HB2	2.01	0.60
2:H:426:ILE:HD12	2:H:472[B]:VAL:HG11	1.85	0.59
2:H:547:ASN:OD1	2:H:608[A]:ARG:HD3	2.01	0.58
2:H:418[B]:THR:HG23	2:H:421:ASP:OD2	2.05	0.57
2:H:568:SER:CB	5:H:707:OG6:O2	2.52	0.57
2:B:419:GLU:HG2	2:B:446:LYS:HA	1.88	0.56
2:B:440:LYS:HD3	2:B:478:ILE:CD1	2.35	0.55
2:H:568:SER:OG	5:H:707:OG6:CB2	2.55	0.54
1:A:338:LEU:O	1:A:344[A]:LYS:NZ	2.40	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:568:SER:OG	5:B:707:OG6:C3	2.56	0.53
2:H:415[A]:LYS:NZ	9:H:983:HOH:O	2.41	0.52
2:H:579:ASN:O	2:H:580[B]:ASN:CB	2.55	0.52
2:H:568:SER:HB2	5:H:707:OG6:O2	2.09	0.51
1:A:344[B]:LYS:NZ	9:A:1398:HOH:O	2.43	0.51
2:B:587:ILE:HB	2:B:604:THR:HB	1.93	0.50
1:G:353[A]:ARG:HD2	9:G:1284:HOH:O	2.11	0.50
2:B:391[B]:CYS:SG	2:B:407:CYS:HB3	2.52	0.50
1:G:341:LEU:HD12	2:H:373:GLY:HA3	1.93	0.50
2:B:568:SER:CB	5:B:707:OG6:O2	2.60	0.50
2:B:436:ARG:HG3	2:B:436:ARG:NH1	2.06	0.50
2:H:568:SER:OG	5:H:707:OG6:O2	2.22	0.50
1:A:333:GLU:O	1:A:336[B]:CYS:SG	2.54	0.49
2:B:423:LEU:HD22	2:B:443[A]:MET:SD	2.49	0.48
2:B:440:LYS:HD3	2:B:478:ILE:HD11	1.95	0.48
2:B:436:ARG:CG	2:B:436:ARG:NH1	2.58	0.48
1:G:353[B]:ARG:HD2	9:G:1284:HOH:O	2.13	0.48
2:B:440:LYS:HE2	2:B:478:ILE:HD12	1.96	0.47
2:B:422:LEU:HD12	2:B:447:ILE:HD11	1.96	0.47
2:B:537:LYS:HA	2:B:544:ILE:HD12	1.96	0.47
2:H:568:SER:HB2	5:H:707:OG6:C2	2.42	0.46
2:H:423:LEU:CD2	2:H:443[B]:MET:SD	3.04	0.46
2:B:486:ARG:HG2	9:B:1403:HOH:O	2.15	0.46
2:B:544:ILE:HD11	2:B:602:PHE:CZ	2.50	0.46
2:B:532:GLU:H	2:B:532:GLU:CD	2.24	0.46
2:B:391[B]:CYS:SG	2:B:407:CYS:SG	3.14	0.45
2:B:568:SER:OG	5:B:707:OG6:CB2	2.65	0.45
2:H:461:ARG:HG2	2:H:609:LEU:HD21	1.98	0.45
2:H:469:LYS:HE3	2:H:469:LYS:HB2	1.80	0.45
2:B:431:ARG:HH22	3:C:666:GLU:HG3	1.81	0.45
1:A:353[B]:ARG:HD3	9:A:1366:HOH:O	2.17	0.44
2:B:440:LYS:CE	2:B:478:ILE:HD12	2.48	0.44
2:B:450:HIS:CE1	2:B:461:ARG:HD3	2.52	0.44
2:B:621:GLY:HA3	2:H:452:ARG:NH2	2.30	0.43
2:B:544:ILE:CD1	2:B:602:PHE:CE2	3.02	0.43
2:H:510:THR:O	2:H:511:TRP:HB2	2.18	0.43
2:H:543:ARG:NH2	9:H:1061:HOH:O	2.53	0.42
2:B:379:VAL:HB	2:B:393:ALA:HB3	2.01	0.42
2:H:406:HIS:CE1	5:H:707:OG6:C3	2.81	0.41
2:B:509:GLU:OE1	2:B:596:ARG:HD2	2.20	0.41
2:H:419:GLU:OE2	2:H:446:LYS:HD2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:544:ILE:HD13	2:B:602:PHE:HE2	1.84	0.41
2:H:568:SER:CB	5:H:707:OG6:C3	2.98	0.41
8:B:901:MPD:H4	8:B:901:MPD:H12	1.69	0.41
2:H:393:ALA:HA	2:H:569:GLY:O	2.21	0.41
2:H:426:ILE:HD12	2:H:472[A]:VAL:HG21	2.03	0.40
2:H:380:MET:HG3	2:H:389:LEU:HG	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	33/36 (92%)	32 (97%)	1 (3%)	0	100	100
1	G	32/36 (89%)	31 (97%)	1 (3%)	0	100	100
2	B	261/259 (101%)	252 (97%)	9 (3%)	0	100	100
2	H	263/259 (102%)	252 (96%)	11 (4%)	0	100	100
3	C	5/71 (7%)	5 (100%)	0	0	100	100
3	I	6/71 (8%)	6 (100%)	0	0	100	100
All	All	600/732 (82%)	578 (96%)	22 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	32/31 (103%)	31 (97%)	1 (3%)	35	18
1	G	31/31 (100%)	29 (94%)	2 (6%)	15	4
2	B	232/225 (103%)	228 (98%)	4 (2%)	53	38
2	H	234/225 (104%)	225 (96%)	9 (4%)	29	13
3	C	7/63 (11%)	5 (71%)	2 (29%)	0	0
3	I	8/63 (13%)	4 (50%)	4 (50%)	0	0
All	All	544/638 (85%)	522 (96%)	22 (4%)	30	12

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	333	GLU
2	B	436	ARG
2	B	440	LYS
2	B	512	THR
2	B	532	GLU
3	C	666	GLU
3	C	672	GLU
1	G	344[A]	LYS
1	G	344[B]	LYS
2	H	381	LEU
2	H	414[A]	ASP
2	H	414[B]	ASP
2	H	469	LYS
2	H	537	LYS
2	H	543	ARG
2	H	550	CYS
2	H	580[A]	ASN
2	H	580[B]	ASN
3	I	666	GLU
3	I	667	ILE
3	I	672	GLU
3	I	673	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	454	ASN
2	B	614	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 17 ligands modelled in this entry, 12 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	NAG	H	1416	2	14,14,15	0.63	0	17,19,21	3.54	8 (47%)
8	MPD	B	901	-	7,7,7	0.48	0	9,10,10	0.94	0
6	NAG	B	1416	2	14,14,15	0.67	0	17,19,21	1.94	5 (29%)
5	OG6	B	707	2	30,31,32	2.25	6 (20%)	37,41,42	1.56	4 (10%)
5	OG6	H	707	2	30,31,32	1.77	4 (13%)	37,41,42	1.30	5 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	H	1416	2	-	5/6/23/26	0/1/1/1
8	MPD	B	901	-	-	0/5/5/5	-
6	NAG	B	1416	2	-	3/6/23/26	0/1/1/1
5	OG6	B	707	2	1/1/8/10	2/31/41/43	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	0G6	H	707	2	1/1/8/10	2/31/41/43	0/2/2/2

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	707	0G6	C1-N2	7.65	1.50	1.34
5	B	707	0G6	O2-C2	-7.41	1.23	1.43
5	H	707	0G6	O2-C2	-6.95	1.24	1.43
5	H	707	0G6	C1-N2	3.05	1.40	1.34
5	B	707	0G6	CE1-CD1	2.81	1.43	1.38
5	B	707	0G6	CZ-CE1	2.63	1.44	1.38
5	H	707	0G6	CD3-NE	2.15	1.51	1.46
5	B	707	0G6	CZ-CE2	2.12	1.42	1.38
5	H	707	0G6	CZ-CE1	2.09	1.42	1.38
5	B	707	0G6	O-C	2.04	1.26	1.22

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	H	1416	NAG	C2-N2-C7	10.84	137.43	122.90
5	B	707	0G6	CB2-CA2-N2	-6.10	102.39	110.30
6	H	1416	NAG	C8-C7-N2	4.71	123.94	116.12
6	H	1416	NAG	C1-O5-C5	4.17	117.78	112.19
6	B	1416	NAG	C4-C3-C2	-3.91	105.29	111.02
5	H	707	0G6	CG2-CB2-CA2	-3.89	106.53	113.94
5	B	707	0G6	CA2-N2-C1	-3.81	116.61	123.25
6	H	1416	NAG	C3-C4-C5	3.69	116.93	110.23
6	B	1416	NAG	C2-N2-C7	3.55	127.66	122.90
6	B	1416	NAG	C1-O5-C5	3.44	116.80	112.19
6	H	1416	NAG	C1-C2-N2	3.39	115.78	110.43
6	H	1416	NAG	O5-C5-C4	3.23	118.69	110.83
5	H	707	0G6	O2-C2-C3	2.97	118.55	109.68
5	H	707	0G6	NH1-CZ1-NE	2.92	125.90	119.27
6	B	1416	NAG	C1-C2-N2	2.81	114.86	110.43
6	H	1416	NAG	O7-C7-C8	-2.72	117.21	122.05
5	B	707	0G6	O2-C2-C3	2.56	117.34	109.68
5	H	707	0G6	C2-CA2-N2	2.48	115.42	110.90
5	H	707	0G6	NE-CZ1-NH2	-2.35	116.63	120.67
6	H	1416	NAG	C6-C5-C4	-2.25	107.49	113.02
6	B	1416	NAG	O5-C1-C2	-2.20	107.89	111.29
5	B	707	0G6	NH1-CZ1-NE	2.02	123.85	119.27

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	B	707	0G6	C2
5	H	707	0G6	C2

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	B	707	0G6	C3-C2-CA2-N2
5	H	707	0G6	C3-C2-CA2-N2
6	B	1416	NAG	O5-C5-C6-O6
6	H	1416	NAG	C8-C7-N2-C2
6	H	1416	NAG	O7-C7-N2-C2
5	B	707	0G6	C3-C2-CA2-CB2
6	H	1416	NAG	C4-C5-C6-O6
6	B	1416	NAG	C4-C5-C6-O6
5	H	707	0G6	C3-C2-CA2-CB2
6	H	1416	NAG	C3-C2-N2-C7
6	B	1416	NAG	C3-C2-N2-C7
6	H	1416	NAG	O5-C5-C6-O6


There are no ring outliers.

3 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	B	901	MPD	1	0
5	B	707	0G6	6	0
5	H	707	0G6	10	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	30/36 (83%)	0.40	1 (3%) 49 53	19, 24, 43, 54	5 (16%)
1	G	29/36 (80%)	0.50	3 (10%) 12 12	14, 24, 36, 42	3 (10%)
2	B	255/259 (98%)	0.30	5 (1%) 65 69	14, 24, 40, 57	9 (3%)
2	H	255/259 (98%)	0.42	8 (3%) 51 55	10, 24, 38, 51	11 (4%)
3	C	7/71 (9%)	1.69	3 (42%) 0 0	30, 34, 53, 56	0
3	I	8/71 (11%)	1.89	4 (50%) 0 0	32, 42, 55, 55	0
All	All	584/732 (79%)	0.40	24 (4%) 41 45	10, 24, 41, 57	28 (4%)

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	513	ALA	4.8
2	H	510	THR	4.7
2	H	513	ALA	3.6
2	B	512	THR	3.5
1	A	362	GLY	3.5
1	G	334	ALA	3.3
2	H	621	GLY	3.3
3	I	667	ILE	3.3
3	C	671	PRO	3.2
2	B	511	TRP	3.2
2	H	511	TRP	3.1
2	H	512	THR	3.0
2	B	510	THR	2.9
3	C	667	ILE	2.9
3	I	673	SER	2.7
3	I	671	PRO	2.6
1	G	362	GLY	2.5
1	G	335	ASP	2.3
3	C	672	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	I	666	GLU	2.1
2	H	391	CYS	2.1
2	H	456[A]	ARG	2.1
2	B	558	GLY	2.0
2	H	541	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	B	1416	14/15	0.72	0.18	59,65,69,72	0
6	NAG	H	1416	14/15	0.79	0.17	54,58,61,62	0
4	NA	H	808	1/1	0.81	0.17	60,60,60,60	0
4	NA	B	805	1/1	0.85	0.14	52,52,52,52	0
4	NA	A	809	1/1	0.85	0.15	57,57,57,57	0
7	CL	B	851	1/1	0.88	0.13	63,63,63,63	0
8	MPD	B	901	8/8	0.89	0.12	32,41,45,46	0
4	NA	H	807	1/1	0.90	0.13	53,53,53,53	0
7	CL	B	852	1/1	0.92	0.15	45,45,45,45	0
4	NA	H	806	1/1	0.93	0.08	50,50,50,50	0
5	OG6	B	707	30/31	0.94	0.12	21,31,38,40	0
4	NA	H	803	1/1	0.94	0.10	42,42,42,42	0
5	OG6	H	707	30/31	0.95	0.07	13,21,28,29	0
4	NA	H	801	1/1	0.96	0.07	22,22,22,22	0
4	NA	B	802	1/1	0.97	0.07	24,24,24,24	0
4	NA	G	804	1/1	0.97	0.08	31,31,31,31	0
7	CL	B	850	1/1	0.98	0.06	32,32,32,32	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 0G6 B 707:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 0G6 H 707:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.