



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:11 AM UTC

PDB ID : 4P6S / pdb_00004p6s
Title : Crystal Structure of tyrosinase from *Bacillus megaterium* with L-DOPA in the active site
Authors : Goldfeder, M.; Kanteev, M.; Adir, N.; Fishman, A.
Deposited on : 2014-03-25
Resolution : 2.20 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	3% 73% 24% .
1	B	287	4% 66% 31% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	DAH	A	304	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5040 atoms, of which 20 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tyrosinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	286	Total	C	N	O	S	0	0	0
			2345	1492	422	423	8			
1	B	287	Total	C	N	O	S	0	1	0
			2362	1503	427	424	8			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Zn	0	0
			3	3		
2	B	3	Total	Zn	0	0
			3	3		

- Molecule 3 is a ligand with the chemical component id DAH but its atom names do not match the existing wwPDB Chemical Component Dictionary definition for DAH. ERROR THIS SHOULD NOT HAPPEN FOLLOWING ANNOTATION.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	0	0
			24	9	10	1	4		
3	A	1	Total	C	N	O		0	0
			14	9	1	4			
3	B	1	Total	C	H	N	O	0	0
			24	9	10	1	4		
3	B	1	Total	C	N	O		0	0
			14	9	1	4			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	141	Total	O	0	0
			141	141		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	110	Total	O	0	0
			110	110		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tyrosinase



• Molecule 1: Tyrosinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	78.88Å 81.55Å 84.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.00 – 2.20 47.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.00-2.20) 99.8 (47.00-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.32 (at 2.20Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.192 , 0.222 0.195 , 0.222	Depositor DCC
R_{free} test set	1414 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	26.0	Xtriage
Anisotropy	0.776	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 42.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.032 for -h,l,k	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5040	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, DAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	1/2423 (0.0%)	0.94	7/3303 (0.2%)
1	B	0.78	0/2443	0.89	4/3328 (0.1%)
All	All	0.76	1/4866 (0.0%)	0.92	11/6631 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	175	THR	C-N	-6.69	1.24	1.33

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	129	GLY	CA-C-N	7.28	127.44	119.87
1	A	129	GLY	C-N-CA	7.28	127.44	119.87
1	A	255	ASN	CB-CA-C	-6.93	100.08	110.06
1	B	217	VAL	N-CA-C	6.40	117.06	108.11
1	B	129	GLY	CA-C-N	6.25	125.94	119.82
1	B	129	GLY	C-N-CA	6.25	125.94	119.82
1	A	142	GLN	CA-C-N	5.58	129.53	122.00
1	A	142	GLN	C-N-CA	5.58	129.53	122.00
1	A	256	GLY	N-CA-C	-5.55	105.51	112.23
1	A	116	GLY	N-CA-C	5.38	119.94	112.57
1	B	180	PRO	O-C-N	5.06	123.53	121.15

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2345	0	2225	81	0
1	B	2362	0	2251	121	0
2	A	3	0	0	1	0
2	B	3	0	0	0	0
3	A	28	10	18	11	0
3	B	28	10	17	8	0
4	A	141	0	0	12	0
4	B	110	0	0	12	0
All	All	5020	20	4511	208	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (208) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:HIS:NE2	3:A:304:DAH:CE1	1.84	1.39
1:B:164:THR:HB	1:B:165[B]:ARG:NH1	1.39	1.38
1:B:164:THR:CB	1:B:165[B]:ARG:NH1	1.96	1.27
1:B:98:ALA:HB3	1:B:165[B]:ARG:NH2	1.50	1.23
1:B:164:THR:CG2	1:B:165[B]:ARG:HH12	1.55	1.17
1:A:6:ARG:HD3	1:A:81:GLN:NE2	1.61	1.16
1:A:13:HIS:NE2	3:A:304:DAH:CD1	2.08	1.15
1:B:184:MET:HE2	1:B:197:PHE:CE1	1.82	1.14
1:B:4:LYS:HD2	1:B:280:ARG:HD3	1.18	1.13
1:B:290:LEU:HD13	1:B:290:LEU:O	1.47	1.13
1:A:101:GLN:HA	4:A:403:HOH:O	1.48	1.12
1:A:6:ARG:CD	1:A:81:GLN:HE22	1.63	1.11
1:A:6:ARG:HD3	1:A:81:GLN:HE22	0.98	1.10
1:B:164:THR:HG22	1:B:165[B]:ARG:HH12	1.18	1.09
1:B:4:LYS:HB2	1:B:280:ARG:CG	1.83	1.08
1:B:290:LEU:HD13	1:B:290:LEU:C	1.73	1.07
1:B:4:LYS:HB2	1:B:280:ARG:HG3	1.34	1.06
1:A:199:ASN:O	4:A:401:HOH:O	1.75	1.04
1:B:20:ARG:HG3	4:B:475:HOH:O	1.58	1.03

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:ARG:HH11	1:B:78:ARG:HG2	1.29	0.98
1:A:289:GLU:N	1:A:290:LEU:HA	1.77	0.97
1:B:4:LYS:O	1:B:4:LYS:HG2	1.64	0.96
1:B:78:ARG:HH11	1:B:78:ARG:CG	1.79	0.96
1:B:184:MET:CE	1:B:197:PHE:CE1	2.49	0.96
1:B:13:HIS:NE2	3:B:303:DAH:CZ	2.29	0.95
1:A:280:ARG:NH2	1:A:289:GLU:OE1	1.99	0.95
1:A:13:HIS:CE1	3:A:304:DAH:CD1	2.48	0.95
1:B:164:THR:HB	1:B:165[B]:ARG:HH11	1.24	0.94
1:B:277:MET:SD	4:B:449:HOH:O	2.24	0.94
1:B:98:ALA:HB3	1:B:165[B]:ARG:HH21	1.11	0.93
1:B:4:LYS:CD	1:B:280:ARG:HD3	1.98	0.93
1:B:164:THR:HA	1:B:165[B]:ARG:CZ	1.99	0.93
1:B:290:LEU:C	1:B:290:LEU:CD1	2.43	0.91
1:A:254:LYS:O	1:A:255:ASN:HB2	1.69	0.90
1:B:200:GLY:HA2	1:B:202:GLN:HG2	1.54	0.90
3:B:305:DAH:OZ	4:B:510:HOH:O	1.89	0.89
1:B:165[B]:ARG:HD2	1:B:165[B]:ARG:H	1.39	0.86
1:A:5:TYR:N	1:A:5:TYR:CD2	2.38	0.86
1:B:98:ALA:CB	1:B:165[B]:ARG:NH2	2.36	0.86
1:A:8:ARG:HG2	1:A:89:LEU:O	1.76	0.86
1:B:13:HIS:NE2	3:B:303:DAH:CE1	2.38	0.85
1:B:164:THR:CB	1:B:165[B]:ARG:HH12	1.72	0.85
1:A:205:ASN:HB3	3:A:305:DAH:O	1.77	0.84
1:B:164:THR:CG2	1:B:165[B]:ARG:NH1	2.33	0.84
1:B:249:ASN:OD1	1:B:277:MET:HE2	1.76	0.83
1:B:158:GLU:N	1:B:158:GLU:OE1	2.11	0.82
1:B:121:ILE:HG23	1:B:122:LYS:HG3	1.61	0.82
1:B:141:GLU:HB2	4:B:499:HOH:O	1.79	0.81
1:B:164:THR:HA	1:B:165[B]:ARG:NH2	1.96	0.80
1:A:289:GLU:H	1:A:290:LEU:HA	1.48	0.79
1:A:6:ARG:CG	1:A:88:THR:HG22	2.12	0.79
1:B:4:LYS:O	1:B:4:LYS:CG	2.30	0.79
1:B:290:LEU:O	1:B:290:LEU:CD1	2.30	0.78
1:B:98:ALA:HB3	1:B:165[B]:ARG:HH22	1.49	0.76
1:B:6:ARG:HD3	1:B:81:GLN:HE22	1.51	0.75
1:B:164:THR:CA	1:B:165[B]:ARG:CZ	2.65	0.75
1:B:164:THR:CA	1:B:165[B]:ARG:NH1	2.49	0.75
1:A:6:ARG:HG2	1:A:88:THR:CG2	2.18	0.74
1:B:165[B]:ARG:H	1:B:165[B]:ARG:CD	2.01	0.74
1:A:13:HIS:CD2	3:A:304:DAH:CE1	2.71	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:ARG:CG	1:B:78:ARG:NH1	2.48	0.74
1:B:277:MET:HE1	4:B:494:HOH:O	1.88	0.74
1:A:5:TYR:N	1:A:5:TYR:HD2	1.87	0.73
1:A:19:LYS:HG3	1:A:113:PHE:CD2	2.25	0.71
1:B:4:LYS:HB2	1:B:280:ARG:HG2	1.71	0.71
1:B:164:THR:HG22	1:B:165[B]:ARG:NH1	2.00	0.71
1:B:184:MET:HE2	1:B:197:PHE:CD1	2.25	0.71
1:A:137:THR:HG23	4:A:531:HOH:O	1.89	0.71
1:A:193:GLN:CG	1:A:198:ILE:HG13	2.21	0.70
3:B:303:DAH:CZ	4:B:403:HOH:O	2.39	0.69
1:A:198:ILE:HG22	1:A:198:ILE:O	1.93	0.69
1:A:6:ARG:NE	1:A:81:GLN:HE22	1.90	0.68
1:A:8:ARG:CG	1:A:89:LEU:O	2.41	0.68
1:A:200:GLY:HA2	1:A:202:GLN:NE2	2.08	0.68
1:A:6:ARG:HG2	1:A:88:THR:HG22	1.75	0.67
1:A:13:HIS:NE2	3:A:304:DAH:CZ	2.54	0.67
1:A:200:GLY:HA2	1:A:202:GLN:HG2	1.76	0.67
1:A:13:HIS:NE2	3:A:304:DAH:HE1	2.06	0.67
3:B:303:DAH:CE1	4:B:403:HOH:O	2.43	0.67
1:B:162:LEU:HD21	1:B:210:TRP:CE3	2.30	0.67
1:B:51:PRO:O	1:B:54:SER:HB3	1.94	0.66
1:A:200:GLY:HA2	1:A:202:GLN:HE21	1.60	0.65
1:A:6:ARG:CG	1:A:88:THR:CG2	2.74	0.65
1:A:262:PHE:CZ	1:A:274:GLU:HG3	2.32	0.64
1:A:144:ASN:ND2	4:A:404:HOH:O	2.29	0.64
1:A:200:GLY:CA	1:A:202:GLN:HG2	2.27	0.64
1:B:4:LYS:HD2	1:B:280:ARG:HH11	1.63	0.63
1:A:13:HIS:CE1	3:A:304:DAH:HD1	2.33	0.63
1:A:137:THR:CG2	4:A:531:HOH:O	2.45	0.63
1:B:98:ALA:CB	1:B:165[B]:ARG:HH22	2.06	0.62
1:B:184:MET:HE3	1:B:197:PHE:CZ	2.33	0.62
1:A:193:GLN:HG3	1:A:198:ILE:HG13	1.80	0.62
1:B:160:PRO:HD2	1:B:206:ARG:NH2	2.14	0.62
1:A:217:VAL:HG23	1:A:220:THR:OG1	1.99	0.62
1:A:20:ARG:NH2	4:A:405:HOH:O	2.32	0.61
1:B:121:ILE:HD12	1:B:121:ILE:O	2.01	0.61
1:B:57:ASN:HD21	1:B:60:HIS:HB2	1.67	0.60
1:A:193:GLN:HG2	1:A:198:ILE:HB	1.84	0.59
1:A:102:ASP:O	1:A:105:GLN:HB2	2.03	0.59
1:B:119:ASN:OD1	1:B:121:ILE:HG22	2.03	0.59
1:A:289:GLU:N	1:A:290:LEU:CA	2.62	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:101:GLN:HB3	4:A:406:HOH:O	2.04	0.58
1:A:193:GLN:HG2	1:A:198:ILE:HG13	1.83	0.58
1:A:200:GLY:HA3	1:A:201:PRO:C	2.29	0.58
2:A:301:ZN:ZN	4:A:539:HOH:O	1.50	0.58
1:B:117:ASN:OD1	1:B:118:GLY:N	2.37	0.58
1:B:172:LEU:HD21	1:B:240:VAL:HG11	1.86	0.57
1:A:193:GLN:HG2	1:A:198:ILE:CB	2.34	0.57
1:B:4:LYS:CB	1:B:280:ARG:HG3	2.23	0.56
1:A:122:LYS:O	1:A:123:ASP:HB2	2.05	0.56
1:B:95:GLU:O	1:B:165[B]:ARG:NE	2.36	0.56
1:B:100:MET:HE2	1:B:102:ASP:O	2.05	0.56
1:B:119:ASN:ND2	1:B:120:PRO:HD2	2.21	0.56
1:B:184:MET:CE	1:B:197:PHE:CZ	2.89	0.56
1:B:6:ARG:HB3	1:B:283:GLY:O	2.07	0.55
1:A:200:GLY:CA	1:A:201:PRO:C	2.79	0.55
1:B:152:ASN:OD1	1:B:155:ALA:HB2	2.07	0.55
1:B:6:ARG:HD3	1:B:81:GLN:NE2	2.20	0.55
1:B:25:THR:HG23	1:B:83:ILE:HB	1.89	0.54
1:A:158:GLU:OE1	1:A:158:GLU:N	2.33	0.54
1:A:20:ARG:HD3	1:A:24:ARG:HH22	1.71	0.54
1:B:249:ASN:OD1	1:B:277:MET:CE	2.54	0.54
1:B:277:MET:CE	4:B:494:HOH:O	2.51	0.53
3:A:304:DAH:HD2	3:A:304:DAH:H2	1.73	0.53
1:A:101:GLN:CA	4:A:403:HOH:O	2.28	0.52
1:A:96:THR:O	1:A:99:GLN:HB2	2.10	0.52
1:A:103:PRO:C	1:A:105:GLN:H	2.18	0.52
1:B:196:GLY:HA3	1:B:202:GLN:O	2.09	0.52
1:B:249:ASN:ND2	1:B:253:MET:HE1	2.25	0.52
1:B:204:HIS:HE1	3:B:305:DAH:OE2	1.93	0.52
1:A:6:ARG:HG2	1:A:88:THR:HG21	1.91	0.51
1:B:279:HIS:NE2	1:B:289:GLU:OE1	2.37	0.51
1:A:217:VAL:C	3:A:305:DAH:HE1	2.36	0.51
1:B:6:ARG:HG3	1:B:88:THR:HG22	1.94	0.50
1:B:127:ASP:OD1	1:B:128:THR:HG23	2.12	0.50
1:B:184:MET:HE3	1:B:197:PHE:CE1	2.41	0.50
1:B:6:ARG:HG3	1:B:88:THR:CG2	2.42	0.49
1:B:159:ALA:O	4:B:452:HOH:O	2.20	0.49
1:B:130:PRO:HA	1:B:135:ARG:NH2	2.27	0.49
1:A:193:GLN:HG2	1:A:198:ILE:CG1	2.42	0.49
1:B:122:LYS:O	1:B:125:ILE:HD12	2.12	0.49
1:B:162:LEU:HD21	1:B:210:TRP:CD2	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:11:VAL:HG23	1:A:91:TYR:O	2.13	0.48
1:B:66:LEU:N	1:B:67:PRO:HD2	2.29	0.48
1:B:168:VAL:O	1:B:172:LEU:CD1	2.62	0.48
1:A:114:MET:HE2	1:A:114:MET:HA	1.95	0.47
1:B:202:GLN:HA	1:B:206:ARG:HB2	1.96	0.47
1:A:186:SER:O	1:A:198:ILE:HD11	2.14	0.47
1:B:51:PRO:HB2	1:B:52:PRO:HD2	1.96	0.47
1:A:127:ASP:HA	1:A:132:ALA:HB1	1.97	0.47
1:B:130:PRO:HA	1:B:135:ARG:HH21	1.80	0.46
3:A:304:DAH:HD2	3:A:304:DAH:N	2.28	0.46
1:B:172:LEU:HD23	1:B:244:ILE:CD1	2.46	0.46
1:B:290:LEU:O	1:B:290:LEU:HD22	2.16	0.46
1:A:198:ILE:O	1:A:199:ASN:HB2	2.15	0.46
1:B:152:ASN:CG	1:B:155:ALA:HB2	2.41	0.46
1:B:218:VAL:N	1:B:219:PRO:HD2	2.30	0.46
1:B:47:LYS:HE2	1:B:47:LYS:HB2	1.68	0.45
1:B:78:ARG:NH1	1:B:78:ARG:HG3	2.30	0.45
1:A:28:ILE:O	1:A:32:LYS:HG3	2.17	0.45
1:B:13:HIS:CD2	3:B:303:DAH:CE1	2.98	0.45
1:B:64:ALA:HA	1:B:67:PRO:HG2	1.97	0.45
1:A:200:GLY:HA2	1:A:202:GLN:CG	2.46	0.45
1:A:218:VAL:HB	1:A:219:PRO:HD3	1.99	0.44
1:B:290:LEU:O	1:B:290:LEU:CG	2.64	0.44
1:B:205:ASN:HB3	3:B:305:DAH:O	2.17	0.44
1:A:56:ARG:HD3	1:A:62:SER:OG	2.17	0.44
1:A:167:ASP:OD1	4:A:529:HOH:O	2.21	0.44
1:B:180:PRO:HA	1:B:182:TRP:N	2.33	0.44
1:A:238:TRP:O	1:A:242:GLN:HG3	2.18	0.44
1:B:168:VAL:O	1:B:172:LEU:HD12	2.18	0.44
1:A:19:LYS:HG3	1:A:113:PHE:CE2	2.52	0.43
1:B:29:LEU:HD12	1:B:29:LEU:HA	1.51	0.43
1:A:267:TYR:CG	1:A:268:PRO:HA	2.53	0.43
1:B:95:GLU:HB2	1:B:164:THR:O	2.18	0.43
1:B:289:GLU:O	1:B:290:LEU:C	2.60	0.43
1:B:62:SER:O	1:B:191:ARG:HD3	2.19	0.43
1:B:203:LEU:O	1:B:207:VAL:HG23	2.17	0.43
1:B:69:HIS:O	1:B:73:LEU:HG	2.18	0.43
1:B:217:VAL:HG22	1:B:220:THR:OG1	2.19	0.43
1:B:218:VAL:HB	1:B:219:PRO:HD3	2.01	0.43
1:B:249:ASN:CG	1:B:250:TYR:H	2.27	0.43
1:A:156:THR:HG23	4:A:445:HOH:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:214:GLN:O	1:B:221:ALA:HA	2.19	0.43
1:A:139:ILE:HD13	1:A:145:PRO:HA	2.01	0.42
1:B:141:GLU:N	4:B:499:HOH:O	2.35	0.42
1:B:277:MET:HE1	4:B:496:HOH:O	2.19	0.42
1:A:62:SER:O	1:A:191:ARG:HD3	2.19	0.42
1:B:113:PHE:O	1:B:114:MET:HE2	2.19	0.42
1:B:241:TRP:CD1	1:B:245:HIS:CD2	3.07	0.42
1:B:114:MET:HE2	1:B:114:MET:HA	2.02	0.42
1:B:261:ASN:HB2	1:B:264:ASP:CG	2.45	0.42
1:A:20:ARG:HG2	1:A:24:ARG:NH1	2.35	0.42
1:B:36:ASP:OD2	4:B:486:HOH:O	2.22	0.42
1:A:61:MET:HE3	4:A:503:HOH:O	2.20	0.42
1:B:119:ASN:HD22	1:B:120:PRO:HD2	1.83	0.42
1:B:254:LYS:O	1:B:255:ASN:HB2	2.21	0.41
1:A:140:ASP:OD1	1:A:140:ASP:C	2.63	0.41
1:A:244:ILE:HG22	1:A:245:HIS:N	2.34	0.41
1:B:21:ASP:OD1	1:B:24:ARG:NH1	2.54	0.41
1:B:77:GLU:O	1:B:81:GLN:HG3	2.21	0.41
1:B:95:GLU:HB2	1:B:164:THR:C	2.46	0.41
1:A:165:ARG:HG3	1:A:169:LEU:HD13	2.03	0.40
1:A:6:ARG:HG3	1:A:88:THR:HG22	2.01	0.40
1:A:218:VAL:HB	1:A:219:PRO:CD	2.52	0.40
1:A:103:PRO:C	1:A:105:GLN:N	2.80	0.40
1:B:280:ARG:HE	1:B:280:ARG:HB2	1.71	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	284/287 (99%)	270 (95%)	13 (5%)	1 (0%)	30 34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	286/287 (100%)	273 (96%)	13 (4%)	0	100	100
All	All	570/574 (99%)	543 (95%)	26 (5%)	1 (0%)	43	51

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	287	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	249/250 (100%)	239 (96%)	10 (4%)	28	38
1	B	251/250 (100%)	240 (96%)	11 (4%)	25	34
All	All	500/500 (100%)	479 (96%)	21 (4%)	26	36

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	TYR
1	A	8	ARG
1	A	16	ASP
1	A	17	THR
1	A	19	LYS
1	A	135	ARG
1	A	137	THR
1	A	176	GLN
1	A	246	ARG
1	A	290	LEU
1	B	29	LEU
1	B	78	ARG
1	B	121	ILE
1	B	139	ILE
1	B	175	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	189	SER
1	B	194	LEU
1	B	217	VAL
1	B	229	LEU
1	B	240	VAL
1	B	290	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	176	GLN
1	A	187	GLN
1	A	202	GLN
1	A	255	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 6 are monoatomic and 4 could not be matched to an existing wwPDB Chemical Component Dictionary definition at this stage - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	286/287 (99%)	-0.06	8 (2%) 55 52	11, 25, 48, 83	1 (0%)
1	B	287/287 (100%)	0.20	12 (4%) 40 37	16, 35, 65, 97	1 (0%)
All	All	573/574 (99%)	0.07	20 (3%) 47 44	11, 30, 62, 97	2 (0%)

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	5	TYR	3.8
1	B	165[A]	ARG	3.4
1	B	290	LEU	3.2
1	A	6	ARG	3.1
1	A	5	TYR	3.0
1	B	164	THR	2.9
1	A	290	LEU	2.7
1	A	200	GLY	2.5
1	B	184	MET	2.5
1	B	199	ASN	2.4
1	A	101	GLN	2.4
1	A	199	ASN	2.3
1	A	244	ILE	2.3
1	B	147	GLY	2.3
1	A	141	GLU	2.3
1	B	4	LYS	2.2
1	B	247	ASN	2.1
1	B	20	ARG	2.1
1	B	121	ILE	2.1
1	B	288	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	DAH	B	305	14/14	0.60	0.26	20,20,20,20	0
3	DAH	B	303	14/14	0.64	0.19	74,85,87,88	0
3	DAH	A	304	14/14	0.67	0.18	41,68,70,70	0
2	ZN	A	301	1/1	0.69	0.13	36,36,36,36	0
3	DAH	A	305	14/14	0.69	0.14	20,20,20,20	0
2	ZN	B	304	1/1	0.82	0.27	107,107,107,107	1
2	ZN	A	303	1/1	0.93	0.18	44,44,44,44	1
2	ZN	B	301	1/1	0.95	0.08	42,42,42,42	1
2	ZN	B	302	1/1	0.96	0.05	32,32,32,32	0
2	ZN	A	302	1/1	0.99	0.02	21,21,21,21	0

6.5 Other polymers [i](#)

There are no such residues in this entry.