



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:49 AM UTC

PDB ID : 6P68 / pdb_00006p68
Title : Crystal structure of FGFR1-Y563C (FGFR4 surrogate) covalently bound to compound 22.
Authors : Larsen, N.A.
Deposited on : 2019-06-03
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	 2% 69% 20% 7%
1	B	309	 4% 74% 17% 7%
1	C	309	 6% 71% 21% 7%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6913 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Fibroblast growth factor receptor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	287	Total	C	N	O	S	0	0	0
			2268	1442	385	423	18			
1	B	286	Total	C	N	O	S	0	0	0
			2261	1437	384	422	18			
1	C	286	Total	C	N	O	S	0	0	0
			2259	1437	384	420	18			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	457	GLY	-	expression tag	UNP P11362
A	488	ALA	CYS	engineered mutation	UNP P11362
A	563	CYS	TYR	engineered mutation	UNP P11362
A	584	SER	CYS	conflict	UNP P11362
B	457	GLY	-	expression tag	UNP P11362
B	488	ALA	CYS	engineered mutation	UNP P11362
B	563	CYS	TYR	engineered mutation	UNP P11362
B	584	SER	CYS	conflict	UNP P11362
C	457	GLY	-	expression tag	UNP P11362
C	488	ALA	CYS	engineered mutation	UNP P11362
C	563	CYS	TYR	engineered mutation	UNP P11362
C	584	SER	CYS	conflict	UNP P11362

- Molecule 2 is N-{3-[(6-[(2,6-dichloro-3,5-dimethoxyphenyl)carbamoyl](methyl)amino}pyrimidin-4-yl)amino]-1-(2-hydroxyethyl)-1H-pyrazol-4-yl}prop-2-enamide (CCD ID: O1Y) (formula: C₂₂H₂₄Cl₂N₈O₅) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	O	0	0
			37	22	2	8	5		
2	B	1	Total	C	Cl	N	O	0	0
			37	22	2	8	5		
2	C	1	Total	C	Cl	N	O	0	0
			37	22	2	8	5		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	O S	0	0
			5	4 1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O	0	0
			1	1		
4	B	2	Total	O	0	0
			2	2		
4	C	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fibroblast growth factor receptor 1




- Molecule 1: Fibroblast growth factor receptor 1



- Molecule 1: Fibroblast growth factor receptor 1





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	192.50Å 79.27Å 96.72Å 90.00° 110.53° 90.00°	Depositor
Resolution (Å)	48.28 – 2.90 48.28 – 2.95	Depositor EDS
% Data completeness (in resolution range)	94.0 (48.28-2.90) 96.1 (48.28-2.95)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.54 (at 2.96Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.226 , 0.303 0.215 , 0.297	Depositor DCC
R_{free} test set	1395 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	86.6	Xtriage
Anisotropy	0.067	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 71.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6913	wwPDB-VP
Average B, all atoms (Å ²)	110.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: O1Y, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.82	0/2313	1.07	4/3126 (0.1%)
1	B	0.69	0/2305	0.89	1/3114 (0.0%)
1	C	0.67	0/2304	0.95	2/3114 (0.1%)
All	All	0.73	0/6922	0.97	7/9354 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	471	TRP	N-CA-C	6.03	120.79	113.38
1	C	612	GLU	N-CA-C	-5.58	104.83	111.03
1	A	732	MET	N-CA-C	-5.48	104.95	111.03
1	B	676	ILE	N-CA-C	5.45	114.46	106.55
1	A	614	LEU	N-CA-C	-5.41	105.28	111.07
1	A	540	LYS	N-CA-C	5.26	117.91	110.50
1	C	471	TRP	N-CA-C	5.15	119.56	113.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2268	0	2267	45	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2261	0	2260	38	0
1	C	2259	0	2261	29	0
2	A	37	0	0	4	0
2	B	37	0	0	2	0
2	C	37	0	0	5	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
4	A	1	0	0	0	0
4	B	2	0	0	0	0
4	C	1	0	0	0	0
All	All	6913	0	6788	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:565:SER:HA	2:C:801:O1Y:C17	2.08	0.82
2:A:801:O1Y:N2	2:A:801:O1Y:N5	2.34	0.71
1:A:689:LEU:O	1:A:689:LEU:HD23	1.92	0.69
2:C:801:O1Y:N2	2:C:801:O1Y:N5	2.39	0.66
1:A:754:LEU:O	1:A:758:VAL:HG23	1.95	0.66
1:A:484:LEU:HD21	1:A:494:LEU:HD21	1.77	0.65
1:A:738:HIS:HD2	1:A:740:VAL:H	1.44	0.65
2:B:801:O1Y:N2	2:B:801:O1Y:N5	2.46	0.62
1:B:484:LEU:HD12	1:B:484:LEU:O	2.00	0.62
1:C:514:LYS:HE2	2:C:801:O1Y:C19	2.29	0.62
1:B:473:LEU:HD12	1:B:474:PRO:HD2	1.83	0.60
1:A:637:MET:HE2	1:A:637:MET:N	2.17	0.60
1:A:640:ALA:HB1	2:A:801:O1Y:CL2	2.38	0.59
1:A:484:LEU:HD21	1:A:494:LEU:CD2	2.32	0.59
1:B:719:MET:O	1:B:730:TYR:OH	2.20	0.58
1:A:471:TRP:CD1	1:A:536:LYS:HE2	2.39	0.57
1:B:568:ASN:OD1	1:B:568:ASN:C	2.47	0.57
1:B:484:LEU:HD23	1:B:494:LEU:HG	1.87	0.56
1:B:695:THR:O	1:B:696:LEU:C	2.49	0.56
1:C:670:GLU:OE2	1:C:744:ARG:NH1	2.37	0.56
1:C:473:LEU:HD12	1:C:474:PRO:HD2	1.86	0.56
1:A:611:MET:SD	1:A:639:ILE:HD13	2.46	0.55
1:A:477:ARG:NE	1:A:477:ARG:HA	2.21	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:516:LEU:HD21	1:A:525:LEU:HA	1.89	0.55
1:A:534:MET:HE3	1:A:643:GLY:CA	2.37	0.55
1:B:493:VAL:HG13	1:B:515:MET:HE3	1.89	0.54
1:A:523:LYS:O	1:A:526:SER:N	2.41	0.54
1:A:689:LEU:O	1:A:693:ILE:HG13	2.08	0.54
1:C:484:LEU:HD21	1:C:494:LEU:HD21	1.89	0.53
1:B:631:VAL:HG13	1:B:637:MET:CE	2.39	0.53
1:A:621:HIS:O	1:A:622:ARG:HB2	2.09	0.52
1:A:537:MET:HE1	1:B:538:ILE:HG13	1.92	0.52
1:C:695:THR:HG22	1:C:722:PRO:HB3	1.92	0.51
1:B:572:TYR:CE2	1:B:631:VAL:HG11	2.45	0.51
1:B:621:HIS:O	1:B:622:ARG:HB2	2.10	0.51
1:B:668:ALA:HB2	1:B:684:TRP:CB	2.41	0.51
1:C:679:HIS:O	1:C:683:VAL:HG23	2.10	0.51
1:A:523:LYS:O	1:A:524:ASP:C	2.53	0.51
1:A:603:CYS:SG	1:A:693:ILE:HD13	2.51	0.51
2:B:801:O1Y:C20	2:B:801:O1Y:O4	2.57	0.50
1:A:617:LYS:O	1:A:618:LYS:HB2	2.09	0.50
1:C:564:ALA:O	2:C:801:O1Y:N6	2.46	0.49
1:C:684:TRP:CE3	1:C:737:TRP:HA	2.48	0.48
1:A:695:THR:O	1:A:696:LEU:C	2.53	0.48
1:B:476:ASP:OD1	1:B:476:ASP:N	2.43	0.48
1:B:610:GLY:HA3	1:B:639:ILE:HD12	1.95	0.48
1:A:614:LEU:HB3	1:A:619:CYS:HB3	1.95	0.47
1:A:674:ASP:OD1	1:A:674:ASP:N	2.48	0.47
1:A:534:MET:HE3	1:A:643:GLY:HA2	1.96	0.47
1:A:517:LYS:O	1:A:520:ALA:HB2	2.15	0.47
1:B:668:ALA:HB2	1:B:684:TRP:HB3	1.95	0.47
1:A:499:GLY:O	1:A:500:LEU:HB2	2.15	0.46
1:A:463:TYR:CD2	1:A:525:LEU:HD22	2.51	0.46
1:A:561:VAL:HG23	1:A:562:GLU:N	2.30	0.46
1:C:568:ASN:OD1	1:C:568:ASN:C	2.58	0.46
1:C:472:GLU:OE1	1:C:552:THR:OG1	2.34	0.46
1:C:469:PRO:O	1:C:470:ARG:C	2.58	0.46
1:B:484:LEU:O	1:B:484:LEU:CD1	2.63	0.46
1:C:476:ASP:OD1	1:C:476:ASP:C	2.59	0.45
1:A:634:ASP:OD1	1:A:634:ASP:N	2.49	0.45
1:B:601:VAL:HG12	1:B:758:VAL:HG22	1.98	0.45
1:B:695:THR:OG1	1:B:698:GLY:N	2.45	0.45
1:B:747:PHE:HA	1:B:750:LEU:HD12	1.98	0.45
1:A:528:LEU:HD23	1:A:557:LEU:HD23	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:601:VAL:HG12	1:B:758:VAL:CG2	2.47	0.45
1:B:730:TYR:O	1:B:731:MET:C	2.60	0.45
1:A:730:TYR:O	1:A:734:ARG:HG2	2.16	0.45
1:B:631:VAL:HG13	1:B:637:MET:HE1	1.98	0.45
1:A:477:ARG:NE	1:A:477:ARG:CA	2.80	0.44
1:C:499:GLY:O	1:C:500:LEU:HB2	2.16	0.44
1:C:695:THR:O	1:C:696:LEU:C	2.59	0.44
2:A:801:O1Y:O4	2:A:801:O1Y:C20	2.63	0.44
1:B:572:TYR:CD2	1:B:631:VAL:HG11	2.53	0.44
1:C:667:MET:HE3	1:C:677:TYR:OH	2.17	0.44
1:C:484:LEU:HD22	2:C:801:O1Y:C21	2.47	0.44
1:A:568:ASN:OD1	1:A:568:ASN:C	2.61	0.43
1:B:729:LEU:HD21	1:B:757:ILE:HD13	2.00	0.43
1:C:604:ALA:HB2	1:C:693:ILE:HD13	2.00	0.43
1:A:668:ALA:O	1:A:669:PRO:C	2.61	0.43
1:B:571:GLU:O	1:B:572:TYR:C	2.60	0.43
1:B:684:TRP:CZ3	1:B:737:TRP:O	2.71	0.43
1:C:683:VAL:HG13	1:C:750:LEU:HD11	1.99	0.43
1:A:519:ASP:OD1	1:A:519:ASP:N	2.52	0.43
1:A:694:PHE:CZ	1:A:729:LEU:HD13	2.53	0.43
1:B:602:SER:O	1:B:603:CYS:C	2.62	0.43
1:C:486:GLU:HG2	1:C:491:GLN:HB3	2.01	0.43
1:C:519:ASP:CG	1:C:519:ASP:O	2.61	0.43
1:C:661:ARG:HD3	1:C:666:TRP:HH2	1.83	0.43
1:C:754:LEU:O	1:C:758:VAL:HG23	2.19	0.42
1:B:625:ALA:O	1:B:628:ASN:N	2.46	0.42
1:B:684:TRP:CE3	1:B:737:TRP:HA	2.54	0.42
1:B:730:TYR:CZ	1:B:734:ARG:HD3	2.55	0.42
1:A:636:VAL:C	1:A:637:MET:HE2	2.44	0.42
1:B:606:GLN:HB3	1:B:637:MET:HB2	2.01	0.42
1:B:691:TRP:O	1:B:692:GLU:C	2.62	0.42
1:B:473:LEU:HD11	1:B:477:ARG:CB	2.50	0.42
1:C:467:GLU:OE2	1:C:553:GLN:HG3	2.20	0.42
1:A:573:LEU:HD23	1:A:573:LEU:HA	1.90	0.41
1:C:689:LEU:O	1:C:692:GLU:HB2	2.20	0.41
1:A:684:TRP:O	1:A:685:SER:C	2.60	0.41
1:C:578:PRO:O	1:C:579:PRO:C	2.63	0.41
1:B:694:PHE:CZ	1:B:729:LEU:HD13	2.54	0.41
1:C:709:LEU:O	1:C:710:PHE:C	2.63	0.41
1:C:747:PHE:O	1:C:751:VAL:HG23	2.21	0.41
1:A:484:LEU:CD2	1:A:494:LEU:HD21	2.48	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:551:CYS:HB2	1:A:558:TYR:HB2	2.02	0.41
1:A:523:LYS:O	1:A:525:LEU:N	2.53	0.41
1:A:537:MET:HE1	1:B:538:ILE:CG1	2.51	0.41
1:B:537:MET:HE3	1:B:537:MET:HB3	1.90	0.41
1:A:462:GLU:HG3	1:A:463:TYR:N	2.36	0.40
1:B:691:TRP:CZ3	1:B:700:PRO:HA	2.56	0.40
1:A:641:ASP:H	2:A:801:O1Y:C15	2.35	0.40
1:B:493:VAL:CG1	1:B:515:MET:HE3	2.52	0.40
1:A:695:THR:O	1:A:697:GLY:N	2.54	0.40
1:C:621:HIS:O	1:C:622:ARG:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	281/309 (91%)	252 (90%)	24 (8%)	5 (2%)	6	25
1	B	280/309 (91%)	249 (89%)	26 (9%)	5 (2%)	6	25
1	C	280/309 (91%)	247 (88%)	27 (10%)	6 (2%)	5	21
All	All	841/927 (91%)	748 (89%)	77 (9%)	16 (2%)	6	23

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	489	PHE
1	B	571	GLU
1	B	572	TYR
1	C	489	PHE
1	A	488	ALA
1	A	524	ASP
1	A	696	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	488	ALA
1	C	600	LEU
1	C	696	LEU
1	C	487	GLY
1	A	622	ARG
1	B	625	ALA
1	C	470	ARG
1	A	706	VAL
1	B	706	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/269 (92%)	228 (92%)	19 (8%)	12	35
1	B	246/269 (91%)	233 (95%)	13 (5%)	20	52
1	C	246/269 (91%)	230 (94%)	16 (6%)	15	44
All	All	739/807 (92%)	691 (94%)	48 (6%)	15	44

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	484	LEU
1	A	489	PHE
1	A	493	VAL
1	A	510	LYS
1	A	516	LEU
1	A	517	LYS
1	A	519	ASP
1	A	521	THR
1	A	523	LYS
1	A	529	ILE
1	A	561	VAL
1	A	563	CYS
1	A	574	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	627	ARG
1	A	634	ASP
1	A	663	PRO
1	A	674	ASP
1	A	699	SER
1	A	714	LYS
1	B	489	PHE
1	B	493	VAL
1	B	502	LYS
1	B	509	THR
1	B	510	LYS
1	B	516	LEU
1	B	530	SER
1	B	568	ASN
1	B	644	LEU
1	B	651	ILE
1	B	657	THR
1	B	725	CYS
1	B	761	THR
1	C	463	TYR
1	C	470	ARG
1	C	489	PHE
1	C	493	VAL
1	C	508	VAL
1	C	516	LEU
1	C	517	LYS
1	C	554	ASP
1	C	596	SER
1	C	616	SER
1	C	618	LYS
1	C	627	ARG
1	C	644	LEU
1	C	647	ASP
1	C	726	THR
1	C	738	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	738	HIS
1	A	743	GLN
1	B	738	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	763	ASN
1	C	635	ASN
1	C	679	HIS
1	C	738	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	B	802	-	4,4,4	0.55	0	6,6,6	0.18	0
2	O1Y	B	801	1	39,39,39	2.27	11 (28%)	41,54,54	4.44	17 (41%)
3	SO4	A	802	-	4,4,4	0.48	0	6,6,6	0.30	0
2	O1Y	A	801	1	39,39,39	3.59	12 (30%)	41,54,54	2.80	8 (19%)
2	O1Y	C	801	1	39,39,39	3.71	13 (33%)	41,54,54	3.39	12 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	O1Y	B	801	1	-	9/29/29/29	0/3/3/3
2	O1Y	C	801	1	-	6/29/29/29	0/3/3/3
2	O1Y	A	801	1	-	6/29/29/29	0/3/3/3

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	O1Y	N7-N8	-14.85	1.17	1.35
2	C	801	O1Y	N7-N8	-14.66	1.17	1.35
2	C	801	O1Y	C9-CL2	-10.90	1.50	1.72
2	A	801	O1Y	C13-CL1	-8.47	1.55	1.72
2	B	801	O1Y	N7-N8	-7.59	1.26	1.35
2	C	801	O1Y	C13-CL1	-7.12	1.57	1.72
2	A	801	O1Y	C9-CL2	-6.71	1.58	1.72
2	A	801	O1Y	C8-N5	-6.51	1.31	1.43
2	B	801	O1Y	C9-CL2	-5.54	1.61	1.72
2	C	801	O1Y	C2-C1	-5.20	1.30	1.46
2	C	801	O1Y	C8-N5	-5.13	1.34	1.43
2	A	801	O1Y	C2-C1	-5.06	1.31	1.46
2	A	801	O1Y	C18-C17	4.69	1.52	1.30
2	C	801	O1Y	C18-C17	4.42	1.51	1.30
2	B	801	O1Y	C18-C17	4.29	1.51	1.30
2	B	801	O1Y	C2-C1	-4.24	1.33	1.46
2	B	801	O1Y	C8-N5	-4.14	1.35	1.43
2	B	801	O1Y	C17-C16	3.72	1.54	1.48
2	A	801	O1Y	C3-N1	-3.69	1.32	1.40
2	C	801	O1Y	C20-C2	-3.65	1.31	1.36
2	A	801	O1Y	C20-C2	-3.56	1.32	1.36
2	C	801	O1Y	C2-N6	-3.20	1.32	1.41
2	C	801	O1Y	C3-N1	-3.08	1.33	1.40
2	A	801	O1Y	C2-N6	-3.00	1.33	1.41
2	B	801	O1Y	C6-N2	2.87	1.39	1.33
2	A	801	O1Y	C17-C16	2.68	1.52	1.48
2	A	801	O1Y	C16-N6	-2.48	1.32	1.38
2	C	801	O1Y	C6-N2	2.43	1.38	1.33
2	B	801	O1Y	C13-CL1	-2.43	1.67	1.72
2	C	801	O1Y	O3-C12	-2.32	1.33	1.37
2	B	801	O1Y	C2-N6	-2.24	1.35	1.41
2	B	801	O1Y	C6-N3	2.20	1.37	1.33
2	C	801	O1Y	C16-N6	-2.19	1.33	1.38
2	B	801	O1Y	C20-C2	-2.17	1.33	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	801	O1Y	C10-C9	-2.16	1.37	1.40
2	A	801	O1Y	C1-N1	-2.15	1.32	1.36

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	O1Y	C18-C17-C16	-16.95	103.59	122.22
2	C	801	O1Y	C18-C17-C16	-13.60	107.28	122.22
2	B	801	O1Y	C21-N7-N8	12.51	132.20	119.56
2	A	801	O1Y	C6-N2-C5	9.79	123.16	114.95
2	A	801	O1Y	C18-C17-C16	-9.24	112.07	122.22
2	B	801	O1Y	C6-N2-C5	9.19	122.66	114.95
2	B	801	O1Y	N5-C7-N4	7.15	120.72	115.06
2	A	801	O1Y	N2-C6-N3	-7.10	117.84	128.58
2	C	801	O1Y	C15-O2-C10	-6.54	107.92	117.51
2	C	801	O1Y	C6-N2-C5	6.36	120.29	114.95
2	C	801	O1Y	C3-C4-C5	6.35	121.72	116.64
2	B	801	O1Y	N2-C6-N3	-6.35	118.97	128.58
2	C	801	O1Y	C21-N7-N8	6.15	125.78	119.56
2	B	801	O1Y	C17-C16-N6	6.14	118.01	113.84
2	B	801	O1Y	C21-N7-C20	-5.39	118.76	128.83
2	C	801	O1Y	N2-C6-N3	-4.82	121.28	128.58
2	C	801	O1Y	C19-O3-C12	-4.73	110.57	117.51
2	B	801	O1Y	C3-C4-C5	4.31	120.09	116.64
2	C	801	O1Y	N5-C7-N4	3.98	118.22	115.06
2	A	801	O1Y	C21-N7-N8	3.73	123.33	119.56
2	B	801	O1Y	C20-N7-N8	-3.70	109.04	113.56
2	B	801	O1Y	C2-C1-N1	3.52	129.00	125.18
2	B	801	O1Y	O4-C16-C17	-3.37	117.65	122.70
2	C	801	O1Y	C21-N7-C20	-3.26	122.74	128.83
2	C	801	O1Y	N2-C5-N4	3.04	118.97	115.52
2	A	801	O1Y	C4-C5-N2	-2.98	117.87	122.82
2	C	801	O1Y	C4-C5-N2	-2.97	117.88	122.82
2	B	801	O1Y	C4-C5-N2	-2.93	117.94	122.82
2	C	801	O1Y	C4-C3-N3	-2.92	119.09	122.92
2	A	801	O1Y	N5-C7-N4	2.77	117.26	115.06
2	B	801	O1Y	C4-C3-N3	-2.77	119.28	122.92
2	A	801	O1Y	C3-C4-C5	2.65	118.77	116.64
2	B	801	O1Y	C2-C20-N7	2.52	108.31	104.94
2	B	801	O1Y	C15-O2-C10	-2.31	114.12	117.51
2	B	801	O1Y	O1-C7-N5	-2.25	118.53	123.46
2	A	801	O1Y	C21-N7-C20	-2.20	124.72	128.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	O1Y	O3-C12-C13	2.05	117.68	115.44

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	O1Y	O4-C16-C17-C18
2	A	801	O1Y	N6-C16-C17-C18
2	A	801	O1Y	C22-C21-N7-N8
2	A	801	O1Y	C2-C1-N1-C3
2	A	801	O1Y	N8-C1-N1-C3
2	B	801	O1Y	O4-C16-C17-C18
2	B	801	O1Y	N6-C16-C17-C18
2	B	801	O1Y	C22-C21-N7-N8
2	C	801	O1Y	O4-C16-C17-C18
2	C	801	O1Y	N6-C16-C17-C18
2	C	801	O1Y	C2-C1-N1-C3
2	B	801	O1Y	C4-C3-N1-C1
2	B	801	O1Y	N3-C3-N1-C1
2	C	801	O1Y	C4-C3-N1-C1
2	C	801	O1Y	N3-C3-N1-C1
2	B	801	O1Y	C22-C21-N7-C20
2	B	801	O1Y	C2-C1-N1-C3
2	C	801	O1Y	N8-C1-N1-C3
2	A	801	O1Y	C22-C21-N7-C20
2	B	801	O1Y	N7-C21-C22-O5
2	B	801	O1Y	N8-C1-N1-C3


There are no ring outliers.

3 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	801	O1Y	2	0
2	A	801	O1Y	4	0
2	C	801	O1Y	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be


highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand O1Y A 801



Ligand O1Y C 801



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	287/309 (92%)	0.12	7 (2%) 59 50	58, 89, 153, 190	0
1	B	286/309 (92%)	0.28	12 (4%) 40 32	74, 106, 158, 198	0
1	C	286/309 (92%)	0.38	20 (6%) 22 18	70, 116, 181, 211	0
All	All	859/927 (92%)	0.26	39 (4%) 38 30	58, 104, 169, 211	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	603	CYS	5.0
1	C	463	TYR	4.6
1	C	714	LYS	4.0
1	C	578	PRO	3.6
1	B	653	TYR	3.5
1	B	643	GLY	3.5
1	B	662	LEU	3.5
1	C	653	TYR	3.5
1	C	643	GLY	3.3
1	C	608	ALA	3.2
1	B	749	GLN	3.0
1	C	710	PHE	2.8
1	B	628	ASN	2.8
1	B	645	ALA	2.7
1	C	554	ASP	2.6
1	B	578	PRO	2.6
1	C	604	ALA	2.6
1	C	577	ARG	2.6
1	B	494	LEU	2.6
1	C	651	ILE	2.5
1	A	651	ILE	2.5
1	A	489	PHE	2.4
1	C	701	TYR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	489	PHE	2.3
1	B	728	GLU	2.3
1	A	701	TYR	2.2
1	C	602	SER	2.2
1	B	489	PHE	2.2
1	A	578	PRO	2.1
1	C	579	PRO	2.1
1	C	507	ARG	2.1
1	B	758	VAL	2.1
1	B	673	PHE	2.1
1	C	661	ARG	2.1
1	C	715	GLU	2.1
1	C	601	VAL	2.1
1	A	613	TYR	2.0
1	A	653	TYR	2.0
1	A	644	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	B	802	5/5	0.83	0.21	115,120,127,139	0
2	O1Y	A	801	37/37	0.87	0.17	71,89,137,155	0
2	O1Y	C	801	37/37	0.89	0.15	87,112,141,144	0
3	SO4	A	802	5/5	0.90	0.13	115,123,130,130	0
2	O1Y	B	801	37/37	0.90	0.15	86,107,151,161	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around O1Y A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around O1Y C 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around O1Y B 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.