



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:41 AM UTC

PDB ID : 3P86 / pdb_00003p86
Title : Crystal structure of CTR1 kinase domain mutant D676N in complex with staurosporine
Authors : Mayerhofer, H.; Panneerselvam, S.; Mueller-Dieckmann, J.
Deposited on : 2010-10-13
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	3% 64% 16% • 19%
1	B	309	5% 57% 18% •• 23%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4034 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase CTR1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			2017	1289	362	354	12			
1	B	239	Total	C	N	O	S	0	0	0
			1921	1231	344	335	11			

There are 56 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	513	MET	-	expression tag	UNP Q05609
A	514	LYS	-	expression tag	UNP Q05609
A	515	HIS	-	expression tag	UNP Q05609
A	516	HIS	-	expression tag	UNP Q05609
A	517	HIS	-	expression tag	UNP Q05609
A	518	HIS	-	expression tag	UNP Q05609
A	519	HIS	-	expression tag	UNP Q05609
A	520	HIS	-	expression tag	UNP Q05609
A	521	PRO	-	expression tag	UNP Q05609
A	522	MET	-	expression tag	UNP Q05609
A	523	SER	-	expression tag	UNP Q05609
A	524	ASP	-	expression tag	UNP Q05609
A	525	TYR	-	expression tag	UNP Q05609
A	526	ASP	-	expression tag	UNP Q05609
A	527	ILE	-	expression tag	UNP Q05609
A	528	PRO	-	expression tag	UNP Q05609
A	529	THR	-	expression tag	UNP Q05609
A	530	THR	-	expression tag	UNP Q05609
A	531	GLU	-	expression tag	UNP Q05609
A	532	ASN	-	expression tag	UNP Q05609
A	533	LEU	-	expression tag	UNP Q05609
A	534	TYR	-	expression tag	UNP Q05609
A	535	PHE	-	expression tag	UNP Q05609
A	536	GLN	-	expression tag	UNP Q05609
A	537	GLY	-	expression tag	UNP Q05609

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	538	ALA	-	expression tag	UNP Q05609
A	539	MET	-	expression tag	UNP Q05609
A	676	ASN	ASP	engineered mutation	UNP Q05609
B	513	MET	-	expression tag	UNP Q05609
B	514	LYS	-	expression tag	UNP Q05609
B	515	HIS	-	expression tag	UNP Q05609
B	516	HIS	-	expression tag	UNP Q05609
B	517	HIS	-	expression tag	UNP Q05609
B	518	HIS	-	expression tag	UNP Q05609
B	519	HIS	-	expression tag	UNP Q05609
B	520	HIS	-	expression tag	UNP Q05609
B	521	PRO	-	expression tag	UNP Q05609
B	522	MET	-	expression tag	UNP Q05609
B	523	SER	-	expression tag	UNP Q05609
B	524	ASP	-	expression tag	UNP Q05609
B	525	TYR	-	expression tag	UNP Q05609
B	526	ASP	-	expression tag	UNP Q05609
B	527	ILE	-	expression tag	UNP Q05609
B	528	PRO	-	expression tag	UNP Q05609
B	529	THR	-	expression tag	UNP Q05609
B	530	THR	-	expression tag	UNP Q05609
B	531	GLU	-	expression tag	UNP Q05609
B	532	ASN	-	expression tag	UNP Q05609
B	533	LEU	-	expression tag	UNP Q05609
B	534	TYR	-	expression tag	UNP Q05609
B	535	PHE	-	expression tag	UNP Q05609
B	536	GLN	-	expression tag	UNP Q05609
B	537	GLY	-	expression tag	UNP Q05609
B	538	ALA	-	expression tag	UNP Q05609
B	539	MET	-	expression tag	UNP Q05609
B	676	ASN	ASP	engineered mutation	UNP Q05609

- Molecule 2 is STAUROSPORINE (CCD ID: STU) (formula: $C_{28}H_{26}N_4O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			35	28	4	3		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	32	Total	O	0	0
			32	32		
3	B	29	Total	O	0	0
			29	29		

4 Data and refinement statistics

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, α , β , γ	122.33Å 122.33Å 95.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.64 – 2.50 41.64 – 2.50	Depositor EDS
% Data completeness (in resolution range)	96.0 (41.64-2.50) 99.7 (41.64-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.04 (at 2.48Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.1_357)	Depositor
R, R_{free}	0.195 , 0.232 0.197 , 0.229	Depositor DCC
R_{free} test set	1302 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	49.8	Xtriage
Anisotropy	0.227	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 49.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4034	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: STU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.67	0/2067	0.79	3/2803 (0.1%)
1	B	0.56	1/1968 (0.1%)	0.82	3/2669 (0.1%)
All	All	0.62	1/4035 (0.0%)	0.80	6/5472 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	669	ASN	C-O	-5.53	1.17	1.24

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	674	HIS	N-CA-C	8.68	120.66	111.03
1	A	808	LEU	N-CA-C	8.01	120.01	111.28
1	B	668	ARG	N-CA-C	-7.63	101.02	110.41
1	A	809	ILE	N-CA-C	5.61	116.39	110.72
1	B	728	SER	N-CA-C	5.10	117.99	110.59
1	A	577	VAL	N-CA-C	5.06	115.14	107.75

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2017	0	2035	44	0
1	B	1921	0	1950	73	0
2	A	35	0	26	3	0
3	A	32	0	0	0	0
3	B	29	0	0	0	0
All	All	4034	0	4011	111	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:609:VAL:HG21	1:B:693:CYS:SG	1.86	1.15
1:B:621:LEU:N	1:B:621:LEU:HD12	1.78	0.97
1:A:662:MET:HE3	1:A:677:LEU:HD13	1.45	0.96
1:B:560:GLY:HA3	1:B:563:GLY:O	1.65	0.96
1:B:609:VAL:CG2	1:B:693:CYS:SG	2.55	0.95
1:B:621:LEU:N	1:B:621:LEU:CD1	2.30	0.92
1:A:695:PHE:CD1	1:A:695:PHE:O	2.26	0.88
2:A:0:STU:H261	2:A:0:STU:H16	1.58	0.85
1:A:799:ALA:HA	1:A:802:MET:HE2	1.61	0.83
1:A:662:MET:CE	1:A:677:LEU:HD13	2.12	0.80
1:B:562:PHE:CB	1:B:580:LEU:HD22	2.12	0.80
1:B:675:ARG:HE	1:B:728:SER:HB3	1.49	0.78
1:A:544:MET:HE1	1:B:602:ARG:HB3	1.66	0.78
1:B:621:LEU:CD1	1:B:621:LEU:H	1.97	0.76
1:B:718:MET:HE3	1:B:722:VAL:HG12	1.70	0.74
1:B:621:LEU:H	1:B:621:LEU:HD13	1.55	0.70
1:A:582:GLU:OE1	1:A:589:ARG:HD2	1.92	0.69
1:B:620:ASN:N	1:B:620:ASN:ND2	2.41	0.68
1:B:562:PHE:HB2	1:B:580:LEU:HD22	1.74	0.68
1:B:563:GLY:HA3	1:B:579:ILE:O	1.93	0.67
1:A:714:THR:HB	1:A:716:GLU:OE2	1.94	0.67
1:A:544:MET:CE	1:B:602:ARG:HB3	2.24	0.66
1:B:605:HIS:HE1	1:B:607:ASN:HD22	1.42	0.66
1:B:620:ASN:ND2	1:B:620:ASN:H	1.94	0.66
1:B:675:ARG:HE	1:B:728:SER:CB	2.09	0.66
1:B:674:HIS:O	1:B:675:ARG:HB2	1.96	0.65
1:A:611:PHE:O	1:B:604:ARG:HD3	1.98	0.64
1:B:578:LYS:HE2	1:B:623:ILE:HB	1.80	0.63
1:B:718:MET:CE	1:B:722:VAL:HG12	2.28	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:669:ASN:HA	1:B:670:PRO:C	2.23	0.63
1:B:562:PHE:C	1:B:580:LEU:HD22	2.23	0.62
1:A:674:HIS:O	1:A:733:ASP:HB3	2.00	0.62
2:A:0:STU:H261	2:A:0:STU:C16	2.30	0.61
1:B:562:PHE:HB2	1:B:580:LEU:CD2	2.31	0.61
1:A:695:PHE:O	1:A:695:PHE:CG	2.54	0.60
1:A:729:ASN:ND2	1:A:731:LYS:H	1.99	0.60
1:A:601:LYS:O	1:B:604:ARG:NH1	2.34	0.60
1:B:660:LYS:HG2	1:B:802:MET:HE3	1.84	0.60
1:A:544:MET:HE1	1:B:602:ARG:HG2	1.84	0.60
1:A:544:MET:HE1	1:B:602:ARG:CB	2.31	0.59
1:B:618:PRO:HA	1:B:621:LEU:HD11	1.83	0.59
1:B:620:ASN:H	1:B:620:ASN:HD22	1.51	0.59
1:B:605:HIS:HB3	1:B:608:ILE:HG12	1.85	0.59
1:A:554:LYS:HB3	1:A:555:GLU:OE1	2.02	0.59
1:B:596:GLU:O	1:B:600:MET:HG3	2.03	0.58
1:A:544:MET:HE1	1:B:602:ARG:CG	2.34	0.58
1:A:555:GLU:OE1	1:A:555:GLU:N	2.30	0.57
1:A:668:ARG:N	1:A:668:ARG:HD2	2.19	0.57
1:A:662:MET:HE3	1:A:677:LEU:CD1	2.26	0.57
1:A:589:ARG:NH2	1:A:621:LEU:HD12	2.20	0.56
1:B:562:PHE:C	1:B:580:LEU:CD2	2.78	0.56
1:B:544:MET:SD	1:B:601:LYS:HD3	2.47	0.55
1:B:563:GLY:HA3	1:B:580:LEU:HD23	1.88	0.55
1:A:656:TYR:HB2	1:A:809:ILE:HD11	1.88	0.54
1:A:798:PHE:O	1:A:802:MET:HG3	2.06	0.54
1:A:772:ILE:HD11	1:A:788:TRP:CZ3	2.43	0.54
1:B:665:LEU:O	1:B:668:ARG:HB2	2.11	0.51
1:A:639:LYS:HD3	1:A:645:GLN:HE22	1.75	0.51
1:B:718:MET:HE3	1:B:722:VAL:CG1	2.40	0.51
1:A:726:GLU:HB3	1:A:727:PRO:CD	2.41	0.51
1:A:628:LEU:HD22	1:A:683:LEU:CB	2.41	0.50
1:B:755:ASN:HB2	1:B:756:PRO:HD2	1.93	0.50
1:B:544:MET:O	1:B:544:MET:HG3	2.11	0.50
1:B:729:ASN:OD1	1:B:730:GLU:N	2.44	0.49
1:A:628:LEU:HD22	1:A:683:LEU:HB3	1.94	0.49
1:B:634:TYR:CE1	1:B:638:HIS:CE1	3.01	0.48
1:B:810:LYS:HA	1:B:810:LYS:HE2	1.95	0.48
1:A:605:HIS:CG	1:A:606:PRO:HD2	2.49	0.48
1:A:726:GLU:HB3	1:A:727:PRO:HD2	1.96	0.48
1:B:562:PHE:HB3	1:B:580:LEU:HD22	1.93	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:715:PRO:HB2	1:A:723:LEU:HD21	1.96	0.47
1:A:662:MET:HE1	1:A:674:HIS:ND1	2.30	0.47
1:A:544:MET:CE	1:B:602:ARG:HG2	2.44	0.47
1:A:554:LYS:HG2	1:A:568:ALA:HA	1.97	0.47
1:B:674:HIS:CE1	1:B:694:ASP:O	2.68	0.46
1:B:563:GLY:N	1:B:580:LEU:HD23	2.31	0.46
1:A:679:SER:OG	1:A:680:PRO:HD3	2.16	0.46
1:B:605:HIS:CG	1:B:606:PRO:HD2	2.49	0.46
1:B:554:LYS:HB2	1:B:567:ARG:O	2.15	0.46
1:B:651:ARG:HD2	1:B:744:LEU:O	2.15	0.46
1:A:793:TRP:CH2	1:A:794:LYS:HE3	2.51	0.45
1:B:563:GLY:N	1:B:580:LEU:CD2	2.79	0.45
1:B:552:ASN:CG	1:B:554:LYS:HZ3	2.25	0.45
1:B:669:ASN:CA	1:B:670:PRO:C	2.90	0.44
1:A:806:ARG:O	1:A:810:LYS:HG3	2.18	0.44
1:B:563:GLY:CA	1:B:580:LEU:HD23	2.45	0.44
1:B:543:ASP:C	1:B:545:ASP:H	2.26	0.44
1:B:565:VAL:HG22	1:B:578:LYS:HG2	1.99	0.44
1:B:649:ARG:HG3	1:B:809:ILE:HG23	1.99	0.44
1:B:809:ILE:O	1:B:810:LYS:C	2.60	0.43
1:B:656:TYR:OH	1:B:806:ARG:HD3	2.18	0.43
1:B:668:ARG:HA	1:B:668:ARG:HD2	1.25	0.43
1:B:679:SER:N	1:B:680:PRO:CD	2.81	0.43
1:B:552:ASN:CG	1:B:554:LYS:NZ	2.77	0.43
1:B:634:TYR:CD1	1:B:638:HIS:CE1	3.07	0.43
1:B:605:HIS:CE1	1:B:607:ASN:HD22	2.28	0.43
1:B:618:PRO:HA	1:B:621:LEU:CD1	2.47	0.43
1:A:559:ALA:HA	1:A:564:THR:HA	2.01	0.42
2:A:0:STU:C16	2:A:0:STU:C26	2.96	0.42
1:B:684:VAL:HG22	1:B:690:VAL:HG22	2.02	0.42
1:A:600:MET:HE2	1:A:695:PHE:HA	2.02	0.41
1:B:755:ASN:OD1	1:B:758:GLN:HG3	2.19	0.41
1:B:649:ARG:CG	1:B:809:ILE:HG23	2.51	0.41
1:B:806:ARG:HB3	1:B:807:PRO:HD3	2.02	0.41
1:A:679:SER:N	1:A:680:PRO:CD	2.84	0.41
1:A:777:ASN:C	1:A:777:ASN:OD1	2.63	0.41
1:A:687:LYS:HB3	1:B:687:LYS:HD3	2.03	0.41
1:A:770:LEU:HB2	1:A:788:TRP:CH2	2.56	0.41
1:B:650:ARG:NH1	1:B:688:TYR:CD2	2.89	0.40
1:A:803:ASP:OD1	1:A:806:ARG:NH2	2.55	0.40
1:B:552:ASN:ND2	1:B:554:LYS:HZ1	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	246/309 (80%)	242 (98%)	4 (2%)	0	100	100
1	B	233/309 (75%)	223 (96%)	10 (4%)	0	100	100
All	All	479/618 (78%)	465 (97%)	14 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/271 (81%)	218 (99%)	2 (1%)	70	87
1	B	210/271 (78%)	203 (97%)	7 (3%)	33	61
All	All	430/542 (79%)	421 (98%)	9 (2%)	47	74

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	716	GLU
1	A	772	ILE
1	B	616	THR
1	B	620	ASN
1	B	621	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	668	ARG
1	B	694	ASP
1	B	728	SER
1	B	809	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	620	ASN
1	A	645	GLN
1	A	729	ASN
1	A	790	ASN
1	B	607	ASN
1	B	620	ASN
1	B	638	HIS
1	B	663	ASN
1	B	669	ASN
1	B	674	HIS
1	B	749	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	STU	A	0	-	39,42,42	0.83	1 (2%)	50,68,68	2.47	9 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsions and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	STU	A	0	-	-	1/4/42/42	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	0	STU	C19-N3	-2.14	1.35	1.39

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	0	STU	C9-C10-C7	-9.70	106.32	109.88
2	A	0	STU	C9-N1-C8	-6.08	108.32	113.86
2	A	0	STU	C28-N4-C23	-5.86	107.39	114.39
2	A	0	STU	C9-C10-C11	5.40	132.83	128.73
2	A	0	STU	C10-C9-N1	4.36	105.99	101.75
2	A	0	STU	C27-O6-C22	-4.23	107.31	114.46
2	A	0	STU	C7-C8-N1	4.06	110.25	106.38
2	A	0	STU	O5-C8-C7	-2.50	124.84	128.47
2	A	0	STU	C13-C12-C17	2.26	121.85	119.24

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	0	STU	C24-C23-N4-C28

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	0	STU	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/309 (80%)	-0.07	9 (3%) 46 41	29, 48, 88, 134	0
1	B	239/309 (77%)	0.09	15 (6%) 26 23	28, 49, 93, 142	0
All	All	489/618 (79%)	0.00	24 (4%) 35 31	28, 48, 92, 142	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	695	PHE	6.6
1	B	562	PHE	6.5
1	B	544	MET	4.8
1	B	694	ASP	4.2
1	B	713	GLY	3.8
1	A	694	ASP	3.7
1	A	544	MET	3.6
1	B	594	LEU	3.0
1	B	595	ARG	3.0
1	B	578	LYS	3.0
1	B	810	LYS	2.9
1	A	628	LEU	2.9
1	A	810	LYS	2.8
1	B	561	SER	2.7
1	B	580	LEU	2.6
1	A	675	ARG	2.6
1	A	728	SER	2.5
1	B	729	ASN	2.5
1	B	543	ASP	2.3
1	A	730	GLU	2.2
1	A	775	ASN	2.2
1	B	593	PHE	2.1
1	B	563	GLY	2.0
1	B	559	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	STU	A	0	35/35	0.90	0.11	58,72,80,82	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.