



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2026 – 08:12 PM UTC

PDB ID : 2P90 / pdb_00002p90
Title : The crystal structure of a protein of unknown function from *Corynebacterium glutamicum* ATCC 13032
Authors : Zhang, R.; Duggan, E.; Gu, M.; Joachimiak, A.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2007-03-23
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	319	5% 67% 14% • 16%
1	B	319	3% 64% 17% • 15%
1	C	319	3% 63% 15% 5% 17%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6595 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hypothetical protein Cgl1923.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	269	Total	C	N	O	S	0	0	0
			2092	1303	364	416	9			
1	B	271	Total	C	N	O	S	0	0	0
			2109	1314	369	417	9			
1	C	266	Total	C	N	O	S	0	0	0
			2068	1289	361	409	9			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	125	Total	O	0	0
			125	125		
2	B	107	Total	O	0	0
			107	107		
2	C	94	Total	O	0	0
			94	94		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Hypothetical protein Cgl1923




• Molecule 1: Hypothetical protein Cgl1923



• Molecule 1: Hypothetical protein Cgl1923





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.83Å 113.35Å 117.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	81.65 – 2.35 81.53 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.8 (81.65-2.35) 99.8 (81.53-2.35)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.18 (at 2.34Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.193 , 0.251 0.192 , 0.249	Depositor DCC
R_{free} test set	2429 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	44.8	Xtriage
Anisotropy	0.424	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 33.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.013 for -h,l,k	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6595	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.93	0/2132	1.03	3/2900 (0.1%)
1	B	0.95	1/2151 (0.0%)	1.05	1/2927 (0.0%)
1	C	0.97	1/2107 (0.0%)	1.09	11/2864 (0.4%)
All	All	0.95	2/6390 (0.0%)	1.05	15/8691 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	77	VAL	CA-CB	6.62	1.62	1.54
1	C	199	VAL	CA-CB	5.30	1.61	1.54

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	210	TYR	CA-C-N	7.72	128.43	119.47
1	C	210	TYR	C-N-CA	7.72	128.43	119.47
1	A	206	SER	N-CA-C	6.66	119.37	111.71
1	C	72	ARG	NE-CZ-NH2	-6.50	113.35	119.20
1	C	72	ARG	CG-CD-NE	-6.45	97.82	112.00
1	C	73	ARG	NE-CZ-NH2	-5.72	114.06	119.20
1	B	145	VAL	N-CA-C	-5.64	104.56	109.19
1	C	115	ARG	NE-CZ-NH2	-5.61	114.15	119.20
1	C	205	VAL	CB-CA-C	5.51	116.16	110.70
1	A	175	VAL	CA-C-N	-5.46	114.16	119.78
1	A	175	VAL	C-N-CA	-5.46	114.16	119.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	21	GLN	N-CA-C	-5.18	106.05	112.38
1	C	81	ASN	N-CA-C	5.10	118.77	112.24
1	C	159	SER	CA-C-N	5.02	127.51	120.28
1	C	159	SER	C-N-CA	5.02	127.51	120.28

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	171	THR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2092	0	2048	48	0
1	B	2109	0	2064	54	0
1	C	2068	0	2028	53	0
2	A	125	0	0	14	0
2	B	107	0	0	15	0
2	C	94	0	0	17	0
All	All	6595	0	6140	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:33:GLN:HG2	2:B:403:HOH:O	1.32	1.23
1:C:152:VAL:HG13	1:C:167:VAL:HG21	1.39	1.03
1:A:106:MET:SD	2:A:433:HOH:O	2.19	0.99
1:C:90:ASN:HB2	2:C:333:HOH:O	1.59	0.98
1:C:152:VAL:HG13	1:C:167:VAL:CG2	1.97	0.95
1:A:90:ASN:HB2	2:A:403:HOH:O	1.66	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:72:ARG:NH2	1:B:111:GLU:O	2.02	0.90
1:B:211:PRO:HD2	1:B:241:VAL:HG11	1.53	0.90
1:C:7:ARG:HG2	2:C:364:HOH:O	1.71	0.87
1:B:8:MET:N	2:B:414:HOH:O	2.07	0.87
1:C:203:HIS:HB3	2:C:371:HOH:O	1.76	0.86
1:B:18:VAL:HG12	1:B:18:VAL:O	1.78	0.83
1:C:72:ARG:NH2	1:C:111:GLU:O	2.13	0.81
1:B:245:LEU:O	1:B:249:THR:HG22	1.80	0.80
1:C:152:VAL:CG1	1:C:167:VAL:HG21	2.11	0.80
1:B:90:ASN:HB2	2:B:375:HOH:O	1.84	0.76
1:A:211:PRO:HD2	1:A:241:VAL:HG11	1.67	0.76
1:B:233:ALA:HA	2:B:426:HOH:O	1.84	0.76
1:A:240:LYS:HE2	2:A:427:HOH:O	1.85	0.75
1:A:72:ARG:NH2	1:A:111:GLU:O	2.20	0.74
1:A:77:VAL:HG22	1:B:174:THR:HG22	1.69	0.73
1:A:168:SER:HB2	1:A:169:LEU:HA	1.71	0.73
1:B:133:GLU:OE1	1:B:162:ARG:NH1	2.16	0.73
1:B:76:VAL:HG21	1:C:181:LEU:HD13	1.74	0.70
1:A:77:VAL:HB	1:A:85:SER:HB3	1.76	0.68
1:A:73:ARG:HH22	1:B:111:GLU:CD	2.02	0.67
1:B:167:VAL:O	1:B:167:VAL:HG12	1.94	0.67
1:A:169:LEU:HB2	1:C:81:ASN:OD1	1.95	0.66
1:C:7:ARG:CG	2:C:364:HOH:O	2.33	0.66
1:A:160:THR:CG2	2:A:410:HOH:O	2.43	0.66
1:A:246:MET:O	1:A:249:THR:HG22	1.96	0.66
1:C:27:THR:HG22	2:C:341:HOH:O	1.95	0.66
1:B:33:GLN:CG	2:B:403:HOH:O	2.12	0.65
1:B:154:THR:HG22	1:B:168:SER:HA	1.79	0.64
1:C:81:ASN:HB3	2:C:361:HOH:O	1.97	0.64
1:C:171:THR:HB	2:C:387:HOH:O	1.98	0.64
1:B:18:VAL:O	1:B:18:VAL:CG1	2.47	0.63
1:C:165:ASP:OD2	1:C:216:LYS:NZ	2.22	0.63
1:B:237:ASP:O	1:B:241:VAL:HG12	1.98	0.63
1:B:270:LEU:O	1:B:274:ARG:HG2	2.00	0.62
1:A:33:GLN:HG2	2:A:415:HOH:O	1.98	0.62
1:C:166:GLN:HE21	1:C:168:SER:HB2	1.64	0.62
1:C:33:GLN:OE1	2:C:381:HOH:O	2.16	0.60
1:B:166:GLN:O	1:B:166:GLN:HG2	2.01	0.60
1:A:160:THR:HG22	2:A:410:HOH:O	2.00	0.60
1:C:49:LEU:HD12	1:C:106:MET:HE1	1.83	0.60
1:B:192:LYS:HE3	2:B:398:HOH:O	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:251:GLU:O	1:C:252:SER:HB2	2.02	0.59
1:A:170:ASP:N	1:C:81:ASN:OD1	2.28	0.59
1:A:205:VAL:HG22	2:A:404:HOH:O	2.02	0.58
1:C:22:THR:HA	2:C:378:HOH:O	2.02	0.58
1:A:171:THR:HA	2:C:406:HOH:O	2.02	0.57
1:A:253:SER:HA	2:A:352:HOH:O	2.05	0.57
1:C:151:THR:CG2	1:C:199:VAL:CG2	2.82	0.56
1:B:94:HIS:HD2	2:B:405:HOH:O	1.89	0.56
1:A:50:MET:HG3	1:A:55:HIS:CD2	2.41	0.56
1:A:156:HIS:HE1	1:A:184:GLU:OE1	1.90	0.55
1:B:8:MET:N	2:B:390:HOH:O	2.40	0.55
1:A:48:HIS:HE1	1:A:230:PRO:O	1.90	0.54
1:C:27:THR:HG21	2:C:353:HOH:O	2.05	0.54
1:B:94:HIS:CD2	2:B:405:HOH:O	2.59	0.54
1:C:203:HIS:CB	2:C:371:HOH:O	2.43	0.54
1:C:100:ASP:O	1:C:101:ASN:HB2	2.08	0.53
1:C:215:LEU:O	1:C:219:GLN:HG3	2.08	0.53
1:A:169:LEU:CB	1:C:81:ASN:OD1	2.57	0.53
1:A:168:SER:CB	1:A:169:LEU:HA	2.38	0.52
1:A:170:ASP:C	1:A:171:THR:HG22	2.34	0.52
1:A:7:ARG:HA	2:A:434:HOH:O	2.10	0.52
1:A:111:GLU:OE2	1:C:73:ARG:NH2	2.40	0.52
1:C:151:THR:HG21	1:C:199:VAL:CG2	2.40	0.51
1:B:120:SER:O	1:B:124:VAL:HG13	2.11	0.51
1:A:111:GLU:CD	1:C:73:ARG:HH22	2.18	0.51
1:B:257:ARG:HB2	1:B:257:ARG:NH1	2.25	0.51
1:A:73:ARG:NH2	1:B:111:GLU:OE2	2.43	0.50
1:B:167:VAL:O	1:B:167:VAL:CG1	2.60	0.49
1:C:205:VAL:HG21	1:C:245:LEU:HD21	1.94	0.49
1:A:154:THR:OG1	1:A:200:HIS:HE1	1.95	0.49
1:A:174:THR:HG23	1:C:75:VAL:CG1	2.43	0.49
1:B:48:HIS:HE1	1:B:230:PRO:O	1.96	0.49
1:B:169:LEU:HB2	1:B:273:TYR:CD1	2.48	0.49
1:C:39:GLY:HA2	1:C:208:SER:O	2.13	0.49
1:A:273:TYR:HB2	2:A:422:HOH:O	2.13	0.48
1:C:19:SER:H	1:C:97:ARG:HH12	1.58	0.48
1:A:170:ASP:C	1:A:171:THR:CG2	2.86	0.48
1:B:27:THR:HG22	2:B:362:HOH:O	2.13	0.48
1:C:62:ASN:HB2	2:C:373:HOH:O	2.13	0.48
1:B:134:ASN:HD22	1:B:193:ASN:HB3	1.79	0.48
1:A:156:HIS:CE1	1:A:184:GLU:OE1	2.67	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:160:THR:HG23	1:C:166:GLN:HE22	1.79	0.48
1:C:27:THR:HG23	2:C:358:HOH:O	2.13	0.48
1:A:83:VAL:O	1:B:188:LYS:HE2	2.14	0.47
1:B:169:LEU:HB2	1:B:273:TYR:HD1	1.79	0.47
1:C:202:PRO:HD3	2:C:404:HOH:O	2.13	0.47
1:C:133:GLU:HG3	2:C:341:HOH:O	2.14	0.47
1:C:154:THR:HG23	1:C:200:HIS:CE1	2.49	0.47
1:A:252:SER:HB3	1:A:255:ILE:HD12	1.96	0.47
1:A:256:GLN:HB2	2:A:352:HOH:O	2.14	0.47
1:A:29:ILE:HG21	1:A:106:MET:HE3	1.97	0.47
1:C:216:LYS:NZ	2:C:412:HOH:O	2.40	0.46
1:A:169:LEU:H	1:A:169:LEU:HG	1.61	0.46
1:B:83:VAL:O	1:C:188:LYS:HE2	2.16	0.45
1:C:152:VAL:HG13	1:C:167:VAL:HG23	1.93	0.45
1:A:174:THR:HG23	1:C:75:VAL:HG13	1.98	0.45
1:B:216:LYS:HA	1:B:216:LYS:HD2	1.79	0.45
1:B:81:ASN:ND2	1:C:155:ALA:O	2.50	0.45
1:B:169:LEU:HD21	1:B:276:ARG:HH11	1.82	0.44
1:B:115:ARG:NH1	1:B:118:ASP:OD2	2.45	0.44
1:B:216:LYS:HD2	1:B:219:GLN:HE21	1.81	0.44
1:B:29:ILE:HD12	1:B:104:PHE:CD1	2.53	0.44
1:B:274:ARG:HD3	2:B:373:HOH:O	2.17	0.44
1:A:127:VAL:HG13	1:A:132:VAL:HB	2.00	0.44
1:C:55:HIS:HA	1:C:95:VAL:O	2.17	0.44
1:C:133:GLU:OE1	1:C:162:ARG:NH1	2.28	0.43
1:A:54:ASP:HB3	1:A:56:ARG:HH12	1.83	0.43
1:C:48:HIS:HE1	1:C:230:PRO:O	2.01	0.43
1:B:116:TRP:CH2	1:B:178:SER:HA	2.53	0.43
1:C:40:HIS:CD2	1:C:40:HIS:N	2.87	0.43
1:B:21:GLN:HG2	1:B:21:GLN:O	2.19	0.43
1:A:160:THR:HG21	2:A:380:HOH:O	2.18	0.43
1:B:33:GLN:CD	2:B:403:HOH:O	2.55	0.42
1:C:127:VAL:HB	1:C:132:VAL:HB	2.00	0.42
1:A:50:MET:HG3	1:A:55:HIS:NE2	2.33	0.42
1:B:246:MET:HG2	2:B:399:HOH:O	2.19	0.42
1:B:20:GLY:O	1:B:21:GLN:HB3	2.18	0.42
1:A:171:THR:HA	2:A:335:HOH:O	2.19	0.42
1:C:264:GLN:O	1:C:268:SER:HB3	2.19	0.42
1:A:250:GLU:H	1:A:250:GLU:HG2	1.79	0.42
1:B:264:GLN:HG2	2:B:401:HOH:O	2.19	0.41
1:B:169:LEU:HD13	1:B:277:HIS:NE2	2.36	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:357:HOH:O	1:C:185:LYS:HE3	2.19	0.41
1:C:100:ASP:O	1:C:101:ASN:CB	2.68	0.41
1:A:81:ASN:HD21	1:B:170:ASP:HB2	1.86	0.41
1:A:115:ARG:HH22	1:C:65:GLU:CD	2.27	0.41
1:B:76:VAL:HG12	1:B:86:MET:HG3	2.03	0.41
1:A:170:ASP:C	2:A:335:HOH:O	2.64	0.40
1:B:271:GLU:HG2	1:B:274:ARG:HH21	1.86	0.40
1:B:123:VAL:O	1:B:127:VAL:HG13	2.20	0.40
1:B:257:ARG:HB2	1:B:257:ARG:CZ	2.52	0.40
1:B:153:VAL:HA	1:B:198:THR:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	267/319 (84%)	257 (96%)	9 (3%)	1 (0%)	30	34
1	B	269/319 (84%)	259 (96%)	8 (3%)	2 (1%)	18	20
1	C	262/319 (82%)	251 (96%)	10 (4%)	1 (0%)	30	34
All	All	798/957 (83%)	767 (96%)	27 (3%)	4 (0%)	24	27

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	21	GLN
1	C	252	SER
1	A	268	SER
1	B	167	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	234/276 (85%)	218 (93%)	16 (7%)	14	16
1	B	236/276 (86%)	220 (93%)	16 (7%)	14	16
1	C	231/276 (84%)	214 (93%)	17 (7%)	13	14
All	All	701/828 (85%)	652 (93%)	49 (7%)	14	15

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	LEU
1	A	22	THR
1	A	33	GLN
1	A	60	SER
1	A	89	LEU
1	A	105	LEU
1	A	152	VAL
1	A	160	THR
1	A	169	LEU
1	A	171	THR
1	A	205	VAL
1	A	223	ASP
1	A	245	LEU
1	A	250	GLU
1	A	253	SER
1	A	268	SER
1	B	8	MET
1	B	22	THR
1	B	27	THR
1	B	71	SER
1	B	89	LEU
1	B	124	VAL
1	B	127	VAL
1	B	161	ASP
1	B	166	GLN
1	B	192	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	205	VAL
1	B	241	VAL
1	B	245	LEU
1	B	249	THR
1	B	269	GLU
1	B	274	ARG
1	C	7	ARG
1	C	11	LEU
1	C	21	GLN
1	C	27	THR
1	C	101	ASN
1	C	105	LEU
1	C	127	VAL
1	C	133	GLU
1	C	160	THR
1	C	161	ASP
1	C	167	VAL
1	C	205	VAL
1	C	241	VAL
1	C	245	LEU
1	C	247	GLU
1	C	249	THR
1	C	268	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	HIS
1	A	55	HIS
1	A	94	HIS
1	A	156	HIS
1	A	200	HIS
1	A	242	HIS
1	B	48	HIS
1	B	81	ASN
1	B	134	ASN
1	B	156	HIS
1	B	219	GLN
1	B	256	GLN
1	B	265	GLN
1	C	21	GLN
1	C	48	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	156	HIS
1	C	166	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	269/319 (84%)	0.24	17 (6%) 26 29	33, 44, 96, 122	0
1	B	271/319 (84%)	0.26	9 (3%) 49 56	34, 49, 71, 86	0
1	C	266/319 (83%)	0.13	11 (4%) 41 47	31, 44, 90, 102	0
All	All	806/957 (84%)	0.21	37 (4%) 37 43	31, 46, 89, 122	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	169	LEU	7.5
1	C	168	SER	7.0
1	B	167	VAL	6.7
1	B	169	LEU	5.9
1	A	170	ASP	4.9
1	A	171	THR	4.6
1	B	20	GLY	4.1
1	A	273	TYR	4.0
1	C	167	VAL	3.9
1	B	170	ASP	3.2
1	A	270	LEU	3.1
1	C	274	ARG	3.1
1	A	168	SER	3.1
1	A	274	ARG	2.9
1	A	259	VAL	2.8
1	A	167	VAL	2.8
1	C	18	VAL	2.8
1	B	22	THR	2.7
1	B	274	ARG	2.7
1	A	241	VAL	2.6
1	C	273	TYR	2.6
1	A	251	GLU	2.5
1	B	21	GLN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	255	ILE	2.5
1	C	13	TYR	2.5
1	A	254	GLU	2.4
1	C	171	THR	2.4
1	A	249	THR	2.3
1	C	249	THR	2.3
1	C	243	ARG	2.3
1	A	264	GLN	2.3
1	B	19	SER	2.3
1	A	266	TYR	2.2
1	B	33	GLN	2.2
1	A	10	GLU	2.1
1	A	165	ASP	2.0
1	C	272	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.