



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 04:37 AM UTC

PDB ID : 4PA7 / pdb_00004pa7
Title : Structure of NavMS pore and C-terminal domain crystallised in presence of channel blocking compound
Authors : Naylor, C.E.; Bagneris, C.; Wallace, B.A.
Deposited on : 2014-04-07
Resolution : 3.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3131 (3.04-3.00)
Clashscore	190562	3444 (3.04-3.00)
Ramachandran outliers	187476	3319 (3.04-3.00)
Sidechain outliers	187428	3322 (3.04-3.00)
RSRZ outliers	180081	3130 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	149	16% 50% 11% • 38%
1	B	149	16% 50% 10% • 40%
1	C	149	17% 47% 13% • 39%
1	D	149	19% 50% 10% • 39%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NA	D	303	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3012 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Ion transport protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	92	Total	C	N	O	S	0	0	0
			718	488	106	119	5			
1	B	90	Total	C	N	O	S	0	0	0
			711	483	104	119	5			
1	C	91	Total	C	N	O	S	0	0	0
			715	485	105	120	5			
1	D	91	Total	C	N	O	S	0	0	0
			705	476	105	119	5			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	126	GLY	-	expression tag	UNP A0L5S6
A	127	SER	-	expression tag	UNP A0L5S6
A	128	HIS	-	expression tag	UNP A0L5S6
A	129	MET	-	expression tag	UNP A0L5S6
B	126	GLY	-	expression tag	UNP A0L5S6
B	127	SER	-	expression tag	UNP A0L5S6
B	128	HIS	-	expression tag	UNP A0L5S6
B	129	MET	-	expression tag	UNP A0L5S6
C	126	GLY	-	expression tag	UNP A0L5S6
C	127	SER	-	expression tag	UNP A0L5S6
C	128	HIS	-	expression tag	UNP A0L5S6
C	129	MET	-	expression tag	UNP A0L5S6
D	126	GLY	-	expression tag	UNP A0L5S6
D	127	SER	-	expression tag	UNP A0L5S6
D	128	HIS	-	expression tag	UNP A0L5S6
D	129	MET	-	expression tag	UNP A0L5S6

- Molecule 2 is HEGA-10 (CCD ID: 2CV) (formula: C₁₈H₃₇NO₇).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total 20	C 15	N 1	O 4	0	0
2	B	1	Total 20	C 15	N 1	O 4	0	0
2	C	1	Total 20	C 15	N 1	O 4	0	0
2	D	1	Total 20	C 15	N 1	O 4	0	0

- Molecule 3 is DODECAETHYLENE GLYCOL (CCD ID: 12P) (formula: $\text{C}_{24}\text{H}_{50}\text{O}_{13}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			16	10	6		
3	B	1	Total	C	O	0	0
			16	10	6		
3	C	1	Total	C	O	0	0
			16	10	6		

- Molecule 4 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Na	0	0
			1	1		
4	B	3	Total	Na	0	0
			3	3		
4	C	1	Total	Na	0	0
			1	1		
4	D	2	Total	Na	0	0
			2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	7	Total	O	0	0
			7	7		
5	B	8	Total	O	0	0
			8	8		
5	C	5	Total	O	0	0
			5	5		
5	D	8	Total	O	0	0
			8	8		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Ion transport protein



• Molecule 1: Ion transport protein




• Molecule 1: Ion transport protein



• Molecule 1: Ion transport protein





4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	79.81Å 328.86Å 79.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.20 – 3.02 45.20 – 3.02	Depositor EDS
% Data completeness (in resolution range)	99.5 (45.20-3.02) 99.0 (45.20-3.02)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.63 (at 3.01Å)	Xtriage
Refinement program	BUSTER 2.10.0	Depositor
R, R_{free}	0.251 , 0.265 (Not available) , 0.267	Depositor DCC
R_{free} test set	1093 reflections (2.45%)	wwPDB-VP
Wilson B-factor (Å ²)	44.8	Xtriage
Anisotropy	1.390	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 83.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	3012	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 43.85 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.6622e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NA, 2CV, 12P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.90	0/740	1.55	5/1015 (0.5%)
1	B	0.90	0/733	1.56	5/1005 (0.5%)
1	C	0.87	0/737	1.50	8/1010 (0.8%)
1	D	0.88	0/726	1.52	6/995 (0.6%)
All	All	0.89	0/2936	1.53	24/4025 (0.6%)

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	199	PHE	N-CA-C	7.46	119.49	111.36
1	D	199	PHE	N-CA-C	7.25	119.26	111.36
1	C	200	ILE	N-CA-CB	6.45	115.48	110.45
1	B	166	LYS	CA-C-N	6.29	128.62	120.44
1	B	166	LYS	C-N-CA	6.29	128.62	120.44
1	A	166	LYS	CA-C-N	6.18	128.48	120.44
1	A	166	LYS	C-N-CA	6.18	128.48	120.44
1	D	200	ILE	N-CA-CB	6.09	115.20	110.45
1	B	163	ASP	CA-CB-CG	6.07	118.67	112.60
1	B	152	LEU	N-CA-C	5.92	117.40	111.07
1	A	152	LEU	N-CA-C	5.68	117.15	111.07
1	D	185	VAL	N-CA-C	5.64	116.38	110.62
1	C	185	VAL	N-CA-C	5.49	116.22	110.62
1	D	147	VAL	N-CA-C	-5.42	105.56	110.82
1	C	147	VAL	N-CA-C	-5.36	105.62	110.82
1	A	163	ASP	CA-CB-CG	5.35	117.95	112.60
1	C	140	VAL	CA-C-N	5.26	127.19	120.56
1	C	140	VAL	C-N-CA	5.26	127.19	120.56
1	C	177	LEU	CB-CA-C	5.18	114.96	109.83
1	A	185	VAL	N-CA-C	5.09	115.31	110.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	185	VAL	N-CA-C	5.09	115.31	110.42
1	D	140	VAL	CA-C-N	5.06	126.93	120.56
1	D	140	VAL	C-N-CA	5.06	126.93	120.56
1	C	208	PHE	N-CA-C	-5.02	106.84	113.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	718	0	726	6	0
1	B	711	0	721	6	0
1	C	715	0	724	7	0
1	D	705	0	708	4	0
2	A	20	0	29	0	0
2	B	20	0	29	1	0
2	C	20	0	29	0	0
2	D	20	0	29	1	0
3	A	16	0	21	0	0
3	B	16	0	21	0	0
3	C	16	0	21	1	0
4	A	1	0	0	0	0
4	B	3	0	0	0	1
4	C	1	0	0	0	0
4	D	2	0	0	0	0
5	A	7	0	0	1	0
5	B	8	0	0	1	0
5	C	5	0	0	1	0
5	D	8	0	0	1	0
All	All	3012	0	3058	24	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (24) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:179:SER:HB3	1:B:183:GLY:HA3	1.79	0.64
1:A:179:SER:HB3	1:A:183:GLY:HA3	1.79	0.64
1:A:157:PHE:CZ	1:A:188:VAL:HA	2.41	0.56
1:C:155:ALA:O	5:C:404:HOH:O	2.17	0.54
1:B:157:PHE:CZ	1:B:188:VAL:HA	2.43	0.54
1:B:186:ARG:HD3	5:B:401:HOH:O	2.12	0.49
1:D:189:MET:HA	1:D:192:HIS:O	2.12	0.49
1:C:189:MET:HA	1:C:192:HIS:O	2.12	0.49
1:A:196:TRP:HB2	1:A:200:ILE:HD12	1.95	0.48
1:B:200:ILE:HG22	1:B:204:MET:HE2	1.94	0.48
1:A:186:ARG:HD3	5:A:401:HOH:O	2.12	0.48
1:C:194:ASN:O	1:C:197:VAL:HG12	2.15	0.46
1:C:196:TRP:HB2	1:C:200:ILE:HD12	1.98	0.45
1:B:196:TRP:HB2	1:B:200:ILE:HD12	1.98	0.43
1:C:198:PHE:HB2	3:C:302:12P:H62	2.00	0.43
1:C:197:VAL:O	1:C:201:PRO:HG2	2.18	0.43
1:A:200:ILE:HG22	1:A:204:MET:HE2	2.00	0.43
1:D:197:VAL:O	1:D:201:PRO:HG2	2.19	0.43
1:D:196:TRP:HB2	1:D:200:ILE:HD12	2.00	0.42
1:C:149:ALA:HB1	1:C:161:PHE:CD1	2.55	0.41
2:D:301:2CV:H271	2:D:301:2CV:H352	1.93	0.41
1:D:155:ALA:O	5:D:405:HOH:O	2.22	0.41
1:A:214:PHE:HA	1:A:217:ILE:HD12	2.03	0.41
1:B:200:ILE:HD13	2:B:301:2CV:H151	2.03	0.41

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:305:NA:NA	4:B:305:NA:NA[3_455]	1.45	0.75

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	90/149 (60%)	83 (92%)	7 (8%)	0	100	100
1	B	88/149 (59%)	83 (94%)	5 (6%)	0	100	100
1	C	89/149 (60%)	84 (94%)	5 (6%)	0	100	100
1	D	89/149 (60%)	84 (94%)	4 (4%)	1 (1%)	11	41
All	All	356/596 (60%)	334 (94%)	21 (6%)	1 (0%)	36	68

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	179	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	77/129 (60%)	73 (95%)	4 (5%)	21	53
1	B	78/129 (60%)	73 (94%)	5 (6%)	16	46
1	C	78/129 (60%)	74 (95%)	4 (5%)	21	54
1	D	76/129 (59%)	72 (95%)	4 (5%)	20	52
All	All	309/516 (60%)	292 (94%)	17 (6%)	19	51

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	163	ASP
1	A	178	GLU
1	A	190	ASN
1	A	211	LEU
1	B	163	ASP
1	B	178	GLU
1	B	189	MET
1	B	190	ASN
1	B	211	LEU
1	C	139	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	142	PHE
1	C	159	GLU
1	C	211	LEU
1	D	142	PHE
1	D	156	THR
1	D	159	GLU
1	D	211	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	194	ASN
1	B	194	ASN
1	C	212	ASN
1	D	151	ASN
1	D	194	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 7 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	12P	C	302	-	15,15,36	0.16	0	14,14,35	0.12	0
3	12P	A	302	-	15,15,36	0.16	0	14,14,35	0.11	0
2	2CV	B	301	-	19,19,25	0.20	0	21,21,30	0.78	2 (9%)
3	12P	B	302	-	15,15,36	0.17	0	14,14,35	0.12	0
2	2CV	D	301	-	19,19,25	0.24	0	21,21,30	0.69	1 (4%)
2	2CV	A	301	-	19,19,25	0.19	0	21,21,30	0.92	1 (4%)
2	2CV	C	301	-	19,19,25	0.23	0	21,21,30	0.71	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	12P	C	302	-	-	4/13/13/34	-
3	12P	A	302	-	-	7/13/13/34	-
2	2CV	B	301	-	-	1/22/22/34	-
3	12P	B	302	-	-	6/13/13/34	-
2	2CV	D	301	-	-	3/22/22/34	-
2	2CV	A	301	-	-	0/22/22/34	-
2	2CV	C	301	-	-	3/22/22/34	-

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	2CV	C37-C36-N33	3.59	117.02	113.10
2	D	301	2CV	C37-C36-N33	2.66	116.01	113.10
2	B	301	2CV	C37-C36-N33	2.65	115.99	113.10
2	C	301	2CV	C37-C36-N33	2.37	115.69	113.10
2	B	301	2CV	C35-N33-C36	2.09	118.51	116.14

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	302	12P	O10-C11-C12-O13
2	D	301	2CV	N33-C35-C60-O63
2	D	301	2CV	O47-C37-C40-O49

Continued on next page...

Continued from previous page...





Mol	Chain	Res	Type	Atoms
3	A	302	12P	O4-C5-C6-O7
2	B	301	2CV	C60-C35-N33-C36
2	C	301	2CV	O47-C37-C40-O49
3	A	302	12P	C6-C5-O4-C3
3	C	302	12P	C8-C9-O10-C11
3	A	302	12P	C8-C9-O10-C11
3	B	302	12P	C12-C11-O10-C9
3	B	302	12P	C9-C8-O7-C6
3	C	302	12P	C12-C11-O10-C9
3	C	302	12P	C5-C6-O7-C8
3	B	302	12P	C8-C9-O10-C11
3	A	302	12P	C2-C3-O4-C5
3	B	302	12P	C5-C6-O7-C8
3	A	302	12P	C15-C14-O13-C12
3	A	302	12P	C9-C8-O7-C6
3	C	302	12P	O4-C5-C6-O7
3	B	302	12P	C6-C5-O4-C3
3	B	302	12P	O4-C5-C6-O7
2	C	301	2CV	C36-C37-C40-O49
2	D	301	2CV	C36-C37-C40-O49
2	C	301	2CV	C0-C1-C9-C12


There are no ring outliers.


3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	302	12P	1	0
2	B	301	2CV	1	0
2	D	301	2CV	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	92/149 (61%)	1.41	24 (26%)  	47, 61, 138, 194	0
1	B	90/149 (60%)	1.45	24 (26%)  	44, 62, 143, 210	0
1	C	91/149 (61%)	1.56	26 (28%)  	41, 64, 135, 194	0
1	D	91/149 (61%)	1.61	29 (31%)  	43, 61, 138, 200	0
All	All	364/596 (61%)	1.51	103 (28%)  	41, 62, 138, 210	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	214	PHE	7.1
1	D	207	THR	6.4
1	A	131	VAL	5.8
1	D	210	VAL	5.8
1	D	211	LEU	5.8
1	C	214	PHE	5.7
1	A	222	MET	5.3
1	D	218	ILE	5.1
1	C	207	THR	5.1
1	C	218	ILE	5.1
1	C	211	LEU	4.5
1	B	131	VAL	4.5
1	D	217	ILE	4.4
1	B	208	PHE	4.3
1	C	217	ILE	4.2
1	B	220	ASP	4.2
1	A	165	SER	4.2
1	B	211	LEU	4.1
1	C	130	GLY	4.1
1	C	212	ASN	4.1
1	C	210	VAL	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	143	TYR	4.0
1	C	131	VAL	4.0
1	B	165	SER	3.8
1	D	198	PHE	3.8
1	A	220	ASP	3.7
1	A	211	LEU	3.6
1	D	131	VAL	3.5
1	D	138	LEU	3.5
1	D	212	ASN	3.5
1	A	184	ILE	3.4
1	A	219	VAL	3.3
1	B	212	ASN	3.2
1	D	215	ILE	3.2
1	B	204	MET	3.2
1	D	137	LEU	3.2
1	C	137	LEU	3.2
1	C	138	LEU	3.2
1	D	220	ASP	3.1
1	C	215	ILE	3.1
1	B	191	VAL	3.1
1	A	191	VAL	3.0
1	A	204	MET	3.0
1	C	198	PHE	3.0
1	A	140	VAL	3.0
1	C	132	GLY	2.9
1	C	220	ASP	2.9
1	B	217	ILE	2.9
1	D	133	SER	2.9
1	A	188	VAL	2.9
1	C	134	VAL	2.8
1	D	203	ILE	2.8
1	D	143	TYR	2.8
1	A	218	ILE	2.7
1	A	169	TYR	2.7
1	B	219	VAL	2.7
1	B	140	VAL	2.6
1	D	213	LEU	2.6
1	B	215	ILE	2.6
1	D	172	PHE	2.6
1	B	169	TYR	2.6
1	A	215	ILE	2.6
1	B	143	TYR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	207	THR	2.5
1	D	209	THR	2.5
1	C	219	VAL	2.5
1	D	134	VAL	2.5
1	C	172	PHE	2.5
1	B	218	ILE	2.5
1	A	221	ALA	2.4
1	D	208	PHE	2.4
1	D	139	THR	2.4
1	A	217	ILE	2.4
1	C	169	TYR	2.4
1	B	188	VAL	2.4
1	B	184	ILE	2.3
1	B	194	ASN	2.3
1	A	144	ILE	2.3
1	D	194	ASN	2.3
1	A	214	PHE	2.3
1	B	144	ILE	2.3
1	A	207	THR	2.3
1	A	208	PHE	2.3
1	B	214	PHE	2.3
1	A	216	GLY	2.3
1	A	206	THR	2.3
1	C	133	SER	2.3
1	A	134	VAL	2.3
1	D	219	VAL	2.3
1	B	181	SER	2.2
1	C	175	MET	2.2
1	B	134	VAL	2.2
1	D	204	MET	2.2
1	A	132	GLY	2.2
1	B	206	THR	2.1
1	D	132	GLY	2.1
1	C	205	LEU	2.1
1	D	205	LEU	2.1
1	D	175	MET	2.1
1	C	209	THR	2.1
1	C	203	ILE	2.1
1	C	202	PHE	2.1
1	D	183	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NA	D	303	1/1	-0.24	0.54	121,121,121,121	1
3	12P	C	302	16/37	0.69	0.37	92,100,103,104	0
2	2CV	B	301	20/26	0.79	0.25	47,63,75,76	0
3	12P	B	302	16/37	0.83	0.27	71,74,77,78	0
3	12P	A	302	16/37	0.84	0.24	90,93,97,97	0
2	2CV	A	301	20/26	0.85	0.24	69,78,90,90	0
4	NA	A	303	1/1	0.85	0.63	27,27,27,27	1
2	2CV	D	301	20/26	0.85	0.21	46,54,67,68	0
2	2CV	C	301	20/26	0.90	0.17	58,82,88,90	0
4	NA	B	304	1/1	0.92	0.54	42,42,42,42	1
4	NA	D	302	1/1	0.96	0.23	3,3,3,3	1
4	NA	B	303	1/1	0.98	0.30	12,12,12,12	1
4	NA	B	305	1/1	0.99	0.13	57,57,57,57	0
4	NA	C	303	1/1	0.99	0.13	3,3,3,3	1




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 12P C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 2CV B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 12P B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 12P A 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 2CV A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 2CV D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 2CV C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.