



wwPDB EM Validation Summary Report ⓘ

Mar 4, 2026 – 05:46 PM UTC

PDB ID : 7PAO / pdb_00007pao
EMDB ID : EMD-13279
Title : 70S ribosome with EF-G, A*- and P/E-site tRNAs in Mycoplasma pneumoniae cells
Authors : Xue, L.; Lenz, S.; Rappsilber, J.; Mahamid, J.
Deposited on : 2021-07-30
Resolution : 7.00 Å (reported)
Based on initial models : 4V7D, 7OOD, 7OOC, 4V7C

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 7.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	483 (6.50 - 7.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	48	
2	1	59	
3	2	37	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	9	688	
5	A	294	
6	B	273	
7	C	205	
8	D	219	
9	E	215	
10	F	155	
11	G	142	
12	H	132	
13	I	108	
14	J	121	
15	K	139	
16	L	124	
17	M	61	
18	N	86	
19	O	94	
20	P	85	
21	Q	104	
22	R	87	
23	S	87	
24	T	60	
25	W	122	
26	a	287	
27	b	287	
28	c	212	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	d	180	
30	e	184	
31	f	149	
32	g	161	
33	h	137	
34	i	146	
35	j	122	
36	k	151	
37	l	139	
38	m	124	
39	n	116	
40	o	119	
41	p	127	
42	q	100	
43	r	159	
44	s	237	
45	t	111	
46	u	104	
47	v	65	
48	w	111	
49	x	97	
50	y	57	
51	z	53	
52	3	2907	
53	4	108	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	5	1520	28% 57% 13%
55	6	76	33% 34% 37% 28%
55	8	76	33% 38% 28%

2 Entry composition

There are 55 unique types of molecules in this entry. The entry contains 151980 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	47	Total	C	N	O	S	0	0
			380	236	81	61	2		

- Molecule 2 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	59	Total	C	N	O	S	0	0
			477	300	99	77	1		

- Molecule 3 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	37	Total	C	N	O	S	0	0
			304	189	65	46	4		

- Molecule 4 is a protein called Elongation factor G.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	9	682	Total	C	N	O	S	0	0
			5326	3369	911	1021	25		

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	A	240	Total	C	N	O	S	0	0
			1921	1226	334	352	9		

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	B	215	Total	C	N	O	S	0	0
			1698	1073	313	307	5		

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	C	203	Total	C	N	O	S	0	0
			1660	1051	314	290	5		

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	D	153	Total	C	N	O	S	0	0
			1173	742	226	202	3		

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	E	167	Total	C	N	O	S	0	0
			1362	857	240	263	2		

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	F	154	Total	C	N	O	S	0	0
			1246	785	239	216	6		

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	G	141	Total	C	N	O	S	0	0
			1110	723	193	192	2		

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	H	128	Total	C	N	O	S	0	0
			1028	655	191	181	1		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	I	101	Total	C	N	O	S	0	0
			809	523	142	143	1		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	J	114	Total	C	N	O	S	0	0
			829	514	153	156	6		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	K	136	Total	C	N	O	S	0	0
			1076	680	213	181	2		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	L	118	Total	C	N	O		0	0
			951	594	191	166			

- Molecule 17 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	M	60	Total	C	N	O	S	0	0
			474	302	96	72	4		

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	N	83	Total	C	N	O		0	0
			673	428	125	120			

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	O	80	Total	C	N	O	S	0	0
			646	414	119	111	2		

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	P	83	Total	C	N	O		0	0
			675	425	135	115			

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	Q	65	Total	C	N	O	S	0	0
			535	342	103	86	4		

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	R	84	Total	C	N	O	S	0	0
			682	435	127	118	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	S	77	Total	C	N	O		0	0
			629	383	135	111			

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	T	53	Total	C	N	O	S	0	0
			471	295	103	72	1		

- Molecule 25 is a protein called 50S ribosomal protein L7/L12.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	W	69	Total	C	N	O	S	0	0
			534	342	87	103	2		

- Molecule 26 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	a	285	Total	C	N	O	S	0	0
			2225	1385	437	397	6		

- Molecule 27 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	b	229	Total	C	N	O	S	0	0
			1762	1119	318	318	7		

- Molecule 28 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	c	210	Total	C	N	O	S	0	0
			1644	1047	297	297	3		

- Molecule 29 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	d	175	Total	C	N	O	S	0	0
			1388	893	245	246	4		

- Molecule 30 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	e	176	Total	C	N	O	S	0	0
			1396	899	247	250			

- Molecule 31 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	f	145	Total	C	N	O	S	0	0
			1160	746	204	207	3		

- Molecule 32 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	g	126	Total	C	N	O	S	0	0
			960	612	167	178	3		

- Molecule 33 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	h	128	Total	C	N	O	S	0	0
			959	616	160	177	6		

- Molecule 34 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	i	144	Total	C	N	O	S	0	0
			1164	737	213	209	5		

- Molecule 35 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	j	122	Total	C	N	O	S	0	0
			944	595	178	167	4		

- Molecule 36 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	k	148	Total	C	N	O		0	0
			1153	731	226	196			

- Molecule 37 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	l	136	Total	C	N	O	S	0	0
			1079	694	196	182	7		

- Molecule 38 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	m	119	Total	C	N	O	S	0	0
			958	609	175	171	3		

- Molecule 39 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	n	112	Total	C	N	O	S	0	0
			889	557	175	155	2		

- Molecule 40 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	o	115	Total	C	N	O	S	0	0
			938	592	180	165	1		

- Molecule 41 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	p	114	Total	C	N	O	S	0	0
			947	603	188	154	2		

- Molecule 42 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	q	99	Total	C	N	O	S	0	0
			811	525	148	134	4		

- Molecule 43 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	r	139	Total	C	N	O	S	0	0
			1068	663	207	191	7		

- Molecule 44 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	s	92	Total	C	N	O	S	0	0
			720	475	122	122	1		

- Molecule 45 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	t	111	Total	C	N	O	S	0	0
			872	550	166	153	3		

- Molecule 46 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	u	86	Total	C	N	O	S	0	0
			657	409	130	117	1		

- Molecule 47 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	v	63	Total	C	N	O	S	0	0
			513	317	108	87	1		

- Molecule 48 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	w	100	Total	C	N	O		0	0
			818	517	153	148			

- Molecule 49 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	x	44	Total	C	N	O	S	0	0
			344	221	55	64	4		

- Molecule 50 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	y	56	Total	C	N	O	S	0	0
			452	274	98	75	5		

- Molecule 51 is a protein called 50S ribosomal protein L33 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	z	50	Total	C	N	O	S	0	0
			408	255	81	68	4		

- Molecule 52 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	3	2878	Total	C	N	O	P	0	0
			61664	27558	11236	19995	2875		

- Molecule 53 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	4	105	Total	C	N	O	P	0	0
			2239	1003	409	724	103		

- Molecule 54 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	5	1493	Total	C	N	O	P	0	0
			31943	14279	5792	10382	1490		

- Molecule 55 is a RNA chain called tRNA-Phe.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	6	76	Total	C	N	O	P	0	0
			1618	723	289	531	75		
55	8	76	Total	C	N	O	P	0	0
			1618	723	289	531	75		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L34

Chain 0: 




- Molecule 2: 50S ribosomal protein L35

Chain 1: 




- Molecule 3: 50S ribosomal protein L36


Chain 2: 




- Molecule 4: Elongation factor G

Chain 9: 







• Molecule 5: 30S ribosomal protein S2




- Molecule 6: 30S ribosomal protein S3



- Molecule 7: 30S ribosomal protein S4




- Molecule 8: 30S ribosomal protein S5




- Molecule 9: 30S ribosomal protein S6







- Molecule 10: 30S ribosomal protein S7



- Molecule 11: 30S ribosomal protein S8




- Molecule 12: 30S ribosomal protein S9




- Molecule 13: 30S ribosomal protein S10






- Molecule 14: 30S ribosomal protein S11

Chain J: 56% 38% 6%




- Molecule 15: 30S ribosomal protein S12

Chain K: 6% 52% 45%



- Molecule 16: 30S ribosomal protein S13

Chain L: 13% 64% 31% 5%



- Molecule 17: 30S ribosomal protein S14 type Z

Chain M: 7% 66% 33%



- Molecule 18: 30S ribosomal protein S15

Chain N:  65% 31%




- Molecule 19: 30S ribosomal protein S16

Chain O:  6% 54% 31% 15%





- Molecule 20: 30S ribosomal protein S17

Chain P:  12% 62% 35%



- Molecule 21: 30S ribosomal protein S18

Chain Q:  29% 34% 38%



- Molecule 22: 30S ribosomal protein S19

Chain R:  8% 70% 26%






- Molecule 23: 30S ribosomal protein S20

Chain S:  48% 40% 11%


- Molecule 24: 30S ribosomal protein S21



- Molecule 25: 50S ribosomal protein L7/L12




- Molecule 26: 50S ribosomal protein L2




- Molecule 27: 50S ribosomal protein L3







• Molecule 28: 50S ribosomal protein L4




• Molecule 29: 50S ribosomal protein L5




• Molecule 30: 50S ribosomal protein L6






• Molecule 31: 50S ribosomal protein L9

Chain f: 62% 75% 22%




• Molecule 32: 50S ribosomal protein L10

Chain g: 30% 45% 32% 22%




• Molecule 33: 50S ribosomal protein L11

Chain h: 45% 64% 29% 7%




- Molecule 34: 50S ribosomal protein L13

Chain i: 




- Molecule 35: 50S ribosomal protein L14

Chain j: 




- Molecule 36: 50S ribosomal protein L15

Chain k: 




- Molecule 37: 50S ribosomal protein L16

Chain l: 




- Molecule 38: 50S ribosomal protein L17

Chain m: 




- Molecule 39: 50S ribosomal protein L18

Chain n: 64% 32% ..




- Molecule 40: 50S ribosomal protein L19

Chain o: 8% 53% 44% .




- Molecule 41: 50S ribosomal protein L20

Chain p: 49% 41% 10%



- Molecule 42: 50S ribosomal protein L21


Chain q: 7% 63% 36% .




Chain r:




- Molecule 47: 50S ribosomal protein L28




- Molecule 48: 50S ribosomal protein L29




- Molecule 49: 50S ribosomal protein L31




- Molecule 50: 50S ribosomal protein L32



- Molecule 51: 50S ribosomal protein L33 1



- Molecule 52: 23S ribosomal RNA







A1939	G1870	G1795	G1876	G1728	G1663	C1595	A1532	U1468	A1406	U1334	U1264	A1133	A1073
G1942	U1871	A1796	U1877	G1729	A1664	U1596	U1533	C1469	U1407	A1335	G1265	G1134	A1074
A1873	C1730	A1797	C1877	G1730	G1665	U1597	A1534	C1470	G1408	U1336	G1266	U1136	G1075
A1945	G1731	A1798	A1878	G1731	G1666	U1598	A1535	C1471	G1409	G1337	A1267	U1076	U1076
U1946	A1734	U1801	C1877	A1734	G1667	A1600	A1537	C1472	G1410	U1338	C1268	G1137	G1077
U1947	G1738	C1802	C1877	A1738	U1670	A1601	U1538	C1473	G1411	U1339	C1269	U1078	U1079
C1948	G1739	U1803	A1878	G1739	C1671	G1602	U1539	C1474	A1412	U1340	A1204	U1080	A1080
C1949	U1740	A1804	A1879	G1739	C1672	G1603	G1540	C1475	A1413	U1341	A1208	U1081	A1081
U1950	U1740	U1805	U1880	G1740	U1673	A1604	A1541	C1476	G1414	C1342	U1209	U1082	U1082
C1951	G1741	G1806	C1881	U1741	A1674	A1605	G1542	U1477	G1415	C1343	U1210	A1083	A1083
G1952	G1882	C1807	G1882	A1744	A1675	U1609	G1543	U1478	G1416	U1344	U1211	A1084	G1084
U1953	U1744	C1808	U1885	U1744	A1676	U1610	U1544	U1479	G1417	G1345	U1212	G1085	A1085
C1954	A1745	A1809	G1886	A1745	C1677	U1611	A1545	U1480	G1418	G1346	U1213	A1086	G1086
G1955	U1746	U1813	C1886	U1746	U1678	U1612	U1546	U1481	U1419	A1347	U1214	G1087	U1087
U1956	G1747	G1814	U1887	G1747	U1679	C1611	U1549	U1482	A1420	C1348	G1215	U1147	U1147
G1957	U1748	U1815	U1887	U1748	A1680	U1612	U1550	U1483	A1421	C1349	U1216	A1088	A1088
U1958	A1749	A1816	U1890	A1749	G1681	A1613	G1551	U1484	U1422	U1350	G1217	A1089	A1089
A1959	A1750	A1817	A1891	A1750	C1682	G1614	U1552	U1485	A1423	G1351	G1218	U1090	G1090
A1960	A1751	C1817	A1892	A1751	G1683	G1615	U1553	U1486	U1424	G1352	U1219	G1091	G1091
A1961	A1752	G1818	A1893	A1752	U1687	G1616	G1554	U1487	U1425	G1353	A1220	U1092	U1092
U1962	U1754	G1819	U1894	U1754	U1688	U1617	G1555	U1488	U1428	U1354	G1221	U1093	U1093
C1963	A1755	U1820	U1895	U1755	A1689	U1618	G1556	U1489	G1429	C1355	G1222	U1094	G1094
U1964	A1756	A1821	C1896	A1756	C1690	U1619	U1557	U1490	A1431	U1357	C1223	U1095	U1095
C1965	C1901	G1822	U1901	A1756	U1691	A1620	G1558	U1491	U1432	C1358	G1227	U1096	U1096
G1966	C1902	U1823	A1903	U1756	U1692	U1621	G1559	U1492	U1433	C1359	G1228	U1097	U1097
U1967	U1904	G1824	U1905	C1769	A1693	U1622	U1560	U1493	U1434	U1360	G1228	U1098	U1098
C1968	G1906	U1825	U1906	G1769	U1694	U1623	U1561	U1494	U1435	U1361	G1229	U1099	U1099
U1969	C1907	U1826	U1907	C1769	A1695	G1624	U1562	U1495	U1436	C1362	U1230	U1100	U1100
C1970	A1908	G1827	U1908	G1769	C1696	G1625	U1563	U1496	A1437	C1363	U1231	A1101	A1101
U1971	C1909	U1828	U1909	G1769	C1697	U1626	U1564	U1497	U1438	G1364	U1232	G1102	G1102
U1972	G1910	G1829	U1910	G1769	U1697	U1627	U1565	U1498	U1439	G1365	U1233	G1103	G1103
U1973	C1913	U1830	U1911	G1769	A1698	U1628	U1566	U1499	U1440	G1366	U1234	A1104	A1104
U1974	U1913	G1831	U1912	G1769	A1699	U1629	U1567	U1500	G1442	G1367	U1235	U1165	U1165
G1975	G1914	U1832	U1913	A1766	G1700	A1630	U1568	U1501	U1443	U1368	G1236	U1166	A1105
U1976	C1915	G1833	U1914	U1766	G1701	A1631	U1569	U1502	U1444	U1369	G1237	U1167	A1106
U1977	U1915	U1834	G1915	A1767	A1702	A1632	U1570	U1503	U1445	A1370	A1238	A1168	C1107
G1978	C1916	G1835	C1915	A1768	A1703	U1633	U1571	U1504	U1446	G1371	G1239	A1108	A1108
U1979	U1917	U1836	U1916	A1770	C1704	U1634	U1572	U1505	U1447	U1377	U1240	G1109	G1109
G1980	U1918	A1837	U1917	C1771	U1705	A1637	U1573	U1506	U1448	U1378	U1241	G1110	G1110
U1981	A1919	U1838	U1918	G1772	G1706	U1638	U1574	U1507	U1449	U1385	G1242	G1111	C1111
U1982	C1920	U1841	U1919	G1772	U1707	G1640	A1575	U1508	G1450	U1386	A1243	U1112	U1112
U1983	A1920	G1842	A1920	G1775	C1708	A1641	G1576	U1509	U1451	U1387	A1244	U1113	U1113
A1984	C1921	C1843	U1921	G1776	G1709	G1642	U1577	U1510	U1452	U1388	G1245	G1114	G1114
A1985	U1922	C1844	U1922	G1777	C1710	A1643	U1578	U1511	U1453	C1389	U1246	G1115	G1115
C1986	A1923	U1845	C1923	G1778	A1710	A1644	U1579	U1512	U1454	U1390	C1247	U1116	U1116
C1987	U1924	A1846	U1924	G1779	A1711	C1645	U1580	U1513	U1455	U1391	G1248	U1117	U1117
A1988	A1925	U1847	U1925	G1779	U1712	G1646	U1581	U1514	U1456	A1393	A1249	A1181	A1181
U1989	U1926	G1847	C1926	C1781	U1713	U1647	U1582	U1515	U1457	U1394	G1250	U1182	U1182
C1990	C1927	U1848	U1927	C1781	U1714	A1648	U1583	U1516	U1458	A1395	G1251	A1183	A1183
U1991	U1928	G1849	U1928	U1784	A1715	C1649	U1584	U1517	U1459	U1396	G1252	A1186	A1186
C1992	G1929	U1850	U1929	U1785	A1716	C1650	U1585	U1518	U1460	A1397	G1253	C1187	C1187
U1993	U1930	G1853	U1930	U1786	C1717	C1651	U1586	U1519	U1461	G1398	G1254	C1188	C1188
U1994	C1931	U1854	C1931	A1787	C1718	C1652	U1587	U1520	U1462	A1399	G1255	A1190	A1190
G1995	U1932	U1855	U1932	U1788	U1719	C1653	U1588	U1521	U1463	U1401	G1256	U1191	U1191
U1996	A1933	U1856	U1933	A1789	U1720	U1654	U1589	U1522	U1464	U1402	G1257	U1192	U1192
U1997	U1934	G1865	U1934	U1790	A1723	A1656	U1590	U1523	U1465	G1403	U1260	U1193	U1193
C1998	A1935	G1866	U1935	A1791	A1724	A1661	U1591	U1524	U1466	C1404	U1261	A1194	A1194
U2000	U1936	G1867	U1936	A1792	U1725	A1662	U1592	U1525	U1467	U1465	U1262	A1195	A1195
C2001	U1937	U1868	U1937	A1793	U1726	A1663	U1593	U1526	U1468	U1467	G1263	U1196	U1196
U2002	U1938	G1869	U1938	A1794	U1727	G1662	U1594	U1527	U1469	U1467	G1263	U1197	U1197
C2003	U1939	G1870	U1939	A1795	U1728	G1663	U1595	U1528	U1470	U1467	G1263	U1198	U1198

U2870	G2004	G2074	A2306	C2371	U2334	U2398	C2464	A2533	C2598	A2665	U2736	U2799	U2870
G2871	G2005	U2075	A2307	C2272	A2335	G2399	U2465	A2534	C2699	C2666	G2737	U2800	G2871
U2872	U2009	U2076	U2208	U2273	U2336	A2400	G2466	C2535	G2600	C2667	U2738	U2801	U2872
G2873	U2010	A2077	G2211	A2274	U2337	U2401	A2467	U2536	U2601	A2668	U2739	C2802	G2873
U2874	G2011	A2078	G2212	A2275	G2338	C2402	U2468	U2537	G2603	G2669	U2740	G2803	U2874
U2875	A2012	C2080	G2213	A2276	U2339	G2403	U2469	A2538	G2604	G2672	A2741	C2804	U2875
G2876	C2013	U2082	U2214	A2277	U2340	G2404	U2470	A2539	U2605	A2673	A2742	A2805	G2876
A2880	U2014	U2083	G2217	G2278	G2341	U2405	U2471	A2540	G2606	A2674	A2743	A2806	A2880
U2881	G2017	A2084	U2218	G2279	U2342	U2406	G2472	C2541	A2607	G2675	U2744	A2807	U2881
A2882	U2018	U2085	U2219	U2280	A2343	G2407	C2473	A2542	C2609	A2676	U2745	A2808	A2882
U2883	U2019	U2088	A2220	A2281	A2344	G2408	C2474	G2543	A2610	A2677	U2746	U2809	U2883
G2884	A2020	A2089	U2221	G2282	G2345	U2409	C2475	G2544	G2611	A2678	U2747	A2810	G2884
U2885	A2022	A2090	C2222	G2283	G2346	C2410	A2476	U2545	G2612	A2679	U2748	U2811	U2885
A2886	U2023	A2091	A2223	G2284	G2347	C2411	A2477	U2546	U2613	C2680	A2749	U2812	A2886
U2887	G2024	C2092	A2224	G2285	U2348	A2412	G2478	U2547	G2614	G2681	G2751	A2813	U2887
U2888	U2025	U2093	A2225	G2286	A2349	G2413	C2479	A2548	U2615	A2682	U2752	A2814	U2888
U2889	A2026	A2094	U2226	G2287	C2350	U2414	U2480	G2549	G2616	A2683	U2753	G2815	U2889
G2890	U2027	A2095	U2227	G2288	U2351	A2415	U2481	G2550	U2617	G2684	U2754	A2816	U2890
U2891	G2028	A2096	U2228	G2289	U2352	U2416	U2482	A2551	C2618	A2685	G2755	U2817	G2891
C2892	U2029	U2096	U2229	C2290	G2353	G2417	C2483	G2552	C2619	C2686	A2756	U2818	C2892
G2893	U2030	A2097	A2230	G2291	A2354	U2418	A2484	U2553	U2620	A2687	U2757	U2819	G2893
A2894	U2031	U2098	A2231	A2292	C2355	A2419	U2485	G2554	U2621	C2688	U2758	A2820	A2894
U2895	G2032	U2100	A2232	G2293	G2356	A2420	A2486	U2555	A2622	C2689	U2759	C2821	U2895
G2896	C2033	G2101	G2233	A2294	U2358	U2421	U2487	U2556	U2623	G2690	A2760	A2822	G2896
U2897	G2034	A2102	A2234	A2295	G2361	G2422	C2488	G2557	U2624	U2693	A2761	A2823	U2897
A2898	U2103	U2102	C2234	A2296	A2362	G2423	C2491	G2558	A2625	A2694	U2762	A2824	A2898
U2900	G2035	C2103	U2237	G2297	A2363	C2424	G2492	U2559	A2626	C2695	G2763	U2825	U2900
A	U2036	A2104	U2238	A2298	A2364	C2425	G2493	G2561	U2627	U2696	U2764	U2826	A
U	G2037	U2105	U2239	A2300	U2365	A2426	C2494	U2562	U2628	C2697	A2765	U2827	U
A	G2038	G2106	U2240	C2301	A2366	U2427	G2495	U2563	U2629	U2698	A2766	C2828	A
U	A2109	A2109	A2241	C2302	C2367	A2433	U2496	C2564	U2630	C2699	G2767	G2829	U
U	U2110	U2110	G2242	U2303	C2368	A2434	U2497	G2568	U2631	C2700	U2768	A2830	U
C	U2111	U2111	U2243	U2304	U2371	C2435	G2498	A2569	C2632	A2701	G2769	U2831	C
G	A2112	A2112	G2244	C2305	G2372	G2436	U2499	U2570	U2633	G2702	U2770	U2832	G
A	G2043	G2114	G2245	C2306	G2373	A2437	U2500	U2571	U2634	U2703	G2771	U2833	A
G2050	A2115	U2113	G2246	A2181	C2376	U2439	G2502	A2572	U2635	G2704	A2774	U2834	G2050
G2051	U2116	U2116	G2247	A2184	A2377	A2440	A2505	A2573	U2636	U2706	U2775	U2835	G2051
C2052	G2117	U2117	C2248	C2185	G2378	A2441	C2506	A2574	G2637	A2707	U2776	U2836	C2052
G2053	U2118	U2118	G2249	C2186	G2379	A2442	C2507	G2575	A2640	G2708	U2777	U2837	G2053
A2054	A2119	G2119	G2250	C2187	U2380	A2443	U2508	G2576	U2641	U2709	U2778	U2838	A2054
A2055	G2123	G2123	U2253	U2188	G2381	A2447	C2509	G2577	U2642	C2710	U2779	U2839	A2055
C2057	A2124	U2125	G2254	U2189	A2382	C2448	G2512	U2578	U2643	A2711	U2780	U2840	C2057
G2058	U2126	U2126	A2255	G2191	A2383	U2449	G2513	A2580	U2644	A2712	U2781	U2841	G2058
U2059	G2128	U2128	U2256	G2192	A2384	A2450	G2514	C2581	U2645	U2713	U2782	U2842	U2059
A2061	A2130	G2131	U2257	U2193	A2385	C2451	U2515	G2582	U2646	U2716	U2783	U2843	A2061
C2062	G2132	U2132	G2258	G2194	A2386	G2452	G2516	U2583	U2647	G2717	U2784	U2844	C2062
G2063	A2133	A2133	U2259	G2195	U2387	G2453	G2517	G2584	U2648	C2721	U2785	U2845	G2063
A2066	U2134	U2134	G2260	U2196	A2388	U2454	A2521	A2585	U2649	G2722	U2786	U2846	A2066
G2067	G2135	U2135	U2261	U2197	C2389	G2455	G2522	G2586	U2650	G2723	U2787	U2847	G2067
G2068	U2136	U2136	G2262	G2198	U2392	A2456	U2523	U2587	U2651	G2724	U2788	U2848	G2068
C2071	A2137	U2137	U2263	G2199	C2393	A2457	C2524	U2588	U2652	A2725	U2789	U2849	C2071
C2072	U2138	U2138	U2264	U2200	A2394	A2458	G2525	G2589	U2653	A2726	U2790	U2850	C2072
C2073	U2139	U2139	U2265	U2201	U2395	A2459	G2526	U2593	U2654	G2727	U2791	U2851	C2073
			U2266	U2202	C2396	C2460	A2527	A2594	U2655	A2728	U2792	G2852	
			G2267	U2203	A2397	A2461	A2528	C2595	U2656	U2729	U2793	U2853	
			C2268	U2204	U2398	A2462	A2529	A2596	G2657	A2730	U2794	U2854	
			C2269	U2205	G2397	G2463	C2529	A2597	U2658	A2731	U2795	U2855	
			U2270						U2659	A2732	U2796	U2856	
									U2660	A2733	U2797	U2857	
									U2661	A2734	U2798	U2858	
									U2662	A2735	U2799	U2859	
									U2663			U2860	
									U2664			U2861	
												U2862	
												A2864	
												U2865	
												U2866	
												U2867	
												U2868	
												U2869	


- Molecule 53: 5S ribosomal RNA


Chain 4:  33% 45% 19% .




• Molecule 54: 16S ribosomal RNA

Chain 5:  28% 57% 13% .






• Molecule 55: tRNA-Phe



• Molecule 55: tRNA-Phe





4 Experimental information

Property	Value	Source
EM reconstruction method	SUBTOMOGRAM AVERAGING	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of subtomograms used	3181	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	3.2	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	3750	Depositor
Magnification	81000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.767	Depositor
Minimum map value	-0.621	Depositor
Average map value	0.026	Depositor
Map value standard deviation	0.130	Depositor
Recommended contour level	0.45	Depositor
Map size (Å)	435.328, 435.328, 435.328	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.7005, 1.7005, 1.7005	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	0	0.14	0/383	0.40	0/504
2	1	0.15	0/484	0.53	0/637
3	2	0.13	0/306	0.36	0/401
4	9	0.15	0/5419	0.41	0/7307
5	A	0.15	0/1954	0.41	0/2642
6	B	0.14	0/1721	0.40	0/2323
7	C	0.15	0/1691	0.41	0/2267
8	D	0.16	0/1188	0.41	0/1593
9	E	0.16	0/1384	0.42	0/1867
10	F	0.15	0/1266	0.42	0/1700
11	G	0.14	0/1126	0.46	0/1517
12	H	0.14	0/1044	0.42	0/1395
13	I	0.15	0/820	0.41	0/1103
14	J	0.14	0/844	0.38	0/1136
15	K	0.28	0/1094	0.60	1/1468 (0.1%)
16	L	0.16	0/962	0.47	0/1289
17	M	0.13	0/483	0.38	0/643
18	N	0.13	0/679	0.44	1/907 (0.1%)
19	O	0.12	0/659	0.40	0/885
20	P	0.13	0/684	0.39	0/913
21	Q	0.16	0/545	0.53	0/730
22	R	0.15	0/698	0.45	0/936
23	S	0.18	0/631	0.39	0/838
24	T	0.16	0/475	0.47	0/621
25	W	0.17	0/538	0.39	0/722
26	a	0.16	0/2267	0.43	0/3044
27	b	0.16	0/1795	0.45	0/2412
28	c	0.14	0/1671	0.41	0/2246
29	d	0.15	0/1409	0.44	0/1894
30	e	0.13	0/1420	0.37	0/1912
31	f	0.13	0/1183	0.37	0/1587
32	g	0.44	0/969	0.80	1/1295 (0.1%)
33	h	0.13	0/968	0.41	0/1298
34	i	0.13	0/1186	0.41	0/1592

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	j	0.15	0/953	0.44	0/1275
36	k	0.14	0/1170	0.42	0/1559
37	l	0.16	0/1104	0.41	0/1481
38	m	0.14	0/973	0.38	0/1309
39	n	0.13	0/897	0.38	0/1198
40	o	0.14	0/948	0.43	0/1262
41	p	0.16	0/961	0.42	0/1278
42	q	0.15	0/828	0.40	0/1111
43	r	0.15	0/1077	0.42	0/1441
44	s	0.15	0/732	0.43	0/988
45	t	0.15	0/879	0.44	0/1165
46	u	0.15	0/665	0.43	0/884
47	v	0.16	0/519	0.44	0/695
48	w	0.12	0/826	0.37	0/1104
49	x	0.13	0/353	0.33	0/474
50	y	0.31	0/457	0.64	0/601
51	z	0.16	0/412	0.43	0/547
52	3	0.25	6/69073 (0.0%)	0.24	0/107710
53	4	0.10	0/2505	0.27	0/3902
54	5	0.09	0/35768	0.22	0/55764
55	6	0.67	3/1808 (0.2%)	0.56	7/2817 (0.2%)
55	8	0.67	3/1808 (0.2%)	0.56	7/2817 (0.2%)
All	All	0.22	12/164662 (0.0%)	0.32	17/245006 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	1	0	1
11	G	0	1
22	R	0	1
32	g	0	1
All	All	0	4

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
52	3	2440	A	C5-C6	27.08	1.95	1.41
52	3	2440	A	C2-N3	25.88	1.85	1.33
52	3	2440	A	N3-C4	25.85	1.86	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
52	3	2440	A	C6-N1	25.50	1.86	1.35
55	6	76	C	C1'-N1	24.05	1.84	1.48

The worst 5 of 17 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	6	76	C	C6-N1-C2	-12.74	81.98	120.20
55	8	76	C	C6-N1-C2	-12.73	82.00	120.20
55	6	76	C	N1-C1'-C2'	10.26	127.39	112.00
55	8	76	C	N1-C1'-C2'	10.25	127.38	112.00
55	6	76	C	C5-C6-N1	9.73	150.18	121.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	1	26	THR	Peptide
11	G	108	LEU	Peptide
22	R	25	GLN	Peptide
32	g	114	ASP	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	380	0	429	21	0
2	1	477	0	530	17	0
3	2	304	0	350	13	0
4	9	5326	0	5343	195	0
5	A	1921	0	1973	65	0
6	B	1698	0	1768	47	0
7	C	1660	0	1719	68	0
8	D	1173	0	1267	47	0
9	E	1362	0	1377	55	0
10	F	1246	0	1308	39	0
11	G	1110	0	1226	47	0
12	H	1028	0	1094	38	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
13	I	809	0	894	22	0
14	J	829	0	855	36	0
15	K	1076	0	1170	59	0
16	L	951	0	1014	31	0
17	M	474	0	509	22	0
18	N	673	0	730	23	0
19	O	646	0	677	26	0
20	P	675	0	728	27	0
21	Q	535	0	562	39	0
22	R	682	0	691	21	0
23	S	629	0	681	32	0
24	T	471	0	522	22	0
25	W	534	0	572	14	0
26	a	2225	0	2301	101	0
27	b	1762	0	1808	63	0
28	c	1644	0	1731	59	0
29	d	1388	0	1469	53	0
30	e	1396	0	1481	46	0
31	f	1160	0	1172	23	0
32	g	960	0	1014	39	0
33	h	959	0	1039	31	0
34	i	1164	0	1192	54	0
35	j	944	0	1019	45	0
36	k	1153	0	1256	36	0
37	l	1079	0	1134	35	0
38	m	958	0	1011	32	0
39	n	889	0	952	31	0
40	o	938	0	1008	37	0
41	p	947	0	1028	53	0
42	q	811	0	858	24	0
43	r	1068	0	1150	48	0
44	s	720	0	803	23	0
45	t	872	0	972	38	0
46	u	657	0	695	25	0
47	v	513	0	560	20	0
48	w	818	0	870	27	0
49	x	344	0	333	11	0
50	y	452	0	472	30	0
51	z	408	0	440	13	0
52	3	61664	0	30954	1910	0
53	4	2239	0	1137	49	0
54	5	31943	0	16058	986	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
55	6	1618	0	821	40	0
55	8	1618	0	821	74	0
All	All	151980	0	105548	4444	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

The worst 5 of 4444 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
52:3:2440:A:C5	55:8:76:C:H1'	1.36	1.57
52:3:2440:A:C5	52:3:2440:A:C6	1.95	1.54
52:3:2440:A:C5	52:3:2440:A:C4	1.80	1.47
52:3:2440:A:C2	52:3:2440:A:N1	1.80	1.46
52:3:2440:A:C2	52:3:2440:A:N3	1.85	1.43

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	45/48 (94%)	44 (98%)	1 (2%)	0	100	100
2	1	57/59 (97%)	52 (91%)	4 (7%)	1 (2%)	6	34
3	2	35/37 (95%)	35 (100%)	0	0	100	100
4	9	680/688 (99%)	633 (93%)	46 (7%)	1 (0%)	48	83
5	A	238/294 (81%)	223 (94%)	15 (6%)	0	100	100
6	B	213/273 (78%)	204 (96%)	9 (4%)	0	100	100
7	C	201/205 (98%)	191 (95%)	10 (5%)	0	100	100
8	D	151/219 (69%)	146 (97%)	5 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	E	165/215 (77%)	144 (87%)	21 (13%)	0	100	100
10	F	152/155 (98%)	138 (91%)	14 (9%)	0	100	100
11	G	139/142 (98%)	125 (90%)	14 (10%)	0	100	100
12	H	126/132 (96%)	116 (92%)	10 (8%)	0	100	100
13	I	99/108 (92%)	91 (92%)	8 (8%)	0	100	100
14	J	112/121 (93%)	108 (96%)	4 (4%)	0	100	100
15	K	134/139 (96%)	119 (89%)	15 (11%)	0	100	100
16	L	116/124 (94%)	109 (94%)	7 (6%)	0	100	100
17	M	58/61 (95%)	57 (98%)	1 (2%)	0	100	100
18	N	81/86 (94%)	80 (99%)	1 (1%)	0	100	100
19	O	78/94 (83%)	73 (94%)	5 (6%)	0	100	100
20	P	81/85 (95%)	75 (93%)	6 (7%)	0	100	100
21	Q	63/104 (61%)	55 (87%)	8 (13%)	0	100	100
22	R	82/87 (94%)	72 (88%)	10 (12%)	0	100	100
23	S	75/87 (86%)	75 (100%)	0	0	100	100
24	T	51/60 (85%)	50 (98%)	1 (2%)	0	100	100
25	W	67/122 (55%)	64 (96%)	3 (4%)	0	100	100
26	a	283/287 (99%)	267 (94%)	16 (6%)	0	100	100
27	b	227/287 (79%)	207 (91%)	20 (9%)	0	100	100
28	c	208/212 (98%)	195 (94%)	13 (6%)	0	100	100
29	d	173/180 (96%)	161 (93%)	12 (7%)	0	100	100
30	e	174/184 (95%)	166 (95%)	8 (5%)	0	100	100
31	f	143/149 (96%)	132 (92%)	10 (7%)	1 (1%)	18	56
32	g	124/161 (77%)	109 (88%)	15 (12%)	0	100	100
33	h	126/137 (92%)	115 (91%)	11 (9%)	0	100	100
34	i	142/146 (97%)	134 (94%)	8 (6%)	0	100	100
35	j	120/122 (98%)	113 (94%)	7 (6%)	0	100	100
36	k	146/151 (97%)	137 (94%)	9 (6%)	0	100	100
37	l	134/139 (96%)	129 (96%)	5 (4%)	0	100	100
38	m	117/124 (94%)	111 (95%)	6 (5%)	0	100	100
39	n	108/116 (93%)	101 (94%)	7 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
40	o	113/119 (95%)	108 (96%)	5 (4%)	0	100	100
41	p	112/127 (88%)	108 (96%)	4 (4%)	0	100	100
42	q	97/100 (97%)	87 (90%)	10 (10%)	0	100	100
43	r	137/159 (86%)	128 (93%)	9 (7%)	0	100	100
44	s	90/237 (38%)	86 (96%)	4 (4%)	0	100	100
45	t	109/111 (98%)	101 (93%)	8 (7%)	0	100	100
46	u	84/104 (81%)	78 (93%)	6 (7%)	0	100	100
47	v	61/65 (94%)	59 (97%)	2 (3%)	0	100	100
48	w	96/111 (86%)	92 (96%)	4 (4%)	0	100	100
49	x	42/97 (43%)	35 (83%)	7 (17%)	0	100	100
50	y	54/57 (95%)	48 (89%)	6 (11%)	0	100	100
51	z	48/53 (91%)	48 (100%)	0	0	100	100
All	All	6567/7480 (88%)	6134 (93%)	430 (6%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	1	26	THR
31	f	21	VAL
4	9	571	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	40/41 (98%)	40 (100%)	0	100	100
2	1	51/51 (100%)	51 (100%)	0	100	100
3	2	35/35 (100%)	35 (100%)	0	100	100
4	9	579/584 (99%)	579 (100%)	0	100	100
5	A	212/262 (81%)	212 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	B	180/232 (78%)	180 (100%)	0	100	100
7	C	181/183 (99%)	181 (100%)	0	100	100
8	D	123/178 (69%)	123 (100%)	0	100	100
9	E	150/196 (76%)	150 (100%)	0	100	100
10	F	131/132 (99%)	131 (100%)	0	100	100
11	G	123/124 (99%)	123 (100%)	0	100	100
12	H	111/115 (96%)	110 (99%)	1 (1%)	70	79
13	I	95/99 (96%)	95 (100%)	0	100	100
14	J	91/97 (94%)	91 (100%)	0	100	100
15	K	117/120 (98%)	116 (99%)	1 (1%)	70	79
16	L	100/105 (95%)	100 (100%)	0	100	100
17	M	47/48 (98%)	47 (100%)	0	100	100
18	N	76/78 (97%)	76 (100%)	0	100	100
19	O	69/82 (84%)	69 (100%)	0	100	100
20	P	73/75 (97%)	73 (100%)	0	100	100
21	Q	56/94 (60%)	56 (100%)	0	100	100
22	R	74/77 (96%)	74 (100%)	0	100	100
23	S	70/77 (91%)	70 (100%)	0	100	100
24	T	49/56 (88%)	49 (100%)	0	100	100
25	W	58/98 (59%)	58 (100%)	0	100	100
26	a	241/243 (99%)	241 (100%)	0	100	100
27	b	186/233 (80%)	186 (100%)	0	100	100
28	c	182/184 (99%)	182 (100%)	0	100	100
29	d	150/154 (97%)	150 (100%)	0	100	100
30	e	153/159 (96%)	153 (100%)	0	100	100
31	f	123/134 (92%)	123 (100%)	0	100	100
32	g	101/129 (78%)	93 (92%)	8 (8%)	11	32
33	h	102/110 (93%)	102 (100%)	0	100	100
34	i	126/128 (98%)	126 (100%)	0	100	100
35	j	103/103 (100%)	103 (100%)	0	100	100
36	k	123/126 (98%)	123 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	l	113/115 (98%)	113 (100%)	0	100	100
38	m	105/109 (96%)	105 (100%)	0	100	100
39	n	96/99 (97%)	95 (99%)	1 (1%)	68	78
40	o	101/105 (96%)	101 (100%)	0	100	100
41	p	100/108 (93%)	100 (100%)	0	100	100
42	q	90/91 (99%)	90 (100%)	0	100	100
43	r	116/132 (88%)	116 (100%)	0	100	100
44	s	82/208 (39%)	82 (100%)	0	100	100
45	t	96/96 (100%)	96 (100%)	0	100	100
46	u	69/85 (81%)	69 (100%)	0	100	100
47	v	58/60 (97%)	58 (100%)	0	100	100
48	w	87/98 (89%)	87 (100%)	0	100	100
49	x	41/86 (48%)	41 (100%)	0	100	100
50	y	48/49 (98%)	45 (94%)	3 (6%)	16	37
51	z	47/50 (94%)	47 (100%)	0	100	100
All	All	5730/6433 (89%)	5716 (100%)	14 (0%)	85	87

5 of 14 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
32	g	88	GLU
32	g	89	ILE
50	y	52	ARG
50	y	47	MET
50	y	51	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 73 such sidechains are listed below:

Mol	Chain	Res	Type
30	e	107	ASN
49	x	6	HIS
33	h	13	ASN
41	p	86	ASN
11	G	89	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
52	3	2875/2907 (98%)	735 (25%)	31 (1%)
53	4	103/108 (95%)	30 (29%)	3 (2%)
54	5	1490/1520 (98%)	345 (23%)	6 (0%)
55	6	75/76 (98%)	29 (38%)	6 (8%)
55	8	75/76 (98%)	29 (38%)	6 (8%)
All	All	4618/4687 (98%)	1168 (25%)	52 (1%)

5 of 1168 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
52	3	12	A
52	3	13	C
52	3	14	U
52	3	15	A
52	3	20	C

5 of 52 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
52	3	2764	U
54	5	240	U
55	8	56	U
52	3	2823	A
53	4	59	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13279. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 105




Y Index: 120




Z Index: 122


6.3.2 Raw map



X Index: 121



Y Index: 131




Z Index: 135


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.45. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_13279_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2079 nm³; this corresponds to an approximate mass of 1878 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.143 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.143 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	7.00	-	-
Author-provided FSC curve	6.91	9.88	7.27
Unmasked-calculated*	9.70	15.27	10.31

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 9.70 differs from the reported value 7.0 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-13279 and PDB model 7PAO. Per-residue inclusion information can be found in section [3](#) on page [14](#).


9.1 Map-model overlay [i](#)



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.45 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.45).

9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.45) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8440	 0.1950
0	 0.8190	 0.1840
1	 0.7680	 0.1730
2	 0.8070	 0.1870
3	 0.9580	 0.2130
4	 0.9600	 0.2130
5	 0.9570	 0.2070
6	 0.5220	 0.0600
8	 0.9090	 0.1950
9	 0.1530	 0.1350
A	 0.6790	 0.1910
B	 0.7110	 0.1830
C	 0.6980	 0.1590
D	 0.7080	 0.1790
E	 0.6780	 0.1910
F	 0.6560	 0.1680
G	 0.6960	 0.1700
H	 0.6510	 0.1520
I	 0.6570	 0.1560
J	 0.7580	 0.1980
K	 0.7430	 0.1820
L	 0.6440	 0.1690
M	 0.7690	 0.1730
N	 0.7510	 0.1920
O	 0.7550	 0.1710
P	 0.7370	 0.1730
Q	 0.7420	 0.1620
R	 0.7240	 0.1500
S	 0.7560	 0.1630
T	 0.7540	 0.2020
W	 0.0590	 0.1300
a	 0.7730	 0.1770
b	 0.7330	 0.1730
c	 0.7280	 0.1830
d	 0.6910	 0.1730



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
e	 0.6710	 0.1900
f	 0.3120	 0.1520
g	 0.5050	 0.1270
h	 0.4410	 0.1180
i	 0.7770	 0.1880
j	 0.7380	 0.1990
k	 0.7450	 0.1900
l	 0.7770	 0.1850
m	 0.7640	 0.1690
n	 0.7490	 0.1810
o	 0.7100	 0.1900
p	 0.7690	 0.1570
q	 0.7380	 0.1660
r	 0.7690	 0.1800
s	 0.7660	 0.2040
t	 0.6380	 0.1860
u	 0.7270	 0.1440
v	 0.7760	 0.1610
w	 0.7390	 0.1880
x	 0.6680	 0.1970
y	 0.7650	 0.1780
z	 0.8090	 0.1820