



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:26 PM UTC

PDB ID : 4PC4 / pdb_00004pc4
Title : Bombyx mori lipoprotein 6
Authors : Pietrzyk, A.J.; Bujacz, A.; Jaskolski, M.; Bujacz, G.
Deposited on : 2014-04-14
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	245	
1	B	245	
1	C	245	
1	D	245	
1	E	245	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MES	A	302	-	-	X	-
3	EDO	C	302	-	-	X	-
5	IPA	C	306[A]	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 11107 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 30K lipoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	238	1973	1254	341	372	6	0	3	0
1	B	238	1972	1254	338	374	6	0	3	0
1	C	240	2007	1279	346	376	6	0	7	0
1	D	238	1966	1250	338	372	6	0	2	0
1	E	239	1967	1249	338	374	6	0	2	0

There are 5 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	217	ASN	TYR	conflict	UNP A7LIK7
B	217	ASN	TYR	conflict	UNP A7LIK7
C	217	ASN	TYR	conflict	UNP A7LIK7
D	217	ASN	TYR	conflict	UNP A7LIK7
E	217	ASN	TYR	conflict	UNP A7LIK7

- Molecule 2 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	C	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 5 is ISOPROPYL ALCOHOL (CCD ID: IPA) (formula: C_3H_8O).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total C O 4 3 1	0	0
5	C	1	Total C O 4 3 1	0	0
5	C	1	Total C O 8 6 2	0	1

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	268	Total O 268 268	0	0
6	B	274	Total O 274 274	0	0
6	C	302	Total O 302 302	0	0
6	D	171	Total O 171 171	0	0
6	E	116	Total O 116 116	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 30K lipoprotein

Chain A:  89% 8%




- Molecule 1: 30K lipoprotein

Chain B:  90% 7%




- Molecule 1: 30K lipoprotein

Chain C:  87% 10%





- Molecule 1: 30K lipoprotein


Chain D:  87% 10%



- Molecule 1: 30K lipoprotein

Chain E:  89% 7%





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	83.21Å 85.75Å 104.47Å 90.00° 104.84° 90.00°	Depositor
Resolution (Å)	47.00 – 1.80 47.00 – 1.80	Depositor EDS
% Data completeness (in resolution range)	94.9 (47.00-1.80) 94.9 (47.00-1.80)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.48 (at 1.79Å)	Xtrriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.161 , 0.183 0.171 , 0.197	Depositor DCC
R_{free} test set	1265 reflections (0.96%)	wwPDB-VP
Wilson B-factor (Å ²)	26.7	Xtrriage
Anisotropy	0.091	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 37.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11107	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, IPA, PEG, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.84	0/2027	0.86	0/2743
1	B	0.87	0/2026	0.85	0/2742
1	C	0.83	0/2075	0.89	1/2809 (0.0%)
1	D	0.79	0/2017	0.85	1/2730 (0.0%)
1	E	0.74	0/2018	0.83	2/2734 (0.1%)
All	All	0.82	0/10163	0.86	4/13758 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	231	VAL	N-CA-CB	-6.52	101.52	111.57
1	E	106	LYS	CB-CG-CD	5.72	124.45	111.30
1	C	7	ALA	N-CA-C	5.47	117.25	111.28
1	D	86	ARG	N-CA-CB	-5.44	102.12	110.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1973	0	1913	29	0
1	B	1972	0	1908	22	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2007	0	1951	25	0
1	D	1966	0	1902	20	0
1	E	1967	0	1895	14	0
2	A	24	0	26	15	0
2	B	12	0	13	0	0
2	C	12	0	13	0	0
3	A	4	0	6	0	0
3	B	8	0	12	3	0
3	C	8	0	12	6	0
4	B	7	0	10	3	0
5	C	16	0	32	8	0
6	A	268	0	0	5	0
6	B	274	0	0	3	0
6	C	302	0	0	11	0
6	D	171	0	0	7	0
6	E	116	0	0	3	0
All	All	11107	0	9693	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:302:MES:H22	1:B:142:ASN:HD22	1.09	1.13
1:A:15:GLU:HB2	2:A:302:MES:O2S	1.59	1.03
2:A:302:MES:H22	1:B:142:ASN:ND2	1.87	0.88
1:A:15:GLU:CB	2:A:302:MES:O2S	2.22	0.88
1:A:12:GLN:HG2	2:A:302:MES:H82	1.59	0.85
1:B:149:HIS:HE1	1:B:154:ASN:HD22	1.25	0.84
1:C:149:HIS:HE1	1:C:154:ASN:HD22	1.26	0.83
1:B:24:THR:HG22	6:D:375:HOH:O	1.78	0.83
1:A:149:HIS:HE1	1:A:154:ASN:HD22	1.27	0.81
1:D:149:HIS:HE1	1:D:154:ASN:HD22	1.29	0.79
1:D:99:ARG:HD3	1:D:99:ARG:C	2.09	0.77
1:A:15:GLU:HG2	1:A:49[B]:VAL:HG23	1.67	0.77
1:B:149:HIS:CE1	1:B:154:ASN:HD22	2.03	0.77
1:C:149:HIS:CE1	1:C:154:ASN:HD22	2.02	0.76
1:A:149:HIS:CE1	1:A:154:ASN:HD22	2.03	0.76
1:D:168:SER:HB2	6:D:431:HOH:O	1.85	0.76
1:B:15[A]:GLU:HG2	1:B:49:VAL:HG23	1.69	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:149:HIS:CE1	1:D:154:ASN:HD22	2.04	0.74
1:B:109:SER:H	4:B:304:PEG:H32	1.50	0.74
1:C:117[A]:ARG:NH1	6:C:681:HOH:O	2.23	0.71
1:E:106:LYS:HE2	1:E:122:ASP:OD1	1.89	0.71
1:D:15:GLU:HG2	1:D:49:VAL:HG23	1.74	0.70
1:E:75:GLU:CD	1:E:75:GLU:H	2.02	0.67
1:C:241[A]:PHE:CE2	6:C:583:HOH:O	2.48	0.67
1:A:117[A]:ARG:NH1	6:A:633:HOH:O	2.28	0.66
1:C:149:HIS:HE1	1:C:154:ASN:ND2	1.93	0.65
1:A:149:HIS:HE1	1:A:154:ASN:ND2	1.94	0.64
1:A:78[A]:ARG:NH2	6:A:401:HOH:O	2.29	0.64
1:B:149:HIS:HE1	1:B:154:ASN:ND2	1.95	0.64
1:C:72:ASN:HA	5:C:306[B]:IPA:H2	1.80	0.64
1:D:149:HIS:HE1	1:D:154:ASN:ND2	1.96	0.63
1:A:12:GLN:CG	2:A:302:MES:H82	2.28	0.63
1:C:129:GLU:HB2	6:C:680:HOH:O	1.98	0.63
1:A:15:GLU:HG2	1:A:49[B]:VAL:CG2	2.28	0.62
2:A:302:MES:H71	1:B:143:ARG:HH22	1.63	0.62
1:B:15[A]:GLU:HG2	1:B:49:VAL:CG2	2.29	0.62
1:A:52:ASN:HD21	2:A:302:MES:H52	1.63	0.61
1:D:233:GLY:C	1:D:234:LEU:HD12	2.26	0.61
1:E:106:LYS:CE	1:E:122:ASP:OD1	2.49	0.60
1:A:48:ASN:CB	2:A:302:MES:O1S	2.48	0.60
1:C:23[B]:LEU:HD21	1:C:58:ARG:HD2	1.83	0.60
1:A:48:ASN:ND2	2:A:302:MES:O1S	2.35	0.60
1:D:241:PHE:C	1:D:242[B]:ILE:HD12	2.27	0.59
5:C:306[A]:IPA:H31	6:C:487:HOH:O	2.01	0.59
1:D:78[B]:ARG:HG2	1:D:86:ARG:HD3	1.84	0.58
1:B:120:TYR:CE2	4:B:304:PEG:H12	2.37	0.58
1:B:227:HIS:HE1	6:B:509:HOH:O	1.86	0.58
1:B:158:LYS:HD2	6:B:654:HOH:O	2.05	0.56
1:C:15:GLU:HG3	1:C:45:ILE:HG23	1.88	0.56
1:D:15:GLU:HG2	1:D:49:VAL:CG2	2.35	0.56
1:A:149:HIS:HD2	6:A:503:HOH:O	1.89	0.55
1:A:12:GLN:HG2	2:A:302:MES:C8	2.32	0.55
1:B:23:LEU:HD21	6:D:412:HOH:O	2.06	0.55
1:C:227:HIS:HE1	6:C:525:HOH:O	1.90	0.55
3:C:302:EDO:O2	5:C:306[A]:IPA:H12	2.08	0.54
1:D:127:HIS:CD2	6:D:454:HOH:O	2.61	0.54
3:C:302:EDO:H11	5:C:306[A]:IPA:H13	1.88	0.54
1:D:192:LYS:HE2	1:D:195:ASN:HA	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:19:TYR:CE2	1:C:23[B]:LEU:HD13	2.43	0.53
1:C:149:HIS:HD2	6:C:478:HOH:O	1.91	0.53
1:B:149:HIS:HD2	6:B:485:HOH:O	1.90	0.53
1:C:75:GLU:OE2	3:C:302:EDO:O1	2.26	0.53
1:A:140:GLU:OE1	1:C:23[A]:LEU:HD11	2.09	0.53
1:E:11:ASN:ND2	6:E:303:HOH:O	2.42	0.52
1:D:99:ARG:HD3	1:D:99:ARG:O	2.09	0.52
1:B:15[B]:GLU:HG3	1:B:45:ILE:HG23	1.92	0.52
1:E:149:HIS:HD2	6:E:397:HOH:O	1.93	0.52
1:C:57:LYS:NZ	6:C:702:HOH:O	2.41	0.52
1:D:11:ASN:ND2	6:D:302:HOH:O	2.44	0.51
1:E:75:GLU:CD	1:E:75:GLU:N	2.69	0.51
1:D:127:HIS:HD2	6:D:454:HOH:O	1.94	0.50
1:A:78[B]:ARG:HG2	1:A:78[B]:ARG:HH11	1.76	0.50
1:C:158:LYS:HD2	6:C:689:HOH:O	2.12	0.50
1:E:215:ILE:HD12	1:E:220:GLY:HA2	1.94	0.49
6:A:423:HOH:O	1:C:24:THR:HG22	2.12	0.49
1:B:169:ARG:NH1	1:B:208:ASP:OD2	2.33	0.49
1:A:48:ASN:HB3	2:A:302:MES:O1S	2.13	0.48
1:E:200:PHE:CD1	1:E:231:VAL:CG1	2.96	0.48
1:B:139:TRP:HE1	3:B:303:EDO:C2	2.26	0.48
1:A:52:ASN:HD21	2:A:302:MES:C5	2.26	0.48
1:B:142:ASN:HA	3:B:303:EDO:H21	1.95	0.48
1:D:149:HIS:HD2	6:D:427:HOH:O	1.96	0.47
1:A:141:ASN:HD22	1:C:52[B]:ASN:HD22	1.63	0.47
3:C:303:EDO:O1	5:C:304:IPA:H31	2.16	0.46
5:C:306[B]:IPA:H12	6:C:657:HOH:O	2.14	0.46
1:A:11:ASN:ND2	6:A:649:HOH:O	2.48	0.45
1:A:216:VAL:O	1:A:216:VAL:HG12	2.16	0.45
3:C:302:EDO:C2	5:C:306[A]:IPA:C1	2.94	0.45
1:E:231:VAL:HG13	1:E:238:TYR:HB2	1.98	0.45
1:A:55:ILE:HG21	3:B:303:EDO:H11	1.98	0.45
1:C:127[B]:HIS:HD2	6:C:441:HOH:O	2.00	0.44
1:E:200:PHE:CD1	1:E:231:VAL:HG12	2.53	0.44
1:A:52:ASN:HD22	1:B:141:ASN:ND2	2.15	0.44
1:A:78[B]:ARG:HG2	1:A:78[B]:ARG:NH1	2.32	0.44
1:C:19:TYR:CD2	1:C:23[B]:LEU:HD13	2.52	0.44
1:A:12:GLN:HA	2:A:302:MES:H82	2.01	0.43
3:C:302:EDO:O2	5:C:306[A]:IPA:C1	2.67	0.42
1:E:112:ASN:HB2	1:E:113:PRO:CD	2.49	0.42
1:D:75:GLU:OE2	1:D:78[A]:ARG:NH2	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:115:ASN:ND2	6:E:305:HOH:O	2.47	0.42
1:A:193:TYR:CZ	1:A:236:ASP:HB3	2.54	0.41
1:C:11:ASN:ND2	6:C:540:HOH:O	2.52	0.41
1:E:15:GLU:HG3	1:E:48[A]:ASN:OD1	2.20	0.41
1:C:112:ASN:HB2	1:C:113:PRO:CD	2.51	0.41
1:E:217:ASN:ND2	1:E:219:SER:OG	2.54	0.41
1:D:193:TYR:CZ	1:D:236:ASP:HB3	2.56	0.41
1:D:112:ASN:HB2	1:D:113:PRO:CD	2.50	0.41
1:C:19:TYR:HE2	1:C:23[B]:LEU:HD22	1.85	0.41
1:A:112:ASN:HB2	1:A:113:PRO:CD	2.50	0.40
1:B:120:TYR:CZ	4:B:304:PEG:H12	2.56	0.40
1:C:149:HIS:CE1	1:C:154:ASN:ND2	2.77	0.40
2:A:302:MES:C7	1:B:143:ARG:HH22	2.33	0.40
1:C:243:THR:OG1	1:C:244:PRO:HD2	2.21	0.40
1:D:199:PHE:CD1	1:D:242[B]:ILE:HD13	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	239/245 (98%)	236 (99%)	3 (1%)	0	100	100
1	B	239/245 (98%)	236 (99%)	3 (1%)	0	100	100
1	C	244/245 (100%)	240 (98%)	4 (2%)	0	100	100
1	D	238/245 (97%)	235 (99%)	3 (1%)	0	100	100
1	E	239/245 (98%)	235 (98%)	4 (2%)	0	100	100
All	All	1199/1225 (98%)	1182 (99%)	17 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	215/217 (99%)	213 (99%)	2 (1%)	70	67
1	B	215/217 (99%)	214 (100%)	1 (0%)	81	80
1	C	220/217 (101%)	217 (99%)	3 (1%)	59	52
1	D	214/217 (99%)	209 (98%)	5 (2%)	44	33
1	E	214/217 (99%)	208 (97%)	6 (3%)	38	26
All	All	1078/1085 (99%)	1061 (98%)	17 (2%)	55	47

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	126	LYS
1	A	219	SER
1	B	126	LYS
1	C	15	GLU
1	C	115	ASN
1	C	126	LYS
1	D	12	GLN
1	D	97	ILE
1	D	102	ASN
1	D	230	GLU
1	D	234	LEU
1	E	97	ILE
1	E	167	ASN
1	E	207	ASN
1	E	215	ILE
1	E	219	SER
1	E	231	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (45) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	33	GLN
1	A	47	GLN
1	A	52	ASN
1	A	115	ASN
1	A	141	ASN
1	A	149	HIS
1	A	154	ASN
1	B	11	ASN
1	B	72	ASN
1	B	115	ASN
1	B	127	HIS
1	B	141	ASN
1	B	149	HIS
1	B	154	ASN
1	B	205	GLN
1	B	227	HIS
1	C	11	ASN
1	C	33	GLN
1	C	92	ASN
1	C	141	ASN
1	C	149	HIS
1	C	154	ASN
1	C	177	ASN
1	C	205	GLN
1	C	227	HIS
1	D	11	ASN
1	D	12	GLN
1	D	149	HIS
1	D	154	ASN
1	D	177	ASN
1	E	11	ASN
1	E	33	GLN
1	E	47	GLN
1	E	60	ASN
1	E	102	ASN
1	E	115	ASN
1	E	141	ASN
1	E	149	HIS
1	E	167	ASN
1	E	177	ASN
1	E	205	GLN
1	E	207	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	217	ASN
1	E	227	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	IPA	C	306[A]	-	3,3,3	0.43	0	3,3,3	0.76	0
2	MES	A	301	-	12,12,12	2.04	1 (8%)	15,16,16	1.23	2 (13%)
3	EDO	B	303	-	3,3,3	0.37	0	2,2,2	0.41	0
4	PEG	B	304	-	6,6,6	0.48	0	5,5,5	0.38	0
5	IPA	C	304	-	3,3,3	0.36	0	3,3,3	0.44	0
3	EDO	C	303	-	3,3,3	0.49	0	2,2,2	0.10	0
5	IPA	C	305	-	3,3,3	0.67	0	3,3,3	0.39	0
3	EDO	A	303	-	3,3,3	0.41	0	2,2,2	0.41	0
2	MES	C	301	-	12,12,12	1.95	1 (8%)	15,16,16	1.32	2 (13%)
2	MES	B	301	-	12,12,12	2.14	1 (8%)	15,16,16	1.83	5 (33%)
2	MES	A	302	-	12,12,12	2.26	1 (8%)	15,16,16	3.99	8 (53%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	C	302	-	3,3,3	0.58	0	2,2,2	0.10	0
5	IPA	C	306[B]	-	3,3,3	0.37	0	3,3,3	0.40	0
3	EDO	B	302	-	3,3,3	0.28	0	2,2,2	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MES	A	301	-	-	5/6/14/14	0/1/1/1
3	EDO	B	303	-	-	1/1/1/1	-
4	PEG	B	304	-	-	3/4/4/4	-
3	EDO	C	303	-	-	1/1/1/1	-
3	EDO	A	303	-	-	1/1/1/1	-
2	MES	C	301	-	-	0/6/14/14	0/1/1/1
2	MES	B	301	-	-	3/6/14/14	0/1/1/1
2	MES	A	302	-	-	3/6/14/14	0/1/1/1
3	EDO	C	302	-	-	0/1/1/1	-
3	EDO	B	302	-	-	0/1/1/1	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	302	MES	C8-S	-7.42	1.67	1.77
2	A	301	MES	C8-S	-6.43	1.68	1.77
2	B	301	MES	C8-S	-6.23	1.68	1.77
2	C	301	MES	C8-S	-6.15	1.69	1.77

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	302	MES	O3S-S-C8	9.40	124.40	106.00
2	A	302	MES	O1S-S-C8	-6.07	97.55	106.73
2	A	302	MES	O2S-S-C8	-5.73	98.07	106.73
2	A	302	MES	C6-O1-C2	4.42	124.16	109.88
2	A	302	MES	C6-C5-N4	-3.94	104.13	110.12
2	A	302	MES	C2-C3-N4	-3.92	104.16	110.12
2	C	301	MES	O3S-S-C8	3.78	113.41	106.00
2	A	302	MES	O3S-S-O2S	-3.66	102.25	111.40
2	B	301	MES	C2-C3-N4	3.40	115.29	110.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	MES	C6-C5-N4	3.04	114.74	110.12
2	B	301	MES	C5-N4-C3	2.99	115.28	108.84
2	A	302	MES	O2S-S-O1S	2.89	123.22	113.82
2	A	301	MES	O1S-S-C8	2.33	110.25	106.73
2	A	301	MES	O2S-S-O1S	-2.28	106.41	113.82
2	B	301	MES	O1S-S-C8	2.25	110.13	106.73
2	B	301	MES	O2S-S-O1S	-2.23	106.56	113.82
2	C	301	MES	O1S-S-C8	2.13	109.95	106.73

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	MES	C8-C7-N4-C3
2	A	301	MES	C8-C7-N4-C5
2	A	301	MES	C7-C8-S-O1S
2	A	301	MES	C7-C8-S-O2S
2	A	301	MES	C7-C8-S-O3S
2	A	302	MES	N4-C7-C8-S
2	B	301	MES	C8-C7-N4-C3
4	B	304	PEG	O2-C3-C4-O4
2	B	301	MES	C7-C8-S-O3S
2	A	302	MES	C8-C7-N4-C3
2	A	302	MES	C8-C7-N4-C5
2	B	301	MES	C7-C8-S-O2S
4	B	304	PEG	C1-C2-O2-C3
3	B	303	EDO	O1-C1-C2-O2
3	A	303	EDO	O1-C1-C2-O2
4	B	304	PEG	C4-C3-O2-C2
3	C	303	EDO	O1-C1-C2-O2

There are no ring outliers.

8 monomers are involved in 30 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	306[A]	IPA	5	0
3	B	303	EDO	3	0
4	B	304	PEG	3	0
5	C	304	IPA	1	0
3	C	303	EDO	1	0
2	A	302	MES	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	302	EDO	5	0
5	C	306[B]	IPA	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	238/245 (97%)	-0.33	0 100 100	15, 28, 49, 89	3 (1%)
1	B	238/245 (97%)	-0.41	0 100 100	13, 25, 43, 69	3 (1%)
1	C	240/245 (97%)	-0.31	2 (0%) 82 83	13, 26, 44, 81	7 (2%)
1	D	238/245 (97%)	0.27	4 (1%) 69 69	22, 40, 61, 91	2 (0%)
1	E	239/245 (97%)	0.94	30 (12%) 8 6	21, 51, 88, 106	2 (0%)
All	All	1193/1225 (97%)	0.03	36 (3%) 52 52	13, 32, 66, 106	17 (1%)

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	7	ALA	4.9
1	C	7	ALA	3.6
1	C	6[A]	SER	3.1
1	E	188	PHE	3.0
1	E	212	LEU	2.8
1	E	105	LEU	2.7
1	D	75	GLU	2.7
1	E	127	HIS	2.7
1	E	245	PHE	2.6
1	E	97	ILE	2.6
1	E	135	PHE	2.5
1	D	78[A]	ARG	2.5
1	E	87	LEU	2.4
1	E	216	VAL	2.4
1	E	186	TRP	2.4
1	E	164	CYS	2.4
1	E	124	VAL	2.3
1	E	231	VAL	2.3
1	E	210	LEU	2.3
1	E	220	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	218	ALA	2.2
1	E	215	ILE	2.2
1	E	154[A]	ASN	2.2
1	E	172	VAL	2.2
1	E	130	LEU	2.2
1	D	83	LEU	2.1
1	E	175	GLY	2.1
1	E	146	PHE	2.1
1	E	242	ILE	2.1
1	E	115	ASN	2.1
1	D	113	PRO	2.1
1	E	83	LEU	2.1
1	E	225	VAL	2.0
1	E	128	THR	2.0
1	E	167	ASN	2.0
1	E	193	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MES	C	301	12/12	0.79	0.19	51,58,62,69	12
2	MES	A	302	12/12	0.80	0.22	44,50,65,67	12
3	EDO	C	302	4/4	0.80	0.17	64,72,74,75	0
5	IPA	C	305	4/4	0.80	0.17	38,42,48,50	0
4	PEG	B	304	7/7	0.82	0.15	48,50,54,59	0
2	MES	B	301	12/12	0.84	0.17	35,43,45,48	12
3	EDO	C	303	4/4	0.88	0.16	67,70,70,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	EDO	B	303	4/4	0.88	0.25	37,43,45,47	0
5	IPA	C	304	4/4	0.88	0.20	52,53,55,57	0
2	MES	A	301	12/12	0.88	0.11	49,55,68,71	0
3	EDO	A	303	4/4	0.90	0.10	37,52,57,64	0
3	EDO	B	302	4/4	0.90	0.16	34,35,41,43	0
5	IPA	C	306[A]	4/4	0.94	0.08	19,20,20,23	4
5	IPA	C	306[B]	4/4	0.94	0.08	29,31,31,32	4

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.