



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:34 PM UTC

PDB ID : 1PEA / pdb_00001pea
Title : AMIDE RECEPTOR/NEGATIVE REGULATOR OF THE AMIDASE
OPERON OF PSEUDOMONAS AERUGINOSA (AMIC) COMPLEXED
WITH ACETAMIDE
Authors : Pearl, L.H.; O'Hara, B.P.
Deposited on : 1995-11-16
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	385	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3044 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called AMIDASE OPERON.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	368	2913	1835	525	545	8	0	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	186	LEU	VAL	conflict	UNP P27017
A	263	PRO	ALA	conflict	UNP P27017
A	305	ASN	SER	conflict	UNP P27017
A	319	ASP	CYS	conflict	UNP P27017
A	383	PRO	ALA	conflict	UNP P27017

- Molecule 2 is ACETAMIDE (CCD ID: ACM) (formula: C₂H₅NO).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	4	2	1	1	0	0

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	127	Total 127	O 127	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: AMIDASE OPERON



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, α , β , γ	104.96Å 104.96Å 65.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.10	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-2.10)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.206 , 0.275	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3044	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.11	4/2988 (0.1%)	1.37	39/4073 (1.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	260	ILE	CA-CB	6.75	1.61	1.54
1	A	151	ILE	CA-CB	-5.87	1.47	1.54
1	A	189	ALA	CA-CB	-5.55	1.44	1.53
1	A	111	PHE	CA-C	-5.16	1.46	1.53

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	261	ASP	N-CA-C	8.64	121.79	111.33
1	A	109	GLU	N-CA-C	7.91	122.03	112.38
1	A	151	ILE	N-CA-C	7.88	118.66	110.62
1	A	369	VAL	N-CA-C	7.84	119.56	110.62
1	A	347	ALA	N-CA-C	-7.74	103.10	112.54
1	A	203	SER	N-CA-C	7.67	121.23	108.73
1	A	224	GLY	N-CA-C	7.45	122.33	112.65
1	A	161	ARG	N-CA-C	-7.21	103.03	111.03
1	A	85	SER	N-CA-C	6.84	119.60	111.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	123	ALA	N-CA-C	-6.80	100.14	110.07
1	A	286	ALA	N-CA-C	-6.69	104.07	111.36
1	A	16	GLU	N-CA-C	-6.66	105.44	113.97
1	A	373	ASP	N-CA-C	-6.47	100.71	110.28
1	A	122	PRO	N-CA-C	6.42	120.49	110.80
1	A	259	SER	N-CA-C	6.39	120.09	112.93
1	A	337	ARG	N-CA-C	-6.37	99.50	109.25
1	A	262	THR	N-CA-C	6.27	123.66	109.81
1	A	277	PRO	N-CA-C	-6.15	102.22	111.57
1	A	149	ASP	N-CA-C	6.12	119.21	108.56
1	A	357	SER	CA-C-N	5.94	126.36	119.47
1	A	357	SER	C-N-CA	5.94	126.36	119.47
1	A	148	SER	N-CA-C	-5.81	102.71	110.55
1	A	30	GLY	N-CA-C	-5.70	105.77	113.24
1	A	269	VAL	N-CA-C	5.59	115.67	110.42
1	A	244	SER	N-CA-C	5.51	119.50	112.34
1	A	349	GLY	N-CA-C	5.43	123.45	115.08
1	A	123	ALA	CA-C-N	5.43	125.51	119.32
1	A	123	ALA	C-N-CA	5.43	125.51	119.32
1	A	172	LEU	N-CA-C	5.41	116.98	111.14
1	A	106	THR	CA-C-N	5.39	125.29	119.85
1	A	106	THR	C-N-CA	5.39	125.29	119.85
1	A	354	ARG	N-CA-C	-5.29	107.48	114.04
1	A	367	VAL	N-CA-C	5.21	114.78	107.37
1	A	19	VAL	N-CA-C	5.21	115.93	110.62
1	A	225	ARG	N-CA-C	5.13	121.73	110.80
1	A	81	GLY	N-CA-C	5.12	118.46	110.88
1	A	29	TYR	N-CA-C	5.12	116.86	111.28
1	A	368	VAL	N-CA-C	-5.09	99.62	106.85
1	A	325	GLY	N-CA-C	-5.04	102.07	112.34

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	29	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2913	0	2811	94	0
2	A	4	0	5	1	0
3	A	127	0	0	6	0
All	All	3044	0	2816	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:328:ARG:HG3	1:A:328:ARG:HH11	1.35	0.90
1:A:298:ARG:HD2	1:A:298:ARG:H	1.42	0.84
1:A:298:ARG:HD2	1:A:298:ARG:N	1.93	0.82
1:A:134:TYR:O	1:A:138:HIS:HB2	1.81	0.81
1:A:101:LEU:HD13	3:A:427:HOH:O	1.79	0.80
1:A:346:ASP:HB2	1:A:350:VAL:H	1.47	0.80
1:A:124:PRO:HB2	1:A:367:VAL:HG21	1.65	0.78
1:A:97:ARG:HD2	3:A:426:HOH:O	1.83	0.77
1:A:346:ASP:HB3	1:A:348:ARG:H	1.56	0.70
1:A:266:ARG:O	1:A:270:GLN:HG2	1.91	0.70
1:A:144:VAL:HG11	1:A:193:ILE:HG23	1.78	0.65
1:A:247:ALA:O	1:A:250:GLN:HG2	1.96	0.65
1:A:59:ASP:HB3	1:A:62:ARG:HG3	1.81	0.63
1:A:141:GLU:HB2	1:A:169:GLY:HA2	1.81	0.62
1:A:316:TYR:O	1:A:328:ARG:NH1	2.33	0.62
1:A:299:ALA:HA	1:A:318:ILE:HD11	1.82	0.61
1:A:14:PHE:CE1	1:A:81:GLY:HA2	2.36	0.61
1:A:93:PRO:O	1:A:97:ARG:HG3	2.00	0.61
1:A:235:SER:O	1:A:239:VAL:HG23	2.01	0.60
1:A:328:ARG:HG3	1:A:328:ARG:NH1	2.10	0.60
1:A:39:ASN:HA	1:A:43:GLY:HA2	1.83	0.60
1:A:190:VAL:HA	1:A:193:ILE:HD12	1.84	0.59
1:A:243:GLU:HG3	1:A:246:VAL:HB	1.84	0.59
1:A:184:ASP:HB3	1:A:188:ARG:HH12	1.69	0.58
1:A:129:ALA:HB3	1:A:130:PRO:HD3	1.84	0.57
1:A:239:VAL:HG21	1:A:351:PHE:CZ	2.40	0.56
1:A:165:ARG:HH11	1:A:165:ARG:HG3	1.71	0.56
1:A:184:ASP:HB3	1:A:188:ARG:NH1	2.21	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:244:SER:HB3	1:A:347:ALA:O	2.06	0.55
1:A:19:VAL:HG13	1:A:20:THR:HG23	1.88	0.55
1:A:146:ILE:HD12	1:A:175:ILE:HG22	1.89	0.54
1:A:144:VAL:HG23	1:A:173:GLU:HB2	1.90	0.53
1:A:226:ARG:HH11	1:A:226:ARG:HG3	1.73	0.53
1:A:243:GLU:HG3	1:A:246:VAL:CG2	2.39	0.53
1:A:343:ALA:HA	1:A:353:VAL:HA	1.90	0.53
1:A:239:VAL:HG21	1:A:351:PHE:HZ	1.75	0.52
1:A:9:LEU:HD12	1:A:50:GLU:O	2.09	0.52
1:A:205:VAL:HG21	1:A:213:LEU:HD22	1.91	0.52
1:A:330:GLU:OE2	1:A:362:ARG:HD2	2.10	0.52
1:A:307:ARG:O	1:A:311:VAL:HG23	2.09	0.52
1:A:14:PHE:CZ	1:A:81:GLY:HA2	2.44	0.51
1:A:136:ILE:HA	1:A:140:GLY:O	2.11	0.51
1:A:158:HIS:O	1:A:161:ARG:HB3	2.11	0.51
1:A:81:GLY:O	1:A:82:CYS:HB2	2.11	0.50
1:A:146:ILE:HD12	1:A:175:ILE:CG2	2.42	0.49
1:A:225:ARG:CZ	1:A:225:ARG:HB2	2.41	0.49
1:A:86:HIS:CD2	1:A:86:HIS:H	2.30	0.49
1:A:328:ARG:NH1	1:A:328:ARG:CG	2.74	0.48
1:A:68:GLU:O	1:A:72:ARG:HB2	2.14	0.48
1:A:118:VAL:HG12	1:A:292:GLN:HE21	1.79	0.47
1:A:236:GLU:HG3	1:A:351:PHE:CE1	2.49	0.47
1:A:333:ASN:ND2	3:A:419:HOH:O	2.42	0.47
1:A:250:GLN:HA	1:A:250:GLN:OE1	2.15	0.47
1:A:126:GLN:HB3	3:A:439:HOH:O	2.15	0.47
1:A:324:GLN:O	1:A:341:ARG:NH2	2.48	0.46
1:A:143:VAL:HA	1:A:200:VAL:O	2.15	0.46
1:A:84:MET:HA	2:A:386:ACM:O	2.16	0.46
1:A:243:GLU:HG3	1:A:246:VAL:CB	2.46	0.46
1:A:330:GLU:HG3	1:A:363:PRO:CG	2.46	0.46
1:A:191:GLU:O	1:A:195:GLN:HG2	2.16	0.46
1:A:307:ARG:HB3	1:A:310:ASP:CG	2.41	0.46
1:A:225:ARG:HD3	1:A:225:ARG:H	1.81	0.45
1:A:255:PRO:HB3	1:A:339:SER:O	2.16	0.45
1:A:77:ARG:HD3	1:A:77:ARG:HA	1.81	0.45
1:A:74:ARG:CZ	1:A:74:ARG:HA	2.47	0.45
1:A:23:ILE:HG12	1:A:83:TYR:CE1	2.52	0.45
1:A:256:TYR:CG	1:A:257:PHE:N	2.86	0.44
1:A:295:LEU:CD1	1:A:318:ILE:HB	2.48	0.44
1:A:266:ARG:NH1	1:A:270:GLN:HE22	2.15	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:106:THR:CG2	1:A:107:PRO:HD2	2.48	0.44
1:A:179:LEU:O	1:A:181:PRO:HD3	2.18	0.44
1:A:8:PRO:HG2	1:A:48:PRO:O	2.19	0.43
1:A:10:ILE:HB	1:A:51:THR:HG22	2.00	0.43
1:A:104:TYR:CZ	1:A:106:THR:HB	2.54	0.43
1:A:23:ILE:O	1:A:26:SER:HB3	2.19	0.43
1:A:342:ILE:HG13	1:A:355:TRP:CE3	2.53	0.43
1:A:262:THR:HB	1:A:263:PRO:HD2	2.00	0.42
1:A:254:ALA:HB3	1:A:257:PHE:CZ	2.55	0.42
1:A:166:GLN:O	1:A:166:GLN:HG3	2.19	0.42
1:A:103:CYS:O	1:A:105:PRO:HD3	2.18	0.42
1:A:118:VAL:CG1	1:A:292:GLN:HE21	2.32	0.42
1:A:186:LEU:O	1:A:190:VAL:HG23	2.20	0.42
1:A:252:VAL:HG12	1:A:253:VAL:N	2.34	0.42
1:A:17:THR:HB	3:A:513:HOH:O	2.19	0.42
1:A:346:ASP:HB3	1:A:348:ARG:N	2.31	0.42
1:A:15:SER:OG	1:A:58:GLY:N	2.53	0.42
1:A:288:ALA:HA	1:A:291:TRP:CD1	2.55	0.41
1:A:295:LEU:HG	1:A:315:LEU:HD22	2.02	0.41
1:A:45:GLY:C	1:A:47:ARG:H	2.27	0.41
1:A:15:SER:HB3	1:A:17:THR:O	2.20	0.41
1:A:161:ARG:HD2	3:A:435:HOH:O	2.20	0.41
1:A:250:GLN:HB2	1:A:345:ILE:HD12	2.03	0.41
1:A:85:SER:O	1:A:89:LYS:HG3	2.21	0.40
1:A:352:GLN:HB3	1:A:354:ARG:HH21	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	366/385 (95%)	351 (96%)	12 (3%)	3 (1%)	16 12

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	138	HIS
1	A	225	ARG
1	A	41	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	303/315 (96%)	274 (90%)	29 (10%)	8 5

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	33	LEU
1	A	48	PRO
1	A	52	LEU
1	A	64	ARG
1	A	65	LEU
1	A	69	ASP
1	A	74	ARG
1	A	86	HIS
1	A	95	VAL
1	A	125	ASN
1	A	138	HIS
1	A	146	ILE
1	A	163	LEU
1	A	165	ARG
1	A	219	ARG
1	A	225	ARG
1	A	243	GLU
1	A	246	VAL
1	A	250	GLN
1	A	261	ASP
1	A	298	ARG
1	A	315	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	321	ASP
1	A	328	ARG
1	A	348	ARG
1	A	354	ARG
1	A	358	PRO
1	A	372	LEU
1	A	374	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	GLN
1	A	86	HIS
1	A	270	GLN
1	A	312	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ACM	A	386	-	3,3,3	0.73	0	3,3,3	0.05	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	386	ACM	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.