



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:57 PM UTC

PDB ID : 1PEQ / pdb_00001peq
Title : Ribonucleotide Reductase Protein R1E from Salmonella typhimurium
Authors : Uppsten, M.; Farnegardh, M.; Jordan, A.; Eliasson, R.; Eklund, H.; Uhlin, U.
Deposited on : 2003-05-22
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	714	5% 65% 25% • 5%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5464 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Ribonucleoside-diphosphate reductase 2 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	679	Total	C	N	O	S	0	0	0
			5423	3441	956	1003	23			

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is THYMIDINE-5'-TRIPHOSPHATE (CCD ID: TTP) (formula: C₁₀H₁₇N₂O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			29	10	2	14	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	11	Total	O	0	0
			11	11		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ribonucleoside-diphosphate reductase 2 alpha chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	99.14Å 99.14Å 289.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.80 40.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.3 (40.00-2.80) 99.2 (40.00-2.80)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.37 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.0	Depositor
R, R_{free}	0.215 , 0.246 0.216 , 0.244	Depositor DCC
R_{free} test set	1815 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	54.5	Xtriage
Anisotropy	0.016	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 28.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5464	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, TTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.37	30/5547 (0.5%)	1.28	28/7509 (0.4%)

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	384	MET	SD-CE	-10.22	1.54	1.79
1	A	605	ILE	C-O	-8.67	1.14	1.24
1	A	483	ILE	CA-CB	-8.66	1.43	1.54
1	A	623	PRO	C-O	-8.11	1.14	1.23
1	A	292	ILE	CA-CB	-7.05	1.49	1.54
1	A	447	ASP	C-O	-6.84	1.16	1.24
1	A	663	LEU	C-O	-6.37	1.16	1.24
1	A	600	SER	C-N	-6.21	1.25	1.33
1	A	231	VAL	CA-CB	-6.13	1.46	1.54
1	A	105	ALA	C-O	-6.12	1.17	1.24
1	A	256	ALA	CA-CB	-6.12	1.43	1.53
1	A	541	ASP	N-CA	6.09	1.54	1.46
1	A	415	CYS	CA-C	6.03	1.59	1.52
1	A	397	ALA	C-O	-5.98	1.16	1.23
1	A	657	VAL	CA-CB	-5.93	1.46	1.54
1	A	428	SER	C-O	-5.85	1.18	1.24
1	A	152	MET	SD-CE	-5.84	1.65	1.79
1	A	33	GLN	C-O	-5.81	1.17	1.23
1	A	439	ILE	CA-CB	-5.53	1.47	1.54
1	A	521	ALA	CA-CB	-5.43	1.44	1.53
1	A	378	ILE	CA-CB	-5.38	1.47	1.54
1	A	147	GLN	CA-C	5.34	1.59	1.52
1	A	622	TYR	C-O	-5.33	1.20	1.25
1	A	162	PRO	C-O	-5.31	1.17	1.24
1	A	49	VAL	CA-CB	-5.25	1.48	1.54
1	A	78	ALA	C-O	-5.24	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	307	ALA	CA-CB	-5.16	1.46	1.53
1	A	671	ALA	CA-CB	-5.11	1.45	1.53
1	A	406	TYR	C-O	5.05	1.30	1.24
1	A	472	MET	SD-CE	-5.01	1.67	1.79

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	602	ILE	N-CA-C	-15.47	98.20	112.43
1	A	540	ASP	CA-C-N	12.02	144.50	121.54
1	A	540	ASP	C-N-CA	12.02	144.50	121.54
1	A	539	GLN	OE1-CD-NE2	-10.97	111.63	122.60
1	A	600	SER	CA-C-N	-8.58	105.15	121.54
1	A	600	SER	C-N-CA	-8.58	105.15	121.54
1	A	414	SER	N-CA-C	-7.63	98.32	110.14
1	A	539	GLN	CG-CD-NE2	6.94	126.81	116.40
1	A	539	GLN	CA-C-N	-6.72	110.45	122.15
1	A	539	GLN	C-N-CA	-6.72	110.45	122.15
1	A	419	SER	N-CA-C	6.28	119.73	109.24
1	A	623	PRO	CA-C-O	-6.15	114.35	121.86
1	A	415	CYS	CB-CA-C	6.09	119.51	110.62
1	A	660	GLY	N-CA-C	5.83	119.81	111.12
1	A	642	GLY	CA-C-N	5.81	125.28	119.24
1	A	642	GLY	C-N-CA	5.81	125.28	119.24
1	A	414	SER	CA-C-N	-5.63	114.28	122.44
1	A	414	SER	C-N-CA	-5.63	114.28	122.44
1	A	216	GLU	N-CA-C	5.51	117.65	110.43
1	A	401	ASP	N-CA-C	-5.44	102.70	110.59
1	A	38	GLN	N-CA-C	-5.40	105.29	111.07
1	A	398	SER	N-CA-C	-5.37	101.13	109.72
1	A	126	PHE	N-CA-C	5.30	117.47	111.11
1	A	172	ARG	N-CA-C	5.22	117.99	109.59
1	A	528	TYR	N-CA-C	-5.20	105.53	111.14
1	A	384	MET	N-CA-C	5.06	115.21	108.38
1	A	417	LEU	N-CA-C	5.05	117.83	109.85
1	A	413	ILE	N-CA-C	5.01	115.12	108.11

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5423	0	5310	136	0
2	A	1	0	0	0	0
3	A	29	0	10	0	0
4	A	11	0	0	0	0
All	All	5464	0	5320	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:628:THR:H	1:A:631:ASN:ND2	1.58	1.02
1:A:628:THR:N	1:A:631:ASN:HD21	1.65	0.93
1:A:601:SER:HB2	1:A:603:HIS:CD2	2.07	0.89
1:A:346:ASN:HD22	1:A:349:ASP:CG	1.81	0.89
1:A:628:THR:H	1:A:631:ASN:HD21	0.85	0.82
1:A:182:ARG:HG3	1:A:184:GLU:OE1	1.81	0.80
1:A:363:TYR:HB2	1:A:364:PRO:HA	1.64	0.80
1:A:473:ASN:HB2	1:A:598:ALA:HB1	1.64	0.80
1:A:655:ARG:HB2	1:A:655:ARG:HH11	1.52	0.73
1:A:601:SER:CB	1:A:603:HIS:CD2	2.74	0.70
1:A:601:SER:HB3	1:A:603:HIS:H	1.58	0.68
1:A:317:ARG:HB3	1:A:317:ARG:HH11	1.60	0.67
1:A:351:PHE:HB3	1:A:677:ASN:HD21	1.60	0.66
1:A:605:ILE:HD12	1:A:607:ALA:O	1.96	0.65
1:A:179:PHE:C	1:A:180:LEU:HD12	2.22	0.64
1:A:198:LEU:HD13	1:A:241:ALA:HB1	1.79	0.64
1:A:490:ALA:O	1:A:494:THR:HG22	1.98	0.64
1:A:496:LEU:O	1:A:500:THR:HG23	1.99	0.62
1:A:509:SER:OG	1:A:580:ASN:ND2	2.29	0.60
1:A:346:ASN:HD22	1:A:349:ASP:CB	2.15	0.59
1:A:180:LEU:HD11	1:A:386:ASN:HB3	1.84	0.59
1:A:103:LEU:HD21	1:A:594:TYR:CD1	2.38	0.59
1:A:346:ASN:ND2	1:A:349:ASP:CG	2.57	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:273:LYS:NZ	1:A:283:ILE:HG22	2.18	0.58
1:A:534:PHE:O	1:A:535:THR:C	2.46	0.58
1:A:594:TYR:OH	1:A:612:ARG:HD3	2.04	0.58
1:A:62:ARG:O	1:A:63:LEU:C	2.46	0.58
1:A:172:ARG:HD3	1:A:173:GLY:O	2.04	0.57
1:A:351:PHE:HB3	1:A:677:ASN:ND2	2.20	0.57
1:A:210:LEU:HB2	1:A:384:MET:HE2	1.87	0.56
1:A:420:LEU:HD13	1:A:469:LEU:HD11	1.86	0.56
1:A:655:ARG:HB2	1:A:655:ARG:NH1	2.18	0.56
1:A:192:ARG:HG3	1:A:400:TYR:CE1	2.42	0.55
1:A:316:ARG:HH11	1:A:316:ARG:HG3	1.70	0.55
1:A:363:TYR:HB2	1:A:364:PRO:CA	2.35	0.55
1:A:605:ILE:HG13	1:A:605:ILE:O	2.05	0.55
1:A:24:ASN:HB2	1:A:621:TYR:CE2	2.42	0.55
1:A:37:ASP:O	1:A:40:ALA:HB3	2.06	0.54
1:A:20:ASN:ND2	1:A:621:TYR:H	2.05	0.54
1:A:535:THR:O	1:A:536:GLN:C	2.50	0.54
1:A:346:ASN:ND2	1:A:349:ASP:H	2.05	0.54
1:A:231:VAL:HG23	1:A:232:ILE:N	2.23	0.54
1:A:541:ASP:OD2	1:A:541:ASP:O	2.26	0.54
1:A:180:LEU:HD12	1:A:180:LEU:N	2.23	0.53
1:A:229:SER:HB3	1:A:233:PRO:HG2	1.90	0.53
1:A:435:VAL:O	1:A:439:ILE:HG12	2.09	0.53
1:A:63:LEU:O	1:A:64:GLY:C	2.53	0.52
1:A:222:LYS:O	1:A:223:ARG:HB2	2.10	0.52
1:A:492:ASP:HB3	1:A:549:VAL:HG21	1.92	0.52
1:A:359:PHE:CE1	1:A:696:LEU:HD21	2.45	0.52
1:A:17:HIS:HB3	1:A:617:THR:HG21	1.92	0.51
1:A:147:GLN:O	1:A:148:LEU:C	2.52	0.51
1:A:321:PRO:O	1:A:322:PHE:C	2.50	0.51
1:A:199:GLN:HE21	1:A:199:GLN:HA	1.76	0.51
1:A:639:TYR:CE2	1:A:666:PHE:HB3	2.44	0.51
1:A:358:GLN:HB3	1:A:694:ILE:HG12	1.93	0.51
1:A:199:GLN:HA	1:A:199:GLN:NE2	2.26	0.51
1:A:299:LEU:HD23	1:A:306:MET:HA	1.92	0.51
1:A:496:LEU:O	1:A:499:TYR:HB3	2.11	0.50
1:A:291:VAL:CG1	1:A:369:GLU:HB2	2.42	0.50
1:A:421:ASN:C	1:A:421:ASN:OD1	2.54	0.50
1:A:473:ASN:HB2	1:A:598:ALA:CB	2.38	0.50
1:A:306:MET:HG3	1:A:347:ALA:HB2	1.93	0.49
1:A:347:ALA:O	1:A:350:PHE:HB3	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:LEU:HB2	1:A:413:ILE:HB	1.94	0.48
1:A:652:GLU:HA	1:A:655:ARG:HH12	1.77	0.48
1:A:20:ASN:HD21	1:A:621:TYR:H	1.62	0.48
1:A:216:GLU:OE1	1:A:310:SER:HB2	2.14	0.48
1:A:473:ASN:HA	1:A:599:THR:OG1	2.14	0.48
1:A:489:GLU:HG2	1:A:546:THR:HG21	1.96	0.48
1:A:161:THR:N	1:A:162:PRO:HD2	2.29	0.47
1:A:546:THR:HG22	1:A:548:LYS:N	2.29	0.47
1:A:107:LYS:HD3	1:A:591:SER:HB3	1.95	0.47
1:A:486:GLY:HA3	1:A:645:LYS:HD2	1.95	0.47
1:A:612:ARG:O	1:A:619:ARG:HA	2.15	0.47
1:A:23:LEU:CD1	1:A:623:PRO:HD3	2.44	0.47
1:A:546:THR:HG22	1:A:548:LYS:H	1.79	0.47
1:A:613:LYS:HA	1:A:618:GLY:O	2.13	0.47
1:A:588:PRO:HD3	1:A:662:SER:CB	2.45	0.47
1:A:266:ILE:HG23	1:A:267:LEU:N	2.29	0.47
1:A:601:SER:HB3	1:A:603:HIS:N	2.27	0.47
1:A:697:ARG:C	1:A:698:GLN:HG3	2.40	0.47
1:A:273:LYS:HZ2	1:A:283:ILE:HG22	1.79	0.47
1:A:444:ALA:O	1:A:445:VAL:C	2.54	0.46
1:A:580:ASN:HB2	1:A:583:LEU:HD13	1.97	0.46
1:A:316:ARG:HG3	1:A:316:ARG:NH1	2.30	0.46
1:A:403:ASN:O	1:A:404:LEU:CB	2.63	0.46
1:A:151:GLU:CD	1:A:156:ARG:HE	2.22	0.46
1:A:50:ARG:HB2	1:A:51:PRO:HD3	1.97	0.46
1:A:541:ASP:O	1:A:541:ASP:CG	2.58	0.45
1:A:404:LEU:HD12	1:A:404:LEU:HA	1.71	0.45
1:A:127:GLU:H	1:A:127:GLU:CD	2.25	0.45
1:A:605:ILE:HD12	1:A:607:ALA:C	2.42	0.45
1:A:231:VAL:O	1:A:232:ILE:C	2.59	0.45
1:A:330:ARG:O	1:A:331:TYR:C	2.56	0.45
1:A:390:GLU:H	1:A:390:GLU:HG3	1.42	0.45
1:A:672:THR:O	1:A:675:ASP:HB2	2.16	0.45
1:A:93:HIS:CE1	1:A:127:GLU:HG2	2.51	0.45
1:A:211:LEU:HD13	1:A:231:VAL:HB	1.99	0.45
1:A:534:PHE:O	1:A:537:TYR:N	2.49	0.45
1:A:312:TYR:O	1:A:316:ARG:HG2	2.18	0.44
1:A:697:ARG:O	1:A:698:GLN:HG3	2.16	0.44
1:A:631:ASN:N	1:A:631:ASN:HD22	2.16	0.44
1:A:72:TYR:CD1	1:A:132:MET:HE2	2.52	0.44
1:A:112:TYR:HA	1:A:165:LEU:CD1	2.48	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:628:THR:N	1:A:631:ASN:ND2	2.42	0.44
1:A:199:GLN:HE21	1:A:202:LYS:HE2	1.83	0.43
1:A:390:GLU:HG2	1:A:662:SER:OG	2.18	0.43
1:A:156:ARG:O	1:A:420:LEU:HA	2.18	0.43
1:A:472:MET:HA	1:A:601:SER:O	2.19	0.43
1:A:641:ILE:HG22	1:A:645:LYS:HB2	2.00	0.43
1:A:81:ASP:O	1:A:82:ARG:C	2.60	0.43
1:A:22:MET:HG3	1:A:36:LYS:HG2	1.99	0.43
1:A:192:ARG:HG3	1:A:400:TYR:CZ	2.54	0.43
1:A:327:ILE:O	1:A:328:SER:C	2.60	0.43
1:A:59:GLN:HB3	1:A:86:LEU:HD22	2.00	0.43
1:A:303:ASN:OD1	1:A:303:ASN:O	2.36	0.43
1:A:676:ILE:O	1:A:680:GLN:HG3	2.18	0.43
1:A:337:ASP:O	1:A:342:LYS:NZ	2.52	0.42
1:A:641:ILE:CG2	1:A:645:LYS:HB2	2.49	0.42
1:A:403:ASN:O	1:A:404:LEU:HB2	2.18	0.42
1:A:24:ASN:CG	1:A:24:ASN:O	2.61	0.42
1:A:337:ASP:OD1	1:A:339:HIS:HB2	2.19	0.42
1:A:534:PHE:HB2	1:A:570:ARG:HD2	2.00	0.42
1:A:67:VAL:HG11	1:A:74:ASP:HB2	2.01	0.42
1:A:494:THR:HG21	1:A:649:THR:HG23	2.00	0.42
1:A:20:ASN:ND2	1:A:620:VAL:HG13	2.35	0.41
1:A:291:VAL:HG12	1:A:369:GLU:HB2	2.02	0.41
1:A:601:SER:HB3	1:A:603:HIS:CD2	2.55	0.41
1:A:510:MET:C	1:A:510:MET:SD	3.04	0.41
1:A:694:ILE:O	1:A:694:ILE:HG13	2.19	0.41
1:A:340:VAL:O	1:A:342:LYS:HD3	2.21	0.41
1:A:358:GLN:OE1	1:A:680:GLN:NE2	2.53	0.41
1:A:666:PHE:CD1	1:A:666:PHE:N	2.88	0.40
1:A:553:PHE:CG	1:A:560:LEU:HD11	2.56	0.40
1:A:654:THR:O	1:A:654:THR:HG22	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	673/714 (94%)	632 (94%)	30 (4%)	11 (2%)	7	27

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	600	SER
1	A	9	VAL
1	A	13	THR
1	A	541	ASP
1	A	601	SER
1	A	28	LYS
1	A	590	GLY
1	A	226	ASN
1	A	253	GLY
1	A	10	MET
1	A	82	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	569/596 (96%)	541 (95%)	28 (5%)	22	55

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	GLU
1	A	13	THR
1	A	107	LYS
1	A	113	THR
1	A	114	LEU
1	A	127	GLU
1	A	143	THR
1	A	172	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	178	CYS
1	A	182	ARG
1	A	198	LEU
1	A	200	LEU
1	A	270	LEU
1	A	274	ARG
1	A	317	ARG
1	A	390	GLU
1	A	417	LEU
1	A	420	LEU
1	A	474	LEU
1	A	494	THR
1	A	500	THR
1	A	539	GLN
1	A	583	LEU
1	A	600	SER
1	A	631	ASN
1	A	663	LEU
1	A	694	ILE
1	A	699	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	HIS
1	A	20	ASN
1	A	38	GLN
1	A	39	GLN
1	A	59	GLN
1	A	100	GLN
1	A	139	GLN
1	A	158	GLN
1	A	195	ASN
1	A	199	GLN
1	A	226	ASN
1	A	227	GLN
1	A	252	GLN
1	A	303	ASN
1	A	346	ASN
1	A	352	GLN
1	A	393	GLN
1	A	424	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	536	GLN
1	A	580	ASN
1	A	582	ASN
1	A	631	ASN
1	A	659	GLN
1	A	677	ASN
1	A	698	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TTP	A	716	2	29,30,30	2.49	7 (24%)	43,47,47	2.74	19 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TTP	A	716	2	-	2/22/34/34	0/2/2/2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	716	TTP	C5M-C5	-10.30	1.25	1.50
3	A	716	TTP	C4-C5	-5.44	1.36	1.44
3	A	716	TTP	C6-N1	-2.70	1.33	1.38
3	A	716	TTP	O2-C2	2.36	1.27	1.23
3	A	716	TTP	C2-N1	-2.31	1.34	1.38
3	A	716	TTP	PG-O3G	-2.22	1.46	1.54
3	A	716	TTP	O4-C4	2.20	1.27	1.23

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	716	TTP	C4-N3-C2	-8.57	116.10	127.34
3	A	716	TTP	N3-C2-N1	7.27	124.36	114.89
3	A	716	TTP	C6-C5-C4	6.15	123.09	118.02
3	A	716	TTP	C5-C4-N3	4.57	119.30	115.32
3	A	716	TTP	C5-C6-N1	-4.32	118.62	123.31
3	A	716	TTP	O2A-PA-O3A	-3.36	98.20	107.27
3	A	716	TTP	O2-C2-N1	-3.26	118.55	122.80
3	A	716	TTP	O2B-PB-O1B	2.91	125.96	112.44
3	A	716	TTP	O4'-C1'-C2'	-2.90	100.82	106.25
3	A	716	TTP	C6-N1-C2	-2.86	118.45	121.30
3	A	716	TTP	O2G-PG-O1G	2.79	121.69	110.83
3	A	716	TTP	O3B-PG-O1G	-2.70	96.85	111.04
3	A	716	TTP	O2A-PA-O1A	2.63	124.66	112.44
3	A	716	TTP	C1'-N1-C2	2.54	122.63	117.66
3	A	716	TTP	O4-C4-C5	-2.54	122.01	124.92
3	A	716	TTP	O2-C2-N3	-2.39	117.07	121.49
3	A	716	TTP	C5M-C5-C6	-2.07	120.05	122.85
3	A	716	TTP	O4'-C1'-N1	2.07	111.54	107.86
3	A	716	TTP	C5M-C5-C4	-2.01	116.63	118.78

There are no chirality outliers.


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	716	TTP	C5'-O5'-PA-O2A
3	A	716	TTP	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	679/714 (95%)	0.25	38 (5%) 30 23	32, 47, 70, 125	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	699	LEU	11.8
1	A	541	ASP	6.6
1	A	246	ASN	6.1
1	A	601	SER	5.7
1	A	253	GLY	4.6
1	A	10	MET	4.4
1	A	8	ARG	4.4
1	A	11	GLN	4.3
1	A	13	THR	4.2
1	A	252	GLN	4.0
1	A	9	VAL	3.9
1	A	545	LYS	3.8
1	A	698	GLN	3.4
1	A	450	HIS	3.1
1	A	693	TYR	3.1
1	A	147	GLN	2.9
1	A	12	GLU	2.9
1	A	223	ARG	2.9
1	A	224	ILE	2.9
1	A	143	THR	2.8
1	A	697	ARG	2.6
1	A	14	MET	2.6
1	A	360	GLU	2.5
1	A	429	PRO	2.4
1	A	695	ARG	2.4
1	A	540	ASP	2.4
1	A	177	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	544	PRO	2.4
1	A	428	SER	2.3
1	A	669	ASP	2.3
1	A	283	ILE	2.2
1	A	600	SER	2.2
1	A	172	ARG	2.1
1	A	171	GLN	2.1
1	A	284	LYS	2.1
1	A	543	GLN	2.0
1	A	35	ASP	2.0
1	A	539	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MG	A	715	1/1	0.57	0.25	46,46,46,46	0
3	TTP	A	716	29/29	0.95	0.10	31,44,48,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.