



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 06:17 AM UTC

PDB ID : 1PEX / pdb_00001pex
Title : COLLAGENASE-3 (MMP-13) C-TERMINAL HEMOPEXIN-LIKE DOMAIN
Authors : Gomis-Ruth, F.X.; Gohlke, U.; Betz, M.; Knauper, V.; Murphy, G.; Lopez-Otin, C.; Bode, W.
Deposited on : 1996-05-24
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	207	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 1678 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called COLLAGENASE-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	192	Total	C	N	O	S	49	0	0
			1596	1040	263	288	5			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Cl	0	0
			2	2		

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Ca	0	0
			2	2		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	73	Total	O	0	0
			73	73		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: COLLAGENASE-3

Chain A: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	52.94Å 52.94Å 144.02Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	6.00 – 2.70	Depositor
% Data completeness (in resolution range)	(Not available) (6.00-2.70)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.195 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	1678	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.97	1/1647 (0.1%)	1.33	15/2233 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	288	THR	CA-CB	5.74	1.62	1.53

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	373	GLU	N-CA-C	-9.79	100.87	112.92
1	A	433	ASN	N-CA-C	9.48	131.00	110.80
1	A	334	HIS	CA-C-N	7.61	127.50	119.05
1	A	334	HIS	C-N-CA	7.61	127.50	119.05
1	A	289	SER	N-CA-C	-7.20	96.82	109.06
1	A	418	ASP	N-CA-C	7.18	118.75	111.07
1	A	319	SER	N-CA-C	-7.16	103.56	111.36
1	A	432	LYS	N-CA-C	-6.87	97.21	108.41
1	A	316	LEU	N-CA-C	-6.75	99.59	110.32
1	A	409	LYS	N-CA-C	5.55	122.62	110.80
1	A	350	ALA	N-CA-C	-5.46	100.81	109.76
1	A	354	TYR	N-CA-C	-5.39	106.48	113.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	387	GLY	N-CA-C	-5.33	108.28	115.36
1	A	459	PRO	N-CA-C	-5.30	102.25	111.32
1	A	386	THR	N-CA-C	5.08	121.76	114.39

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	433	ASN	CA

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	411	TYR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1596	0	1541	89	0
2	A	5	0	0	0	0
3	A	2	0	0	0	0
4	A	2	0	0	0	0
5	A	73	0	0	3	0
All	All	1678	0	1541	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 29.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:318:LYS:HD2	1:A:322:PRO:HA	1.36	1.03
1:A:306:HIS:ND1	1:A:307:PRO:HD2	1.77	0.99
1:A:388:LYS:HG2	1:A:399:ARG:HD2	1.51	0.93
1:A:295:MET:HE1	1:A:321:TRP:HH2	1.37	0.87
1:A:290:LEU:HD13	1:A:340:ILE:HD11	1.60	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:323:GLU:HB2	5:A:573:HOH:O	1.80	0.82
1:A:377:ILE:H	1:A:377:ILE:HD13	1.46	0.80
1:A:301:PHE:HB3	1:A:314:LEU:HD11	1.69	0.75
1:A:436:ILE:CG2	1:A:447:TYR:HB3	2.19	0.72
1:A:375:LYS:HE3	1:A:375:LYS:HA	1.69	0.72
1:A:290:LEU:HD13	1:A:340:ILE:CD1	2.19	0.72
1:A:346:ARG:HB3	1:A:375:LYS:HE2	1.73	0.70
1:A:327:ARG:HB3	1:A:344:ARG:CZ	2.21	0.70
1:A:373:GLU:O	1:A:373:GLU:HG2	1.90	0.69
1:A:390:LEU:HD21	1:A:419:PHE:HZ	1.60	0.67
1:A:392:PHE:HD2	1:A:415:ILE:HD11	1.60	0.67
1:A:346:ARG:O	1:A:364:ILE:HG23	1.96	0.66
1:A:328:ILE:HD12	1:A:342:ILE:HG23	1.78	0.65
1:A:327:ARG:HB3	1:A:344:ARG:NH2	2.10	0.65
1:A:351:LEU:CD2	1:A:356:ILE:HG12	2.26	0.65
1:A:383:PHE:HZ	1:A:436:ILE:HD12	1.60	0.65
1:A:339:LEU:HD21	1:A:357:LEU:HD11	1.78	0.64
1:A:388:LYS:HG2	1:A:399:ARG:CD	2.26	0.63
1:A:276:ASP:HB3	1:A:279:ASP:HB2	1.82	0.62
1:A:383:PHE:CZ	1:A:436:ILE:HD12	2.33	0.62
1:A:304:ARG:HH12	1:A:320:PHE:HE2	1.44	0.61
1:A:435:TYR:HE1	1:A:455:VAL:HG21	1.66	0.60
1:A:329:ASP:HB3	1:A:377:ILE:O	2.03	0.58
1:A:318:LYS:HD2	1:A:322:PRO:CA	2.24	0.58
1:A:436:ILE:HG22	1:A:447:TYR:HB3	1.85	0.57
1:A:358:GLU:H	1:A:358:GLU:CD	2.12	0.57
1:A:301:PHE:CD2	1:A:314:LEU:HD21	2.39	0.57
1:A:351:LEU:HD23	1:A:356:ILE:HG12	1.87	0.56
1:A:377:ILE:HD13	1:A:377:ILE:N	2.16	0.56
1:A:295:MET:HE1	1:A:321:TRP:CH2	2.29	0.56
1:A:435:TYR:CE1	1:A:455:VAL:HG21	2.41	0.56
1:A:328:ILE:HD12	1:A:342:ILE:CG2	2.36	0.56
1:A:436:ILE:HG23	1:A:447:TYR:HB3	1.89	0.55
1:A:343:PHE:HB3	1:A:377:ILE:HG13	1.89	0.54
1:A:279:ASP:C	1:A:281:SER:H	2.18	0.52
1:A:339:LEU:HD21	1:A:357:LEU:CD1	2.39	0.52
1:A:368:LEU:HB3	1:A:370:LEU:CD1	2.39	0.52
1:A:343:PHE:HB3	1:A:377:ILE:CG1	2.39	0.51
1:A:343:PHE:HB3	1:A:377:ILE:HD11	1.93	0.51
1:A:339:LEU:HD12	1:A:352:ASN:HB2	1.93	0.50
1:A:329:ASP:HB2	1:A:343:PHE:O	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:334:HIS:HE1	1:A:402:ASP:OD1	1.94	0.50
1:A:300:ARG:CZ	1:A:326:ASN:ND2	2.75	0.50
1:A:342:ILE:HD12	1:A:351:LEU:HD11	1.94	0.50
1:A:439:PHE:HA	1:A:443:ILE:O	2.12	0.50
1:A:365:SER:C	1:A:368:LEU:H	2.18	0.49
1:A:315:PHE:CD1	1:A:315:PHE:N	2.81	0.49
1:A:430:TYR:CD1	1:A:437:TYR:HB2	2.47	0.49
1:A:376:LYS:HG2	1:A:377:ILE:N	2.27	0.49
1:A:416:GLU:HB2	5:A:560:HOH:O	2.11	0.49
1:A:365:SER:C	1:A:368:LEU:N	2.71	0.48
1:A:368:LEU:HB3	1:A:370:LEU:HD13	1.96	0.48
1:A:429:VAL:HG23	1:A:437:TYR:O	2.13	0.48
1:A:343:PHE:CB	1:A:377:ILE:HG13	2.45	0.47
1:A:360:TYR:CE1	1:A:362:LYS:HD2	2.50	0.47
1:A:409:LYS:O	1:A:409:LYS:HE3	2.15	0.47
1:A:341:PHE:HA	1:A:349:TRP:O	2.15	0.47
1:A:381:VAL:HB	1:A:429:VAL:HG13	1.97	0.46
1:A:343:PHE:HB3	1:A:377:ILE:CD1	2.46	0.46
1:A:304:ARG:NH1	1:A:320:PHE:CE2	2.77	0.46
1:A:280:PRO:HA	1:A:461:ASN:HD21	1.81	0.46
1:A:377:ILE:N	1:A:377:ILE:CD1	2.77	0.45
1:A:425:LYS:HB3	1:A:425:LYS:HE2	1.45	0.45
1:A:296:ILE:O	1:A:302:PHE:HA	2.17	0.45
1:A:342:ILE:O	1:A:348:PHE:HA	2.17	0.45
1:A:392:PHE:CD1	1:A:392:PHE:N	2.85	0.44
1:A:324:LEU:HG	1:A:325:PRO:HD2	2.00	0.43
1:A:387:GLY:O	1:A:402:ASP:N	2.50	0.43
1:A:388:LYS:HE3	1:A:408:ASP:OD2	2.19	0.43
1:A:383:PHE:HZ	1:A:436:ILE:CD1	2.30	0.42
1:A:324:LEU:HD21	1:A:342:ILE:HD12	2.02	0.42
1:A:295:MET:HE2	1:A:302:PHE:CE1	2.54	0.42
1:A:431:GLU:HG2	1:A:435:TYR:O	2.20	0.42
1:A:339:LEU:HD11	1:A:357:LEU:HD11	2.01	0.41
1:A:290:LEU:HA	1:A:290:LEU:HD12	1.75	0.41
1:A:451:SER:HB2	1:A:453:ARG:HD2	2.03	0.41
1:A:339:LEU:CD1	1:A:352:ASN:HB2	2.50	0.41
1:A:274:THR:N	5:A:569:HOH:O	2.53	0.41
1:A:357:LEU:HB2	1:A:360:TYR:CD2	2.55	0.41
1:A:400:TYR:OH	1:A:405:HIS:CD2	2.74	0.41
1:A:358:GLU:CD	1:A:358:GLU:N	2.78	0.41
1:A:392:PHE:HD2	1:A:415:ILE:CD1	2.30	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:398:TRP:CE2	1:A:412:PRO:HG3	2.56	0.40
1:A:290:LEU:O	1:A:291:ARG:C	2.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	190/207 (92%)	162 (85%)	22 (12%)	6 (3%)	3 7

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	308	GLN
1	A	409	LYS
1	A	433	ASN
1	A	408	ASP
1	A	309	GLN
1	A	394	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	172/185 (93%)	140 (81%)	32 (19%)	1 4

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	274	THR
1	A	280	PRO
1	A	288	THR
1	A	306	HIS
1	A	311	ASP
1	A	313	GLU
1	A	315	PHE
1	A	316	LEU
1	A	318	LYS
1	A	323	GLU
1	A	324	LEU
1	A	326	ASN
1	A	346	ARG
1	A	366	GLU
1	A	368	LEU
1	A	372	LYS
1	A	373	GLU
1	A	375	LYS
1	A	376	LYS
1	A	377	ILE
1	A	385	ASP
1	A	386	THR
1	A	396	GLN
1	A	397	VAL
1	A	403	THR
1	A	409	LYS
1	A	410	ASP
1	A	425	LYS
1	A	430	TYR
1	A	432	LYS
1	A	443	ILE
1	A	449	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	405	HIS
1	A	433	ASN
1	A	444	GLN
1	A	452	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	500	-	4,4,4	0.99	0	6,6,6	1.26	1 (16%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	SO4	O4-S-O2	2.50	122.60	109.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.