



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:55 PM UTC

PDB ID : 7PG6 / pdb_00007pg6
Title : Crystal Structure of PI3Kalpha in complex with the inhibitor NVP-BYL719
Authors : Gong, G.; Pinotsis, N.; Williams, R.L.; Vanhaesebroeck, B.
Deposited on : 2021-08-13
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1068	% 74% 20% • •
2	B	287	% 69% 22% • 7%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10727 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit alpha isoform.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1026	Total	C	N	O	S	0	5	0
			8415	5375	1452	1521	67			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	232	LYS	MET	engineered mutation	UNP P42336
A	233	LYS	LEU	engineered mutation	UNP P42336

- Molecule 2 is a protein called Phosphatidylinositol 3-kinase regulatory subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	266	Total	C	N	O	S	0	0	0
			2222	1391	394	431	6			

- Molecule 3 is (2S)-N 1 -{4-methyl-5-[2-(1,1,1-trifluoro-2-methylpropan-2-yl)pyridin-4-yl]-1,3-thiazol-2-yl}pyrrolidine-1,2-dicarboxamide (CCD ID: 1LT) (formula: C₁₉H₂₂F₃N₅O₂S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	S	
			30	19	3	5	2	1	0

- Molecule 4 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Na		
			1	1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	56	Total	O		
			56	56	0	0
5	B	3	Total	O		
			3	3	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit alpha isoform



- Molecule 2: Phosphatidylinositol 3-kinase regulatory subunit alpha





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	104.87Å 105.19Å 135.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.04 – 2.50 49.04 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (49.04-2.50) 99.9 (49.04-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.187 , 0.240 0.197 , 0.241	Depositor DCC
R_{free} test set	2632 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	60.0	Xtriage
Anisotropy	0.378	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 39.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.010 for k,h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10727	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NA, 1LT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	0/8604	0.93	32/11628 (0.3%)
2	B	0.48	0/2260	0.84	1/3036 (0.0%)
All	All	0.55	0/10864	0.91	33/14664 (0.2%)

There are no bond length outliers.

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	606	TYR	CA-C-N	7.35	126.99	119.56
1	A	606	TYR	C-N-CA	7.35	126.99	119.56
1	A	622	TYR	N-CA-C	6.35	121.17	113.17
1	A	785	ASN	CA-C-N	6.34	126.46	119.87
1	A	785	ASN	C-N-CA	6.34	126.46	119.87
1	A	468	LYS	CA-C-N	-6.29	113.46	122.77
1	A	468	LYS	C-N-CA	-6.29	113.46	122.77
1	A	389	TYR	CA-C-N	-6.11	113.72	122.77
1	A	389	TYR	C-N-CA	-6.11	113.72	122.77
1	A	724	LYS	CA-C-N	-6.02	114.48	122.85
1	A	724	LYS	C-N-CA	-6.02	114.48	122.85
1	A	4	ARG	N-CA-C	5.74	117.85	109.30
1	A	463	GLY	N-CA-C	5.73	117.39	111.95
1	A	937	PHE	N-CA-C	5.71	115.65	108.45
1	A	412	ARG	N-CA-C	5.65	117.52	111.36
1	A	1014	GLN	N-CA-C	5.63	121.04	113.72
1	A	938	LEU	CB-CA-C	-5.58	110.12	116.54
1	A	829	LEU	CA-C-N	-5.43	115.30	122.85
1	A	829	LEU	C-N-CA	-5.43	115.30	122.85
1	A	257	CYS	CA-C-N	-5.33	114.58	122.41
1	A	257	CYS	C-N-CA	-5.33	114.58	122.41
1	A	256	GLY	N-CA-C	5.32	121.02	114.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	168	PRO	O-C-N	5.29	123.64	121.15
1	A	446	TRP	CA-C-N	5.26	125.18	119.76
1	A	446	TRP	C-N-CA	5.26	125.18	119.76
2	B	423	LYS	CB-CA-C	-5.21	109.02	115.89
1	A	944	LYS	N-CA-C	5.18	119.31	112.89
1	A	608	ASP	CA-C-N	5.10	124.89	119.28
1	A	608	ASP	C-N-CA	5.10	124.89	119.28
1	A	841	ILE	N-CA-C	5.08	117.86	112.83
1	A	8	GLY	N-CA-C	5.08	121.61	112.77
1	A	952	VAL	CA-C-N	5.04	124.54	119.19
1	A	952	VAL	C-N-CA	5.04	124.54	119.19

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8415	0	8395	129	0
2	B	2222	0	2156	45	0
3	A	30	0	21	0	0
4	A	1	0	0	0	0
5	A	56	0	0	5	0
5	B	3	0	0	0	0
All	All	10727	0	10572	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:488:ASN:OD1	2:B:542:ARG:NH1	2.16	0.78
2:B:396:LEU:HD12	2:B:396:LEU:H	1.53	0.73
1:A:157:ASN:HB2	1:A:161:SER:HB3	1.71	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162:ARG:NH1	1:A:299:MET:SD	2.63	0.72
1:A:640:LYS:HE2	1:A:680:VAL:HG11	1.74	0.70
1:A:599:MET:HE2	1:A:1004:MET:HE1	1.74	0.69
1:A:55:LYS:O	2:B:523:ARG:NH2	2.26	0.68
1:A:1005:MET:O	1:A:1008:SER:HB3	1.94	0.68
1:A:771:ILE:HG21	1:A:777:ARG:HD3	1.76	0.66
1:A:776:LYS:NZ	1:A:805:ASP:OD1	2.28	0.66
2:B:467:TYR:HD1	2:B:563:MET:HE1	1.61	0.65
1:A:871:GLN:N	5:A:1203:HOH:O	2.29	0.65
1:A:807:LEU:HD12	1:A:846:GLY:HA3	1.81	0.63
1:A:71:VAL:HG13	1:A:100:LYS:HB3	1.79	0.63
1:A:138:ASP:OD2	1:A:432:TYR:OH	2.06	0.63
1:A:346:VAL:HG21	1:A:378:CYS:HB3	1.80	0.63
1:A:712:LEU:HD21	1:A:748:LEU:HD21	1.81	0.62
1:A:935:GLY:O	1:A:936:HIS:ND1	2.33	0.61
1:A:829:LEU:HD11	1:A:986:LYS:HB3	1.82	0.61
1:A:791:GLU:H	1:A:791:GLU:CD	2.10	0.60
1:A:978:GLU:HA	1:A:981:GLN:HE21	1.66	0.60
1:A:1006:LEU:HD23	1:A:1013:LEU:HD23	1.84	0.60
2:B:413:LEU:H	2:B:421:ASP:HA	1.65	0.60
1:A:808:ARG:HB3	1:A:1010:MET:HE2	1.84	0.59
1:A:335:ARG:HG2	1:A:386:TRP:CE3	2.37	0.59
1:A:25:LEU:HD13	2:B:497:GLN:HG3	1.84	0.59
2:B:374:LYS:HD3	2:B:422:VAL:HG21	1.83	0.59
1:A:95:PHE:CD2	1:A:96:GLN:HG2	2.37	0.59
2:B:407:HIS:O	2:B:407:HIS:ND1	2.36	0.58
1:A:348:ILE:HD12	1:A:348:ILE:H	1.69	0.58
1:A:9:GLU:OE2	1:A:38:ARG:NH2	2.35	0.58
1:A:454:ASP:HA	2:B:348:ARG:HH11	1.69	0.57
1:A:1055:MET:HB3	1:A:1060:HIS:HA	1.87	0.56
1:A:599:MET:HE1	1:A:631:TYR:HB3	1.88	0.56
2:B:392:PHE:HD2	2:B:416:TYR:HB2	1.71	0.56
1:A:267:LEU:HG	1:A:273:ILE:HG13	1.87	0.56
1:A:216:VAL:HG22	1:A:264:LYS:O	2.06	0.55
1:A:495:HIS:O	1:A:495:HIS:ND1	2.37	0.55
1:A:138:ASP:OD1	1:A:141:ARG:NH2	2.39	0.55
2:B:562:ARG:O	2:B:566:ILE:HD13	2.07	0.54
1:A:1002:PHE:HD1	1:A:1013:LEU:HD11	1.71	0.54
1:A:63:GLN:NE2	1:A:103:GLU:OE1	2.37	0.54
1:A:450:HIS:HB2	2:B:467:TYR:CZ	2.42	0.54
2:B:354:THR:HA	2:B:426:TYR:O	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:469:GLU:OE1	2:B:472:ARG:NH2	2.38	0.54
1:A:240:LYS:HA	1:A:243:VAL:HB	1.90	0.54
2:B:459:LYS:HG2	2:B:570:LEU:HD13	1.89	0.54
1:A:190:ILE:HD12	1:A:277:ILE:HG12	1.89	0.54
1:A:715:LEU:HD21	1:A:735:LEU:HD12	1.90	0.54
1:A:1014:GLN:N	1:A:1018:ASP:OD2	2.32	0.52
1:A:897:PHE:O	1:A:901:CYS:HB2	2.09	0.52
2:B:436:VAL:HG21	2:B:579:GLN:NE2	2.23	0.52
1:A:885:ASN:HB3	1:A:889:ILE:HG13	1.91	0.52
1:A:180:HIS:HD1	1:A:828:GLY:HA2	1.75	0.52
1:A:916:ARG:HB3	1:A:921:ILE:HD11	1.91	0.52
1:A:765:ARG:NH2	1:A:784:GLU:HG2	2.25	0.52
1:A:286:MET:HE2	1:A:288:MET:HE2	1.92	0.52
1:A:147:CYS:HB3	1:A:694:ALA:HB2	1.92	0.52
1:A:819:ILE:O	1:A:823:ILE:HG12	2.10	0.51
1:A:542:GLU:HB3	2:B:380:LEU:HD13	1.92	0.51
1:A:738:GLN:OE1	1:A:741:ARG:NH1	2.43	0.51
1:A:446:TRP:CZ2	1:A:465:ASN:HA	2.46	0.51
2:B:512:PHE:CZ	2:B:520:GLU:HG2	2.46	0.51
1:A:937:PHE:CD1	1:A:938:LEU:HG	2.45	0.50
1:A:60:GLN:CD	1:A:60:GLN:H	2.20	0.50
1:A:331:ASN:OD1	1:A:392:TYR:OH	2.25	0.50
1:A:809:GLN:HE22	1:A:1012:GLU:HG3	1.77	0.49
1:A:261:PHE:N	1:A:261:PHE:CD1	2.81	0.49
2:B:512:PHE:CE1	2:B:520:GLU:HG2	2.47	0.49
1:A:25:LEU:HB3	2:B:497:GLN:CD	2.38	0.49
2:B:522:GLN:HA	2:B:525:MET:HE2	1.94	0.49
1:A:1062:ILE:H	1:A:1062:ILE:HD12	1.78	0.48
1:A:163:ALA:HB2	1:A:297:LEU:HD11	1.94	0.48
1:A:438:SER:HA	1:A:477:PHE:HB2	1.95	0.48
2:B:332:GLU:OE2	2:B:429:SER:HB2	2.13	0.48
1:A:897:PHE:HZ	1:A:960:PHE:HD1	1.61	0.48
1:A:243:VAL:O	1:A:247:GLN:HB2	2.12	0.48
1:A:39:GLU:HB2	1:A:88:ARG:HH11	1.78	0.48
1:A:479:TRP:CZ2	1:A:481:SER:HA	2.48	0.48
2:B:326:MET:N	2:B:402:VAL:HG11	2.29	0.48
1:A:366:PRO:HD2	2:B:377:ASN:OD1	2.13	0.48
2:B:390:TYR:CE2	2:B:400:SER:HA	2.49	0.48
1:A:129:ASP:CG	1:A:310:ARG:HH22	2.21	0.48
1:A:583:MET:O	1:A:587:VAL:HG23	2.14	0.48
1:A:937:PHE:HD1	1:A:938:LEU:HG	1.78	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:991:ILE:HG23	1:A:998:PHE:CE2	2.49	0.48
1:A:733:LYS:HE2	1:A:737:GLU:OE2	2.14	0.47
2:B:392:PHE:CZ	2:B:404:LEU:HD21	2.49	0.47
1:A:917:HIS:CE1	1:A:919:SER:HB2	2.48	0.47
1:A:555:ARG:O	1:A:558:CYS:HB2	2.14	0.47
1:A:944:LYS:O	2:B:577:ARG:NH1	2.45	0.47
1:A:499:SER:OG	1:A:500:VAL:N	2.48	0.47
1:A:655:LYS:O	1:A:659:THR:HG23	2.14	0.47
2:B:484:ILE:HG13	2:B:545:LEU:HD23	1.97	0.47
1:A:479:TRP:CE2	1:A:481:SER:HA	2.50	0.47
1:A:770[B]:ARG:NH2	5:A:1201:HOH:O	2.12	0.47
1:A:3:PRO:HB3	2:B:472:ARG:NH1	2.30	0.47
2:B:337:ASP:HB2	2:B:363:LYS:NZ	2.30	0.46
1:A:765:ARG:HD2	1:A:782:ASN:ND2	2.30	0.46
1:A:216:VAL:HG13	1:A:217:PRO:HD2	1.98	0.46
1:A:6:SER:HB2	1:A:12:GLY:C	2.40	0.46
1:A:777:ARG:N	1:A:778:PRO:HD3	2.30	0.46
2:B:440:ASP:OD1	2:B:440:ASP:N	2.42	0.46
1:A:335:ARG:HG2	1:A:386:TRP:HE3	1.81	0.46
1:A:362:HIS:CD2	1:A:399:ALA:HB3	2.50	0.46
1:A:771:ILE:HG21	1:A:777:ARG:HH21	1.81	0.45
2:B:491:ILE:HD13	2:B:539:ILE:HG12	1.98	0.45
2:B:477:ILE:HG23	2:B:549:LEU:HD11	1.99	0.45
1:A:601:LEU:HB2	1:A:615:ALA:HB2	1.99	0.45
1:A:936:HIS:HB3	1:A:940[A]:HIS:CD2	2.52	0.45
1:A:486:PHE:CG	1:A:487:PRO:HD2	2.52	0.45
1:A:676:HIS:CG	1:A:843:ASP:HB2	2.53	0.44
2:B:394:ASP:OD1	2:B:394:ASP:N	2.46	0.44
1:A:978:GLU:HA	1:A:981:GLN:NE2	2.31	0.44
2:B:439:GLU:HG2	2:B:444:ALA:HB1	2.00	0.44
1:A:395:ASP:HB3	1:A:575:ASN:O	2.17	0.44
1:A:376:VAL:HB	1:A:377:PRO:HD2	1.98	0.44
2:B:432:GLN:HA	2:B:435:GLN:HG2	2.00	0.44
1:A:342:THR:CG2	1:A:472:CYS:HB3	2.48	0.43
1:A:352:ASP:C	1:A:353:LYS:HD2	2.42	0.43
1:A:446:TRP:CH2	1:A:466:PRO:HD2	2.53	0.43
1:A:636:VAL:O	1:A:639:LEU:HB2	2.17	0.43
2:B:469:GLU:CD	2:B:472:ARG:HH21	2.23	0.43
1:A:600:GLU:HB2	5:A:1211:HOH:O	2.18	0.43
2:B:476:GLU:O	2:B:480:LYS:HG3	2.19	0.43
2:B:506:LYS:O	2:B:510:GLU:HG3	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:216:VAL:HG12	1:A:218:GLU:H	1.83	0.43
1:A:634:GLN:HB3	1:A:1004:MET:HE2	1.99	0.43
2:B:413:LEU:HB3	2:B:420:LEU:HD23	1.99	0.43
1:A:785:ASN:HA	1:A:786:PRO:HD2	1.84	0.43
2:B:408:TYR:CD1	2:B:413:LEU:HD23	2.53	0.43
1:A:278:MET:SD	1:A:825:GLN:NE2	2.91	0.43
1:A:342:THR:HG23	1:A:472:CYS:HB3	2.01	0.43
1:A:27:PRO:HD2	1:A:62:LEU:CD2	2.48	0.42
1:A:54:ARG:HA	1:A:59:HIS:CD2	2.53	0.42
1:A:363:GLY:N	1:A:607:PRO:HG3	2.33	0.42
1:A:738:GLN:O	1:A:741:ARG:HB2	2.19	0.42
1:A:906:VAL:HG21	1:A:987:ALA:HB3	2.01	0.42
1:A:180:HIS:ND1	1:A:828:GLY:HA2	2.34	0.42
1:A:542:GLU:HG3	5:A:1215:HOH:O	2.18	0.42
1:A:883:ASP:O	1:A:886:LYS:HE3	2.20	0.42
1:A:950:GLU:OE2	1:A:1024:LYS:HG2	2.19	0.42
1:A:465:ASN:ND2	1:A:470:THR:HG21	2.34	0.42
1:A:43:ILE:HG13	1:A:85:GLU:O	2.18	0.42
2:B:407:HIS:O	2:B:407:HIS:CG	2.72	0.42
1:A:768:GLU:CD	1:A:782:ASN:HD22	2.28	0.42
1:A:39:GLU:HB2	1:A:88:ARG:NH1	2.35	0.41
1:A:185:LEU:HD21	1:A:277:ILE:HD13	2.01	0.41
1:A:391:ILE:HD13	1:A:396:LEU:HD23	2.02	0.41
1:A:704[A]:ARG:O	1:A:707:GLU:HG2	2.20	0.41
1:A:1024:LYS:HE2	1:A:1024:LYS:HB2	1.97	0.41
1:A:201:ASN:HB2	5:A:1243:HOH:O	2.20	0.41
1:A:399:ALA:HB1	1:A:607:PRO:HB2	2.03	0.41
1:A:913:ILE:HG22	1:A:914:GLY:O	2.20	0.41
2:B:571:ILE:HG22	2:B:575:LYS:HD2	2.03	0.41
1:A:736:VAL:O	1:A:740:ARG:HG3	2.21	0.41
1:A:741:ARG:NH2	1:A:743:ASP:OD2	2.45	0.41
1:A:802:LYS:HE2	1:A:805:ASP:OD2	2.21	0.41
2:B:445:VAL:HG12	2:B:584:LEU:HD13	2.03	0.41
1:A:916:ARG:HD2	1:A:931:HIS:ND1	2.36	0.41
2:B:431:TYR:O	2:B:435:GLN:HG2	2.21	0.41
1:A:248:GLY:O	1:A:290:LYS:HE3	2.21	0.40
1:A:532:LYS:O	1:A:536:THR:HG23	2.22	0.40
1:A:792:LEU:HD23	1:A:792:LEU:HA	1.83	0.40
1:A:704[A]:ARG:NH2	1:A:749:GLN:O	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1023/1068 (96%)	1011 (99%)	12 (1%)	0	100	100
2	B	264/287 (92%)	254 (96%)	10 (4%)	0	100	100
All	All	1287/1355 (95%)	1265 (98%)	22 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	938/974 (96%)	903 (96%)	35 (4%)	30	57
2	B	238/266 (90%)	228 (96%)	10 (4%)	26	52
All	All	1176/1240 (95%)	1131 (96%)	45 (4%)	29	56

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	125	VAL
1	A	162	ARG
1	A	198	VAL
1	A	218	GLU
1	A	230	ARG
1	A	231	SER
1	A	237	GLU
1	A	242	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	243	VAL
1	A	251	ILE
1	A	261	PHE
1	A	264	LYS
1	A	327	LEU
1	A	339	LEU
1	A	351	ILE
1	A	378	CYS
1	A	393	ILE
1	A	420	CYS
1	A	434	ASP
1	A	469	GLU
1	A	488	ASP
1	A	494	GLU
1	A	525	GLU
1	A	576	SER
1	A	735	LEU
1	A	748	LEU
1	A	834	LEU
1	A	845	VAL
1	A	862	CYS
1	A	901	CYS
1	A	939	ASP
1	A	965	SER
1	A	969	GLN
1	A	973	LYS
1	A	1008	SER
2	B	326	MET
2	B	396	LEU
2	B	436	VAL
2	B	466	LEU
2	B	484	ILE
2	B	501	GLN
2	B	550	LYS
2	B	566	ILE
2	B	571	ILE
2	B	586	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	145	ASN
1	A	345	ASN
1	A	384	ASN
1	A	444	ASN
1	A	797	ASN
1	A	809	GLN
1	A	825	GLN
1	A	875	HIS
1	A	879	GLN
1	A	885	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	1LT	A	1101	-	31,32,32	3.42	11 (35%)	44,49,49	3.73	21 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	1LT	A	1101	-	-	3/29/41/41	0/3/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1101	1LT	C6-C7	-10.67	1.28	1.53
3	A	1101	1LT	C4-N2	-10.17	1.28	1.47
3	A	1101	1LT	C7-N2	7.72	1.62	1.47
3	A	1101	1LT	C2-N1	4.67	1.45	1.38
3	A	1101	1LT	C8-N3	3.76	1.41	1.32
3	A	1101	1LT	C14-C10	3.35	1.44	1.39
3	A	1101	1LT	C3-N2	2.36	1.44	1.37
3	A	1101	1LT	C2-N	2.36	1.34	1.31
3	A	1101	1LT	O-C3	-2.28	1.19	1.23
3	A	1101	1LT	C10-C9	2.23	1.53	1.48
3	A	1101	1LT	C7-C8	2.07	1.56	1.53

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1101	1LT	C2-N-C1	12.42	117.96	110.38
3	A	1101	1LT	C2-S-C9	11.93	95.78	88.35
3	A	1101	1LT	S-C2-N	-9.19	107.56	115.78
3	A	1101	1LT	C12-N4-C13	5.49	124.60	117.48
3	A	1101	1LT	C1-C9-S	-4.93	106.91	109.91
3	A	1101	1LT	C9-C1-N	-4.62	111.78	115.01
3	A	1101	1LT	C11-C12-N4	-4.62	118.31	123.97
3	A	1101	1LT	C14-C10-C9	-3.88	115.20	120.36
3	A	1101	1LT	C8-C7-N2	-3.82	106.70	112.36
3	A	1101	1LT	C7-N2-C3	2.96	124.05	119.26
3	A	1101	1LT	N1-C3-N2	2.89	118.85	115.57
3	A	1101	1LT	S-C2-N1	2.73	127.38	123.72
3	A	1101	1LT	C6-C7-N2	2.69	106.96	103.02
3	A	1101	1LT	O1-C8-N3	-2.55	118.54	123.04
3	A	1101	1LT	F2-C18-C15	-2.43	107.24	112.33
3	A	1101	1LT	C17-C15-C13	-2.41	104.95	109.75
3	A	1101	1LT	C17-C15-C16	2.40	111.53	106.37
3	A	1101	1LT	C10-C14-C13	-2.39	116.97	119.68
3	A	1101	1LT	C11-C10-C9	2.36	124.59	120.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1101	1LT	N1-C2-N	2.23	125.04	121.18
3	A	1101	1LT	F-C18-C15	-2.17	107.79	112.33

There are no chirality outliers.


All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1101	1LT	N2-C7-C8-O1
3	A	1101	1LT	N2-C7-C8-N3
3	A	1101	1LT	C14-C13-C15-C17

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1026/1068 (96%)	-0.11	13 (1%) 75 71	26, 65, 101, 142	5 (0%)
2	B	266/287 (92%)	0.16	4 (1%) 72 68	50, 87, 139, 152	0
All	All	1292/1355 (95%)	-0.05	17 (1%) 75 71	26, 69, 119, 152	5 (0%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	311	ILE	3.2
1	A	1033[A]	GLN	3.1
2	B	422	VAL	2.9
1	A	313	THR	2.8
2	B	418	PRO	2.8
1	A	1062	ILE	2.6
2	B	420	LEU	2.5
1	A	500	VAL	2.5
1	A	1053	THR	2.4
1	A	3	PRO	2.4
1	A	558	CYS	2.4
1	A	1064	GLN	2.3
1	A	1050	GLY	2.2
1	A	1054	LYS	2.2
2	B	396	LEU	2.1
1	A	234	LEU	2.0
1	A	947	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NA	A	1102	1/1	0.61	0.36	70,70,70,70	1
3	1LT	A	1101	30/30	0.87	0.11	36,50,68,191	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.