



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 04:19 PM UTC

PDB ID : 1PH1 / pdb_00001ph1
Title : CRYSTAL STRUCTURE OF THE OXYTRICHA NOVA TELOMERE
END-BINDING PROTEIN COMPLEXED WITH NONCOGNATE SSDNA
GGGGTTTTGGGGT
Authors : Theobald, D.L.; Schultz, S.C.
Deposited on : 2003-05-29
Resolution : 2.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	13	8% 15% 77% 8%
1	G	13	8% 31% 69%
1	H	13	15% 62% 38%
2	A	461	6% 81% 16% ..
3	B	217	17% 76% 21% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6546 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(*GP*GP*GP*GP*TP*TP*TP*TP*GP*GP*GP*GP*P*T)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	G	13	Total	C	N	O	P	0	0	0
			273	130	50	81	12			
1	D	13	Total	C	N	O	P	0	0	0
			273	130	50	81	12			
1	H	13	Total	C	N	O	P	0	0	0
			273	130	50	81	12			

- Molecule 2 is a protein called Telomere-binding protein alpha subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	456	Total	C	N	O	S	0	0	0
			3684	2343	632	707	2			

- Molecule 3 is a protein called Telomere-binding protein beta subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	B	217	Total	C	N	O	S	0	0	0
			1740	1117	295	327	1			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	G	4	Total	O	0	0
			4	4		
4	D	28	Total	O	0	0
			28	28		
4	H	4	Total	O	0	0
			4	4		
4	A	220	Total	O	0	0
			220	220		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	47	Total	O	0	0
			47	47		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'-D(*GP*GP*GP*GP*TP*TP*TP*TP*GP*GP*GP*GP*T)-3'





- Molecule 1: 5'-D(*GP*GP*GP*GP*TP*TP*TP*TP*GP*GP*GP*GP*T)-3'




- Molecule 1: 5'-D(*GP*GP*GP*GP*TP*TP*TP*TP*GP*GP*GP*GP*T)-3'



- Molecule 2: Telomere-binding protein alpha subunit



- Molecule 3: Telomere-binding protein beta subunit



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	93.61Å 93.61Å 423.00Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.94 – 2.51 29.94 – 2.51	Depositor EDS
% Data completeness (in resolution range)	96.6 (29.94-2.51) 96.9 (29.94-2.51)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.62 (at 2.51Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.232 , 0.261 0.232 , 0.260	Depositor DCC
R_{free} test set	3759 reflections (9.96%)	wwPDB-VP
Wilson B-factor (Å ²)	30.7	Xtriage
Anisotropy	0.181	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 35.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6546	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	D	0.35	0/306	0.79	1/474 (0.2%)
1	G	0.31	0/306	0.76	0/474
1	H	0.29	0/306	0.62	0/474
2	A	0.44	0/3755	0.98	18/5075 (0.4%)
3	B	0.39	0/1779	0.89	2/2402 (0.1%)
All	All	0.42	0/6452	0.92	21/8899 (0.2%)

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	A	86	LYS	N-CA-C	-11.18	92.35	109.79
2	A	404	SER	N-CA-C	8.82	129.59	110.80
2	A	405	GLY	N-CA-C	-8.47	93.10	113.18
2	A	63	PHE	CA-C-N	-6.91	112.64	119.90
2	A	63	PHE	C-N-CA	-6.91	112.64	119.90
2	A	240	THR	N-CA-C	6.63	120.20	109.40
2	A	435	THR	N-CA-C	6.25	120.52	113.02
2	A	297	ILE	N-CA-C	6.24	116.84	108.11
2	A	71	ARG	N-CA-C	5.93	119.19	108.69
2	A	432	LEU	N-CA-C	5.76	119.44	110.17
2	A	287	VAL	N-CA-C	5.74	116.74	108.48
2	A	477	ALA	N-CA-C	5.70	117.85	109.24
2	A	63	PHE	N-CA-C	-5.58	102.02	110.39
2	A	429	TYR	N-CA-C	5.41	118.31	109.59
2	A	98	ALA	N-CA-C	-5.39	101.78	110.14
3	B	41	CYS	N-CA-C	5.37	117.56	109.23
1	D	13	DT	C2'-C3'-O3'	-5.34	103.48	111.50
2	A	424	LEU	N-CA-C	5.33	119.50	112.89
3	B	187	ALA	N-CA-C	-5.20	106.89	113.18
2	A	94	ALA	N-CA-C	-5.11	103.30	110.50
2	A	62	THR	N-CA-C	-5.09	103.97	110.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	273	0	150	23	0
1	G	273	0	150	23	0
1	H	273	0	150	5	0
2	A	3684	0	3680	57	0
3	B	1740	0	1726	44	0
4	A	220	0	0	5	0
4	B	47	0	0	6	0
4	D	28	0	0	9	0
4	G	4	0	0	0	0
4	H	4	0	0	0	0
All	All	6546	0	5856	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:190:VAL:HG22	4:B:226:HOH:O	1.29	1.22
3:B:190:VAL:HA	4:B:226:HOH:O	1.29	1.21
2:A:430:ARG:HB2	4:A:527:HOH:O	1.01	1.19
3:B:190:VAL:CG2	4:B:226:HOH:O	1.78	1.18
1:D:9:DG:H2''	1:D:10:DG:H5''	1.44	1.00
3:B:80:ILE:HD12	3:B:218:ILE:HD11	1.46	0.97
3:B:190:VAL:CB	4:B:226:HOH:O	1.91	0.92
1:D:8:DT:H73	2:A:72:TYR:OH	1.71	0.91
2:A:430:ARG:CB	4:A:527:HOH:O	1.73	0.89
1:G:11:DG:H2''	1:G:12:DG:H5'	1.56	0.87
3:B:10:GLN:HE21	3:B:12:SER:H	1.20	0.86
1:D:9:DG:H2''	1:D:10:DG:C5'	2.06	0.86
1:G:5:DT:H2''	1:G:6:DT:H5''	1.60	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:4:DG:H1'	1:G:5:DT:H5''	1.63	0.80
1:G:5:DT:H2''	1:G:6:DT:C5'	2.14	0.78
3:B:28:PHE:O	3:B:31:VAL:HG12	1.83	0.78
3:B:132:THR:HG22	3:B:133:ARG:O	1.84	0.77
1:D:8:DT:C7	4:D:59:HOH:O	2.34	0.76
1:G:4:DG:H2''	1:G:5:DT:H5'	1.67	0.75
3:B:40:LYS:HD3	3:B:128:ARG:NH2	2.03	0.73
2:A:487:LEU:HD21	3:B:175:VAL:HG21	1.70	0.73
2:A:403:ALA:HB2	4:A:670:HOH:O	1.88	0.72
1:G:5:DT:C2'	1:G:6:DT:H5''	2.20	0.70
3:B:129:LEU:O	3:B:130:ASN:HB2	1.93	0.69
3:B:125:LEU:HD12	3:B:125:LEU:H	1.56	0.68
1:G:4:DG:H2''	1:G:5:DT:C5'	2.23	0.68
1:D:8:DT:H73	4:D:59:HOH:O	1.93	0.68
1:D:8:DT:H71	4:D:175:HOH:O	1.94	0.68
3:B:223:LYS:O	3:B:224:GLY:OXT	2.13	0.67
3:B:48:PRO:O	3:B:215:ILE:HG21	1.96	0.66
1:G:11:DG:H1'	1:G:12:DG:H5''	1.78	0.64
1:H:1:DG:H1'	1:H:2:DG:H5'	1.79	0.64
2:A:324:LEU:HD23	4:A:621:HOH:O	1.98	0.63
3:B:190:VAL:CA	4:B:226:HOH:O	1.79	0.62
1:D:1:DG:H4'	1:D:2:DG:OP1	2.00	0.61
2:A:124:ARG:HH11	2:A:124:ARG:HG3	1.69	0.57
1:G:5:DT:O4	1:H:13:DT:O2	2.22	0.57
3:B:17:LEU:HD11	3:B:35:LEU:HB3	1.87	0.57
2:A:404:SER:OG	2:A:406:LYS:HD2	2.04	0.56
3:B:129:LEU:O	3:B:130:ASN:CB	2.54	0.56
1:D:11:DG:H4'	4:D:281:HOH:O	2.05	0.56
3:B:57:PHE:CD2	3:B:136:VAL:HG23	2.41	0.56
2:A:124:ARG:HG3	2:A:124:ARG:NH1	2.21	0.55
2:A:391:ASP:CG	2:A:394:THR:HG22	2.32	0.55
3:B:195:SER:HB3	4:B:260:HOH:O	2.06	0.55
1:G:5:DT:C4	1:H:13:DT:O2	2.60	0.54
3:B:125:LEU:HD12	3:B:125:LEU:N	2.22	0.54
3:B:215:ILE:O	3:B:218:ILE:HG22	2.08	0.54
1:G:4:DG:C1'	1:G:5:DT:H5''	2.37	0.53
1:D:2:DG:H3'	1:D:3:DG:H5''	1.89	0.53
3:B:40:LYS:HD3	3:B:128:ARG:HH21	1.73	0.53
2:A:61:ALA:HB2	2:A:76:LEU:HB3	1.90	0.53
2:A:226:VAL:HG13	2:A:273:ILE:HB	1.89	0.53
1:D:2:DG:H3'	1:D:3:DG:C5'	2.38	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:7:DT:O2	1:D:9:DG:N2	2.42	0.53
2:A:85:LEU:C	2:A:86:LYS:O	2.44	0.53
1:G:5:DT:H1'	1:G:6:DT:H5''	1.90	0.52
1:G:11:DG:C2'	1:G:12:DG:H5'	2.36	0.52
3:B:44:LYS:HE3	3:B:45:GLU:OE2	2.11	0.51
2:A:423:GLN:HG3	4:A:691:HOH:O	2.09	0.51
2:A:432:LEU:HB2	2:A:487:LEU:HD23	1.93	0.50
2:A:106:ARG:CZ	2:A:108:GLU:OE2	2.60	0.50
2:A:391:ASP:HB3	2:A:394:THR:HG22	1.94	0.49
3:B:125:LEU:O	3:B:127:GLU:N	2.45	0.49
3:B:80:ILE:CD1	3:B:218:ILE:HD11	2.31	0.49
1:G:5:DT:C1'	1:G:6:DT:H5''	2.43	0.48
3:B:126:GLN:O	3:B:127:GLU:C	2.56	0.48
1:D:11:DG:H2'	1:D:11:DG:N3	2.28	0.48
1:G:11:DG:H1'	1:G:12:DG:C5'	2.44	0.48
2:A:48:SER:C	2:A:50:GLN:H	2.20	0.48
1:D:13:DT:O3'	2:A:65:TYR:HA	2.12	0.48
2:A:404:SER:HB3	2:A:406:LYS:H	1.78	0.48
3:B:132:THR:CG2	3:B:133:ARG:N	2.76	0.48
2:A:458:ARG:O	2:A:462:GLU:HG3	2.14	0.48
1:G:4:DG:C2'	1:G:5:DT:C5'	2.91	0.48
4:D:193:HOH:O	2:A:67:THR:HG22	2.14	0.47
2:A:330:LEU:HD22	3:B:146:THR:HG22	1.96	0.47
1:D:1:DG:O4'	2:A:71:ARG:NH2	2.48	0.47
3:B:55:GLY:O	3:B:132:THR:HG23	2.15	0.47
3:B:87:VAL:CG1	3:B:124:ASN:HB2	2.45	0.47
2:A:390:TYR:O	2:A:407:GLY:HA3	2.14	0.47
1:H:11:DG:H2''	1:H:12:DG:O5'	2.15	0.47
2:A:281:THR:HB	3:B:10:GLN:HE22	1.80	0.47
2:A:272:ARG:HG3	2:A:272:ARG:HH11	1.80	0.46
2:A:54:PHE:C	2:A:54:PHE:CD1	2.93	0.46
3:B:58:PHE:C	3:B:58:PHE:CD1	2.93	0.46
2:A:66:LYS:HE2	2:A:68:ASN:O	2.15	0.46
3:B:212:THR:HG22	3:B:213:LEU:N	2.30	0.46
1:D:8:DT:O4	4:D:59:HOH:O	2.20	0.46
2:A:494:ILE:HG13	2:A:495:TYR:CD1	2.51	0.46
2:A:429:TYR:N	2:A:429:TYR:CD1	2.85	0.45
3:B:81:VAL:HG12	3:B:81:VAL:O	2.16	0.45
2:A:155:SER:H	2:A:158:GLN:NE2	2.14	0.45
3:B:212:THR:CG2	3:B:213:LEU:N	2.79	0.45
1:D:13:DT:N3	4:D:244:HOH:O	2.36	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:10:DG:H1'	4:D:118:HOH:O	2.17	0.45
2:A:86:LYS:N	2:A:96:ASP:HB2	2.32	0.44
1:G:4:DG:C2'	1:G:5:DT:H5''	2.47	0.44
2:A:80:ASP:C	2:A:80:ASP:OD1	2.59	0.44
2:A:87:GLN:O	2:A:93:ASP:HB2	2.17	0.44
1:D:8:DT:C7	2:A:72:TYR:OH	2.56	0.43
2:A:106:ARG:NH1	2:A:108:GLU:OE2	2.51	0.43
2:A:405:GLY:C	2:A:407:GLY:H	2.25	0.43
2:A:76:LEU:HD23	2:A:76:LEU:N	2.34	0.43
3:B:71:PHE:HE1	3:B:123:PRO:HG3	1.84	0.43
3:B:126:GLN:HE21	3:B:128:ARG:HD3	1.84	0.43
1:G:3:DG:H2'	1:G:3:DG:N3	2.33	0.43
1:G:5:DT:H2''	1:G:6:DT:H5'	1.96	0.43
3:B:185:VAL:C	3:B:187:ALA:H	2.27	0.43
2:A:285:LYS:HB3	2:A:331:ASN:HD21	1.83	0.43
2:A:414:GLN:OE1	3:B:170:VAL:HG23	2.18	0.43
2:A:373:PHE:CE1	2:A:417:VAL:HG11	2.54	0.42
2:A:401:LYS:C	2:A:403:ALA:H	2.27	0.42
3:B:47:TYR:CD1	3:B:48:PRO:HA	2.54	0.42
3:B:98:ARG:HG3	3:B:115:ARG:HD2	2.02	0.42
3:B:128:ARG:HD2	3:B:128:ARG:HA	1.88	0.42
2:A:186:ILE:O	2:A:190:GLN:HG2	2.20	0.42
2:A:405:GLY:C	2:A:407:GLY:N	2.77	0.42
1:G:12:DG:H1'	1:G:13:DT:H5'	2.02	0.42
2:A:155:SER:H	2:A:158:GLN:HE21	1.68	0.42
2:A:350:LEU:HD21	2:A:417:VAL:HG23	2.02	0.41
1:D:9:DG:N2	4:D:270:HOH:O	2.52	0.41
1:H:12:DG:H1'	1:H:13:DT:H5'	2.03	0.41
2:A:124:ARG:HH11	2:A:124:ARG:CG	2.33	0.41
2:A:214:LEU:HD23	2:A:214:LEU:HA	1.90	0.41
1:D:6:DT:H2''	1:D:7:DT:H5'	2.02	0.41
2:A:432:LEU:HB2	2:A:487:LEU:CD2	2.50	0.41
1:G:9:DG:H2''	1:G:10:DG:OP2	2.19	0.41
3:B:68:VAL:HG21	3:B:213:LEU:HD11	2.02	0.41
1:G:11:DG:H5'	1:G:11:DG:N3	2.36	0.41
2:A:127:LEU:HD11	2:A:134:ARG:HB3	2.01	0.41
1:G:9:DG:H2'	1:G:9:DG:N3	2.36	0.41
1:D:7:DT:H6	1:D:7:DT:H2'	1.72	0.41
2:A:124:ARG:NH1	2:A:143:SER:O	2.54	0.41
2:A:360:ASP:O	2:A:364:GLN:HG3	2.21	0.41
2:A:60:ASP:OD2	2:A:77:LYS:NZ	2.49	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:73:ILE:HG22	2:A:74:CYS:N	2.35	0.40
1:D:4:DG:N3	1:D:4:DG:H2'	2.37	0.40
2:A:391:ASP:CB	2:A:394:THR:HG22	2.51	0.40
2:A:79:VAL:CG1	2:A:80:ASP:N	2.85	0.40
3:B:132:THR:HG22	3:B:133:ARG:N	2.36	0.40
1:D:9:DG:H2''	1:D:10:DG:O5'	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	454/461 (98%)	429 (94%)	20 (4%)	5 (1%)	11	22
3	B	215/217 (99%)	193 (90%)	19 (9%)	3 (1%)	9	17
All	All	669/678 (99%)	622 (93%)	39 (6%)	8 (1%)	10	20

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	93	ASP
2	A	404	SER
3	B	126	GLN
3	B	130	ASN
2	A	403	ALA
3	B	210	THR
2	A	405	GLY
2	A	49	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	407/409 (100%)	396 (97%)	11 (3%)	39	67
3	B	190/190 (100%)	181 (95%)	9 (5%)	23	47
All	All	597/599 (100%)	577 (97%)	20 (3%)	32	60

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	76	LEU
2	A	129	LEU
2	A	226	VAL
2	A	231	LEU
2	A	239	TYR
2	A	240	THR
2	A	243	LEU
2	A	309	LEU
2	A	353	LEU
2	A	467	LEU
2	A	493	LEU
3	B	9	GLN
3	B	17	LEU
3	B	41	CYS
3	B	53	THR
3	B	66	GLU
3	B	70	GLU
3	B	92	ASN
3	B	125	LEU
3	B	215	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	158	GLN
2	A	301	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	327	ASN
2	A	331	ASN
2	A	351	GLN
2	A	372	GLN
2	A	427	ASN
3	B	10	GLN
3	B	16	GLN
3	B	49	HIS
3	B	126	GLN
3	B	149	GLN
3	B	221	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	D	13/13 (100%)	0.15	1 (7%) 19 17	18, 32, 63, 76	0
1	G	13/13 (100%)	0.54	1 (7%) 19 17	27, 36, 50, 62	0
1	H	13/13 (100%)	0.86	2 (15%) 5 4	32, 37, 51, 72	0
2	A	456/461 (98%)	0.08	26 (5%) 29 26	12, 24, 51, 76	0
3	B	217/217 (100%)	0.96	36 (16%) 4 3	16, 45, 66, 77	0
All	All	712/717 (99%)	0.37	66 (9%) 14 12	12, 30, 62, 77	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	A	94	ALA	5.7
3	B	127	GLU	5.5
2	A	404	SER	5.1
3	B	129	LEU	5.1
2	A	406	LYS	4.9
3	B	78	VAL	4.8
3	B	130	ASN	4.6
1	H	13	DT	4.5
2	A	403	ALA	4.4
3	B	218	ILE	4.3
2	A	405	GLY	4.3
3	B	215	ILE	4.1
2	A	93	ASP	4.0
3	B	8	PRO	4.0
3	B	131	PRO	3.9
2	A	87	GLN	3.9
3	B	125	LEU	3.8
3	B	126	GLN	3.8
2	A	402	GLY	3.8
3	B	87	VAL	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	A	401	LYS	3.6
3	B	223	LYS	3.6
3	B	195	SER	3.5
3	B	224	GLY	3.5
3	B	79	ASN	3.4
2	A	95	SER	3.1
3	B	196	LYS	3.0
2	A	71	ARG	2.9
3	B	220	VAL	2.9
2	A	86	LYS	2.9
3	B	132	THR	2.8
2	A	69	GLN	2.8
3	B	198	ASP	2.8
3	B	77	ASN	2.7
2	A	49	ALA	2.7
2	A	315	ASP	2.6
3	B	216	ALA	2.6
3	B	128	ARG	2.6
2	A	70	GLU	2.5
3	B	72	HIS	2.5
3	B	33	SER	2.4
3	B	75	PHE	2.4
2	A	366	GLN	2.4
2	A	68	ASN	2.4
3	B	25	GLU	2.4
2	A	169	THR	2.3
3	B	47	TYR	2.3
2	A	331	ASN	2.3
3	B	209	ASN	2.3
2	A	423	GLN	2.3
2	A	447	LYS	2.3
3	B	99	ARG	2.3
2	A	181	ILE	2.3
3	B	213	LEU	2.3
3	B	219	PHE	2.3
3	B	80	ILE	2.2
3	B	71	PHE	2.2
2	A	344	ALA	2.2
1	D	8	DT	2.2
2	A	394	THR	2.2
3	B	84	THR	2.2
1	H	10	DG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	A	168	ASP	2.2
3	B	65	LYS	2.1
1	G	13	DT	2.1
3	B	9	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.