



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 12:17 PM UTC

PDB ID : 1PH6 / pdb_00001ph6
Title : Crystal Structure of THE OXYTRICHA NOVA TELOMERE END-BINDING PROTEIN COMPLEXED WITH NONCOGNATE SSDNA GGGGTTTTGTGG
Authors : Theobald, D.L.; Schultz, S.C.
Deposited on : 2003-05-29
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	G	13	8% 38% 54% 8%
1	H	13	77% 15% 8%
2	D	11	9% 55% 45%
3	A	461	10% 79% 17% ...
4	B	217	34% 74% 23% .

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6448 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(*GP*GP*GP*GP*TP*TP*TP*TP*GP*GP*GP*GP*T)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	G	12	Total	C	N	O	P	0	0	0
			253	120	48	74	11			
1	H	12	Total	C	N	O	P	0	0	0
			253	120	48	74	11			

- Molecule 2 is a DNA chain called 5'-D(*GP*GP*GP*GP*TP*TP*TP*TP*GP*TP*GP*G)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	11	Total	C	N	O	P	0	0	0
			229	110	40	69	10			

- Molecule 3 is a protein called Telomere-binding protein alpha subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	452	Total	C	N	O	S	0	0	0
			3665	2333	628	702	2			

- Molecule 4 is a protein called Telomere-binding protein beta subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	B	217	Total	C	N	O	S	0	0	0
			1740	1117	295	327	1			

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	5	Total	Na	0	0
			5	5		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	G	5	Total 5	O 5	0	0
6	D	18	Total 18	O 18	0	0
6	H	5	Total 5	O 5	0	0
6	A	230	Total 230	O 230	0	0
6	B	45	Total 45	O 45	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'-D(*GP*GP*GP*GP*TP*TP*TP*TP*GP*GP*GP*GP*T)-3'





- Molecule 1: 5'-D(*GP*GP*GP*GP*TP*TP*TP*TP*GP*GP*GP*GP*T)-3'



- Molecule 2: 5'-D(*GP*GP*GP*GP*TP*TP*TP*TP*GP*TP*GP*G)-3'




- Molecule 3: Telomere-binding protein alpha subunit





● Molecule 4: Telomere-binding protein beta subunit



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	93.47Å 93.47Å 423.94Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.90 – 2.10 29.90 – 2.10	Depositor EDS
% Data completeness (in resolution range)	92.5 (29.90-2.10) 92.5 (29.90-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.56 (at 2.00Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.242 , 0.276 0.242 , 0.277	Depositor DCC
R_{free} test set	6779 reflections (9.88%)	wwPDB-VP
Wilson B-factor (Å ²)	27.6	Xtriage
Anisotropy	0.302	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 34.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6448	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	G	0.34	0/284	0.79	0/440
1	H	0.31	0/284	0.66	0/440
2	D	0.41	0/256	0.85	0/396
3	A	0.64	2/3736 (0.1%)	1.00	13/5050 (0.3%)
4	B	0.43	0/1779	0.80	0/2402
All	All	0.56	2/6339 (0.0%)	0.92	13/8728 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	400	LEU	CA-C	-5.28	1.45	1.52
3	A	406	LYS	CA-C	5.17	1.59	1.52

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	86	LYS	N-CA-C	-14.50	92.58	110.41
3	A	401	LYS	N-CA-C	-13.32	97.53	112.72
3	A	407	GLY	N-CA-C	10.06	124.66	110.38
3	A	409	ASN	N-CA-C	8.58	122.75	109.96
3	A	406	LYS	N-CA-C	7.19	126.11	110.80
3	A	87	GLN	CA-C-N	5.92	132.86	121.54
3	A	87	GLN	C-N-CA	5.92	132.86	121.54
3	A	63	PHE	N-CA-C	-5.71	101.91	110.24
3	A	62	THR	N-CA-C	-5.49	103.44	110.53
3	A	240	THR	N-CA-C	5.31	118.09	109.06
3	A	336	THR	N-CA-C	5.24	118.12	109.85
3	A	401	LYS	CB-CA-C	5.21	119.54	110.94
3	A	76	LEU	N-CA-C	5.13	116.98	109.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	253	0	138	7	0
1	H	253	0	138	1	0
2	D	229	0	128	8	0
3	A	3665	0	3664	64	0
4	B	1740	0	1726	50	0
5	A	5	0	0	0	0
6	A	230	0	0	1	0
6	B	45	0	0	1	0
6	D	18	0	0	0	0
6	G	5	0	0	0	0
6	H	5	0	0	0	0
All	All	6448	0	5794	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:80:ILE:HD12	4:B:218:ILE:HD11	1.52	0.91
4:B:10:GLN:HE21	4:B:12:SER:H	1.19	0.91
1:G:11:DG:H2''	1:G:12:DG:H5'	1.53	0.89
2:D:6:DT:H2''	2:D:7:DT:H5''	1.57	0.85
2:D:6:DT:H2''	2:D:7:DT:C5'	2.17	0.75
2:D:8:DT:H2''	2:D:9:DG:H5'	1.68	0.74
3:A:226:VAL:HG13	3:A:273:ILE:HB	1.71	0.73
4:B:125:LEU:HD12	4:B:125:LEU:H	1.52	0.73
4:B:40:LYS:HD3	4:B:128:ARG:NH2	2.03	0.71
4:B:40:LYS:HD3	4:B:128:ARG:HH21	1.56	0.70
3:A:400:LEU:HD13	3:A:450:ASN:HA	1.74	0.69
3:A:399:SER:C	3:A:401:LYS:H	2.00	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:62:TYR:HB3	4:B:212:THR:HG21	1.77	0.66
4:B:10:GLN:HE21	4:B:12:SER:N	1.94	0.66
4:B:132:THR:HG22	4:B:133:ARG:O	1.95	0.66
3:A:389:GLY:HA3	3:A:407:GLY:HA3	1.76	0.65
4:B:48:PRO:O	4:B:215:ILE:HG21	1.97	0.65
3:A:345:LEU:HD12	3:A:346:PRO:HD2	1.78	0.65
3:A:285:LYS:HB3	3:A:331:ASN:HD21	1.61	0.65
3:A:71:ARG:HH21	3:A:103:TYR:HE2	1.45	0.64
3:A:399:SER:O	3:A:401:LYS:N	2.29	0.64
2:D:12:DG:H2'	2:D:12:DG:N3	2.12	0.64
3:A:46:LEU:HD23	3:A:127:LEU:HG	1.81	0.63
3:A:155:SER:H	3:A:158:GLN:NE2	1.97	0.61
4:B:28:PHE:O	4:B:31:VAL:HG12	2.00	0.61
1:G:6:DT:H2''	1:G:8:DT:O4	2.03	0.59
3:A:423:GLN:HG3	6:A:707:HOH:O	2.03	0.59
3:A:76:LEU:HD23	3:A:76:LEU:N	2.18	0.58
3:A:401:LYS:O	3:A:406:LYS:HB2	2.03	0.58
4:B:215:ILE:O	4:B:218:ILE:HG22	2.04	0.57
4:B:126:GLN:HE21	4:B:128:ARG:HD3	1.68	0.57
4:B:195:SER:HB3	6:B:256:HOH:O	2.03	0.57
3:A:71:ARG:NE	3:A:73:ILE:HD11	2.21	0.56
3:A:67:THR:HG21	3:A:73:ILE:HD12	1.88	0.56
4:B:10:GLN:NE2	4:B:12:SER:H	1.98	0.55
3:A:400:LEU:C	3:A:406:LYS:H	2.14	0.55
3:A:339:ASP:OD1	3:A:341:LYS:HG2	2.07	0.55
3:A:281:THR:HB	4:B:10:GLN:HE22	1.72	0.54
3:A:387:VAL:HG12	3:A:400:LEU:HD12	1.89	0.54
2:D:6:DT:C2'	2:D:7:DT:H5''	2.32	0.54
3:A:86:LYS:N	3:A:96:ASP:HB2	2.22	0.54
4:B:81:VAL:HG23	4:B:222:GLU:OE1	2.08	0.54
4:B:80:ILE:CD1	4:B:218:ILE:HD11	2.33	0.53
3:A:285:LYS:CB	3:A:331:ASN:HD21	2.22	0.53
3:A:336:THR:HG22	3:A:493:LEU:HD12	1.91	0.53
3:A:391:ASP:CG	3:A:394:THR:HG22	2.35	0.52
1:H:4:DG:H1'	1:H:5:DT:H5'	1.90	0.52
3:A:400:LEU:HD11	3:A:409:ASN:OD1	2.08	0.52
4:B:92:ASN:C	4:B:92:ASN:HD22	2.18	0.52
1:G:6:DT:H2''	1:G:8:DT:C4	2.45	0.51
3:A:479:VAL:HG12	3:A:488:ILE:HD13	1.93	0.51
4:B:57:PHE:CD2	4:B:136:VAL:HG23	2.46	0.51
4:B:44:LYS:HG2	4:B:45:GLU:HG3	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:155:SER:H	3:A:158:GLN:HE21	1.59	0.50
3:A:306:ALA:O	3:A:310:ARG:HB2	2.12	0.50
4:B:129:LEU:O	4:B:130:ASN:CB	2.61	0.49
4:B:125:LEU:HD12	4:B:125:LEU:N	2.26	0.49
3:A:61:ALA:HB2	3:A:76:LEU:HB3	1.95	0.48
3:A:85:LEU:C	3:A:86:LYS:O	2.49	0.47
3:A:379:GLU:HA	3:A:380:PRO:C	2.39	0.47
4:B:47:TYR:CD1	4:B:48:PRO:HA	2.49	0.47
3:A:414:GLN:OE1	4:B:170:VAL:HG23	2.15	0.47
4:B:81:VAL:HG12	4:B:81:VAL:O	2.15	0.47
4:B:44:LYS:HE3	4:B:45:GLU:OE2	2.14	0.47
3:A:458:ARG:O	3:A:462:GLU:HG3	2.15	0.46
3:A:149:PHE:CZ	3:A:171:PRO:HG3	2.51	0.46
4:B:87:VAL:CG1	4:B:128:ARG:HG3	2.45	0.46
4:B:87:VAL:CG1	4:B:124:ASN:HB2	2.45	0.46
3:A:85:LEU:HG	3:A:86:LYS:O	2.15	0.46
3:A:391:ASP:HB3	3:A:394:THR:HG22	1.98	0.46
3:A:48:SER:C	3:A:50:GLN:H	2.23	0.45
1:G:9:DG:H2'	1:G:9:DG:N3	2.30	0.45
3:A:432:LEU:HB2	3:A:487:LEU:HD23	1.98	0.45
3:A:200:PHE:CZ	3:A:205:VAL:HG11	2.51	0.45
3:A:450:ASN:OD1	3:A:452:HIS:HB2	2.16	0.45
3:A:79:VAL:HG13	3:A:84:TYR:HB3	1.98	0.45
3:A:215:ASN:HA	3:A:251:GLN:HG3	1.99	0.45
4:B:90:ILE:HG23	4:B:118:VAL:HG13	1.98	0.45
4:B:62:TYR:HB3	4:B:212:THR:CG2	2.45	0.45
3:A:400:LEU:HD23	3:A:400:LEU:HA	1.64	0.44
3:A:351:GLN:O	3:A:355:HIS:HB2	2.16	0.44
3:A:61:ALA:CB	3:A:76:LEU:HB3	2.48	0.44
3:A:400:LEU:CD1	3:A:450:ASN:HA	2.44	0.44
2:D:6:DT:O2	2:D:8:DT:H73	2.18	0.44
2:D:8:DT:H2''	2:D:9:DG:C5'	2.44	0.44
4:B:42:TYR:CE1	4:B:85:ASP:HA	2.53	0.44
3:A:71:ARG:HE	3:A:73:ILE:HD11	1.81	0.44
3:A:422:THR:HB	3:A:425:ASN:HD21	1.83	0.43
3:A:79:VAL:CG1	3:A:80:ASP:N	2.81	0.43
1:G:4:DG:OP1	3:A:105:LYS:NZ	2.50	0.43
4:B:129:LEU:O	4:B:130:ASN:HB2	2.18	0.43
4:B:41:CYS:HB2	4:B:53:THR:O	2.18	0.43
4:B:122:LYS:HA	4:B:123:PRO:HD3	1.82	0.43
3:A:85:LEU:HA	3:A:96:ASP:H	1.84	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:4:DG:H1'	1:G:5:DT:H5'	2.00	0.43
3:A:230:ILE:HD13	3:A:245:LEU:CD2	2.49	0.43
4:B:55:GLY:O	4:B:132:THR:HG23	2.18	0.43
4:B:98:ARG:HG3	4:B:115:ARG:HD2	2.01	0.42
3:A:418:LYS:HD3	4:B:156:LEU:HD21	2.00	0.42
1:G:11:DG:C2'	1:G:12:DG:H5'	2.34	0.42
3:A:387:VAL:HG12	3:A:400:LEU:CD1	2.49	0.42
3:A:434:TYR:HB3	3:A:436:GLN:OE1	2.20	0.42
4:B:132:THR:HG22	4:B:133:ARG:N	2.35	0.42
3:A:121:ARG:O	3:A:146:TRP:HA	2.20	0.42
4:B:17:LEU:HD11	4:B:35:LEU:HB3	2.01	0.42
4:B:206:LYS:O	4:B:206:LYS:HG3	2.18	0.42
4:B:216:ALA:O	4:B:220:VAL:HG23	2.19	0.42
4:B:87:VAL:HG11	4:B:128:ARG:HG3	2.02	0.41
4:B:212:THR:HG22	4:B:213:LEU:N	2.34	0.41
4:B:55:GLY:HA2	4:B:132:THR:HG21	2.03	0.41
4:B:58:PHE:CD1	4:B:58:PHE:C	2.98	0.41
4:B:132:THR:CG2	4:B:133:ARG:N	2.84	0.41
3:A:348:THR:CG2	3:A:353:LEU:HD13	2.51	0.41
4:B:209:ASN:CG	4:B:210:THR:H	2.28	0.41
3:A:285:LYS:HD3	3:A:331:ASN:ND2	2.35	0.41
4:B:126:GLN:O	4:B:127:GLU:C	2.63	0.41
2:D:6:DT:H2''	2:D:7:DT:H5'	1.99	0.41
3:A:366:GLN:HB3	3:A:369:PHE:CZ	2.56	0.41
3:A:400:LEU:HD13	3:A:450:ASN:CA	2.45	0.41
4:B:214:LYS:HB2	4:B:217:ASP:OD2	2.20	0.41
3:A:320:GLU:O	3:A:324:LEU:HG	2.21	0.40
3:A:444:PHE:O	3:A:445:ASN:HB2	2.21	0.40
4:B:86:LYS:NZ	4:B:125:LEU:HD23	2.36	0.40
3:A:73:ILE:HG22	3:A:74:CYS:N	2.36	0.40
3:A:149:PHE:CE2	3:A:171:PRO:HG3	2.56	0.40
3:A:399:SER:C	3:A:401:LYS:N	2.67	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	450/461 (98%)	429 (95%)	16 (4%)	5 (1%)	11	8
4	B	215/217 (99%)	194 (90%)	18 (8%)	3 (1%)	9	5
All	All	665/678 (98%)	623 (94%)	34 (5%)	8 (1%)	10	7

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	93	ASP
3	A	406	LYS
4	B	130	ASN
4	B	126	GLN
4	B	210	THR
3	A	400	LEU
3	A	49	ALA
3	A	68	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	406/409 (99%)	399 (98%)	7 (2%)	53	62
4	B	190/190 (100%)	186 (98%)	4 (2%)	47	54
All	All	596/599 (100%)	585 (98%)	11 (2%)	51	60

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	76	LEU
3	A	226	VAL
3	A	239	TYR
3	A	309	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	353	LEU
3	A	467	LEU
3	A	493	LEU
4	B	17	LEU
4	B	66	GLU
4	B	125	LEU
4	B	215	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	158	GLN
3	A	163	GLN
3	A	198	GLN
3	A	251	GLN
3	A	301	GLN
3	A	327	ASN
3	A	331	ASN
3	A	442	ASN
4	B	10	GLN
4	B	77	ASN
4	B	92	ASN
4	B	124	ASN
4	B	126	GLN
4	B	149	GLN
4	B	157	GLN
4	B	221	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 5 ligands modelled in this entry, 5 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	G	12/13 (92%)	0.87	1 (8%) 17 18	32, 42, 50, 53	0
1	H	12/13 (92%)	0.89	0 100 100	40, 45, 52, 56	0
2	D	11/11 (100%)	0.13	1 (9%) 15 15	22, 31, 47, 51	0
3	A	452/461 (98%)	0.40	45 (9%) 12 13	16, 27, 54, 69	0
4	B	217/217 (100%)	1.62	74 (34%) 1 1	20, 46, 74, 89	0
All	All	704/715 (98%)	0.79	121 (17%) 4 4	16, 32, 67, 89	0

All (121) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	A	400	LEU	7.4
3	A	406	LYS	7.1
4	B	218	ILE	6.7
3	A	407	GLY	6.7
3	A	401	LYS	6.5
4	B	129	LEU	6.2
4	B	125	LEU	6.2
4	B	78	VAL	6.0
4	B	8	PRO	5.9
3	A	94	ALA	5.8
4	B	195	SER	5.6
4	B	215	ILE	5.5
4	B	130	ASN	5.0
4	B	127	GLU	5.0
4	B	178	ALA	5.0
3	A	87	GLN	4.8
4	B	219	PHE	4.8
3	A	181	ILE	4.7
4	B	79	ASN	4.5
4	B	223	LYS	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	B	71	PHE	4.2
4	B	131	PRO	4.2
4	B	87	VAL	4.2
4	B	128	ARG	4.2
3	A	93	ASP	4.1
4	B	179	ALA	3.9
3	A	95	SER	3.9
3	A	86	LYS	3.9
4	B	84	THR	3.9
4	B	126	GLN	3.9
4	B	213	LEU	3.8
4	B	9	GLN	3.8
3	A	48	SER	3.7
3	A	166	VAL	3.6
4	B	194	ALA	3.6
3	A	71	ARG	3.6
4	B	212	THR	3.6
4	B	220	VAL	3.6
4	B	72	HIS	3.6
4	B	80	ILE	3.5
4	B	31	VAL	3.5
4	B	196	LYS	3.5
4	B	73	ALA	3.5
3	A	68	ASN	3.5
4	B	216	ALA	3.4
4	B	99	ARG	3.3
4	B	83	LEU	3.3
4	B	75	PHE	3.3
4	B	132	THR	3.3
4	B	70	GLU	3.3
4	B	209	ASN	3.2
3	A	70	GLU	3.2
3	A	315	ASP	3.2
4	B	177	ASP	3.2
3	A	324	LEU	3.1
3	A	362	GLU	3.1
3	A	344	ALA	3.1
4	B	198	ASP	3.1
4	B	123	PRO	3.0
3	A	283	THR	3.0
4	B	118	VAL	3.0
3	A	36	TYR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	B	77	ASN	2.9
4	B	81	VAL	2.9
4	B	197	GLY	2.9
4	B	210	THR	2.9
3	A	35	LYS	2.9
4	B	41	CYS	2.8
4	B	68	VAL	2.8
4	B	90	ILE	2.8
4	B	91	ASN	2.8
4	B	47	TYR	2.8
4	B	89	VAL	2.8
3	A	49	ALA	2.7
4	B	97	LEU	2.7
3	A	394	THR	2.7
4	B	65	LYS	2.7
4	B	48	PRO	2.6
3	A	50	GLN	2.6
4	B	224	GLY	2.6
4	B	25	GLU	2.6
4	B	67	ALA	2.6
3	A	367	ASP	2.6
4	B	122	LYS	2.5
3	A	408	ASP	2.5
4	B	76	PRO	2.5
4	B	214	LYS	2.5
4	B	211	ALA	2.5
3	A	168	ASP	2.4
3	A	153	LYS	2.4
3	A	361	LYS	2.4
3	A	46	LEU	2.4
3	A	437	ASP	2.4
3	A	124	ARG	2.3
3	A	165	ALA	2.3
3	A	366	GLN	2.3
1	G	11	DG	2.3
4	B	120	SER	2.3
3	A	314	GLN	2.3
2	D	8	DT	2.3
4	B	85	ASP	2.2
3	A	343	ALA	2.2
3	A	326	LYS	2.2
4	B	88	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	B	66	GLU	2.2
4	B	121	PHE	2.2
3	A	69	GLN	2.2
4	B	124	ASN	2.2
3	A	169	THR	2.2
4	B	96	GLU	2.1
4	B	205	PHE	2.1
4	B	33	SER	2.1
4	B	221	GLN	2.1
4	B	206	LYS	2.1
3	A	365	ALA	2.1
3	A	331	ASN	2.0
3	A	316	ASP	2.0
4	B	11	GLN	2.0
3	A	447	LYS	2.0
3	A	37	GLU	2.0
4	B	86	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NA	A	498	1/1	-0.24	0.36	94,94,94,94	0
5	NA	A	497	1/1	0.13	0.20	101,101,101,101	0
5	NA	A	499	1/1	0.45	0.24	85,85,85,85	0
5	NA	A	500	1/1	0.49	0.20	85,85,85,85	0
5	NA	A	496	1/1	0.56	0.28	99,99,99,99	0

6.5 Other polymers [i](#)

There are no such residues in this entry.