



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 12:44 AM EDT

PDB ID : 1PHW / pdb_00001phw
Title : Crystal structure of KDO8P synthase in its binary complex with substrate analog 1-deoxy-A5P
Authors : Vainer, R.; Belakhov, V.; Rabkin, E.; Baasov, T.; Adir, N.
Deposited on : 2003-05-29
Resolution : 2.36 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.36 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	284	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	N	A	70	X	-	X	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 2129 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2-dehydro-3-deoxyphosphooctonate aldolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	272	2082	1329	353	387	13	0	0	0

- Molecule 2 is ANY 5'-MONOPHOSPHATE NUCLEOTIDE (CCD ID: N) (formula: $C_5H_{11}O_7P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
2	A	1	13	5	7	1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	34	Total 34 O 34	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 2-dehydro-3-deoxyphosphooctonate aldolase



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 3	Depositor
Cell constants a, b, c, α , β , γ	118.26Å 118.26Å 118.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.00 – 2.36 45.00 – 2.36	Depositor EDS
% Data completeness (in resolution range)	78.0 (45.00-2.36) 92.7 (45.00-2.36)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.77 (at 2.37Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.237 , 0.313 0.276 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	51.7	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 66.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.035 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2129	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/2119	1.02	8/2857 (0.3%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1219	ALA	N-CA-C	-9.75	102.00	113.21
1	A	1073	GLY	N-CA-C	-7.24	105.08	111.95
1	A	1015	ASN	N-CA-C	6.30	119.81	111.75
1	A	1163	VAL	N-CA-C	5.85	117.17	108.46
1	A	1188	LYS	N-CA-C	-5.24	105.26	110.97
1	A	1243	ASP	CA-C-N	5.20	124.65	119.24
1	A	1243	ASP	C-N-CA	5.20	124.65	119.24
1	A	1109	VAL	N-CA-C	5.15	117.19	109.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2082	0	2118	196	0
2	A	13	0	9	8	0
3	A	34	0	0	11	0
All	All	2129	0	2127	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 47.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1201:THR:HG23	1:A:1238:ILE:HG13	1.49	0.94
1:A:1060:LYS:HD3	1:A:1063:ARG:HD2	1.49	0.93
1:A:1202:HIS:HD2	1:A:1252:PRO:HB3	1.33	0.93
1:A:1062:ASN:HD22	1:A:1062:ASN:N	1.57	0.92
1:A:1083:GLU:HB2	3:A:21:HOH:O	1.71	0.91
1:A:1271:ASP:O	1:A:1275:LYS:HB2	1.69	0.91
1:A:1129:ALA:HB1	1:A:1158:GLY:HA3	1.52	0.90
1:A:1202:HIS:CD2	1:A:1252:PRO:HB3	2.09	0.87
1:A:1062:ASN:HD22	1:A:1062:ASN:H	0.89	0.87
1:A:1060:LYS:HB3	1:A:1063:ARG:HH11	1.41	0.85
1:A:1025:MET:HE3	1:A:1037:ILE:HG13	1.60	0.83
1:A:1062:ASN:H	1:A:1062:ASN:ND2	1.73	0.82
1:A:1040:HIS:O	1:A:1044:VAL:HG23	1.79	0.82
1:A:1062:ASN:ND2	1:A:1063:ARG:HH22	1.79	0.80
1:A:1055:LYS:HB2	1:A:1093:ILE:HG23	1.65	0.78
1:A:1014:ALA:HB3	1:A:1017:LEU:HD22	1.64	0.78
1:A:1078:MET:HA	1:A:1078:MET:HE2	1.71	0.73
1:A:1037:ILE:HD11	1:A:1242:PRO:HD3	1.69	0.73
1:A:1037:ILE:HD13	1:A:1257:LEU:HD11	1.69	0.72
1:A:1106:ALA:HB3	3:A:12:HOH:O	1.88	0.71
1:A:1138:LYS:NZ	2:A:70:N:H5''	2.06	0.71
1:A:1003:GLN:HB2	3:A:2:HOH:O	1.89	0.71
1:A:1281:ASP:OD1	1:A:1283:SER:HB3	1.91	0.70
1:A:1055:LYS:HB2	1:A:1093:ILE:CG2	2.21	0.70
1:A:1274:VAL:HA	1:A:1277:PHE:CD2	2.26	0.70
1:A:1015:ASN:HD22	1:A:1234:ALA:HB2	1.57	0.70
1:A:1015:ASN:HD21	1:A:1196:VAL:H	1.39	0.69
1:A:1132:GLY:O	1:A:1162:LYS:HD2	1.94	0.68
1:A:1168:ARG:HH11	1:A:1168:ARG:HB2	1.57	0.68
1:A:1218:ARG:C	1:A:1220:GLN:H	2.00	0.68
1:A:1062:ASN:N	1:A:1062:ASN:ND2	2.32	0.67
1:A:1060:LYS:HB3	1:A:1063:ARG:CG	2.24	0.67
1:A:1026:ASN:HD22	1:A:1252:PRO:HG2	1.58	0.67
1:A:1015:ASN:ND2	1:A:1234:ALA:HB2	2.09	0.67
1:A:1114:LEU:HD12	1:A:1115:PRO:HD2	1.77	0.66
1:A:1026:ASN:ND2	1:A:1252:PRO:HG2	2.11	0.66
1:A:1060:LYS:HB2	1:A:1070:ARG:O	1.96	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1080:ILE:HG22	1:A:1084:LEU:HD11	1.78	0.65
1:A:1130:LYS:O	1:A:1132:GLY:N	2.29	0.65
1:A:1116:ALA:N	2:A:70:N:OP3	2.29	0.65
1:A:1060:LYS:HE2	1:A:1063:ARG:NH1	2.12	0.65
1:A:1026:ASN:OD1	1:A:1027:VAL:HG23	1.96	0.65
1:A:1081:PHE:HA	1:A:1084:LEU:HD12	1.78	0.64
1:A:1229:MET:CE	1:A:1271:ASP:HB2	2.27	0.64
1:A:1255:LEU:HD12	1:A:1256:PRO:HD2	1.80	0.64
1:A:1060:LYS:CB	1:A:1063:ARG:HH11	2.09	0.64
1:A:1093:ILE:HA	1:A:1111:VAL:O	1.98	0.63
1:A:1112:ILE:HD11	1:A:1135:ILE:HD13	1.80	0.63
1:A:1035:MET:O	1:A:1039:GLU:HB2	1.99	0.63
1:A:1082:GLN:N	3:A:31:HOH:O	2.32	0.62
1:A:1140:PRO:HB2	1:A:1143:VAL:HG23	1.81	0.62
1:A:1201:THR:CG2	1:A:1238:ILE:HG13	2.25	0.62
1:A:1137:VAL:HG11	1:A:1151:ILE:HG21	1.80	0.61
1:A:1138:LYS:HD2	1:A:1166:CYS:HB3	1.81	0.61
1:A:1183:GLY:O	1:A:1187:MET:HG3	2.00	0.61
1:A:1014:ALA:HB1	3:A:2:HOH:O	1.99	0.61
1:A:1035:MET:HE1	1:A:1087:THR:HG21	1.82	0.60
1:A:1176:ASN:HD22	1:A:1177:LEU:H	1.50	0.59
1:A:1060:LYS:HE2	1:A:1060:LYS:HA	1.83	0.59
1:A:1008:ILE:HD13	1:A:1111:VAL:HG21	1.83	0.59
1:A:1081:PHE:HB2	3:A:31:HOH:O	2.03	0.59
1:A:1255:LEU:HD12	1:A:1256:PRO:CD	2.33	0.59
1:A:1086:GLN:HG3	1:A:1087:THR:N	2.19	0.58
1:A:1108:VAL:CG1	3:A:31:HOH:O	2.51	0.58
1:A:1118:LEU:O	1:A:1119:ALA:C	2.47	0.58
1:A:1027:VAL:HG21	1:A:1060:LYS:HD2	1.86	0.57
1:A:1019:PHE:HD1	1:A:1271:ASP:CG	2.12	0.57
1:A:1148:MET:HG3	1:A:1187:MET:HE3	1.86	0.57
1:A:1025:MET:CE	1:A:1037:ILE:HG13	2.31	0.57
1:A:1042:VAL:HG22	1:A:1090:VAL:HG11	1.87	0.57
1:A:1135:ILE:HG21	1:A:1155:PHE:CE2	2.40	0.57
1:A:1202:HIS:HD2	1:A:1252:PRO:CB	2.13	0.56
1:A:1078:MET:O	1:A:1082:GLN:HG2	2.05	0.56
1:A:1089:GLY:HA2	3:A:28:HOH:O	2.04	0.56
1:A:1114:LEU:HD12	1:A:1115:PRO:CD	2.35	0.56
1:A:1027:VAL:CG2	1:A:1060:LYS:HD2	2.36	0.55
1:A:1025:MET:HE1	1:A:1033:LEU:HG	1.89	0.55
1:A:1064:SER:O	1:A:1065:SER:O	2.25	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1042:VAL:O	1:A:1046:GLN:HB2	2.07	0.55
1:A:1055:LYS:HE2	1:A:1237:PHE:HZ	1.71	0.54
1:A:1086:GLN:HG3	1:A:1087:THR:H	1.71	0.54
1:A:1266:GLN:O	1:A:1270:ILE:HG12	2.07	0.54
1:A:1197:ILE:HG22	1:A:1235:GLY:CA	2.38	0.54
1:A:1202:HIS:CD2	1:A:1252:PRO:CB	2.89	0.54
1:A:1199:ASP:OD2	1:A:1202:HIS:ND1	2.40	0.54
1:A:1041:TYR:CD1	1:A:1260:LEU:HD11	2.43	0.53
1:A:1060:LYS:HB3	1:A:1063:ARG:HG2	1.90	0.53
1:A:1092:ILE:CG2	1:A:1109:VAL:HG12	2.38	0.53
1:A:1218:ARG:C	1:A:1220:GLN:N	2.67	0.53
1:A:1168:ARG:CZ	2:A:70:N:O3'	2.56	0.53
1:A:1120:ARG:O	1:A:1121:GLN:NE2	2.41	0.53
1:A:1192:GLY:O	1:A:1193:ASN:HB2	2.07	0.53
1:A:1105:VAL:HG12	1:A:1109:VAL:HG22	1.91	0.53
1:A:1164:ILE:HG13	1:A:1195:PRO:HB2	1.90	0.53
1:A:1062:ASN:ND2	1:A:1063:ARG:NH2	2.55	0.52
1:A:1128:MET:O	1:A:1131:THR:HG22	2.09	0.52
2:A:70:N:H3'	2:A:70:N:OP2	2.08	0.52
1:A:1079:LYS:O	1:A:1082:GLN:HB2	2.08	0.52
1:A:1144:SER:OG	1:A:1147:GLN:HG2	2.09	0.52
1:A:1124:LEU:O	1:A:1128:MET:HG3	2.09	0.52
1:A:1020:VAL:HG13	1:A:1051:PRO:HB2	1.92	0.52
1:A:1055:LYS:HD2	1:A:1056:ALA:N	2.23	0.52
1:A:1168:ARG:NH2	2:A:70:N:O3'	2.43	0.51
1:A:1116:ALA:HB1	1:A:1140:PRO:HA	1.92	0.51
1:A:1138:LYS:CE	2:A:70:N:H5''	2.40	0.51
1:A:1176:ASN:ND2	1:A:1177:LEU:H	2.09	0.51
1:A:1135:ILE:HG21	1:A:1155:PHE:CZ	2.46	0.51
1:A:1229:MET:HE2	1:A:1271:ASP:HB2	1.92	0.51
1:A:1103:GLN:HB2	3:A:30:HOH:O	2.11	0.50
1:A:1263:PHE:O	1:A:1266:GLN:HB2	2.11	0.50
1:A:1058:PHE:CD1	1:A:1059:ASP:HB2	2.47	0.50
1:A:1168:ARG:C	1:A:1168:ARG:HD3	2.37	0.50
1:A:1029:GLU:HB2	1:A:1033:LEU:HD23	1.93	0.50
1:A:1130:LYS:O	1:A:1131:THR:C	2.54	0.49
1:A:1058:PHE:CE1	1:A:1059:ASP:HB2	2.47	0.49
1:A:1038:CYS:O	1:A:1042:VAL:HG23	2.13	0.49
1:A:1138:LYS:HZ3	2:A:70:N:H5''	1.78	0.49
1:A:1053:VAL:O	1:A:1054:PHE:C	2.56	0.49
1:A:1163:VAL:C	1:A:1164:ILE:HD12	2.38	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1058:PHE:CD1	1:A:1058:PHE:C	2.91	0.48
1:A:1125:VAL:O	1:A:1129:ALA:N	2.46	0.48
1:A:1031:ARG:HD3	1:A:1032:ASP:N	2.29	0.48
1:A:1074:LEU:C	1:A:1074:LEU:HD13	2.38	0.48
1:A:1003:GLN:CD	1:A:1015:ASN:HB2	2.38	0.48
1:A:1118:LEU:O	1:A:1120:ARG:N	2.47	0.48
1:A:1093:ILE:C	1:A:1093:ILE:HD13	2.40	0.47
1:A:1138:LYS:HE2	2:A:70:N:H5"	1.95	0.47
1:A:1271:ASP:O	1:A:1275:LYS:CB	2.54	0.47
1:A:1151:ILE:HD12	1:A:1151:ILE:N	2.29	0.47
1:A:1055:LYS:HE2	1:A:1237:PHE:CZ	2.47	0.47
1:A:1093:ILE:HG12	1:A:1111:VAL:O	2.13	0.47
1:A:1197:ILE:HG22	1:A:1235:GLY:HA3	1.95	0.47
1:A:1240:ALA:HA	1:A:1255:LEU:O	2.15	0.47
1:A:1139:LYS:HD3	1:A:1167:ASP:OD1	2.14	0.47
1:A:1204:LEU:O	1:A:1205:GLN:C	2.57	0.47
1:A:1157:GLU:C	1:A:1159:GLY:H	2.23	0.46
1:A:1033:LEU:O	1:A:1037:ILE:HG12	2.15	0.46
1:A:1080:ILE:O	1:A:1084:LEU:HD12	2.15	0.46
1:A:1085:LYS:HG3	1:A:1092:ILE:HD13	1.97	0.46
1:A:1092:ILE:HG21	1:A:1109:VAL:HG12	1.96	0.46
1:A:1256:PRO:O	1:A:1257:LEU:C	2.57	0.46
1:A:1105:VAL:O	1:A:1109:VAL:HG22	2.14	0.46
1:A:1278:GLU:O	1:A:1279:GLU:C	2.57	0.46
1:A:1274:VAL:HA	1:A:1277:PHE:CE2	2.50	0.46
1:A:1118:LEU:O	1:A:1121:GLN:HG2	2.16	0.46
1:A:1062:ASN:C	1:A:1063:ARG:CZ	2.89	0.46
1:A:1062:ASN:O	1:A:1063:ARG:NH2	2.49	0.46
1:A:1199:ASP:CG	1:A:1202:HIS:HB2	2.40	0.46
1:A:1007:SER:HB3	1:A:1012:ASN:OD1	2.16	0.45
1:A:1074:LEU:HD22	1:A:1074:LEU:O	2.17	0.45
1:A:1038:CYS:HB2	1:A:1054:PHE:CE1	2.50	0.45
1:A:1238:ILE:HG12	1:A:1239:GLU:N	2.31	0.45
1:A:1264:LEU:HD23	1:A:1264:LEU:HA	1.77	0.45
1:A:1019:PHE:HB3	1:A:1229:MET:HE1	1.99	0.45
1:A:1273:LEU:HD22	1:A:1273:LEU:O	2.17	0.45
1:A:1040:HIS:ND1	1:A:1257:LEU:HD22	2.32	0.44
1:A:1105:VAL:HG12	1:A:1109:VAL:CG2	2.47	0.44
1:A:1069:TYR:OH	1:A:1072:PRO:HD3	2.17	0.44
1:A:1007:SER:HA	1:A:1011:ILE:O	2.17	0.44
1:A:1027:VAL:HG12	1:A:1028:LEU:N	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1045:THR:O	1:A:1046:GLN:C	2.60	0.44
1:A:1268:LYS:NZ	1:A:1272:ASP:OD2	2.48	0.44
1:A:1176:ASN:HD22	1:A:1177:LEU:N	2.14	0.44
1:A:1075:GLU:C	3:A:16:HOH:O	2.61	0.44
1:A:1060:LYS:HB3	1:A:1063:ARG:CD	2.48	0.43
1:A:1121:GLN:O	1:A:1125:VAL:HG23	2.18	0.43
1:A:1268:LYS:HG2	1:A:1272:ASP:OD2	2.18	0.43
1:A:1015:ASN:HD21	1:A:1196:VAL:N	2.12	0.43
1:A:1251:GLY:HA3	1:A:1252:PRO:HD3	1.78	0.43
1:A:1060:LYS:CA	1:A:1063:ARG:HH11	2.32	0.43
1:A:1093:ILE:HG23	1:A:1093:ILE:O	2.18	0.43
1:A:1101:GLN:O	1:A:1105:VAL:HG23	2.19	0.43
1:A:1257:LEU:O	1:A:1259:LYS:N	2.51	0.43
1:A:1026:ASN:OD1	1:A:1027:VAL:CG2	2.66	0.42
1:A:1002:LYS:HE3	1:A:1002:LYS:HB2	1.92	0.42
1:A:1122:THR:N	3:A:20:HOH:O	2.44	0.42
1:A:1092:ILE:HG22	1:A:1109:VAL:CG1	2.50	0.41
1:A:1176:ASN:ND2	1:A:1177:LEU:N	2.68	0.41
1:A:1041:TYR:O	1:A:1042:VAL:C	2.64	0.41
1:A:1092:ILE:CG2	1:A:1109:VAL:CG1	2.98	0.41
1:A:1091:LYS:C	1:A:1092:ILE:HD12	2.45	0.41
1:A:1103:GLN:O	1:A:1104:PRO:C	2.63	0.41
1:A:1150:ASN:O	1:A:1154:LYS:HG3	2.20	0.41
1:A:1271:ASP:O	1:A:1271:ASP:CG	2.63	0.41
1:A:1063:ARG:NE	1:A:1063:ARG:HA	2.35	0.41
1:A:1141:GLN:HG3	1:A:1171:ASN:HD21	1.86	0.41
1:A:1003:GLN:OE1	1:A:1193:ASN:HB3	2.21	0.40
1:A:1008:ILE:CD1	1:A:1111:VAL:HG21	2.51	0.40
1:A:1055:LYS:CB	1:A:1093:ILE:CG2	2.95	0.40
1:A:1086:GLN:CG	1:A:1087:THR:N	2.85	0.40
1:A:1093:ILE:HD11	1:A:1113:GLN:HB2	2.02	0.40
1:A:1260:LEU:HD22	1:A:1264:LEU:CD1	2.51	0.40
1:A:1221:VAL:O	1:A:1221:VAL:HG12	2.21	0.40
1:A:1058:PHE:HB2	1:A:1077:GLY:HA3	2.04	0.40
1:A:1228:GLY:O	1:A:1231:VAL:HB	2.21	0.40
1:A:1053:VAL:O	1:A:1053:VAL:HG12	2.20	0.40
1:A:1054:PHE:O	1:A:1093:ILE:HG22	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	268/284 (94%)	224 (84%)	35 (13%)	9 (3%)	3 1

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1065	SER
1	A	1131	THR
1	A	1245	GLU
1	A	1119	ALA
1	A	1258	ALA
1	A	1130	LYS
1	A	1102	ALA
1	A	1252	PRO
1	A	1099	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	226/233 (97%)	210 (93%)	16 (7%)	13 15

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1018	PRO
1	A	1025	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1031	ARG
1	A	1046	GLN
1	A	1055	LYS
1	A	1062	ASN
1	A	1093	ILE
1	A	1094	THR
1	A	1096	VAL
1	A	1118	LEU
1	A	1168	ARG
1	A	1190	VAL
1	A	1224	LEU
1	A	1260	LEU
1	A	1273	LEU
1	A	1274	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1015	ASN
1	A	1062	ASN
1	A	1113	GLN
1	A	1121	GLN
1	A	1176	ASN
1	A	1193	ASN
1	A	1220	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	N	A	70	-	13,13,13	1.55	3 (23%)	16,19,19	1.21	2 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	N	A	70	-	1/1/4/4	5/6/19/19	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	70	N	P-OP1	3.30	1.60	1.50
2	A	70	N	O4'-C4'	2.43	1.48	1.44
2	A	70	N	C5'-C4'	2.04	1.57	1.51

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	70	N	O4'-C1'-C2'	-2.23	101.92	105.76
2	A	70	N	O5'-P-OP1	2.11	112.15	106.44

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	70	N	C2'

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	70	N	O4'-C4'-C5'-O5'
2	A	70	N	C4'-C5'-O5'-P
2	A	70	N	C3'-C4'-C5'-O5'
2	A	70	N	C5'-O5'-P-OP3
2	A	70	N	C5'-O5'-P-OP2

There are no ring outliers.

1 monomer is involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	70	N	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	272/284 (95%)	0.73	21 (7%) 19 22	0, 55, 98, 125	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1248	LYS	5.9
1	A	1117	PHE	3.7
1	A	1001	MET	2.9
1	A	1069	TYR	2.7
1	A	1247	ALA	2.6
1	A	1112	ILE	2.6
1	A	1062	ASN	2.5
1	A	1080	ILE	2.5
1	A	1249	CYS	2.4
1	A	1155	PHE	2.4
1	A	1063	ARG	2.4
1	A	1087	THR	2.3
1	A	1236	LEU	2.2
1	A	1090	VAL	2.2
1	A	1150	ASN	2.2
1	A	1205	GLN	2.2
1	A	1218	ARG	2.2
1	A	1250	ASP	2.2
1	A	1066	ILE	2.1
1	A	1081	PHE	2.1
1	A	1084	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	N	A	70	13/13	0.51	0.17	60,63,66,68	0

6.5 Other polymers [i](#)

There are no such residues in this entry.