



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:30 AM UTC

PDB ID : 2PID / pdb_00002pid
Title : Crystal structure of human mitochondrial tyrosyl-tRNA synthetase in complex with an adenylate analog
Authors : Bonnefond, L.; Frugier, M.; Touze, E.; Lorber, B.; Florentz, C.; Giege, R.; Sauter, C.; Rudinger-Thirion, J.
Deposited on : 2007-04-13
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	356	 3% 59% 26% 11%
1	B	356	 62% 27% 9%

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 5262 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tyrosyl-tRNA synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	317	Total	C	N	O	S	0	0	0
			2525	1618	448	452	7			
1	B	324	Total	C	N	O	S	0	0	0
			2577	1649	458	463	7			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	28	MET	-	expression tag	UNP Q9Y2Z4
A	29	ARG	-	expression tag	UNP Q9Y2Z4
A	30	GLY	-	expression tag	UNP Q9Y2Z4
A	31	SER	-	expression tag	UNP Q9Y2Z4
A	376	ARG	-	expression tag	UNP Q9Y2Z4
A	377	SER	-	expression tag	UNP Q9Y2Z4
A	378	HIS	-	expression tag	UNP Q9Y2Z4
A	379	HIS	-	expression tag	UNP Q9Y2Z4
A	380	HIS	-	expression tag	UNP Q9Y2Z4
A	381	HIS	-	expression tag	UNP Q9Y2Z4
A	382	HIS	-	expression tag	UNP Q9Y2Z4
A	383	HIS	-	expression tag	UNP Q9Y2Z4
B	28	MET	-	expression tag	UNP Q9Y2Z4
B	29	ARG	-	expression tag	UNP Q9Y2Z4
B	30	GLY	-	expression tag	UNP Q9Y2Z4
B	31	SER	-	expression tag	UNP Q9Y2Z4
B	376	ARG	-	expression tag	UNP Q9Y2Z4
B	377	SER	-	expression tag	UNP Q9Y2Z4
B	378	HIS	-	expression tag	UNP Q9Y2Z4
B	379	HIS	-	expression tag	UNP Q9Y2Z4
B	380	HIS	-	expression tag	UNP Q9Y2Z4
B	381	HIS	-	expression tag	UNP Q9Y2Z4
B	382	HIS	-	expression tag	UNP Q9Y2Z4
B	383	HIS	-	expression tag	UNP Q9Y2Z4

- Molecule 2 is 5'-O-[N-(L-TYROSYL)SULFAMOYL]ADENOSINE (CCD ID: YSA) (formula: C₁₉H₂₃N₇O₈S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	Total	C	N	O	S	0	0
			35	19	7	8	1		
2	B	1	Total	C	N	O	S	0	0
			35	19	7	8	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	42	Total	O	0	0
			42	42		
3	B	48	Total	O	0	0
			48	48		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.00Å 62.40Å 194.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.98 – 2.20 19.98 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.6 (19.98-2.20) 99.6 (19.98-2.20)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.42 (at 2.21Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.193 , 0.244 0.193 , 0.243	Depositor DCC
R_{free} test set	1700 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	33.3	Xtrriage
Anisotropy	0.509	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 47.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5262	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: YSA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/2582	0.91	2/3486 (0.1%)
1	B	0.51	0/2636	0.90	6/3561 (0.2%)
All	All	0.51	0/5218	0.91	8/7047 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	87	LEU	N-CA-C	-5.74	103.13	110.53
1	A	321	PHE	N-CA-C	5.69	120.34	113.17
1	B	296	LYS	N-CA-C	-5.46	106.67	113.55
1	B	83	THR	N-CA-C	-5.29	106.78	113.18
1	B	263	GLY	N-CA-C	-5.21	108.43	115.36
1	B	244	GLY	N-CA-C	-5.21	105.63	112.82
1	B	200	SER	N-CA-C	5.19	117.84	111.82
1	A	267	PHE	N-CA-C	5.09	117.14	109.41

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2525	0	2514	89	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2577	0	2560	66	0
2	A	35	0	22	6	0
2	B	35	0	22	4	0
3	A	42	0	0	2	0
3	B	48	0	0	3	0
All	All	5262	0	5118	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:274:ILE:HD11	1:B:320:LEU:HD23	1.38	1.05
2:B:384:YSA:H8	2:B:384:YSA:H5'2	1.36	1.03
1:A:204:VAL:HG22	1:A:214:MET:HE1	1.44	0.99
2:A:384:YSA:H8	2:A:384:YSA:H5'2	1.45	0.98
1:B:38:LEU:HD21	1:B:101:LEU:HD23	1.43	0.98
1:B:125:ARG:HH22	1:B:129:ARG:NE	1.65	0.93
1:A:202:GLN:H	1:A:202:GLN:CD	1.82	0.87
1:A:64:LEU:H	1:A:64:LEU:HD23	1.39	0.85
1:B:98:LEU:HB3	1:B:108:VAL:HG11	1.61	0.83
2:B:384:YSA:H5'2	2:B:384:YSA:C8	2.10	0.81
1:A:366:ALA:O	1:A:370:THR:HG23	1.80	0.80
1:A:54:GLU:H	1:A:54:GLU:CD	1.92	0.78
1:A:38:LEU:HD21	1:A:101:LEU:HD23	1.67	0.76
1:A:59:ILE:HG12	1:A:60:GLU:H	1.51	0.74
1:A:88:HIS:H	1:A:91:HIS:HD2	1.36	0.74
1:A:55:THR:C	1:A:57:THR:H	1.96	0.74
1:A:58:LYS:HA	1:A:58:LYS:HZ2	1.50	0.73
1:B:233:PHE:CZ	1:B:264:GLU:HG2	2.23	0.73
1:B:233:PHE:HZ	1:B:264:GLU:HG2	1.53	0.72
1:B:239:ARG:HH12	1:B:264:GLU:HG3	1.55	0.72
1:B:201:ARG:NH2	1:B:256:GLU:HG3	2.05	0.72
2:A:384:YSA:H5'2	2:A:384:YSA:C8	2.18	0.71
1:A:59:ILE:HG23	1:A:60:GLU:N	2.07	0.70
1:A:233:PHE:CZ	1:A:264:GLU:HG2	2.28	0.69
1:A:330:ASP:O	1:A:334:GLN:HG2	1.93	0.69
1:A:134:THR:HB	3:A:413:HOH:O	1.94	0.68
1:A:61:LEU:HA	1:A:64:LEU:HD21	1.75	0.67
1:A:58:LYS:HA	1:A:58:LYS:NZ	2.10	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:293:ASN:HD21	1:B:295:ASP:CG	2.03	0.67
1:A:357:VAL:HG22	1:A:358:HIS:CD2	2.30	0.66
1:A:244:GLY:HA3	2:A:384:YSA:O2'	1.98	0.63
1:A:53:PRO:HG3	1:A:255:TYR:CE1	2.34	0.62
1:A:204:VAL:CG2	1:A:214:MET:HE1	2.24	0.62
1:A:315:GLU:OE1	1:A:333:MET:HG3	2.00	0.62
1:B:239:ARG:HH12	1:B:264:GLU:CG	2.13	0.62
1:A:239:ARG:HH11	1:A:239:ARG:HB3	1.66	0.61
1:A:295:ASP:OD1	1:A:296:LYS:HG3	2.00	0.61
1:A:88:HIS:H	1:A:91:HIS:CD2	2.19	0.60
1:B:100:HIS:HE1	3:B:415:HOH:O	1.85	0.60
1:B:59:ILE:HD11	1:B:63:GLU:HB3	1.84	0.59
1:B:38:LEU:HD21	1:B:101:LEU:CD2	2.26	0.59
1:A:237:GLY:O	1:A:239:ARG:HG3	2.02	0.58
1:A:262:THR:C	1:A:264:GLU:H	2.11	0.58
1:A:274:ILE:HD13	1:A:321:PHE:HZ	1.68	0.58
1:B:365:SER:HA	1:B:368:ARG:NH1	2.18	0.58
1:B:39:LEU:HD12	1:B:62:PRO:HG3	1.85	0.58
1:A:326:LEU:HB2	1:A:327:PRO:HD3	1.86	0.58
1:A:315:GLU:HB2	1:A:333:MET:HE2	1.86	0.57
1:B:152:ALA:O	1:B:156:GLN:HG3	2.04	0.57
1:B:201:ARG:HH22	1:B:256:GLU:HG3	1.69	0.57
1:A:61:LEU:HA	1:A:64:LEU:CD2	2.35	0.57
1:A:212:GLU:N	1:A:212:GLU:OE1	2.37	0.57
1:B:243:GLY:O	1:B:270:THR:HA	2.06	0.56
1:B:125:ARG:HH22	1:B:129:ARG:CD	2.18	0.56
1:B:66:ASP:OD1	1:B:68:GLY:N	2.37	0.55
1:A:308:ARG:HH11	1:A:308:ARG:HG2	1.70	0.55
1:A:306:PHE:CE2	1:A:353:VAL:HG11	2.42	0.55
1:B:59:ILE:HD11	1:B:63:GLU:CB	2.37	0.54
1:B:294:ARG:HG3	1:B:299:PRO:HD3	1.90	0.54
1:B:310:PRO:HB2	1:B:312:ASP:OD1	2.06	0.54
1:A:203:SER:HB3	3:A:418:HOH:O	2.07	0.53
1:A:233:PHE:HZ	1:A:264:GLU:HG2	1.70	0.53
1:A:304:GLN:HA	1:A:307:VAL:HG12	1.90	0.53
1:A:55:THR:C	1:A:57:THR:N	2.63	0.53
1:A:58:LYS:O	1:A:58:LYS:HD3	2.08	0.53
1:A:201:ARG:HH12	1:A:256:GLU:CD	2.17	0.53
1:B:363:LEU:O	1:B:367:LYS:HG3	2.08	0.52
1:A:93:LEU:HD13	1:A:321:PHE:CZ	2.43	0.52
1:B:64:LEU:HG	1:B:74:GLN:CD	2.35	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:293:ASN:ND2	1:B:295:ASP:CG	2.67	0.52
1:A:243:GLY:O	1:A:270:THR:HA	2.09	0.52
1:A:239:ARG:HH11	1:A:239:ARG:CB	2.22	0.52
1:B:244:GLY:HA3	2:B:384:YSA:O2'	2.10	0.51
1:B:39:LEU:HD11	1:B:61:LEU:HD13	1.91	0.51
1:B:79:GLY:HA3	2:B:384:YSA:CD2	2.41	0.51
1:A:274:ILE:O	1:A:274:ILE:HG13	2.10	0.51
1:A:239:ARG:HB3	1:A:239:ARG:NH1	2.24	0.51
1:A:130:GLU:O	1:A:130:GLU:HG3	2.10	0.50
1:B:202:GLN:NE2	1:B:202:GLN:H	2.09	0.50
1:A:244:GLY:CA	2:A:384:YSA:O2'	2.59	0.50
1:A:300:PHE:CE1	1:A:370:THR:HG22	2.47	0.50
1:A:145:ARG:HG3	1:A:170:VAL:HG11	1.94	0.49
1:A:311:ASP:OD1	1:A:336:HIS:HE1	1.95	0.49
1:B:53:PRO:HD2	1:B:267:PHE:CD2	2.47	0.49
1:A:61:LEU:O	1:A:62:PRO:C	2.52	0.49
1:A:45:ARG:NH2	1:A:324:LEU:O	2.37	0.49
1:A:303:TYR:CE2	1:A:370:THR:HG21	2.48	0.48
1:B:47:LEU:O	1:B:272:PRO:HD3	2.14	0.48
1:B:98:LEU:HD22	1:B:108:VAL:HG13	1.96	0.48
1:B:118:ARG:HD2	3:B:403:HOH:O	2.13	0.48
1:B:98:LEU:HD13	1:B:108:VAL:CG1	2.44	0.48
1:A:133:GLU:CD	1:A:133:GLU:H	2.21	0.48
1:B:314:VAL:HG21	1:B:345:PRO:HB2	1.96	0.48
1:B:128:GLU:HG3	1:B:218:GLU:OE2	2.14	0.47
1:B:252:MET:O	1:B:256:GLU:HG2	2.15	0.47
1:B:112:VAL:HG23	1:B:172:ASP:CG	2.39	0.47
1:A:50:ASP:HB3	1:A:52:PHE:CE1	2.50	0.47
1:B:125:ARG:HH22	1:B:129:ARG:CZ	2.26	0.47
1:B:73:PRO:HB2	1:B:106:HIS:HA	1.96	0.47
1:B:304:GLN:HA	1:B:307:VAL:HG12	1.97	0.47
1:A:255:TYR:CB	1:A:266:VAL:HG23	2.46	0.46
1:B:112:VAL:HG22	1:B:171:LEU:O	2.14	0.46
1:A:107:ASN:HD22	1:A:167:SER:H	1.64	0.46
1:A:367:LYS:O	1:A:371:GLN:HG3	2.16	0.46
1:A:95:LEU:HD12	1:A:151:LEU:HD13	1.97	0.46
1:A:230:TYR:HA	1:A:258:ILE:HD11	1.97	0.46
1:A:79:GLY:HA3	2:A:384:YSA:CD2	2.46	0.46
1:A:145:ARG:O	1:A:149:GLU:HG3	2.16	0.45
1:A:274:ILE:HD13	1:A:321:PHE:CZ	2.49	0.45
1:A:202:GLN:H	1:A:202:GLN:NE2	2.12	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:252:MET:HG2	1:A:255:TYR:OH	2.16	0.45
1:A:326:LEU:H	1:A:326:LEU:HD12	1.82	0.45
1:A:39:LEU:HD22	1:A:51:PHE:CE1	2.52	0.45
1:B:71:SER:O	3:B:413:HOH:O	2.20	0.45
1:A:64:LEU:HD23	1:A:64:LEU:N	2.19	0.44
1:B:67:ARG:HG2	1:B:72:PHE:CZ	2.52	0.44
1:A:310:PRO:HG2	1:A:313:SER:HB2	2.00	0.44
1:B:311:ASP:O	1:B:314:VAL:HG12	2.18	0.44
1:B:208:LEU:HD12	1:B:214:MET:HB3	2.00	0.44
1:B:112:VAL:HG23	1:B:112:VAL:O	2.16	0.44
1:A:244:GLY:N	2:A:384:YSA:O2'	2.51	0.43
1:A:308:ARG:HG2	1:A:308:ARG:NH1	2.33	0.43
1:B:126:THR:O	1:B:207:ARG:NH1	2.51	0.43
1:A:103:ARG:HA	1:A:165:TRP:CD1	2.53	0.43
1:B:215:SER:OG	1:B:218:GLU:HG3	2.18	0.43
1:B:338:LYS:C	1:B:340:PRO:HD3	2.43	0.43
1:A:233:PHE:CE2	1:A:264:GLU:HG2	2.54	0.43
1:B:82:PRO:HB2	1:B:140:ASN:HB3	2.00	0.43
1:B:176:TRP:CE3	1:B:231:TYR:CE1	3.07	0.43
1:A:341:GLU:CD	1:A:341:GLU:H	2.27	0.42
1:A:88:HIS:N	1:A:91:HIS:HD2	2.11	0.42
1:A:340:PRO:HD2	1:A:341:GLU:OE2	2.19	0.42
1:B:54:GLU:HG2	1:B:55:THR:N	2.34	0.42
1:A:326:LEU:HD12	1:A:326:LEU:N	2.34	0.42
1:A:342:ARG:HH11	1:A:342:ARG:HG2	1.85	0.42
1:B:125:ARG:HG2	1:B:127:LYS:H	1.83	0.42
1:A:55:THR:O	1:A:57:THR:N	2.53	0.42
1:B:98:LEU:HB3	1:B:108:VAL:CG1	2.41	0.42
1:A:107:ASN:ND2	1:A:167:SER:H	2.18	0.41
1:A:262:THR:C	1:A:264:GLU:N	2.75	0.41
1:B:76:ILE:HG13	1:B:240:VAL:HB	2.02	0.41
1:B:134:THR:O	1:B:138:ARG:HG2	2.19	0.41
1:A:343:ARG:HD3	1:A:343:ARG:HA	1.77	0.41
1:B:41:ALA:O	1:B:44:ALA:HB3	2.21	0.41
1:A:245:SER:OG	1:A:273:LEU:HD13	2.21	0.41
1:B:274:ILE:CG2	1:B:275:THR:N	2.84	0.41
1:A:201:ARG:NH1	1:A:253:SER:HA	2.35	0.41
1:B:365:SER:HA	1:B:368:ARG:HH11	1.85	0.41
1:A:134:THR:O	1:A:138:ARG:HG3	2.21	0.41
1:B:47:LEU:HD23	1:B:47:LEU:HA	1.87	0.41
1:B:186:LEU:O	1:B:190:GLY:HA3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:264:GLU:OE1	1:A:264:GLU:HA	2.21	0.40
1:A:194:ARG:HH22	1:B:128:GLU:CD	2.29	0.40
1:A:61:LEU:HD12	1:A:64:LEU:HD21	2.04	0.40
1:A:59:ILE:HG13	1:A:63:GLU:OE1	2.20	0.40
1:A:102:GLN:HA	1:A:106:HIS:O	2.21	0.40
1:B:192:HIS:CG	1:B:261:LEU:HD13	2.56	0.40
1:B:343:ARG:O	1:B:347:LYS:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	311/356 (87%)	301 (97%)	8 (3%)	2 (1%)	21	23
1	B	320/356 (90%)	313 (98%)	7 (2%)	0	100	100
All	All	631/712 (89%)	614 (97%)	15 (2%)	2 (0%)	36	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	61	LEU
1	A	59	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	263/292 (90%)	237 (90%)	26 (10%)	7	8
1	B	268/292 (92%)	251 (94%)	17 (6%)	16	19
All	All	531/584 (91%)	488 (92%)	43 (8%)	11	12

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	GLU
1	A	58	LYS
1	A	64	LEU
1	A	89	VAL
1	A	95	LEU
1	A	119	LEU
1	A	134	THR
1	A	144	LEU
1	A	146	LEU
1	A	158	LEU
1	A	182	LEU
1	A	198	LEU
1	A	199	LEU
1	A	202	GLN
1	A	204	VAL
1	A	224	LEU
1	A	292	LEU
1	A	295	ASP
1	A	307	VAL
1	A	320	LEU
1	A	324	LEU
1	A	335	LEU
1	A	341	GLU
1	A	357	VAL
1	A	363	LEU
1	A	373	LEU
1	B	47	LEU
1	B	61	LEU
1	B	95	LEU
1	B	129	ARG
1	B	144	LEU
1	B	146	LEU
1	B	158	LEU
1	B	198	LEU
1	B	199	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	202	GLN
1	B	208	LEU
1	B	273	LEU
1	B	290	VAL
1	B	292	LEU
1	B	320	LEU
1	B	339	GLU
1	B	365	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	91	HIS
1	A	100	HIS
1	A	102	GLN
1	A	107	ASN
1	A	157	GLN
1	A	178	GLN
1	A	205	GLN
1	A	336	HIS
1	A	371	GLN
1	B	42	GLN
1	B	100	HIS
1	B	102	GLN
1	B	107	ASN
1	B	156	GLN
1	B	157	GLN
1	B	178	GLN
1	B	180	GLN
1	B	202	GLN
1	B	259	ASN
1	B	304	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	YSA	B	384	-	38,38,38	2.68	8 (21%)	53,56,56	1.86	14 (26%)
2	YSA	A	384	-	38,38,38	2.69	8 (21%)	53,56,56	1.89	15 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	YSA	B	384	-	-	3/22/39/39	0/4/4/4
2	YSA	A	384	-	-	4/22/39/39	0/4/4/4

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	384	YSA	OAE-SBI	9.25	1.50	1.42
2	B	384	YSA	OAE-SBI	9.16	1.50	1.42
2	A	384	YSA	OAD-SBI	9.02	1.50	1.42
2	B	384	YSA	OAD-SBI	8.93	1.50	1.42
2	B	384	YSA	O5'-SBI	-8.42	1.43	1.60
2	A	384	YSA	O5'-SBI	-8.30	1.43	1.60
2	A	384	YSA	C5-N7	-3.12	1.33	1.39
2	B	384	YSA	C5-N7	-3.08	1.33	1.39
2	A	384	YSA	SBI-NAT	2.57	1.64	1.59
2	B	384	YSA	SBI-NAT	2.53	1.63	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	384	YSA	C-NAT	-2.33	1.33	1.37
2	B	384	YSA	C8-N9	-2.30	1.33	1.37
2	A	384	YSA	C8-N9	-2.29	1.33	1.37
2	B	384	YSA	C-NAT	-2.24	1.33	1.37
2	A	384	YSA	C4-N9	-2.12	1.33	1.37
2	B	384	YSA	C4-N9	-2.08	1.33	1.37

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	384	YSA	C5-C4-N3	-5.32	119.39	126.72
2	A	384	YSA	C5-C4-N3	-5.24	119.50	126.72
2	B	384	YSA	N1-C2-N3	-4.41	121.90	128.58
2	A	384	YSA	N1-C2-N3	-4.32	122.04	128.58
2	A	384	YSA	C5'-C4'-C3'	-4.21	100.04	115.21
2	A	384	YSA	N3-C4-N9	3.63	133.34	127.17
2	B	384	YSA	N3-C4-N9	3.61	133.31	127.17
2	B	384	YSA	C2-N3-C4	3.50	120.37	111.83
2	A	384	YSA	C2-N3-C4	3.43	120.20	111.83
2	B	384	YSA	C5'-C4'-C3'	-3.40	102.96	115.21
2	B	384	YSA	C2'-C3'-C4'	-3.17	96.48	102.61
2	A	384	YSA	C2'-C3'-C4'	-3.15	96.51	102.61
2	A	384	YSA	O5'-SBI-NAT	-3.06	97.76	105.69
2	A	384	YSA	O5'-SBI-OAE	-3.05	96.27	105.48
2	B	384	YSA	N9-C8-N7	-2.87	109.86	113.94
2	A	384	YSA	C-NAT-SBI	-2.86	113.60	124.07
2	B	384	YSA	O5'-SBI-NAT	-2.86	98.28	105.69
2	B	384	YSA	C-NAT-SBI	-2.84	113.69	124.07
2	B	384	YSA	C4-C5-N7	-2.82	107.36	110.58
2	A	384	YSA	O5'-C5'-C4'	2.80	112.56	107.57
2	A	384	YSA	N9-C8-N7	-2.78	109.99	113.94
2	B	384	YSA	C5-N7-C8	2.71	107.72	103.45
2	B	384	YSA	O5'-SBI-OAE	-2.61	97.60	105.48
2	A	384	YSA	C4-C5-N7	-2.60	107.61	110.58
2	B	384	YSA	O4'-C1'-N9	2.56	113.00	108.09
2	A	384	YSA	C5-N7-C8	2.55	107.46	103.45
2	B	384	YSA	O5'-C5'-C4'	2.36	111.78	107.57
2	A	384	YSA	O4'-C1'-N9	2.29	112.49	108.09
2	A	384	YSA	O5'-SBI-OAD	-2.03	99.35	105.48

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	384	YSA	C-NAT-SBI-OAD
2	A	384	YSA	O4'-C4'-C5'-O5'
2	A	384	YSA	C3'-C4'-C5'-O5'
2	B	384	YSA	O4'-C4'-C5'-O5'
2	B	384	YSA	C3'-C4'-C5'-O5'
2	B	384	YSA	C4'-C5'-O5'-SBI
2	A	384	YSA	C5'-O5'-SBI-NAT


There are no ring outliers.

2 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	384	YSA	4	0
2	A	384	YSA	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	317/356 (89%)	-0.10	10 (3%) 50 47	24, 36, 68, 85	1 (0%)
1	B	324/356 (91%)	-0.12	1 (0%) 90 88	20, 36, 67, 86	0
All	All	641/712 (90%)	-0.11	11 (1%) 69 66	20, 36, 67, 86	1 (0%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	295	ASP	3.9
1	A	55	THR	3.6
1	A	262	THR	3.4
1	B	275	THR	3.0
1	A	339	GLU	2.5
1	A	56	GLY	2.4
1	A	57	THR	2.4
1	A	275	THR	2.4
1	A	294	ARG	2.3
1	A	373	LEU	2.2
1	A	289	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	YSA	A	384	35/35	0.93	0.08	20,33,44,59	0
2	YSA	B	384	35/35	0.95	0.07	17,30,43,58	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.