



wwPDB EM Validation Summary Report ⓘ

Jun 19, 2026 – 05:17 am BST

PDB ID : 8PJ2 / pdb_00008pj2
EMDB ID : EMD-17697
Title : Structure of human 48S translation initiation complex in AUG recognition state after eIF5-induced GTP hydrolysis by eIF2 (48S-2)
Authors : Petrychenko, V.; Yi, S.-H.; Liedtke, D.; Peng, B.Z.; Rodnina, M.V.; Fischer, N.
Deposited on : 2023-06-22
Resolution : 3.40 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	14717 (2.90 - 3.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.











Mol	Chain	Length	Quality of chain
1	1	814	 70% 67% 5% 28%
2	2	325	 94% 93% 6%
3	3	218	 78% 97% ..

Continued on next page...

Mol	Chain	Length	Quality of chain
4	4	357	37% 70% 28%
5	5	564	65% 77% 15% 8%
6	6	374	58% 89% 7% .
7	7	255	12% 5% 15% . 78%
8	8	352	49% 89% . 10%
9	9	25	12% 64% 32% .
10	A	1869	57% 29% 7% 6%
11	B	158	73% 16% 10%
12	C	263	85% 12% .
13	D	194	71% 19% . 9%
14	E	143	94% . .
15	F	59	5% 80% 20%
16	G	194	73% 18% 9%
17	H	84	81% 14% . .
18	I	151	81% 18% .
19	J	130	86% 12% ..
20	K	83	76% 22% .
21	L	293	61% 14% 25%
22	M	135	6% 64% 32% . .
23	N	295	54% 16% 30%
24	O	264	66% 14% . 20%
25	P	151	72% 15% . 12%
26	Q	115	74% 11% . 14%
27	R	208	87% 9% 5%
28	S	249	80% 12% 8%



Continued from previous page...

Mol	Chain	Length	Quality of chain
29	T	133	
30	V	204	
31	Y	146	
32	Z	243	
33	a	165	
34	b	145	
35	c	317	
36	d	145	
37	e	125	
38	f	152	
39	h	119	
40	i	56	
41	k	156	
42	m	132	
43	n	69	
44	o	320	
45	q	144	
46	r	315	
47	t	472	
48	u	1382	
49	v	445	
50	w	75	
51	x	548	
52	y	913	
53	z	430	

2 Entry composition

There are 55 unique types of molecules in this entry. The entry contains 118707 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Eukaryotic translation initiation factor 3 subunit B.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	588	Total	C	N	O	S	0	0
			3258	1986	633	634	5		

- Molecule 2 is a protein called Eukaryotic translation initiation factor 3 subunit I.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	2	304	Total	C	N	O	0	0
			1493	885	304	304		

- Molecule 3 is a protein called Eukaryotic translation initiation factor 3 subunit K.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	3	213	Total	C	N	O	0	0
			1057	631	213	213		

- Molecule 4 is a protein called Eukaryotic translation initiation factor 3 subunit F.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	4	257	Total	C	N	O	0	0
			1272	757	257	258		

- Molecule 5 is a protein called Eukaryotic translation initiation factor 3 subunit L.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	520	Total	C	N	O	S	0	0
			4347	2814	721	793	19		

- Molecule 6 is a protein called Eukaryotic translation initiation factor 3 subunit M.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	6	362	Total	C	N	O	S	0	0
			2196	1348	414	427	7		

- Molecule 7 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	7	57	Total	C	N	O	P	0	0
			1218	547	231	383	57		

- Molecule 8 is a protein called Eukaryotic translation initiation factor 3 subunit H.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	8	317	Total	C	N	O		0	0
			1574	937	318	319			

- Molecule 9 is a protein called 60S ribosomal protein L41.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	9	24	Total	C	N	O	S	0	0
			230	139	62	26	3		

- Molecule 10 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	A	1754	Total	C	N	O	P	0	0
			37429	16718	6714	12244	1753		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1248	B8N	U	conflict	GB NR_046235.3

- Molecule 11 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	B	142	Total	C	N	O	S	0	0
			1166	743	218	199	6		

- Molecule 12 is a protein called 40S ribosomal protein S4, X isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	C	256	Total	C	N	O	S	0	0
			2035	1302	378	347	8		

- Molecule 13 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	D	177	Total	C	N	O	S	0	0
			1477	941	295	239	2		

- Molecule 14 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	E	140	Total	C	N	O	S	0	0
			1087	687	215	182	3		

- Molecule 15 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	F	59	Total	C	N	O	S	0	0
			468	290	102	75	1		

- Molecule 16 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	G	177	Total	C	N	O	S	0	0
			1430	917	260	252	1		

- Molecule 17 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	H	81	Total	C	N	O	S	0	0
			631	397	116	111	7		

- Molecule 18 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	I	150	Total	C	N	O	S	0	0
			1208	773	229	205	1		

- Molecule 19 is a protein called 40S ribosomal protein S15a.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	J	129	Total	C	N	O	S	0	0
			1034	659	193	176	6		

- Molecule 20 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	K	81	Total	C	N	O	S	0	0
			617	380	114	118	5		

- Molecule 21 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	L	220	Total	C	N	O	S	0	0
			1707	1104	292	301	10		

- Molecule 22 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	M	131	Total	C	N	O	S	0	0
			1064	668	198	194	4		

- Molecule 23 is a protein called 40S ribosomal protein SA.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	N	207	Total	C	N	O	S	0	0
			1633	1040	288	297	8		

- Molecule 24 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	O	211	Total	C	N	O	S	0	0
			1715	1088	307	306	14		

- Molecule 25 is a protein called 40S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	P	133	Total	C	N	O	S	0	0
			997	610	196	185	6		

- Molecule 26 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Q	99	Total	C	N	O	S	0	0
			792	492	165	130	5		

- Molecule 27 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	R	198	Total	C	N	O	S	0	0
			1627	1021	322	279	5		

- Molecule 28 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	S	230	Total	C	N	O	S	0	0
			1862	1164	371	320	7		

- Molecule 29 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	T	125	Total	C	N	O	S	0	0
			1015	642	199	169	5		

- Molecule 30 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	V	184	Total	C	N	O	S	0	0
			1461	914	276	264	7		

- Molecule 31 is a protein called 40S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Y	141	Total	C	N	O	S	0	0
			1124	715	212	194	3		

- Molecule 32 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Z	227	Total	C	N	O	S	0	0
			1765	1125	317	315	8		

- Molecule 33 is a protein called 40S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	a	99	Total	C	N	O	S	0	0
			834	544	149	135	6		

- Molecule 34 is a protein called 40S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	b	131	Total	C	N	O	S	0	0
			1072	682	201	182	7		

- Molecule 35 is a protein called Receptor of activated protein C kinase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	c	313	Total	C	N	O	S	0	0
			2436	1535	424	465	12		

- Molecule 36 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	d	142	Total	C	N	O	S	0	0
			1105	692	213	197	3		

- Molecule 37 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	e	81	Total	C	N	O	S	0	0
			649	420	119	109	1		

- Molecule 38 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	f	149	Total	C	N	O	S	0	0
			1227	770	249	207	1		

- Molecule 39 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	h	103	Total	C	N	O	S	0	0
			817	511	155	147	4		

- Molecule 40 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	i	50	Total	C	N	O	S	0	0
			419	262	85	67	5		

- Molecule 41 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	k	68	Total	C	N	O	S	0	0
			554	349	103	95	7		

- Molecule 42 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	m	122	Total	C	N	O	S	0	0
			950	596	168	177	9		

- Molecule 43 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	n	63	Total	C	N	O	S	0	0
			498	302	101	93	2		

- Molecule 44 is a protein called Eukaryotic translation initiation factor 3 subunit G.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	o	77	Total	C	N	O	S	0	0
			616	389	111	116			

- Molecule 45 is a protein called Eukaryotic translation initiation factor 1A, X-chromosomal.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	q	112	Total	C	N	O	S	0	0
			902	560	173	165	4		

- Molecule 46 is a protein called Eukaryotic translation initiation factor 2 subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	r	296	Total	C	N	O	S	0	0
			2138	1342	384	404	8		

- Molecule 47 is a protein called Eukaryotic translation initiation factor 2 subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	t	455	Total	C	N	O	S	0	0
			3439	2179	599	643	18		

- Molecule 48 is a protein called Eukaryotic translation initiation factor 3 subunit A.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	u	706	Total	C	N	O	S	1	0
			5383	3379	982	999	23		

- Molecule 49 is a protein called Eukaryotic translation initiation factor 3 subunit E.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	v	405	Total	C	N	O	S	0	0
			2740	1720	498	510	12		

- Molecule 50 is a RNA chain called Initiator Met-tRNA-i.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	w	75	Total	C	N	O	P	0	0
			1604	717	298	515	74		

- Molecule 51 is a protein called Eukaryotic translation initiation factor 3 subunit D.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	x	422	Total	C	N	O	S	0	0
			2837	1749	522	556	10		

- Molecule 52 is a protein called Eukaryotic translation initiation factor 3 subunit C.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	y	656	Total	C	N	O	S	0	0
			5263	3312	939	977	35		

- Molecule 53 is a protein called Eukaryotic translation initiation factor 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	z	145	Total	C	N	O	S	0	0
			1146	723	203	209	11		

- Molecule 54 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
54	A	83	Total	Mg	0
			83	83	
54	V	1	Total	Mg	0
			1	1	
54	f	1	Total	Mg	0
			1	1	


Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms		AltConf
54	i	2	Total	Mg	0
			2	2	

- Molecule 55 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
55	Q	1	Total	Zn	0
			1	1	
55	k	1	Total	Zn	0
			1	1	




● Molecule 2: Eukaryotic translation initiation factor 3 subunit I





● Molecule 3: Eukaryotic translation initiation factor 3 subunit K







• Molecule 6: Eukaryotic translation initiation factor 3 subunit M





• Molecule 7: mRNA






• Molecule 8: Eukaryotic translation initiation factor 3 subunit H




• Molecule 9: 60S ribosomal protein L41




• Molecule 10: 18S rRNA









- Molecule 11: 40S ribosomal protein S11




- Molecule 12: 40S ribosomal protein S4, X isoform




- Molecule 13: 40S ribosomal protein S9




- Molecule 14: 40S ribosomal protein S23




- Molecule 15: 40S ribosomal protein S30




- Molecule 16: 40S ribosomal protein S7




- Molecule 17: 40S ribosomal protein S27




- Molecule 18: 40S ribosomal protein S13



- Molecule 19: 40S ribosomal protein S15a




- Molecule 20: 40S ribosomal protein S21




- Molecule 21: 40S ribosomal protein S2

Chain P:  72% 15% 12%




- Molecule 26: 40S ribosomal protein S26

Chain Q:  74% 11% 14%




- Molecule 27: 40S ribosomal protein S8

Chain R:  87% 9% 5%



- Molecule 28: 40S ribosomal protein S6

Chain S:  80% 12% 8%




- Molecule 29: 40S ribosomal protein S24

Chain T:  81% 13% 6%




- Molecule 30: 40S ribosomal protein S5

Chain V:  73% 17% 10%








- Molecule 31: 40S ribosomal protein S16




- Molecule 32: 40S ribosomal protein S3





- Molecule 33: 40S ribosomal protein S10



- Molecule 34: 40S ribosomal protein S15




- Molecule 35: Receptor of activated protein C kinase 1









- Molecule 36: 40S ribosomal protein S19




- Molecule 37: 40S ribosomal protein S25



- Molecule 38: 40S ribosomal protein S18




- Molecule 39: 40S ribosomal protein S20



- Molecule 40: 40S ribosomal protein S29





- Molecule 41: Ubiquitin





- Molecule 42: 40S ribosomal protein S12



- Molecule 43: 40S ribosomal protein S28




- Molecule 44: Eukaryotic translation initiation factor 3 subunit G





- Molecule 45: Eukaryotic translation initiation factor 1A, X-chromosomal









• Molecule 46: Eukaryotic translation initiation factor 2 subunit 1















• Molecule 47: Eukaryotic translation initiation factor 2 subunit 3







• Molecule 48: Eukaryotic translation initiation factor 3 subunit A







- Molecule 49: Eukaryotic translation initiation factor 3 subunit E




- Molecule 50: Initiator Met-tRNA-i




- Molecule 51: Eukaryotic translation initiation factor 3 subunit D



• Molecule 52: Eukaryotic translation initiation factor 3 subunit C





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	61742	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	45	Depositor
Minimum defocus (nm)	200	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	59000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	23.548	Depositor
Minimum map value	-8.712	Depositor
Average map value	0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	3	Depositor
Map size (Å)	417.74402, 417.74402, 417.74402	wwPDB
Map dimensions	432, 432, 432	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.96700007, 0.96700007, 0.96700007	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: B8N, MG, OMG, PSU, MA6, ZN, UR3, A2M, 6MZ, JMH, OMC, 5MU, OMU, 5MC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	1	0.20	0/3279	0.59	0/4534
2	2	0.11	0/1491	0.36	0/2068
3	3	0.13	0/1055	0.39	0/1469
4	4	0.12	0/1269	0.37	0/1762
5	5	0.19	0/4458	0.51	2/6027 (0.0%)
6	6	0.21	0/2212	0.60	1/3034 (0.0%)
7	7	0.21	0/1365	0.53	1/2124 (0.0%)
8	8	0.15	0/1572	0.46	0/2187
9	9	0.22	0/231	0.52	0/294
10	A	0.26	0/41130	0.44	6/64100 (0.0%)
11	B	0.21	0/1186	0.40	0/1585
12	C	0.24	0/2077	0.52	1/2796 (0.0%)
13	D	0.32	0/1502	0.65	1/2008 (0.0%)
14	E	0.26	0/1105	0.57	0/1476
15	F	0.28	0/474	0.72	0/623
16	G	0.23	0/1451	0.57	0/1942
17	H	0.34	0/644	0.79	3/864 (0.3%)
18	I	0.25	0/1232	0.57	0/1656
19	J	0.28	0/1051	0.58	1/1406 (0.1%)
20	K	0.27	0/623	0.59	0/833
21	L	0.28	0/1743	0.65	2/2354 (0.1%)
22	M	0.32	0/1078	0.68	2/1447 (0.1%)
23	N	0.25	0/1670	0.51	0/2271
24	O	0.27	0/1742	0.63	0/2330
25	P	0.33	0/1010	0.70	1/1353 (0.1%)
26	Q	0.25	0/805	0.61	1/1079 (0.1%)
27	R	0.20	0/1654	0.40	0/2203
28	S	0.20	0/1885	0.46	1/2510 (0.0%)
29	T	0.22	0/1032	0.53	0/1371
30	V	0.28	0/1481	0.66	1/1988 (0.1%)
31	Y	0.22	0/1142	0.57	2/1528 (0.1%)
32	Z	0.23	0/1793	0.53	2/2414 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	a	0.27	0/859	0.71	2/1159 (0.2%)
34	b	0.28	0/1094	0.67	0/1464
35	c	0.21	0/2493	0.51	1/3394 (0.0%)
36	d	0.25	0/1123	0.54	1/1504 (0.1%)
37	e	0.53	0/657	0.77	0/878
38	f	0.22	0/1245	0.51	0/1665
39	h	0.25	0/827	0.60	1/1110 (0.1%)
40	i	0.24	0/429	0.53	0/568
41	k	0.37	0/566	0.90	4/753 (0.5%)
42	m	0.20	0/960	0.50	0/1286
43	n	0.26	0/500	0.63	1/669 (0.1%)
44	o	0.21	0/628	0.58	0/846
45	q	0.52	2/913 (0.2%)	0.79	2/1213 (0.2%)
46	r	0.21	0/2167	0.53	1/2943 (0.0%)
47	t	0.23	0/3494	0.60	3/4726 (0.1%)
48	u	0.28	0/5475	0.73	10/7432 (0.1%)
49	v	0.31	2/2778 (0.1%)	0.67	1/3797 (0.0%)
50	w	0.23	0/1795	0.43	0/2798
51	x	0.19	0/2880	0.54	3/3933 (0.1%)
52	y	0.26	0/5350	0.72	2/7215 (0.0%)
53	z	0.21	0/1169	0.61	1/1575 (0.1%)
All	All	0.25	4/123844 (0.0%)	0.54	61/176564 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
45	q	3	LYS	C-N	8.95	1.44	1.33
45	q	4	ASN	C-N	-7.65	1.23	1.33
49	v	361	ASN	C-N	7.54	1.44	1.33
49	v	362	MET	C-N	-5.04	1.25	1.33

The worst 5 of 61 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
47	t	247	PRO	CA-N-CD	-9.45	98.77	112.00
48	u	96	MET	CB-CG-SD	8.30	137.61	112.70
53	z	103	GLU	CA-CB-CG	8.22	130.53	114.10
17	H	2	PRO	CA-N-CD	-7.90	100.94	112.00
30	V	43	GLU	CA-CB-CG	7.67	129.43	114.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	3258	0	1917	29	0
2	2	1493	0	677	1	0
3	3	1057	0	475	1	0
4	4	1272	0	564	4	0
5	5	4347	0	4294	58	0
6	6	2196	0	1547	21	0
7	7	1218	0	620	14	0
8	8	1574	0	687	3	0
9	9	230	0	276	9	0
10	A	37429	0	18908	352	0
11	B	1166	0	1233	17	0
12	C	2035	0	2138	24	0
13	D	1477	0	1589	33	0
14	E	1087	0	1154	5	0
15	F	468	0	516	8	0
16	G	1430	0	1520	21	0
17	H	631	0	657	9	0
18	I	1208	0	1294	21	0
19	J	1034	0	1080	13	0
20	K	617	0	622	14	0
21	L	1707	0	1794	30	0
22	M	1064	0	1118	46	0
23	N	1633	0	1640	33	0
24	O	1715	0	1785	31	0
25	P	997	0	1021	19	0
26	Q	792	0	843	10	0
27	R	1627	0	1706	12	0
28	S	1862	0	2018	25	0
29	T	1015	0	1086	12	0
30	V	1461	0	1511	25	0
31	Y	1124	0	1193	11	0
32	Z	1765	0	1865	18	0
33	a	834	0	861	19	0
34	b	1072	0	1121	24	0
35	c	2436	0	2393	31	0
36	d	1105	0	1138	17	0
37	e	649	0	723	60	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	f	1227	0	1298	25	0
39	h	817	0	882	8	0
40	i	419	0	415	8	0
41	k	554	0	556	62	0
42	m	950	0	987	23	0
43	n	498	0	525	8	0
44	o	616	0	600	5	0
45	q	902	0	925	30	0
46	r	2138	0	1930	27	0
47	t	3439	0	3578	76	0
48	u	5383	0	5085	104	0
49	v	2740	0	2251	44	0
50	w	1604	0	816	4	0
51	x	2837	0	2207	29	0
52	y	5263	0	5219	96	0
53	z	1146	0	1158	16	0
54	A	83	0	0	0	0
54	V	1	0	0	0	0
54	f	1	0	0	0	0
54	i	2	0	0	0	0
55	Q	1	0	0	0	0
55	k	1	0	0	0	0
All	All	118707	0	94016	1374	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 1374 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:A:814:5MU:C4	10:A:814:5MU:C5	1.79	1.64
37:e:44:LEU:HG	37:e:46:ASN:ND2	1.29	1.44
37:e:44:LEU:O	37:e:44:LEU:CD1	1.74	1.36
37:e:44:LEU:CD1	37:e:46:ASN:H	1.41	1.33
37:e:44:LEU:CG	37:e:46:ASN:ND2	1.91	1.30

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	584/814 (72%)	542 (93%)	42 (7%)	0	100	100
2	2	300/325 (92%)	293 (98%)	7 (2%)	0	100	100
3	3	209/218 (96%)	201 (96%)	8 (4%)	0	100	100
4	4	251/357 (70%)	235 (94%)	16 (6%)	0	100	100
5	5	518/564 (92%)	501 (97%)	17 (3%)	0	100	100
6	6	360/374 (96%)	339 (94%)	21 (6%)	0	100	100
8	8	313/352 (89%)	290 (93%)	23 (7%)	0	100	100
9	9	22/25 (88%)	22 (100%)	0	0	100	100
11	B	138/158 (87%)	136 (99%)	2 (1%)	0	100	100
12	C	254/263 (97%)	246 (97%)	8 (3%)	0	100	100
13	D	175/194 (90%)	168 (96%)	7 (4%)	0	100	100
14	E	138/143 (96%)	136 (99%)	2 (1%)	0	100	100
15	F	57/59 (97%)	47 (82%)	10 (18%)	0	100	100
16	G	171/194 (88%)	163 (95%)	8 (5%)	0	100	100
17	H	79/84 (94%)	74 (94%)	5 (6%)	0	100	100
18	I	148/151 (98%)	143 (97%)	5 (3%)	0	100	100
19	J	127/130 (98%)	123 (97%)	4 (3%)	0	100	100
20	K	79/83 (95%)	75 (95%)	4 (5%)	0	100	100
21	L	218/293 (74%)	215 (99%)	3 (1%)	0	100	100
22	M	129/135 (96%)	124 (96%)	5 (4%)	0	100	100
23	N	205/295 (70%)	195 (95%)	10 (5%)	0	100	100
24	O	209/264 (79%)	201 (96%)	8 (4%)	0	100	100
25	P	131/151 (87%)	120 (92%)	11 (8%)	0	100	100
26	Q	97/115 (84%)	92 (95%)	5 (5%)	0	100	100
27	R	194/208 (93%)	192 (99%)	2 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
28	S	228/249 (92%)	217 (95%)	11 (5%)	0	100	100
29	T	123/133 (92%)	123 (100%)	0	0	100	100
30	V	180/204 (88%)	171 (95%)	9 (5%)	0	100	100
31	Y	139/146 (95%)	135 (97%)	4 (3%)	0	100	100
32	Z	225/243 (93%)	221 (98%)	4 (2%)	0	100	100
33	a	97/165 (59%)	94 (97%)	3 (3%)	0	100	100
34	b	129/145 (89%)	123 (95%)	6 (5%)	0	100	100
35	c	311/317 (98%)	295 (95%)	16 (5%)	0	100	100
36	d	140/145 (97%)	131 (94%)	9 (6%)	0	100	100
37	e	79/125 (63%)	72 (91%)	7 (9%)	0	100	100
38	f	147/152 (97%)	135 (92%)	12 (8%)	0	100	100
39	h	101/119 (85%)	95 (94%)	6 (6%)	0	100	100
40	i	48/56 (86%)	47 (98%)	1 (2%)	0	100	100
41	k	66/156 (42%)	61 (92%)	5 (8%)	0	100	100
42	m	120/132 (91%)	117 (98%)	3 (2%)	0	100	100
43	n	61/69 (88%)	56 (92%)	5 (8%)	0	100	100
44	o	75/320 (23%)	73 (97%)	2 (3%)	0	100	100
45	q	110/144 (76%)	92 (84%)	18 (16%)	0	100	100
46	r	294/315 (93%)	269 (92%)	25 (8%)	0	100	100
47	t	451/472 (96%)	441 (98%)	10 (2%)	0	100	100
48	u	705/1382 (51%)	656 (93%)	49 (7%)	0	100	100
49	v	403/445 (91%)	367 (91%)	36 (9%)	0	100	100
51	x	416/548 (76%)	391 (94%)	25 (6%)	0	100	100
52	y	650/913 (71%)	619 (95%)	31 (5%)	0	100	100
53	z	143/430 (33%)	136 (95%)	7 (5%)	0	100	100
All	All	10547/13474 (78%)	10010 (95%)	537 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	97/702 (14%)	97 (100%)	0	100	100
5	5	477/515 (93%)	477 (100%)	0	100	100
6	6	112/335 (33%)	112 (100%)	0	100	100
8	8	1/310 (0%)	1 (100%)	0	100	100
9	9	23/24 (96%)	23 (100%)	0	100	100
11	B	129/142 (91%)	129 (100%)	0	100	100
12	C	220/225 (98%)	220 (100%)	0	100	100
13	D	158/168 (94%)	156 (99%)	2 (1%)	61	71
14	E	112/115 (97%)	112 (100%)	0	100	100
15	F	48/48 (100%)	48 (100%)	0	100	100
16	G	159/174 (91%)	159 (100%)	0	100	100
17	H	73/76 (96%)	73 (100%)	0	100	100
18	I	130/131 (99%)	130 (100%)	0	100	100
19	J	112/113 (99%)	112 (100%)	0	100	100
20	K	65/67 (97%)	65 (100%)	0	100	100
21	L	186/225 (83%)	186 (100%)	0	100	100
22	M	119/122 (98%)	117 (98%)	2 (2%)	53	67
23	N	173/243 (71%)	173 (100%)	0	100	100
24	O	192/231 (83%)	190 (99%)	2 (1%)	68	75
25	P	104/119 (87%)	104 (100%)	0	100	100
26	Q	86/98 (88%)	86 (100%)	0	100	100
27	R	172/180 (96%)	172 (100%)	0	100	100
28	S	200/218 (92%)	200 (100%)	0	100	100
29	T	107/115 (93%)	107 (100%)	0	100	100
30	V	156/170 (92%)	156 (100%)	0	100	100
31	Y	117/121 (97%)	117 (100%)	0	100	100
32	Z	190/202 (94%)	190 (100%)	0	100	100
33	a	90/136 (66%)	89 (99%)	1 (1%)	65	74
34	b	117/130 (90%)	117 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
35	c	272/275 (99%)	272 (100%)	0	100	100
36	d	112/115 (97%)	112 (100%)	0	100	100
37	e	71/103 (69%)	59 (83%)	12 (17%)	2	9
38	f	129/132 (98%)	129 (100%)	0	100	100
39	h	94/107 (88%)	94 (100%)	0	100	100
40	i	44/49 (90%)	44 (100%)	0	100	100
41	k	61/140 (44%)	55 (90%)	6 (10%)	7	27
42	m	104/108 (96%)	104 (100%)	0	100	100
43	n	56/62 (90%)	56 (100%)	0	100	100
44	o	64/277 (23%)	64 (100%)	0	100	100
45	q	94/123 (76%)	91 (97%)	3 (3%)	34	58
46	r	190/280 (68%)	190 (100%)	0	100	100
47	t	380/397 (96%)	377 (99%)	3 (1%)	73	77
48	u	528/1259 (42%)	527 (100%)	1 (0%)	87	85
49	v	206/406 (51%)	206 (100%)	0	100	100
51	x	207/494 (42%)	207 (100%)	0	100	100
52	y	562/811 (69%)	562 (100%)	0	100	100
53	z	129/388 (33%)	129 (100%)	0	100	100
All	All	7228/10981 (66%)	7196 (100%)	32 (0%)	81	83

5 of 32 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
47	t	28	LEU
47	t	29	THR
37	e	42	ASP
37	e	40	VAL
47	t	31	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 54 such sidechains are listed below:

Mol	Chain	Res	Type
47	t	265	ASN
48	u	229	HIS
52	y	467	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
47	t	450	HIS
48	u	79	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	A	1746/1869 (93%)	415 (23%)	13 (0%)
50	w	74/75 (98%)	20 (27%)	0
7	7	56/255 (21%)	43 (76%)	3 (5%)
All	All	1876/2199 (85%)	478 (25%)	16 (0%)

5 of 478 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
7	7	-34	C
7	7	-31	C
7	7	-30	A
7	7	-29	A
7	7	-28	C

5 of 16 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
10	A	1600	G
10	A	912	C
10	A	688	U
10	A	797	C
10	A	644	OMG

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

29 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	OMC	A	174	10,54	19,22,23	3.20	8 (42%)	26,31,34	2.79	9 (34%)
10	OMC	A	1703	10	19,22,23	3.23	8 (42%)	26,31,34	2.83	9 (34%)
10	OMU	A	121	10	19,22,23	2.97	6 (31%)	26,31,34	1.73	5 (19%)
10	5MC	A	1374	10	18,22,23	0.62	0	26,32,35	0.56	0
10	A2M	A	159	10	22,25,26	3.90	10 (45%)	31,36,39	3.26	12 (38%)
10	A2M	A	166	10	22,25,26	3.91	11 (50%)	31,36,39	3.28	13 (41%)
10	PSU	A	822	10	18,21,22	1.04	1 (5%)	22,30,33	1.84	5 (22%)
10	OMG	A	509	10,54	23,26,27	2.54	8 (34%)	33,38,41	3.35	14 (42%)
10	PSU	A	1081	10	18,21,22	1.00	1 (5%)	22,30,33	1.74	3 (13%)
10	UR3	A	1830	10	19,22,23	2.77	8 (42%)	26,32,35	1.45	4 (15%)
10	A2M	A	668	10,54	22,25,26	3.90	11 (50%)	31,36,39	3.27	14 (45%)
10	OMG	A	644	10	23,26,27	2.34	6 (26%)	33,38,41	3.21	15 (45%)
10	6MZ	A	1832	10,54	22,25,26	2.34	6 (27%)	30,36,39	2.30	11 (36%)
10	PSU	A	612	10	18,21,22	1.00	1 (5%)	22,30,33	1.82	5 (22%)
10	PSU	A	119	10	18,21,22	1.00	1 (5%)	22,30,33	1.64	4 (18%)
10	OMC	A	517	10	19,22,23	2.95	8 (42%)	26,31,34	3.28	8 (30%)
10	MA6	A	1850	10	23,26,27	1.57	2 (8%)	34,38,41	3.05	11 (32%)
10	5MU	A	814	10	19,22,23	7.25	10 (52%)	28,32,35	3.91	19 (67%)
10	MA6	A	1851	10	23,26,27	1.56	2 (8%)	34,38,41	3.18	12 (35%)
10	PSU	A	823	10	18,21,22	1.12	1 (5%)	22,30,33	1.78	5 (22%)
10	A2M	A	484	10	22,25,26	3.86	12 (54%)	31,36,39	3.34	13 (41%)
10	OMU	A	116	10	19,22,23	2.98	6 (31%)	26,31,34	1.64	4 (15%)
10	PSU	A	1243	10	18,21,22	1.07	1 (5%)	22,30,33	1.81	4 (18%)
10	A2M	A	1031	10	22,25,26	3.98	10 (45%)	31,36,39	3.31	13 (41%)
10	OMG	A	683	10	23,26,27	1.27	3 (13%)	33,38,41	2.06	7 (21%)
10	A2M	A	27	10,54	22,25,26	3.89	11 (50%)	31,36,39	3.33	13 (41%)
10	A2M	A	1678	10,54	22,25,26	3.97	12 (54%)	31,36,39	3.38	13 (41%)
10	B8N	A	1248	10	24,29,30	3.02	6 (25%)	29,42,45	2.29	7 (24%)
10	JMH	A	1219	10	18,22,23	2.87	6 (33%)	21,32,35	1.62	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	OMC	A	174	10,54	-	1/9/27/28	0/2/2/2
10	OMC	A	1703	10	-	2/9/27/28	0/2/2/2
10	OMU	A	121	10	-	0/9/27/28	0/2/2/2
10	5MC	A	1374	10	-	0/7/25/26	0/2/2/2
10	A2M	A	159	10	-	3/9/27/28	0/3/3/3
10	A2M	A	166	10	-	1/9/27/28	0/3/3/3
10	PSU	A	822	10	-	2/7/25/26	0/2/2/2
10	OMG	A	509	10,54	-	3/9/27/28	0/3/3/3
10	PSU	A	1081	10	-	1/7/25/26	0/2/2/2
10	UR3	A	1830	10	-	2/7/25/26	0/2/2/2
10	A2M	A	668	10,54	-	2/9/27/28	0/3/3/3
10	OMG	A	644	10	-	4/9/27/28	0/3/3/3
10	6MZ	A	1832	10,54	-	2/9/27/28	0/3/3/3
10	PSU	A	612	10	-	0/7/25/26	0/2/2/2
10	PSU	A	119	10	-	0/7/25/26	0/2/2/2
10	OMC	A	517	10	-	3/9/27/28	0/2/2/2
10	MA6	A	1850	10	-	1/11/29/30	0/3/3/3
10	5MU	A	814	10	-	0/7/25/26	0/2/2/2
10	MA6	A	1851	10	-	3/11/29/30	0/3/3/3
10	PSU	A	823	10	-	2/7/25/26	0/2/2/2
10	A2M	A	484	10	-	1/9/27/28	0/3/3/3
10	OMU	A	116	10	-	1/9/27/28	0/2/2/2
10	PSU	A	1243	10	-	0/7/25/26	0/2/2/2
10	A2M	A	1031	10	-	1/9/27/28	0/3/3/3
10	OMG	A	683	10	-	2/9/27/28	0/3/3/3
10	A2M	A	27	10,54	-	1/9/27/28	0/3/3/3
10	A2M	A	1678	10,54	-	1/9/27/28	0/3/3/3
10	B8N	A	1248	10	-	5/16/34/35	0/2/2/2
10	JMH	A	1219	10	-	2/7/25/26	0/2/2/2

The worst 5 of 176 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	A	814	5MU	C4-C5	20.88	1.79	1.44
10	A	814	5MU	C6-N1	15.31	1.64	1.38
10	A	1031	A2M	C3'-C2'	-13.11	1.23	1.52
10	A	1678	A2M	C3'-C2'	-12.88	1.24	1.52
10	A	27	A2M	C3'-C2'	-12.84	1.24	1.52

The worst 5 of 256 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	A	1851	MA6	N1-C6-N6	-12.41	103.51	117.08
10	A	1850	MA6	N1-C6-N6	-11.60	104.40	117.08
10	A	814	5MU	C5-C4-N3	10.31	124.11	115.31
10	A	1678	A2M	C1'-N9-C8	-9.25	106.25	127.14
10	A	484	A2M	C1'-N9-C8	-8.77	107.33	127.14

There are no chirality outliers.

5 of 46 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	A	27	A2M	C1'-C2'-O2'-CM'
10	A	116	OMU	C1'-C2'-O2'-CM2
10	A	159	A2M	C1'-C2'-O2'-CM'
10	A	166	A2M	C1'-C2'-O2'-CM'
10	A	174	OMC	C1'-C2'-O2'-CM2

There are no ring outliers.

15 monomers are involved in 26 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	A	174	OMC	1	0
10	A	1703	OMC	2	0
10	A	159	A2M	1	0
10	A	166	A2M	1	0
10	A	509	OMG	5	0
10	A	644	OMG	3	0
10	A	517	OMC	3	0
10	A	1850	MA6	1	0
10	A	814	5MU	2	0
10	A	1851	MA6	1	0
10	A	484	A2M	1	0
10	A	116	OMU	1	0
10	A	683	OMG	1	0
10	A	27	A2M	2	0
10	A	1678	A2M	1	0

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 89 ligands modelled in this entry, 89 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-17697. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 216




Y Index: 216




Z Index: 216


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 176




Y Index: 222




Z Index: 214


6.3.2 Raw map



X Index: 147



Y Index: 186




Z Index: 173


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 3.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_17697_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1196 nm³; this corresponds to an approximate mass of 1081 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.294 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.294 \text{ \AA}^{-1}$

8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.40	-	-
Author-provided FSC curve	3.53	4.70	3.67
Unmasked-calculated*	4.22	8.15	4.37

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.22 differs from the reported value 3.4 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-17697 and PDB model 8PJ2. Per-residue inclusion information can be found in section [3](#) on page [14](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 3.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (3).

9.4 Atom inclusion ⓘ



At the recommended contour level, 73% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7290	 0.3200
1	 0.0660	 0.0560
2	 0.0030	 0.0270
3	 0.2680	 0.0420
4	 0.4680	 0.0680
5	 0.2880	 0.0140
6	 0.4120	 0.0450
7	 0.4450	 0.1710
8	 0.4440	 0.0950
9	 0.8130	 0.3960
A	 0.9550	 0.4200
B	 0.8770	 0.4630
C	 0.9170	 0.4800
D	 0.8830	 0.4620
E	 0.9000	 0.4850
F	 0.7810	 0.4060
G	 0.7900	 0.3880
H	 0.8420	 0.4310
I	 0.8670	 0.4410
J	 0.8900	 0.4870
K	 0.8230	 0.4450
L	 0.8350	 0.4600
M	 0.7810	 0.3970
N	 0.8590	 0.4560
O	 0.8670	 0.4260
P	 0.8470	 0.4250
Q	 0.9070	 0.4720
R	 0.9160	 0.4400
S	 0.9250	 0.4050
T	 0.9210	 0.4370
V	 0.8450	 0.4470
Y	 0.9070	 0.4670
Z	 0.8020	 0.4310
a	 0.8630	 0.4190
b	 0.8600	 0.4060



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
c	 0.8720	 0.4070
d	 0.9250	 0.4570
e	 0.7370	 0.3520
f	 0.8570	 0.4140
h	 0.8220	 0.4070
i	 0.9350	 0.4950
k	 0.7930	 0.2220
m	 0.7210	 0.2450
n	 0.7590	 0.4100
o	 0.4240	 0.1700
q	 0.7200	 0.3750
r	 0.5210	 0.2030
t	 0.0590	 0.0420
u	 0.5390	 0.1820
v	 0.5470	 0.1060
w	 0.8120	 0.2070
x	 0.5380	 0.2200
y	 0.5820	 0.2390
z	 0.3610	 0.2520