



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 11:19 PM UTC

PDB ID : 7PKJ / pdb_00007pkj
Title : Streptococcus pyogenes apo GapN
Authors : Schindelin, H.; Albert, L.
Deposited on : 2021-08-25
Resolution : 1.99 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	496	91%
1	B	496	93%
1	C	496	92%
1	D	496	91% 5%
1	E	496	93%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	496	% 91% 5% .
1	G	496	% 92% . .
1	H	496	92% . .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 60189 atoms, of which 29098 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative NADP-dependent glyceraldehyde-3-phosphate dehydrogenase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	474	Total	C	H	N	O	S	3628	4	0
			7192	2270	3628	591	694	9			
1	B	474	Total	C	H	N	O	S	3648	6	0
			7229	2287	3648	591	694	9			
1	C	475	Total	C	H	N	O	S	3632	3	0
			7189	2266	3629	592	692	10			
1	D	475	Total	C	H	N	O	S	3653	7	0
			7236	2282	3653	593	697	11			
1	E	475	Total	C	H	N	O	S	3630	1	0
			7180	2264	3624	593	689	10			
1	F	474	Total	C	H	N	O	S	3627	4	0
			7190	2271	3627	591	691	10			
1	G	475	Total	C	H	N	O	S	3647	4	0
			7220	2276	3644	596	694	10			
1	H	475	Total	C	H	N	O	S	3645	5	0
			7221	2277	3645	593	696	10			

There are 192 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	ALA	-	expression tag	UNP A0A7G1J7Q1
A	-19	SER	-	expression tag	UNP A0A7G1J7Q1
A	-18	TRP	-	expression tag	UNP A0A7G1J7Q1
A	-17	SER	-	expression tag	UNP A0A7G1J7Q1
A	-16	HIS	-	expression tag	UNP A0A7G1J7Q1
A	-15	PRO	-	expression tag	UNP A0A7G1J7Q1
A	-14	GLN	-	expression tag	UNP A0A7G1J7Q1
A	-13	PHE	-	expression tag	UNP A0A7G1J7Q1
A	-12	GLU	-	expression tag	UNP A0A7G1J7Q1
A	-11	LYS	-	expression tag	UNP A0A7G1J7Q1
A	-10	ILE	-	expression tag	UNP A0A7G1J7Q1
A	-9	GLU	-	expression tag	UNP A0A7G1J7Q1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	GLY	-	expression tag	UNP A0A7G1J7Q1
A	-7	ARG	-	expression tag	UNP A0A7G1J7Q1
A	-6	ARG	-	expression tag	UNP A0A7G1J7Q1
A	-5	ASP	-	expression tag	UNP A0A7G1J7Q1
A	-4	ARG	-	expression tag	UNP A0A7G1J7Q1
A	-3	GLY	-	expression tag	UNP A0A7G1J7Q1
A	-2	PRO	-	expression tag	UNP A0A7G1J7Q1
A	-1	GLU	-	expression tag	UNP A0A7G1J7Q1
A	0	PHE	-	expression tag	UNP A0A7G1J7Q1
A	58	THR	ALA	conflict	UNP A0A7G1J7Q1
A	170	ALA	SER	conflict	UNP A0A7G1J7Q1
A	266	ALA	VAL	conflict	UNP A0A7G1J7Q1
B	-20	ALA	-	expression tag	UNP A0A7G1J7Q1
B	-19	SER	-	expression tag	UNP A0A7G1J7Q1
B	-18	TRP	-	expression tag	UNP A0A7G1J7Q1
B	-17	SER	-	expression tag	UNP A0A7G1J7Q1
B	-16	HIS	-	expression tag	UNP A0A7G1J7Q1
B	-15	PRO	-	expression tag	UNP A0A7G1J7Q1
B	-14	GLN	-	expression tag	UNP A0A7G1J7Q1
B	-13	PHE	-	expression tag	UNP A0A7G1J7Q1
B	-12	GLU	-	expression tag	UNP A0A7G1J7Q1
B	-11	LYS	-	expression tag	UNP A0A7G1J7Q1
B	-10	ILE	-	expression tag	UNP A0A7G1J7Q1
B	-9	GLU	-	expression tag	UNP A0A7G1J7Q1
B	-8	GLY	-	expression tag	UNP A0A7G1J7Q1
B	-7	ARG	-	expression tag	UNP A0A7G1J7Q1
B	-6	ARG	-	expression tag	UNP A0A7G1J7Q1
B	-5	ASP	-	expression tag	UNP A0A7G1J7Q1
B	-4	ARG	-	expression tag	UNP A0A7G1J7Q1
B	-3	GLY	-	expression tag	UNP A0A7G1J7Q1
B	-2	PRO	-	expression tag	UNP A0A7G1J7Q1
B	-1	GLU	-	expression tag	UNP A0A7G1J7Q1
B	0	PHE	-	expression tag	UNP A0A7G1J7Q1
B	58	THR	ALA	conflict	UNP A0A7G1J7Q1
B	170	ALA	SER	conflict	UNP A0A7G1J7Q1
B	266	ALA	VAL	conflict	UNP A0A7G1J7Q1
C	-20	ALA	-	expression tag	UNP A0A7G1J7Q1
C	-19	SER	-	expression tag	UNP A0A7G1J7Q1
C	-18	TRP	-	expression tag	UNP A0A7G1J7Q1
C	-17	SER	-	expression tag	UNP A0A7G1J7Q1
C	-16	HIS	-	expression tag	UNP A0A7G1J7Q1
C	-15	PRO	-	expression tag	UNP A0A7G1J7Q1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-14	GLN	-	expression tag	UNP A0A7G1J7Q1
C	-13	PHE	-	expression tag	UNP A0A7G1J7Q1
C	-12	GLU	-	expression tag	UNP A0A7G1J7Q1
C	-11	LYS	-	expression tag	UNP A0A7G1J7Q1
C	-10	ILE	-	expression tag	UNP A0A7G1J7Q1
C	-9	GLU	-	expression tag	UNP A0A7G1J7Q1
C	-8	GLY	-	expression tag	UNP A0A7G1J7Q1
C	-7	ARG	-	expression tag	UNP A0A7G1J7Q1
C	-6	ARG	-	expression tag	UNP A0A7G1J7Q1
C	-5	ASP	-	expression tag	UNP A0A7G1J7Q1
C	-4	ARG	-	expression tag	UNP A0A7G1J7Q1
C	-3	GLY	-	expression tag	UNP A0A7G1J7Q1
C	-2	PRO	-	expression tag	UNP A0A7G1J7Q1
C	-1	GLU	-	expression tag	UNP A0A7G1J7Q1
C	0	PHE	-	expression tag	UNP A0A7G1J7Q1
C	58	THR	ALA	conflict	UNP A0A7G1J7Q1
C	170	ALA	SER	conflict	UNP A0A7G1J7Q1
C	266	ALA	VAL	conflict	UNP A0A7G1J7Q1
D	-20	ALA	-	expression tag	UNP A0A7G1J7Q1
D	-19	SER	-	expression tag	UNP A0A7G1J7Q1
D	-18	TRP	-	expression tag	UNP A0A7G1J7Q1
D	-17	SER	-	expression tag	UNP A0A7G1J7Q1
D	-16	HIS	-	expression tag	UNP A0A7G1J7Q1
D	-15	PRO	-	expression tag	UNP A0A7G1J7Q1
D	-14	GLN	-	expression tag	UNP A0A7G1J7Q1
D	-13	PHE	-	expression tag	UNP A0A7G1J7Q1
D	-12	GLU	-	expression tag	UNP A0A7G1J7Q1
D	-11	LYS	-	expression tag	UNP A0A7G1J7Q1
D	-10	ILE	-	expression tag	UNP A0A7G1J7Q1
D	-9	GLU	-	expression tag	UNP A0A7G1J7Q1
D	-8	GLY	-	expression tag	UNP A0A7G1J7Q1
D	-7	ARG	-	expression tag	UNP A0A7G1J7Q1
D	-6	ARG	-	expression tag	UNP A0A7G1J7Q1
D	-5	ASP	-	expression tag	UNP A0A7G1J7Q1
D	-4	ARG	-	expression tag	UNP A0A7G1J7Q1
D	-3	GLY	-	expression tag	UNP A0A7G1J7Q1
D	-2	PRO	-	expression tag	UNP A0A7G1J7Q1
D	-1	GLU	-	expression tag	UNP A0A7G1J7Q1
D	0	PHE	-	expression tag	UNP A0A7G1J7Q1
D	58	THR	ALA	conflict	UNP A0A7G1J7Q1
D	170	ALA	SER	conflict	UNP A0A7G1J7Q1
D	266	ALA	VAL	conflict	UNP A0A7G1J7Q1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-20	ALA	-	expression tag	UNP A0A7G1J7Q1
E	-19	SER	-	expression tag	UNP A0A7G1J7Q1
E	-18	TRP	-	expression tag	UNP A0A7G1J7Q1
E	-17	SER	-	expression tag	UNP A0A7G1J7Q1
E	-16	HIS	-	expression tag	UNP A0A7G1J7Q1
E	-15	PRO	-	expression tag	UNP A0A7G1J7Q1
E	-14	GLN	-	expression tag	UNP A0A7G1J7Q1
E	-13	PHE	-	expression tag	UNP A0A7G1J7Q1
E	-12	GLU	-	expression tag	UNP A0A7G1J7Q1
E	-11	LYS	-	expression tag	UNP A0A7G1J7Q1
E	-10	ILE	-	expression tag	UNP A0A7G1J7Q1
E	-9	GLU	-	expression tag	UNP A0A7G1J7Q1
E	-8	GLY	-	expression tag	UNP A0A7G1J7Q1
E	-7	ARG	-	expression tag	UNP A0A7G1J7Q1
E	-6	ARG	-	expression tag	UNP A0A7G1J7Q1
E	-5	ASP	-	expression tag	UNP A0A7G1J7Q1
E	-4	ARG	-	expression tag	UNP A0A7G1J7Q1
E	-3	GLY	-	expression tag	UNP A0A7G1J7Q1
E	-2	PRO	-	expression tag	UNP A0A7G1J7Q1
E	-1	GLU	-	expression tag	UNP A0A7G1J7Q1
E	0	PHE	-	expression tag	UNP A0A7G1J7Q1
E	58	THR	ALA	conflict	UNP A0A7G1J7Q1
E	170	ALA	SER	conflict	UNP A0A7G1J7Q1
E	266	ALA	VAL	conflict	UNP A0A7G1J7Q1
F	-20	ALA	-	expression tag	UNP A0A7G1J7Q1
F	-19	SER	-	expression tag	UNP A0A7G1J7Q1
F	-18	TRP	-	expression tag	UNP A0A7G1J7Q1
F	-17	SER	-	expression tag	UNP A0A7G1J7Q1
F	-16	HIS	-	expression tag	UNP A0A7G1J7Q1
F	-15	PRO	-	expression tag	UNP A0A7G1J7Q1
F	-14	GLN	-	expression tag	UNP A0A7G1J7Q1
F	-13	PHE	-	expression tag	UNP A0A7G1J7Q1
F	-12	GLU	-	expression tag	UNP A0A7G1J7Q1
F	-11	LYS	-	expression tag	UNP A0A7G1J7Q1
F	-10	ILE	-	expression tag	UNP A0A7G1J7Q1
F	-9	GLU	-	expression tag	UNP A0A7G1J7Q1
F	-8	GLY	-	expression tag	UNP A0A7G1J7Q1
F	-7	ARG	-	expression tag	UNP A0A7G1J7Q1
F	-6	ARG	-	expression tag	UNP A0A7G1J7Q1
F	-5	ASP	-	expression tag	UNP A0A7G1J7Q1
F	-4	ARG	-	expression tag	UNP A0A7G1J7Q1
F	-3	GLY	-	expression tag	UNP A0A7G1J7Q1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	-2	PRO	-	expression tag	UNP A0A7G1J7Q1
F	-1	GLU	-	expression tag	UNP A0A7G1J7Q1
F	0	PHE	-	expression tag	UNP A0A7G1J7Q1
F	58	THR	ALA	conflict	UNP A0A7G1J7Q1
F	170	ALA	SER	conflict	UNP A0A7G1J7Q1
F	266	ALA	VAL	conflict	UNP A0A7G1J7Q1
G	-20	ALA	-	expression tag	UNP A0A7G1J7Q1
G	-19	SER	-	expression tag	UNP A0A7G1J7Q1
G	-18	TRP	-	expression tag	UNP A0A7G1J7Q1
G	-17	SER	-	expression tag	UNP A0A7G1J7Q1
G	-16	HIS	-	expression tag	UNP A0A7G1J7Q1
G	-15	PRO	-	expression tag	UNP A0A7G1J7Q1
G	-14	GLN	-	expression tag	UNP A0A7G1J7Q1
G	-13	PHE	-	expression tag	UNP A0A7G1J7Q1
G	-12	GLU	-	expression tag	UNP A0A7G1J7Q1
G	-11	LYS	-	expression tag	UNP A0A7G1J7Q1
G	-10	ILE	-	expression tag	UNP A0A7G1J7Q1
G	-9	GLU	-	expression tag	UNP A0A7G1J7Q1
G	-8	GLY	-	expression tag	UNP A0A7G1J7Q1
G	-7	ARG	-	expression tag	UNP A0A7G1J7Q1
G	-6	ARG	-	expression tag	UNP A0A7G1J7Q1
G	-5	ASP	-	expression tag	UNP A0A7G1J7Q1
G	-4	ARG	-	expression tag	UNP A0A7G1J7Q1
G	-3	GLY	-	expression tag	UNP A0A7G1J7Q1
G	-2	PRO	-	expression tag	UNP A0A7G1J7Q1
G	-1	GLU	-	expression tag	UNP A0A7G1J7Q1
G	0	PHE	-	expression tag	UNP A0A7G1J7Q1
G	58	THR	ALA	conflict	UNP A0A7G1J7Q1
G	170	ALA	SER	conflict	UNP A0A7G1J7Q1
G	266	ALA	VAL	conflict	UNP A0A7G1J7Q1
H	-20	ALA	-	expression tag	UNP A0A7G1J7Q1
H	-19	SER	-	expression tag	UNP A0A7G1J7Q1
H	-18	TRP	-	expression tag	UNP A0A7G1J7Q1
H	-17	SER	-	expression tag	UNP A0A7G1J7Q1
H	-16	HIS	-	expression tag	UNP A0A7G1J7Q1
H	-15	PRO	-	expression tag	UNP A0A7G1J7Q1
H	-14	GLN	-	expression tag	UNP A0A7G1J7Q1
H	-13	PHE	-	expression tag	UNP A0A7G1J7Q1
H	-12	GLU	-	expression tag	UNP A0A7G1J7Q1
H	-11	LYS	-	expression tag	UNP A0A7G1J7Q1
H	-10	ILE	-	expression tag	UNP A0A7G1J7Q1
H	-9	GLU	-	expression tag	UNP A0A7G1J7Q1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-8	GLY	-	expression tag	UNP A0A7G1J7Q1
H	-7	ARG	-	expression tag	UNP A0A7G1J7Q1
H	-6	ARG	-	expression tag	UNP A0A7G1J7Q1
H	-5	ASP	-	expression tag	UNP A0A7G1J7Q1
H	-4	ARG	-	expression tag	UNP A0A7G1J7Q1
H	-3	GLY	-	expression tag	UNP A0A7G1J7Q1
H	-2	PRO	-	expression tag	UNP A0A7G1J7Q1
H	-1	GLU	-	expression tag	UNP A0A7G1J7Q1
H	0	PHE	-	expression tag	UNP A0A7G1J7Q1
H	58	THR	ALA	conflict	UNP A0A7G1J7Q1
H	170	ALA	SER	conflict	UNP A0A7G1J7Q1
H	266	ALA	VAL	conflict	UNP A0A7G1J7Q1

- Molecule 2 is BETA-MERCAPTOETHANOL (CCD ID: BME) (formula: C₂H₆OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			4	2	1	1		
2	B	1	Total	C	O	S	0	0
			4	2	1	1		
2	C	1	Total	C	O	S	0	0
			4	2	1	1		
2	D	1	Total	C	O	S	0	1
			8	4	2	2		
2	E	1	Total	C	O	S	0	0
			4	2	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	F	1	Total	C	O	S	0	1
			8	4	2	2		
2	G	1	Total	C	O	S	0	0
			4	2	1	1		
2	H	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	G	1	Total	C	O	0	0
			6	3	3		
4	G	1	Total	C	O	0	0
			6	3	3		
4	G	1	Total	C	O	0	0
			6	3	3		
4	G	1	Total	C	O	0	0
			6	3	3		
4	G	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	G	1	Total	C	O	0	0
			6	3	3		
4	H	1	Total	C	O	0	0
			6	3	3		
4	H	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	272	Total	O	0	0
			272	272		
5	B	311	Total	O	0	4
			315	315		
5	C	295	Total	O	0	1
			296	296		
5	D	289	Total	O	0	0
			289	289		
5	E	234	Total	O	0	0
			234	234		
5	F	210	Total	O	0	1
			211	211		
5	G	314	Total	O	0	2
			316	316		
5	H	318	Total	O	0	1
			319	319		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative NADP-dependent glyceraldehyde-3-phosphate dehydrogenase




- Molecule 1: Putative NADP-dependent glyceraldehyde-3-phosphate dehydrogenase




- Molecule 1: Putative NADP-dependent glyceraldehyde-3-phosphate dehydrogenase



- Molecule 1: Putative NADP-dependent glyceraldehyde-3-phosphate dehydrogenase





- Molecule 1: Putative NADP-dependent glyceraldehyde-3-phosphate dehydrogenase

Chain E:  93% . .





- Molecule 1: Putative NADP-dependent glyceraldehyde-3-phosphate dehydrogenase

Chain F:  91% 5% .




- Molecule 1: Putative NADP-dependent glyceraldehyde-3-phosphate dehydrogenase

Chain G:  92% . .



- Molecule 1: Putative NADP-dependent glyceraldehyde-3-phosphate dehydrogenase

Chain H:  92% . .



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	97.75Å 99.89Å 106.18Å 77.67° 75.19° 67.12°	Depositor
Resolution (Å)	20.03 – 1.99 20.03 – 1.99	Depositor EDS
% Data completeness (in resolution range)	62.9 (20.03-1.99) 62.8 (20.03-1.99)	Depositor EDS
R_{merge}	0.30	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.12 (at 1.99Å)	Xtriage
Refinement program	BUSTER 2.10.4	Depositor
R, R_{free}	0.192 , 0.232 0.185 , 0.223	Depositor DCC
R_{free} test set	7387 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	18.9	Xtriage
Anisotropy	0.040	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 45.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.009 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	60189	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: BME, SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	0/3633	0.98	1/4926 (0.0%)
1	B	0.75	0/3658	0.98	1/4960 (0.0%)
1	C	0.75	0/3626	0.99	1/4916 (0.0%)
1	D	0.75	2/3661 (0.1%)	0.98	1/4963 (0.0%)
1	E	0.72	1/3616 (0.0%)	0.98	1/4901 (0.0%)
1	F	0.74	1/3633 (0.0%)	1.00	2/4927 (0.0%)
1	G	0.78	2/3645 (0.1%)	0.98	1/4940 (0.0%)
1	H	0.76	1/3648 (0.0%)	0.99	1/4945 (0.0%)
All	All	0.75	7/29120 (0.0%)	0.98	9/39478 (0.0%)

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	160	ALA	CA-C	5.92	1.58	1.52
1	D	457	VAL	CA-C	5.75	1.59	1.52
1	H	160	ALA	CA-C	5.70	1.58	1.52
1	E	160	ALA	CA-C	5.45	1.57	1.52
1	G	457	VAL	CA-C	5.42	1.59	1.52

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	160	ALA	N-CA-C	-7.22	103.33	112.93
1	A	160	ALA	N-CA-C	-7.11	103.47	112.93
1	C	160	ALA	N-CA-C	-7.08	103.51	112.93
1	D	160	ALA	N-CA-C	-6.97	103.66	112.93
1	B	160	ALA	N-CA-C	-6.94	103.70	112.93

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3564	3628	3628	10	0
1	B	3581	3648	3648	3	0
1	C	3560	3629	3631	8	0
1	D	3583	3653	3655	13	0
1	E	3556	3624	3626	7	0
1	F	3563	3627	3627	11	0
1	G	3576	3644	3646	10	0
1	H	3576	3645	3647	9	0
2	A	4	0	5	1	0
2	B	4	0	5	0	0
2	C	4	0	6	0	0
2	D	8	0	10	2	0
2	E	4	0	5	0	0
2	F	8	0	9	2	0
2	G	4	0	5	0	0
2	H	4	0	5	0	0
3	A	10	0	0	0	0
3	B	15	0	0	0	0
3	C	15	0	0	0	0
3	D	15	0	0	0	0
3	E	10	0	0	0	0
3	F	5	0	0	0	0
3	G	10	0	0	1	0
3	H	10	0	0	0	0
4	A	12	0	16	0	0
4	B	12	0	16	0	0
4	C	12	0	16	2	0
4	D	36	0	48	3	0
4	E	12	0	16	0	0
4	F	12	0	16	1	0
4	G	42	0	56	1	0
4	H	12	0	16	0	0
5	A	272	0	0	0	0
5	B	315	0	0	0	0
5	C	296	0	0	0	0
5	D	289	0	0	0	0
5	E	234	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	211	0	0	0	0
5	G	316	0	0	1	0
5	H	319	0	0	2	0
All	All	31091	29098	29358	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 67 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:601[B]:BME:H12	4:F:603:GOL:H2	1.61	0.82
1:D:230:GLY:HA2	2:D:601[B]:BME:H11	1.69	0.75
1:A:250:GLU:OE2	1:A:455:GLN:HG3	1.87	0.73
1:D:10:ASN:ND2	1:F:95:LYS:HZ2	1.88	0.72
1:E:250:GLU:OE2	1:E:437:ARG:NH1	2.23	0.71

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	476/496 (96%)	465 (98%)	11 (2%)	0	100	100
1	B	478/496 (96%)	467 (98%)	11 (2%)	0	100	100
1	C	476/496 (96%)	465 (98%)	11 (2%)	0	100	100
1	D	480/496 (97%)	467 (97%)	13 (3%)	0	100	100
1	E	474/496 (96%)	462 (98%)	12 (2%)	0	100	100
1	F	476/496 (96%)	463 (97%)	13 (3%)	0	100	100
1	G	477/496 (96%)	464 (97%)	13 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	478/496 (96%)	467 (98%)	11 (2%)	0	100	100
All	All	3815/3968 (96%)	3720 (98%)	95 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	373/388 (96%)	369 (99%)	4 (1%)	65	61
1	B	375/388 (97%)	370 (99%)	5 (1%)	61	57
1	C	373/388 (96%)	367 (98%)	6 (2%)	55	50
1	D	377/388 (97%)	367 (97%)	10 (3%)	39	31
1	E	371/388 (96%)	366 (99%)	5 (1%)	61	57
1	F	373/388 (96%)	364 (98%)	9 (2%)	43	35
1	G	374/388 (96%)	367 (98%)	7 (2%)	50	44
1	H	375/388 (97%)	369 (98%)	6 (2%)	55	50
All	All	2991/3104 (96%)	2939 (98%)	52 (2%)	55	48

5 of 52 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	433	ASN
1	F	347	THR
1	H	379	PHE
1	E	467	VAL
1	F	267	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	357	ASN
1	G	353	ASN
1	H	433	ASN
1	H	18	ASN
1	C	18	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

53 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BME	C	601	-	3,3,3	0.20	0	2,2,2	0.14	0
3	SO4	F	602	-	4,4,4	0.23	0	6,6,6	0.15	0
4	GOL	D	609	-	5,5,5	0.14	0	5,5,5	0.26	0
2	BME	B	601	-	3,3,3	0.27	0	2,2,2	0.29	0
4	GOL	D	605	-	5,5,5	0.15	0	5,5,5	0.32	0
2	BME	D	601[B]	1	3,3,3	0.20	0	2,2,2	0.41	0
3	SO4	E	602	-	4,4,4	0.26	0	6,6,6	0.21	0
2	BME	F	601[B]	1	3,3,3	0.23	0	2,2,2	0.29	0
3	SO4	C	604	-	4,4,4	0.28	0	6,6,6	0.21	0
4	GOL	G	608	-	5,5,5	0.09	0	5,5,5	0.22	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	602	-	4,4,4	0.29	0	6,6,6	0.19	0
4	GOL	C	605	-	5,5,5	0.08	0	5,5,5	0.14	0
2	BME	G	601	-	3,3,3	0.22	0	2,2,2	0.12	0
4	GOL	G	605	-	5,5,5	0.14	0	5,5,5	0.45	0
3	SO4	G	603	-	4,4,4	0.21	0	6,6,6	0.16	0
4	GOL	D	608	-	5,5,5	0.15	0	5,5,5	0.22	0
4	GOL	F	603	-	5,5,5	0.04	0	5,5,5	0.14	0
4	GOL	G	610	-	5,5,5	0.12	0	5,5,5	0.29	0
2	BME	A	601	-	3,3,3	0.21	0	2,2,2	0.28	0
4	GOL	G	606	-	5,5,5	0.09	0	5,5,5	0.17	0
2	BME	E	601	-	3,3,3	0.25	0	2,2,2	0.38	0
3	SO4	A	603	-	4,4,4	0.30	0	6,6,6	0.15	0
3	SO4	E	603	-	4,4,4	0.30	0	6,6,6	0.24	0
4	GOL	A	604	-	5,5,5	0.06	0	5,5,5	0.28	0
2	BME	H	601	-	3,3,3	0.22	0	2,2,2	0.07	0
4	GOL	G	607	-	5,5,5	0.14	0	5,5,5	0.43	0
3	SO4	D	602	-	4,4,4	0.26	0	6,6,6	0.25	0
3	SO4	B	604	-	4,4,4	0.32	0	6,6,6	0.10	0
3	SO4	D	604	-	4,4,4	0.25	0	6,6,6	0.11	0
4	GOL	D	610	-	5,5,5	0.10	0	5,5,5	0.20	0
4	GOL	E	604	-	5,5,5	0.06	0	5,5,5	0.14	0
3	SO4	A	602	-	4,4,4	0.34	0	6,6,6	0.23	0
2	BME	D	601[A]	1	3,3,3	0.18	0	2,2,2	0.20	0
3	SO4	D	603	-	4,4,4	0.27	0	6,6,6	0.28	0
4	GOL	F	604	-	5,5,5	0.04	0	5,5,5	0.29	0
4	GOL	H	605	-	5,5,5	0.09	0	5,5,5	0.13	0
4	GOL	C	606	-	5,5,5	0.18	0	5,5,5	0.78	0
4	GOL	D	607	-	5,5,5	0.09	0	5,5,5	0.21	0
2	BME	F	601[A]	1	3,3,3	0.23	0	2,2,2	0.19	0
4	GOL	D	606	-	5,5,5	0.11	0	5,5,5	0.21	0
3	SO4	C	603	-	4,4,4	0.37	0	6,6,6	0.33	0
4	GOL	H	604	-	5,5,5	0.05	0	5,5,5	0.22	0
3	SO4	H	602	-	4,4,4	0.39	0	6,6,6	0.23	0
4	GOL	B	605	-	5,5,5	0.06	0	5,5,5	0.47	0
4	GOL	G	604	-	5,5,5	0.08	0	5,5,5	0.35	0
4	GOL	B	606	-	5,5,5	0.11	0	5,5,5	0.19	0
3	SO4	C	602	-	4,4,4	0.36	0	6,6,6	0.13	0
4	GOL	G	609	-	5,5,5	0.11	0	5,5,5	0.65	0
3	SO4	B	603	-	4,4,4	0.31	0	6,6,6	0.25	0
3	SO4	G	602	-	4,4,4	0.35	0	6,6,6	0.32	0
4	GOL	A	605	-	5,5,5	0.04	0	5,5,5	0.10	0
4	GOL	E	605	-	5,5,5	0.11	0	5,5,5	0.22	0
3	SO4	H	603	-	4,4,4	0.36	0	6,6,6	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BME	C	601	-	-	0/1/1/1	-
4	GOL	D	609	-	-	2/4/4/4	-
2	BME	B	601	-	-	1/1/1/1	-
4	GOL	D	605	-	-	0/4/4/4	-
2	BME	D	601[B]	1	-	0/1/1/1	-
2	BME	F	601[B]	1	-	0/1/1/1	-
4	GOL	G	608	-	-	0/4/4/4	-
4	GOL	C	605	-	-	0/4/4/4	-
2	BME	G	601	-	-	1/1/1/1	-
4	GOL	G	605	-	-	3/4/4/4	-
4	GOL	D	608	-	-	4/4/4/4	-
4	GOL	F	603	-	-	1/4/4/4	-
4	GOL	G	610	-	-	0/4/4/4	-
2	BME	A	601	-	-	0/1/1/1	-
4	GOL	G	606	-	-	0/4/4/4	-
2	BME	E	601	-	-	1/1/1/1	-
4	GOL	A	604	-	-	0/4/4/4	-
2	BME	H	601	-	-	1/1/1/1	-
4	GOL	G	607	-	-	0/4/4/4	-
4	GOL	D	610	-	-	0/4/4/4	-
4	GOL	E	604	-	-	0/4/4/4	-
4	GOL	F	604	-	-	0/4/4/4	-
4	GOL	H	605	-	-	2/4/4/4	-
2	BME	D	601[A]	1	-	0/1/1/1	-
4	GOL	C	606	-	-	2/4/4/4	-
4	GOL	D	607	-	-	2/4/4/4	-
2	BME	F	601[A]	1	-	0/1/1/1	-
4	GOL	D	606	-	-	0/4/4/4	-
4	GOL	H	604	-	-	0/4/4/4	-
4	GOL	B	605	-	-	0/4/4/4	-
4	GOL	G	604	-	-	0/4/4/4	-
4	GOL	B	606	-	-	1/4/4/4	-
4	GOL	G	609	-	-	2/4/4/4	-
4	GOL	A	605	-	-	0/4/4/4	-
4	GOL	E	605	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 23 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	601	BME	O1-C1-C2-S2
2	H	601	BME	O1-C1-C2-S2
4	D	608	GOL	O1-C1-C2-O2
4	D	608	GOL	O1-C1-C2-C3
4	D	608	GOL	C1-C2-C3-O3

There are no ring outliers.

11 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	609	GOL	2	0
2	D	601[B]	BME	1	0
2	F	601[B]	BME	1	0
4	G	605	GOL	1	0
3	G	603	SO4	1	0
4	D	608	GOL	1	0
4	F	603	GOL	1	0
2	A	601	BME	1	0
2	D	601[A]	BME	1	0
4	C	606	GOL	2	0
2	F	601[A]	BME	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	474/496 (95%)	-0.13	1 (0%) 91 94	5, 12, 21, 29	4 (0%)
1	B	474/496 (95%)	-0.26	1 (0%) 91 94	4, 11, 18, 26	6 (1%)
1	C	475/496 (95%)	-0.24	2 (0%) 88 92	6, 11, 18, 25	4 (0%)
1	D	475/496 (95%)	-0.26	1 (0%) 91 94	4, 10, 18, 26	7 (1%)
1	E	475/496 (95%)	-0.02	1 (0%) 91 94	5, 13, 23, 31	3 (0%)
1	F	474/496 (95%)	0.02	3 (0%) 85 90	6, 15, 26, 35	4 (0%)
1	G	475/496 (95%)	-0.29	3 (0%) 85 90	4, 9, 17, 27	5 (1%)
1	H	475/496 (95%)	-0.26	1 (0%) 91 94	5, 10, 18, 24	5 (1%)
All	All	3797/3968 (95%)	-0.18	13 (0%) 90 93	4, 11, 21, 35	38 (1%)

The worst 5 of 13 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	2	ALA	3.8
1	B	2	ALA	3.6
1	C	1	MET	2.8
1	A	2	ALA	2.4
1	E	2	ALA	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	A	605	6/6	0.49	0.19	58,58,59,59	0
4	GOL	E	605	6/6	0.60	0.16	52,53,53,53	0
4	GOL	E	604	6/6	0.68	0.12	62,62,62,62	0
2	BME	G	601	4/4	0.72	0.17	46,46,47,47	0
4	GOL	F	603	6/6	0.73	0.17	55,55,55,55	0
3	SO4	C	603	5/5	0.75	0.15	60,61,61,61	0
3	SO4	C	602	5/5	0.75	0.15	83,83,83,83	0
4	GOL	B	605	6/6	0.75	0.13	52,52,52,52	0
4	GOL	G	608	6/6	0.75	0.14	40,41,41,41	0
4	GOL	D	610	6/6	0.76	0.13	55,55,56,56	0
2	BME	H	601	4/4	0.76	0.14	44,44,44,44	0
3	SO4	B	602	5/5	0.76	0.24	108,108,108,108	0
2	BME	E	601	4/4	0.76	0.16	51,51,51,51	0
4	GOL	C	605	6/6	0.76	0.14	52,52,53,53	0
4	GOL	D	605	6/6	0.77	0.11	42,42,43,43	0
4	GOL	A	604	6/6	0.77	0.12	61,61,61,62	0
4	GOL	G	610	6/6	0.77	0.12	46,46,47,47	0
3	SO4	D	602	5/5	0.79	0.14	86,86,86,86	0
4	GOL	G	606	6/6	0.79	0.12	45,46,46,46	0
4	GOL	H	605	6/6	0.79	0.12	43,43,43,43	0
2	BME	F	601[B]	4/4	0.80	0.22	38,38,38,38	4
2	BME	F	601[A]	4/4	0.80	0.22	36,36,36,37	4
3	SO4	D	604	5/5	0.81	0.13	93,93,93,93	0
2	BME	D	601[B]	4/4	0.81	0.28	38,38,38,38	4
4	GOL	C	606	6/6	0.81	0.19	52,53,53,53	0
2	BME	D	601[A]	4/4	0.81	0.28	39,40,40,40	4
4	GOL	G	605	6/6	0.82	0.17	49,49,50,50	0
4	GOL	G	609	6/6	0.82	0.18	49,50,50,51	0
4	GOL	F	604	6/6	0.83	0.12	52,52,52,53	0
4	GOL	G	604	6/6	0.84	0.11	49,50,50,50	0
4	GOL	H	604	6/6	0.84	0.10	39,39,40,40	0
4	GOL	G	607	6/6	0.84	0.10	38,38,39,39	0
3	SO4	H	603	5/5	0.85	0.12	56,56,56,56	0
4	GOL	D	608	6/6	0.85	0.14	41,42,42,42	0
3	SO4	B	604	5/5	0.85	0.13	83,83,83,83	0
3	SO4	H	602	5/5	0.85	0.11	57,57,57,57	0
3	SO4	E	602	5/5	0.86	0.13	76,76,76,76	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	B	606	6/6	0.86	0.14	67,67,67,67	0
3	SO4	F	602	5/5	0.86	0.12	78,78,78,78	0
2	BME	B	601	4/4	0.86	0.12	47,48,48,48	0
3	SO4	A	603	5/5	0.87	0.12	73,73,73,73	0
2	BME	C	601	4/4	0.87	0.17	71,72,72,72	0
3	SO4	E	603	5/5	0.87	0.12	64,64,64,65	0
2	BME	A	601	4/4	0.87	0.14	53,53,54,54	0
4	GOL	D	607	6/6	0.89	0.07	36,37,37,37	0
3	SO4	D	603	5/5	0.89	0.10	56,57,57,57	0
3	SO4	A	602	5/5	0.89	0.12	74,74,74,74	0
4	GOL	D	606	6/6	0.89	0.08	40,40,40,40	0
4	GOL	D	609	6/6	0.90	0.11	39,39,39,40	0
3	SO4	G	602	5/5	0.92	0.10	53,54,54,54	0
3	SO4	B	603	5/5	0.92	0.11	71,71,71,71	0
3	SO4	C	604	5/5	0.93	0.08	69,69,69,69	0
3	SO4	G	603	5/5	0.97	0.07	53,53,53,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.