



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 05:46 PM UTC

PDB ID : 6PL6 / pdb_00006pl6
Title : Structural coordination of polymerization and crosslinking by a peptidoglycan synthase complex
Authors : Sjodt, M.; Rohs, P.D.A.; Erlandson, S.C.; Zheng, S.; Rudner, D.Z.; Bernhardt, T.G.; Kruse, A.C.
Deposited on : 2019-06-30
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1169 (3.32-3.28)
Clashscore	190562	1209 (3.32-3.28)
Ramachandran outliers	187476	1188 (3.32-3.28)
Sidechain outliers	187428	1187 (3.32-3.28)
RSRZ outliers	180081	1169 (3.32-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	377	
2	B	598	
3	D	11	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6864 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptidoglycan glycosyltransferase RodA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	336	Total	C	N	O	S	0	0	0
			2510	1691	411	405	3			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-17	ASP	-	expression tag	UNP Q5SIX3
A	-16	TYR	-	expression tag	UNP Q5SIX3
A	-15	LYS	-	expression tag	UNP Q5SIX3
A	-14	ASP	-	expression tag	UNP Q5SIX3
A	-13	ASP	-	expression tag	UNP Q5SIX3
A	-12	ASP	-	expression tag	UNP Q5SIX3
A	-11	ASP	-	expression tag	UNP Q5SIX3
A	-10	LEU	-	expression tag	UNP Q5SIX3
A	-9	GLU	-	expression tag	UNP Q5SIX3
A	-8	VAL	-	expression tag	UNP Q5SIX3
A	-7	LEU	-	expression tag	UNP Q5SIX3
A	-6	PHE	-	expression tag	UNP Q5SIX3
A	-5	GLN	-	expression tag	UNP Q5SIX3
A	-4	GLY	-	expression tag	UNP Q5SIX3
A	-3	PRO	-	expression tag	UNP Q5SIX3
A	-2	GLY	-	expression tag	UNP Q5SIX3
A	-1	GLY	-	expression tag	UNP Q5SIX3
A	0	SER	-	expression tag	UNP Q5SIX3
A	1	SER	-	expression tag	UNP Q5SIX3
A	255	ALA	ASP	engineered mutation	UNP Q5SIX3

- Molecule 2 is a protein called Penicillin-binding protein 2/cell division protein FtsI.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	577	Total	C	N	O	S	0	0	0
			4275	2737	742	787	9			


There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP Q5SJ23
B	1	GLY	-	expression tag	UNP Q5SJ23
B	576	GLY	-	expression tag	UNP Q5SJ23
B	577	SER	-	expression tag	UNP Q5SJ23
B	578	LEU	-	expression tag	UNP Q5SJ23
B	579	GLU	-	expression tag	UNP Q5SJ23
B	580	VAL	-	expression tag	UNP Q5SJ23
B	581	LEU	-	expression tag	UNP Q5SJ23
B	582	PHE	-	expression tag	UNP Q5SJ23
B	583	GLN	-	expression tag	UNP Q5SJ23
B	584	GLY	-	expression tag	UNP Q5SJ23
B	585	PRO	-	expression tag	UNP Q5SJ23
B	586	GLU	-	expression tag	UNP Q5SJ23
B	587	ASP	-	expression tag	UNP Q5SJ23
B	588	GLN	-	expression tag	UNP Q5SJ23
B	589	VAL	-	expression tag	UNP Q5SJ23
B	590	ASP	-	expression tag	UNP Q5SJ23
B	591	PRO	-	expression tag	UNP Q5SJ23
B	592	ARG	-	expression tag	UNP Q5SJ23
B	593	LEU	-	expression tag	UNP Q5SJ23
B	594	ILE	-	expression tag	UNP Q5SJ23
B	595	ASP	-	expression tag	UNP Q5SJ23
B	596	GLY	-	expression tag	UNP Q5SJ23
B	597	LYS	-	expression tag	UNP Q5SJ23

- Molecule 3 is a protein called Unknown peptide.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	11	Total	C	N	O	0	0	0
			55	33	11	11			


- Molecule 4 is (2R,4S)-2-[(1R)-1-[(2R)-2-amino-2-phenylacetyl]amino]-2-oxoethyl]-5,5-dimethyl-1,3-thiazolidine-4-carboxylic acid (CCD ID: AIX) (formula: C₁₆H₂₁N₃O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
4	B	1	24	16	3	4	1	0	0

- Molecule 1: Peptidoglycan glycosyltransferase RodA





- Molecule 3: Unknown peptide

Chain D:  100%

There are no outlier residues recorded for this chain.

4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	118.44Å 118.44Å 265.80Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.23 – 3.30 49.23 – 3.30	Depositor EDS
% Data completeness (in resolution range)	94.6 (49.23-3.30) 80.3 (49.23-3.30)	Depositor EDS
R_{merge}	0.24	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.40 (at 3.33Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.275 , 0.308 0.286 , 0.318	Depositor DCC
R_{free} test set	2167 reflections (3.13%)	wwPDB-VP
Wilson B-factor (Å ²)	97.3	Xtriage
Anisotropy	0.397	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 84.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.047 for -h,-k,l	Xtriage
F_o, F_c correlation	0.83	EDS
Total number of atoms	6864	wwPDB-VP
Average B, all atoms (Å ²)	157.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AIX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.09	0/2573	0.25	0/3525
2	B	0.09	0/4372	0.28	0/5980
All	All	0.09	0/6945	0.27	0/9505

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2510	0	2629	30	0
2	B	4275	0	4217	95	0
3	D	55	0	13	0	0
4	B	24	0	19	4	0
All	All	6864	0	6878	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:229:GLY:O	2:B:27:GLN:NE2	2.22	0.73
2:B:332:CYS:HB3	2:B:351:MET:HB2	1.72	0.70
1:A:62:ARG:NH2	1:A:295:SER:OG	2.26	0.69
2:B:168:ALA:HB3	2:B:171:GLU:HB2	1.76	0.66
2:B:48:ILE:HG12	2:B:185:ARG:HH21	1.61	0.66
1:A:257:VAL:HG21	1:A:333:SER:HA	1.76	0.65
1:A:227:ALA:HB2	2:B:26:LEU:HB3	1.78	0.65
1:A:173:PRO:HG2	1:A:177:LEU:HB2	1.79	0.65
2:B:230:LEU:HD11	2:B:246:LYS:HA	1.78	0.64
2:B:516:ALA:HB3	2:B:527:HIS:HB2	1.79	0.63
2:B:57:ASP:HB3	2:B:63:LEU:HD11	1.81	0.62
2:B:75:THR:O	2:B:124:ASN:ND2	2.33	0.61
2:B:230:LEU:HB2	2:B:248:VAL:HG22	1.81	0.61
2:B:389:LEU:HD21	2:B:478:PRO:HD2	1.83	0.61
2:B:294:LEU:HD13	2:B:297:LEU:HD12	1.83	0.60
2:B:133:ARG:HD3	2:B:147:VAL:HG21	1.81	0.60
2:B:447:LEU:HD23	2:B:545:VAL:HG13	1.84	0.59
1:A:128:ALA:HA	1:A:132:ASP:HB2	1.83	0.59
1:A:314:ASN:ND2	1:A:327:LEU:O	2.36	0.58
2:B:74:TYR:HE1	2:B:77:GLY:HA2	1.69	0.58
2:B:133:ARG:NE	2:B:171:GLU:OE2	2.37	0.56
1:A:33:ALA:HB2	1:A:260:VAL:HG11	1.88	0.56
2:B:55:ILE:HB	2:B:64:ALA:HB3	1.89	0.55
2:B:337:VAL:HG22	2:B:342:VAL:HG22	1.88	0.54
2:B:299:ARG:NH1	2:B:551:GLU:OE2	2.40	0.54
2:B:255:LEU:HB3	2:B:262:VAL:HG12	1.89	0.54
2:B:145:GLY:HA3	2:B:168:ALA:HB1	1.89	0.53
2:B:151:ASN:OD1	2:B:152:ALA:N	2.41	0.53
1:A:353:HIS:O	1:A:356:ARG:NH1	2.36	0.53
2:B:119:THR:HA	2:B:125:LEU:HD23	1.90	0.53
2:B:449:THR:HG22	2:B:456:LYS:HA	1.89	0.53
1:A:173:PRO:O	1:A:177:LEU:N	2.40	0.53
2:B:501:VAL:HG13	2:B:565:ARG:HD2	1.91	0.53
2:B:82:LYS:HA	2:B:85:LEU:HB2	1.91	0.52
2:B:364:CYS:SG	2:B:366:THR:OG1	2.66	0.52
2:B:47:ASP:HA	2:B:184:VAL:HA	1.91	0.52
2:B:218:LEU:HB3	2:B:264:ALA:HB2	1.92	0.52
2:B:326:PRO:HB3	2:B:484:VAL:HG21	1.90	0.52
2:B:539:SER:O	2:B:541:TYR:N	2.43	0.52
2:B:428:SER:HB3	2:B:433:GLN:HB3	1.92	0.51
2:B:135:TYR:H	2:B:274:ASN:HD21	1.58	0.51
2:B:319:LEU:HD21	2:B:356:VAL:HG21	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:68:LEU:HD22	2:B:129:GLU:HB3	1.93	0.51
2:B:365:ASN:HD21	4:B:601:AIX:HN1	1.58	0.51
1:A:186:LEU:O	1:A:190:THR:OG1	2.20	0.51
1:A:218:GLY:O	1:A:222:ILE:HG12	2.11	0.51
2:B:564:VAL:HG12	2:B:568:MET:HE2	1.93	0.50
2:B:447:LEU:HD22	2:B:531:MET:HB3	1.94	0.50
2:B:66:ASP:N	2:B:66:ASP:OD1	2.44	0.49
1:A:170:ARG:HD3	1:A:294:LEU:HD21	1.94	0.49
2:B:255:LEU:HD22	2:B:459:LEU:HD22	1.94	0.49
2:B:399:GLU:OE1	2:B:399:GLU:N	2.39	0.49
1:A:232:GLY:H	1:A:266:GLY:HA3	1.76	0.49
2:B:308:SER:HB2	2:B:514:GLY:HA2	1.95	0.49
2:B:254:ALA:HB3	2:B:264:ALA:HB3	1.94	0.49
2:B:170:LEU:HD21	2:B:212:LEU:HD11	1.94	0.48
1:A:222:ILE:HG23	1:A:259:SER:HB3	1.96	0.48
2:B:346:TRP:HA	4:B:601:AIX:H10	1.96	0.47
2:B:301:VAL:HB	2:B:402:GLU:HG3	1.96	0.47
2:B:48:ILE:HG21	2:B:204:PRO:HG3	1.96	0.47
2:B:181:LYS:H	2:B:205:THR:HG1	1.62	0.47
2:B:190:ASN:OD1	2:B:191:VAL:N	2.46	0.47
2:B:262:VAL:HG21	2:B:461:LEU:HD23	1.96	0.46
2:B:184:VAL:H	2:B:202:GLU:HB3	1.80	0.46
2:B:253:VAL:HG22	2:B:265:MET:HG3	1.98	0.46
2:B:479:GLY:HA3	2:B:482:TRP:CE2	2.51	0.46
2:B:146:TYR:HB2	2:B:276:PHE:HB2	1.97	0.46
2:B:530:TYR:HD2	2:B:564:VAL:HG21	1.80	0.46
2:B:229:ALA:O	2:B:233:ILE:N	2.40	0.46
2:B:57:ASP:HB2	2:B:214:LEU:O	2.16	0.45
4:B:601:AIX:N3	4:B:601:AIX:O3	2.49	0.45
2:B:550:PHE:HE2	2:B:560:ALA:HA	1.81	0.45
2:B:116:GLU:O	2:B:119:THR:OG1	2.34	0.45
2:B:141:GLY:O	2:B:145:GLY:N	2.50	0.45
1:A:261:TRP:HZ3	1:A:270:VAL:HA	1.81	0.45
2:B:330:TYR:HB2	2:B:367:TRP:CE3	2.52	0.45
1:A:287:LEU:HD22	1:A:353:HIS:NE2	2.32	0.45
2:B:65:GLN:HG2	2:B:66:ASP:H	1.82	0.44
2:B:319:LEU:HD23	2:B:324:VAL:HG23	2.00	0.44
2:B:502:LEU:HA	2:B:505:PHE:HB2	2.00	0.43
2:B:72:LEU:HB2	2:B:103:LEU:O	2.17	0.43
2:B:187:VAL:HG11	2:B:195:ARG:HD2	2.00	0.43
2:B:513:THR:OG1	4:B:601:AIX:O1	2.25	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:493:VAL:HA	2:B:498:ALA:HB3	2.00	0.43
2:B:403:LYS:HD2	2:B:403:LYS:HA	1.88	0.43
2:B:500:PHE:CD2	2:B:501:VAL:HG23	2.53	0.43
2:B:22:ARG:NH2	2:B:25:GLN:OE1	2.51	0.43
2:B:336:ILE:O	2:B:343:ARG:N	2.43	0.43
1:A:226:ILE:HD11	1:A:318:ALA:HB1	2.00	0.43
2:B:145:GLY:HA3	2:B:168:ALA:CB	2.49	0.43
2:B:318:LEU:HD21	2:B:371:ALA:HB1	2.01	0.43
2:B:534:GLY:N	2:B:544:LEU:O	2.51	0.43
2:B:336:ILE:HD13	2:B:370:GLN:HG3	2.00	0.42
1:A:333:SER:OG	1:A:334:TYR:N	2.52	0.42
2:B:472:PRO:HG2	2:B:474:TRP:CH2	2.54	0.42
1:A:107:LEU:HD11	1:A:155:GLY:HA3	2.01	0.42
2:B:330:TYR:HB2	2:B:367:TRP:CZ3	2.54	0.42
2:B:505:PHE:CG	2:B:506:PRO:HD2	2.55	0.42
2:B:542:PRO:HA	2:B:543:PRO:HD3	1.93	0.42
2:B:139:ILE:HD13	2:B:219:GLN:HG2	2.01	0.42
1:A:213:ASP:N	1:A:214:PRO:HD2	2.35	0.42
1:A:50:GLY:HA2	1:A:340:ILE:HG23	2.02	0.42
1:A:315:LEU:HD21	1:A:329:LEU:HD11	2.01	0.42
2:B:345:ASN:OD1	2:B:346:TRP:N	2.51	0.42
2:B:541:TYR:HB3	2:B:572:TRP:CD1	2.55	0.42
1:A:188:VAL:HB	1:A:189:PRO:HD3	2.01	0.42
1:A:297:ARG:HH12	2:B:2:THR:HG22	1.83	0.42
1:A:203:ARG:O	1:A:207:VAL:HG23	2.19	0.41
2:B:72:LEU:HD22	2:B:125:LEU:HD11	2.02	0.41
2:B:317:ALA:HA	2:B:386:ARG:HG3	2.03	0.41
2:B:392:LEU:HD12	2:B:392:LEU:HA	1.94	0.41
2:B:303:PRO:HB2	2:B:437:LEU:HB3	2.03	0.41
2:B:377:LEU:HD21	2:B:423:PRO:HB3	2.01	0.41
2:B:431:ILE:HD11	2:B:433:GLN:HB2	2.02	0.41
1:A:297:ARG:NH1	2:B:2:THR:HG22	2.35	0.41
1:A:123:GLU:HA	1:A:294:LEU:HD23	2.02	0.41
2:B:70:VAL:HB	2:B:107:VAL:HB	2.02	0.41
2:B:369:TYR:HA	2:B:427:LEU:HD22	2.02	0.41
1:A:310:GLN:HG2	1:A:327:LEU:HD13	2.03	0.40
2:B:169:GLY:C	2:B:400:VAL:HG22	2.47	0.40
1:A:317:VAL:HG13	1:A:324:VAL:HG22	2.02	0.40
2:B:303:PRO:HD3	2:B:403:LYS:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	332/377 (88%)	313 (94%)	19 (6%)	0	100	100
2	B	573/598 (96%)	529 (92%)	44 (8%)	0	100	100
All	All	905/975 (93%)	842 (93%)	63 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	251/293 (86%)	251 (100%)	0	100	100
2	B	416/471 (88%)	416 (100%)	0	100	100
All	All	667/764 (87%)	667 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	274	ASN
2	B	302	GLN
2	B	370	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	AIX	B	601	2	18,25,25	5.41	4 (22%)	24,36,36	1.79	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AIX	B	601	2	-	6/16/37/37	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	601	AIX	C6-S1	-20.75	1.44	1.85
4	B	601	AIX	C13-S1	-7.34	1.68	1.84
4	B	601	AIX	C3-N1	5.53	1.45	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	601	AIX	O3-C3	-2.41	1.18	1.23

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	601	AIX	C6-S1-C13	5.27	106.79	93.41
4	B	601	AIX	C4-C3-N1	4.73	120.47	114.68
4	B	601	AIX	C12-C6-S1	2.18	108.01	103.86
4	B	601	AIX	C11-C5-C7	2.04	120.83	118.30

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	601	AIX	C15-C14-N1-C3
4	B	601	AIX	N3-C12-C2-O1
4	B	601	AIX	N3-C12-C2-O2
4	B	601	AIX	N1-C3-C4-N2
4	B	601	AIX	O3-C3-C4-N2
4	B	601	AIX	C13-C14-N1-C3

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	601	AIX	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	336/377 (89%)	1.04	48 (14%) 6 5	95, 151, 231, 282	0
2	B	577/598 (96%)	1.19	120 (20%) 2 2	104, 150, 211, 267	0
3	D	0/11	-	-	-	-
All	All	913/986 (92%)	1.13	168 (18%) 3 3	95, 150, 220, 282	0

All (168) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	359	ASP	9.9
1	A	250	PRO	6.8
2	B	120	ALA	6.3
1	A	225	THR	6.1
2	B	117	GLU	6.0
1	A	217	GLN	5.9
2	B	322	GLY	5.7
2	B	1	GLY	5.6
1	A	220	GLN	5.5
2	B	509	THR	5.4
2	B	379	PHE	5.3
2	B	431	ILE	5.3
1	A	218	GLY	5.3
1	A	213	ASP	5.1
1	A	127	ILE	5.0
2	B	383	LEU	4.9
1	A	95	ALA	4.9
2	B	31	TYR	4.4
1	A	112	LEU	4.4
1	A	215	LEU	4.2
2	B	173	ALA	4.2
2	B	374	GLN	4.2
2	B	397	GLY	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	32	GLU	4.1
1	A	34	ALA	4.1
2	B	475	GLU	4.1
1	A	249	ILE	4.0
1	A	224	SER	4.0
2	B	203	GLU	4.0
1	A	228	ILE	3.9
2	B	109	GLU	3.8
2	B	241	GLY	3.8
1	A	172	LEU	3.7
2	B	480	ARG	3.7
2	B	85	LEU	3.7
2	B	481	TYR	3.6
2	B	453	GLY	3.6
2	B	357	ARG	3.6
2	B	468	VAL	3.6
2	B	243	PRO	3.5
2	B	512	LYS	3.4
2	B	78	GLU	3.4
2	B	202	GLU	3.4
2	B	455	ASN	3.3
2	B	201	LEU	3.3
2	B	344	ARG	3.3
1	A	211	TYR	3.3
2	B	422	TYR	3.2
2	B	79	VAL	3.2
2	B	490	ARG	3.2
2	B	335	TYR	3.2
2	B	118	LEU	3.2
1	A	173	PRO	3.2
2	B	472	PRO	3.2
2	B	116	GLU	3.1
2	B	126	TYR	3.1
1	A	358	GLN	3.1
2	B	329	THR	3.1
2	B	359	ALA	3.1
2	B	392	LEU	3.1
2	B	321	GLU	3.1
2	B	519	PRO	3.1
2	B	317	ALA	3.1
2	B	487	GLU	3.1
2	B	508	PRO	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	357	TYR	3.1
1	A	221	VAL	3.1
2	B	474	TRP	3.1
1	A	30	LEU	3.0
2	B	294	LEU	3.0
2	B	346	TRP	3.0
2	B	471	GLN	3.0
2	B	500	PHE	3.0
2	B	385	ARG	2.9
2	B	356	VAL	2.9
2	B	394	GLU	2.9
1	A	120	LYS	2.9
2	B	375	ASP	2.9
2	B	101	THR	2.8
2	B	206	PRO	2.8
2	B	280	PRO	2.8
2	B	194	GLU	2.8
2	B	426	THR	2.8
2	B	466	GLY	2.7
1	A	212	ARG	2.7
2	B	200	VAL	2.7
2	B	323	TYR	2.7
1	A	322	MET	2.7
2	B	164	GLU	2.7
2	B	121	GLY	2.6
1	A	153	LEU	2.6
1	A	133	TYR	2.6
2	B	176	PRO	2.6
2	B	338	PHE	2.6
1	A	193	TRP	2.6
2	B	528	ALA	2.6
2	B	267	SER	2.6
2	B	373	ALA	2.6
2	B	177	TYR	2.6
1	A	214	PRO	2.6
2	B	43	LEU	2.6
2	B	518	THR	2.6
2	B	114	THR	2.5
2	B	351	MET	2.5
1	A	251	PHE	2.5
2	B	543	PRO	2.5
1	A	132	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	110	ALA	2.5
2	B	425	GLU	2.5
2	B	74	TYR	2.5
1	A	226	ILE	2.5
2	B	369	TYR	2.5
2	B	45	THR	2.5
2	B	125	LEU	2.5
2	B	368	TYR	2.4
2	B	517	GLU	2.4
2	B	482	TRP	2.4
2	B	421	TRP	2.4
2	B	504	GLU	2.4
2	B	238	ARG	2.3
2	B	558	ARG	2.3
1	A	136	PRO	2.3
2	B	433	GLN	2.3
2	B	410	ARG	2.3
2	B	513	THR	2.3
2	B	343	ARG	2.3
2	B	278	LYS	2.3
1	A	97	PHE	2.2
2	B	233	ILE	2.2
2	B	72	LEU	2.2
1	A	268	VAL	2.2
2	B	377	LEU	2.2
1	A	199	TYR	2.2
2	B	111	LEU	2.2
1	A	171	GLY	2.2
1	A	164	PHE	2.2
2	B	33	ARG	2.2
1	A	230	SER	2.2
2	B	399	GLU	2.2
2	B	34	TYR	2.1
2	B	407	LEU	2.1
1	A	229	GLY	2.1
1	A	86	VAL	2.1
2	B	396	THR	2.1
2	B	67	ARG	2.1
2	B	208	GLN	2.1
2	B	244	GLU	2.1
2	B	308	SER	2.1
2	B	579	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	477	VAL	2.1
2	B	580	VAL	2.1
1	A	184	LEU	2.1
2	B	98	THR	2.1
1	A	123	GLU	2.1
2	B	378	GLY	2.1
2	B	469	PRO	2.1
2	B	66	ASP	2.1
2	B	491	LYS	2.1
2	B	456	LYS	2.1
1	A	125	ARG	2.1
2	B	522	ARG	2.1
1	A	223	GLN	2.0
2	B	108	PRO	2.0
1	A	352	VAL	2.0
2	B	372	VAL	2.0
1	A	174	TRP	2.0
1	A	210	PRO	2.0
2	B	104	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	AIX	B	601	24/24	0.85	0.20	132,171,187,192	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.