



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 10:21 PM UTC

PDB ID : 6PME / pdb_00006pme
Title : TRK-A IN COMPLEX WITH LIGAND
Authors : Subramanian, G.; Brown, D.G.
Deposited on : 2019-07-01
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	311	7% 56% 27% • 14%
1	B	311	5% 61% 21% 5% 13%
1	C	311	3% 58% 27% • • 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SRT	B	803	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6712 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called High affinity nerve growth factor receptor.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	268	Total	C	N	O	P	S	32	0	0
			2164	1380	391	376	1	16			
1	B	271	Total	C	N	O	P	S	21	1	0
			2202	1404	397	384	1	16			
1	C	274	Total	C	N	O	P	S	21	1	0
			2220	1416	404	383	1	16			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		

- Molecule 3 is N-[2,4-bis(morpholin-4-yl)phenyl]-3-phenoxybenzamide (CCD ID: OOY) (formula: C₂₇H₂₉N₃O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			34	27	3	4		
3	B	1	Total	C	N	O	0	0
			34	27	3	4		
3	C	1	Total	C	N	O	0	0
			34	27	3	4		

- Molecule 4 is S,R MESO-TARTARIC ACID (CCD ID: SRT) (formula: C₄H₆O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	4	6		

Continued on next page...



Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			10	4	6		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	1	Total	O	0	0
			1	1		

- Molecule 1: High affinity nerve growth factor receptor





4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	131.44Å 152.09Å 156.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.51 – 3.00 48.51 – 3.00	Depositor EDS
% Data completeness (in resolution range)	94.8 (48.51-3.00) 94.8 (48.51-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.77 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.258 , 0.315 0.263 , 0.325	Depositor DCC
R_{free} test set	572 reflections (1.75%)	wwPDB-VP
Wilson B-factor (Å ²)	68.1	Xtriage
Anisotropy	0.339	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 27.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.002 for -h,-l,-k	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	6712	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SRT, SEP, OOO, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.34	15/2205 (0.7%)	1.67	25/2976 (0.8%)
1	B	1.47	7/2245 (0.3%)	1.76	26/3031 (0.9%)
1	C	1.36	6/2263 (0.3%)	1.71	23/3056 (0.8%)
All	All	1.39	28/6713 (0.4%)	1.71	74/9063 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	4
1	C	0	2
All	All	0	6

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	668	ASP	C-N	-40.67	0.75	1.33
1	C	682	ARG	NE-CZ	23.26	1.58	1.33
1	C	669	PHE	CB-CG	15.73	1.86	1.50
1	C	521	PHE	CB-CG	14.73	1.84	1.50
1	B	670	GLY	C-N	-10.92	1.19	1.33
1	A	595	GLY	C-O	9.89	1.37	1.23
1	C	595	GLY	C-O	-9.62	1.11	1.24
1	A	757	TYR	C-O	9.61	1.36	1.24
1	A	570	GLN	CG-CD	8.57	1.73	1.52
1	B	740	ILE	CG1-CD1	-8.46	1.18	1.51
1	B	669	PHE	CA-CB	-7.82	1.41	1.53
1	C	544	LYS	CD-CE	7.65	1.75	1.52
1	B	544	LYS	CG-CD	-7.18	1.30	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	669	PHE	CB-CG	-6.96	1.34	1.50
1	A	682	ARG	CB-CG	6.39	1.71	1.52
1	A	746	LEU	C-O	6.32	1.31	1.23
1	A	778	HIS	CD2-NE2	-5.76	1.31	1.37
1	A	740	ILE	C-O	5.60	1.30	1.24
1	A	521	PHE	C-O	5.55	1.30	1.23
1	C	510	ILE	C-O	5.52	1.30	1.24
1	A	761	ARG	C-O	5.37	1.30	1.24
1	B	776	ASP	C-O	5.34	1.30	1.24
1	A	745	GLU	CD-OE1	5.32	1.35	1.25
1	A	714	GLY	C-O	-5.25	1.17	1.23
1	A	592	MET	C-O	5.22	1.30	1.24
1	A	752	CYS	C-O	5.14	1.30	1.24
1	A	544	LYS	CD-CE	-5.11	1.37	1.52
1	A	760	MET	SD-CE	5.04	1.92	1.79

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	668	ASP	O-C-N	-25.14	89.15	122.59
1	B	669	PHE	CA-CB-CG	20.28	134.08	113.80
1	C	521	PHE	CA-CB-CG	-18.75	95.05	113.80
1	B	740	ILE	CB-CG1-CD1	16.90	149.29	113.80
1	C	669	PHE	CA-CB-CG	-15.02	98.78	113.80
1	C	669	PHE	CB-CG-CD2	-12.16	100.02	120.70
1	B	669	PHE	N-CA-CB	-12.12	91.65	110.56
1	C	669	PHE	CB-CG-CD1	12.08	141.24	120.70
1	A	682	ARG	CA-CB-CG	-10.85	92.39	114.10
1	B	669	PHE	CB-CA-C	10.23	126.68	109.80
1	B	670	GLY	CA-C-N	9.87	138.70	122.62
1	B	670	GLY	C-N-CA	9.87	138.70	122.62
1	B	668	ASP	CA-C-N	8.95	139.04	122.74
1	B	668	ASP	C-N-CA	8.95	139.04	122.74
1	C	682	ARG	CD-NE-CZ	-8.74	112.16	124.40
1	C	521	PHE	CB-CG-CD2	-8.31	106.57	120.70
1	B	544	LYS	CB-CG-CD	8.09	129.90	111.30
1	B	669	PHE	CB-CG-CD2	-7.95	107.19	120.70
1	C	668	ASP	CA-CB-CG	7.89	120.49	112.60
1	C	521	PHE	CB-CG-CD1	7.89	134.11	120.70
1	B	670	GLY	O-C-N	-7.54	115.71	124.15
1	A	740	ILE	CA-CB-CG1	-7.47	97.70	110.40
1	C	505	ILE	CB-CA-C	7.25	121.20	110.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	544	LYS	CG-CD-CE	-7.12	94.93	111.30
1	A	669	PHE	CB-CG-CD1	-7.00	108.80	120.70
1	B	669	PHE	CB-CG-CD1	6.59	131.90	120.70
1	A	570	GLN	CB-CG-CD	-6.50	101.55	112.60
1	A	669	PHE	CB-CG-CD2	6.38	131.55	120.70
1	B	505	ILE	CB-CA-C	6.33	120.43	110.81
1	A	645	HIS	N-CA-C	-6.21	103.70	111.90
1	A	682	ARG	CB-CG-CD	-6.18	97.09	111.30
1	C	580	THR	N-CA-C	-6.18	104.91	112.88
1	A	722	THR	CA-CB-OG1	-6.16	100.36	109.60
1	A	669	PHE	CA-CB-CG	6.13	119.93	113.80
1	C	551	GLU	CB-CG-CD	5.83	122.52	112.60
1	C	514	TRP	CA-CB-CG	5.80	124.62	113.60
1	A	530	HIS	CB-CA-C	5.70	119.15	109.75
1	C	709	ASP	CA-CB-CG	5.67	118.28	112.60
1	A	761	ARG	N-CA-C	-5.67	105.10	111.28
1	C	514	TRP	O-C-N	5.66	128.95	123.29
1	B	530	HIS	CA-CB-CG	-5.65	108.15	113.80
1	C	667	GLY	CA-C-N	5.60	132.23	121.54
1	C	667	GLY	C-N-CA	5.60	132.23	121.54
1	C	514	TRP	CA-C-O	-5.57	115.33	121.28
1	A	757	TYR	O-C-N	5.53	129.84	122.43
1	A	755	GLU	CA-C-N	5.51	128.01	120.46
1	A	755	GLU	C-N-CA	5.51	128.01	120.46
1	B	596	ASP	CA-C-N	5.48	128.17	120.28
1	B	596	ASP	C-N-CA	5.48	128.17	120.28
1	B	681	TYR	CA-C-O	-5.42	115.28	121.40
1	B	502	VAL	CA-C-O	-5.40	116.14	122.13
1	A	778	HIS	CA-C-N	5.36	127.41	120.44
1	A	778	HIS	C-N-CA	5.36	127.41	120.44
1	C	595	GLY	CA-C-N	5.34	129.06	121.42
1	C	595	GLY	C-N-CA	5.34	129.06	121.42
1	A	740	ILE	O-C-N	5.34	127.28	121.94
1	C	501	CYS	O-C-N	5.27	127.78	122.09
1	A	501	CYS	CA-CB-SG	-5.26	102.30	114.40
1	A	674	ASP	CA-C-N	5.25	127.26	120.70
1	A	674	ASP	C-N-CA	5.25	127.26	120.70
1	A	745	GLU	CA-C-O	-5.22	116.53	122.01
1	B	503	HIS	CA-CB-CG	-5.20	108.60	113.80
1	C	531	ASN	CB-CA-C	5.18	120.72	110.42
1	C	580	THR	CB-CA-C	5.13	119.39	110.72
1	A	570	GLN	CG-CD-NE2	-5.13	108.71	116.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	580	THR	N-CA-C	-5.12	105.76	112.41
1	B	536	GLN	CA-C-N	5.07	127.58	120.28
1	B	536	GLN	C-N-CA	5.07	127.58	120.28
1	A	786	GLN	CA-C-O	-5.06	115.69	120.90
1	B	500	ALA	CA-C-N	5.05	127.50	120.63
1	B	500	ALA	C-N-CA	5.05	127.50	120.63
1	B	645	HIS	N-CA-C	-5.05	104.42	111.39
1	A	755	GLU	O-C-N	5.05	127.34	122.09
1	A	645	HIS	CA-CB-CG	5.03	118.83	113.80

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	499	ASP	Peptide
1	B	522	GLY	Peptide
1	B	668	ASP	Mainchain
1	B	669	PHE	Sidechain
1	C	522	GLY	Peptide
1	C	682	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2164	0	2145	52	0
1	B	2202	0	2170	58	0
1	C	2220	0	2208	51	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	34	0	0	1	0
3	B	34	0	0	0	0
3	C	34	0	0	2	0
4	A	10	0	4	0	0
4	B	10	0	4	0	0
5	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	6712	0	6531	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:755:GLU:O	1:A:758:ALA:HB3	1.77	0.84
1:B:573:VAL:HG21	1:B:667:GLY:HA2	1.58	0.84
1:A:584:PRO:O	1:A:586:LEU:CD1	2.27	0.83
1:B:521:PHE:O	1:B:546:LEU:HD12	1.79	0.83
1:A:579:CYS:SG	1:A:581:GLU:HB2	2.22	0.78
1:B:681:TYR:O	1:B:688:MET:HA	1.84	0.76
1:A:747:GLU:H	1:A:747:GLU:CD	1.93	0.75
1:A:691:ILE:HA	1:A:694:MET:HE3	1.68	0.74
1:A:569:HIS:HB3	1:A:572:ILE:HG12	1.69	0.74
1:B:760:MET:HE2	1:B:764:TRP:CH2	2.25	0.72
1:B:504:HIS:HE1	1:C:501:CYS:SG	2.04	0.72
1:A:673:ARG:HA	1:A:680:TYR:CE2	2.25	0.71
1:A:584:PRO:O	1:A:586:LEU:HD12	1.90	0.70
1:A:689:LEU:HB3	1:A:694:MET:HE1	1.74	0.69
1:B:706:THR:O	1:B:710:VAL:HG23	1.94	0.68
1:B:558[A]:GLN:NE2	1:B:562:GLU:OE2	2.25	0.67
1:B:536:GLN:HE22	1:B:539:MET:HB3	1.59	0.67
1:B:508:ARG:CZ	1:C:500:ALA:O	2.43	0.66
1:B:515:GLU:OE1	1:B:518:GLU:OE1	2.14	0.66
1:C:549:ALA:HB1	1:C:583:ARG:NE	2.11	0.66
1:B:769:GLN:NE2	1:B:769:GLN:HA	2.11	0.66
1:C:579:CYS:SG	1:C:581:GLU:HB2	2.37	0.65
1:A:728:TRP:HH2	1:A:745:GLU:O	1.80	0.64
1:C:505:ILE:O	1:C:579:CYS:HB2	1.96	0.64
1:C:521:PHE:O	1:C:546:LEU:HD12	1.98	0.64
1:C:741:THR:O	1:C:766:ARG:NH2	2.31	0.64
1:A:605:GLY:O	1:A:607:ASP:N	2.31	0.63
1:C:603:SER:HB2	1:C:604:HIS:ND1	2.16	0.61
1:B:536:GLN:NE2	1:B:539:MET:HB3	2.16	0.60
1:C:504:HIS:NE2	1:C:505:ILE:O	2.34	0.60
1:C:668:ASP:O	1:C:669:PHE:O	2.20	0.60
1:B:549:ALA:HB1	1:B:583:ARG:NE	2.18	0.58
1:C:546:LEU:HD23	1:C:585:LEU:HD12	1.83	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:521:PHE:O	1:B:546:LEU:CD1	2.49	0.58
1:A:561:ALA:O	1:A:565:THR:OG1	2.22	0.57
1:A:695:PRO:HB3	1:A:711:TRP:CD2	2.40	0.57
1:C:670:GLY:HA3	3:C:802:OOY:C26	2.35	0.57
1:B:680:TYR:HB2	1:B:688:MET:HE2	1.86	0.57
1:A:585:LEU:C	1:A:586:LEU:HD12	2.29	0.56
1:C:603:SER:CB	1:C:604:HIS:ND1	2.68	0.56
1:C:593[A]:ARG:HH11	1:C:593[A]:ARG:HG2	1.70	0.56
1:C:650:ASP:OD2	1:C:680:TYR:OH	2.16	0.56
1:A:519:GLY:HA3	1:A:671:MET:HG3	1.88	0.55
1:A:518:GLU:O	1:A:675:ILE:HD11	2.06	0.55
1:C:680:TYR:HB2	1:C:688:MET:HE2	1.89	0.55
1:C:521:PHE:HA	1:C:548:GLU:CG	2.37	0.55
1:B:504:HIS:NE2	1:B:505:ILE:O	2.39	0.55
1:C:504:HIS:CD2	1:C:505:ILE:O	2.60	0.55
1:A:772:HIS:ND1	1:A:780:ARG:NH2	2.55	0.54
1:B:580:THR:HG22	1:B:585:LEU:HD22	1.89	0.54
1:B:504:HIS:CD2	1:B:505:ILE:O	2.61	0.53
1:B:573:VAL:HG21	1:B:657:LEU:HD12	1.91	0.53
1:C:521:PHE:HA	1:C:548:GLU:HG3	1.89	0.53
1:A:504:HIS:HE1	1:B:501:CYS:SG	2.28	0.53
1:C:786:GLN:HA	1:C:786:GLN:OE1	2.08	0.53
1:B:760:MET:HE2	1:B:764:TRP:HH2	1.73	0.53
1:A:592:MET:O	3:A:802:OOY:C3	2.57	0.52
1:A:554:ARG:CZ	1:A:558:GLN:HE22	2.23	0.52
1:B:530:HIS:CE1	1:B:538:LYS:HZ1	2.28	0.52
1:B:558[A]:GLN:HG3	1:B:562:GLU:OE2	2.10	0.52
1:A:505:ILE:O	1:A:579:CYS:HB2	2.09	0.51
1:B:570:GLN:H	1:B:570:GLN:CD	2.18	0.51
1:B:596:ASP:HA	1:B:656:CYS:O	2.10	0.51
1:B:718:TRP:HD1	1:B:760:MET:HE1	1.75	0.51
1:C:555:GLN:O	1:C:556:ASP:C	2.54	0.51
1:C:618:ALA:HA	1:C:619:PRO:C	2.36	0.51
1:B:667:GLY:O	1:B:668:ASP:O	2.29	0.50
1:C:708:SER:O	1:C:711:TRP:HB3	2.12	0.50
1:B:573:VAL:CG2	1:B:657:LEU:HD12	2.41	0.50
1:A:696:PRO:HD3	1:A:711:TRP:CH2	2.46	0.50
1:C:756:VAL:O	1:C:759:ILE:HB	2.11	0.50
1:C:695:PRO:HB3	1:C:711:TRP:CD2	2.46	0.50
1:B:549:ALA:HB1	1:B:583:ARG:HE	1.76	0.49
1:B:653:THR:HG1	1:B:719:GLU:CD	2.20	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:602:ARG:CZ	1:A:724:GLY:O	2.61	0.49
1:C:514:TRP:CE2	1:C:526:LEU:HD23	2.47	0.49
1:C:514:TRP:CZ2	1:C:526:LEU:HD23	2.48	0.49
1:B:570:GLN:O	1:B:665:LYS:HE2	2.13	0.48
1:B:718:TRP:CD1	1:B:760:MET:HE1	2.49	0.48
1:C:502:VAL:HG22	1:C:565:THR:HG21	1.94	0.48
1:C:569:HIS:HB3	1:C:572:ILE:HG12	1.96	0.48
1:A:756:VAL:O	1:A:759:ILE:HB	2.14	0.48
1:C:570:GLN:NE2	1:C:571:HIS:NE2	2.62	0.48
1:B:741:THR:O	1:B:766:ARG:NH1	2.38	0.48
1:C:593[A]:ARG:HG2	1:C:593[A]:ARG:NH1	2.29	0.47
1:C:578:VAL:HG23	1:C:586:LEU:O	2.14	0.47
1:A:519:GLY:CA	1:A:671:MET:HG3	2.44	0.47
1:C:670:GLY:HA3	3:C:802:OOY:C25	2.45	0.46
1:A:576:PHE:HE2	1:A:590:GLU:HA	1.80	0.46
1:A:595:GLY:O	1:A:657:LEU:HA	2.15	0.46
1:A:698:SER:O	1:A:702:ARG:HA	2.15	0.46
1:B:573:VAL:CG2	1:B:667:GLY:HA2	2.37	0.46
1:B:571:HIS:CE1	1:B:633:GLN:HG2	2.51	0.46
1:B:573:VAL:HG23	1:B:666:ILE:O	2.16	0.46
1:A:504:HIS:HA	1:A:578:VAL:O	2.16	0.46
1:A:555:GLN:O	1:A:556:ASP:C	2.59	0.46
1:B:730:GLN:HG2	1:B:731:LEU:HD13	1.98	0.46
1:A:728:TRP:CH2	1:A:745:GLU:O	2.64	0.46
1:A:695:PRO:HB3	1:A:711:TRP:CE3	2.51	0.45
1:A:623:GLY:O	1:A:626:GLN:N	2.44	0.45
1:A:691:ILE:HA	1:A:694:MET:CE	2.41	0.45
1:A:681:TYR:O	1:A:688:MET:HA	2.16	0.45
1:A:732:SER:O	1:A:735:GLU:HG2	2.16	0.45
1:C:639:VAL:HG22	1:C:774:ILE:HG23	1.98	0.45
1:C:737:ILE:O	1:C:738:ASP:C	2.58	0.45
1:A:695:PRO:HG3	1:A:708:SER:HA	2.00	0.44
1:C:519:GLY:HA3	1:C:671:MET:HG3	2.00	0.44
1:C:692:ARG:NH1	1:C:728:TRP:O	2.50	0.44
1:B:671:MET:O	1:B:671:MET:HG2	2.18	0.44
1:C:518:GLU:O	1:C:675:ILE:HD11	2.18	0.43
1:C:591:TYR:CZ	1:C:593[A]:ARG:HA	2.52	0.43
1:A:583:ARG:N	1:B:562:GLU:OE1	2.51	0.43
1:C:713:PHE:O	1:C:716:VAL:HB	2.19	0.43
1:C:765:GLN:HB2	1:C:771:ARG:HG3	2.01	0.43
1:B:530:HIS:CE1	1:B:538:LYS:NZ	2.86	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:764:TRP:O	1:A:765:GLN:C	2.62	0.43
1:A:571:HIS:CE1	1:A:633:GLN:HG2	2.53	0.43
1:B:554:ARG:CZ	1:B:558[B]:GLN:NE2	2.82	0.43
1:C:516:LEU:HD21	1:C:526:LEU:HB2	2.00	0.43
1:A:692:ARG:HB2	1:A:693:TRP:CZ3	2.54	0.43
1:A:762:GLY:HA2	1:A:765:GLN:HE21	1.84	0.43
1:A:755:GLU:OE1	1:A:755:GLU:N	2.38	0.42
1:B:681:TYR:CD2	1:B:733:ASN:HB3	2.53	0.42
1:C:629:ALA:O	1:C:633:GLN:HG3	2.19	0.42
1:C:776:ASP:O	1:C:777:VAL:C	2.62	0.42
1:B:505:ILE:O	1:B:579:CYS:HB2	2.20	0.42
1:B:573:VAL:HG21	1:B:667:GLY:CA	2.40	0.42
1:A:580:THR:HG22	1:A:585:LEU:HD22	2.01	0.42
1:C:648:HIS:O	1:C:649:ARG:HB2	2.18	0.42
1:A:508:ARG:HG2	1:B:501:CYS:O	2.20	0.42
1:B:561:ALA:HB2	1:B:587:MET:HE2	2.02	0.42
1:B:653:THR:OG1	1:B:719:GLU:OE1	2.34	0.42
1:C:603:SER:HB3	1:C:604:HIS:ND1	2.35	0.42
1:C:654:ARG:NH1	1:C:693:TRP:CH2	2.88	0.42
1:A:575:PHE:CZ	1:A:577:GLY:HA2	2.54	0.42
1:B:560:GLU:O	1:B:564:LEU:HG	2.20	0.41
1:B:579:CYS:SG	1:B:581:GLU:HB2	2.60	0.41
1:B:499:ASP:OD2	1:B:558[A]:GLN:NE2	2.53	0.41
1:C:651:LEU:HG	1:C:716:VAL:HG21	2.01	0.41
1:A:586:LEU:HD12	1:A:586:LEU:N	2.35	0.41
1:A:717:LEU:HD12	1:A:717:LEU:HA	1.78	0.41
1:A:711:TRP:CD1	1:A:711:TRP:C	2.98	0.41
1:B:575:PHE:CD1	1:B:575:PHE:C	2.98	0.41
1:B:697:GLU:HA	1:B:701:TYR:CD2	2.55	0.41
1:B:604:HIS:O	1:B:621:PRO:HA	2.20	0.41
1:B:648:HIS:O	1:B:649:ARG:HB2	2.21	0.41
1:B:559:ARG:HA	1:B:559:ARG:HD3	1.96	0.41
1:C:668:ASP:C	1:C:669:PHE:O	2.64	0.41
1:B:572:ILE:O	1:B:573:VAL:C	2.63	0.41
1:C:731:LEU:HD21	1:C:739:CYS:SG	2.61	0.41
1:C:767:GLU:HG3	1:C:770:GLN:NE2	2.36	0.41
1:B:698:SER:O	1:B:702:ARG:HA	2.20	0.40
1:B:530:HIS:ND1	1:B:530:HIS:N	2.68	0.40
1:A:702:ARG:HG3	1:A:702:ARG:O	2.21	0.40
1:A:530:HIS:CD2	1:A:538:LYS:HE3	2.57	0.40
1:A:750:ARG:C	1:A:752:CYS:H	2.29	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	259/311 (83%)	234 (90%)	21 (8%)	4 (2%)	8	35
1	B	263/311 (85%)	241 (92%)	17 (6%)	5 (2%)	6	30
1	C	266/311 (86%)	240 (90%)	18 (7%)	8 (3%)	3	19
All	All	788/933 (84%)	715 (91%)	56 (7%)	17 (2%)	5	26

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	621	PRO
1	A	668	ASP
1	B	573	VAL
1	B	668	ASP
1	C	548	GLU
1	C	668	ASP
1	C	669	PHE
1	C	789	PRO
1	B	548	GLU
1	C	550	SER
1	B	675	ILE
1	C	660	GLN
1	A	606	PRO
1	B	550	SER
1	A	699	ILE
1	C	699	ILE
1	C	619	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	226/260 (87%)	220 (97%)	6 (3%)	39	71
1	B	230/260 (88%)	222 (96%)	8 (4%)	32	65
1	C	232/260 (89%)	219 (94%)	13 (6%)	19	52
All	All	688/780 (88%)	661 (96%)	27 (4%)	28	62

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	505	ILE
1	A	581	GLU
1	A	596	ASP
1	A	706	THR
1	A	747	GLU
1	A	759	ILE
1	B	515	GLU
1	B	559	ARG
1	B	575	PHE
1	B	581	GLU
1	B	678	THR
1	B	747	GLU
1	B	759	ILE
1	B	769	GLN
1	C	502	VAL
1	C	505	ILE
1	C	581	GLU
1	C	596	ASP
1	C	606	PRO
1	C	632	SER
1	C	662	LEU
1	C	678	THR
1	C	691	ILE
1	C	732	SER
1	C	734	THR
1	C	735	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	759	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	555	GLN
1	A	558	GLN
1	A	645	HIS
1	A	765	GLN
1	A	778	HIS
1	A	786	GLN
1	B	536	GLN
1	B	570	GLN
1	B	645	HIS
1	B	769	GLN
1	B	778	HIS
1	C	558	GLN
1	C	570	GLN
1	C	765	GLN
1	C	769	GLN
1	C	770	GLN
1	C	778	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	677	1	8,9,10	0.62	0	7,12,14	0.89	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	SEP	C	677	1	8,9,10	0.59	0	7,12,14	0.92	0
1	SEP	B	677	1	8,9,10	0.67	0	7,12,14	1.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	677	1	-	1/6/8/10	-
1	SEP	C	677	1	-	2/6/8/10	-
1	SEP	B	677	1	-	1/6/8/10	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	C	677	SEP	N-CA-CB-OG
1	C	677	SEP	C-CA-CB-OG
1	A	677	SEP	N-CA-CB-OG
1	B	677	SEP	N-CA-CB-OG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 8 ligands modelled in this entry, 3 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SRT	B	803	-	9,9,9	0.97	0	12,12,12	1.51	2 (16%)
3	OOY	C	802	-	38,38,38	0.63	1 (2%)	50,51,51	1.10	3 (6%)
3	OOY	B	802	-	38,38,38	0.71	1 (2%)	50,51,51	0.99	4 (8%)
3	OOY	A	802	-	38,38,38	0.72	2 (5%)	50,51,51	0.93	3 (6%)
4	SRT	A	803	-	9,9,9	1.15	1 (11%)	12,12,12	0.87	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SRT	B	803	-	-	12/12/12/12	-
3	OOY	C	802	-	-	2/20/36/36	0/5/5/5
3	OOY	B	802	-	-	1/20/36/36	0/5/5/5
3	OOY	A	802	-	-	2/20/36/36	0/5/5/5
4	SRT	A	803	-	-	7/12/12/12	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	802	OOY	C2-C11	2.18	1.43	1.40
3	B	802	OOY	C2-C11	2.15	1.42	1.40
4	A	803	SRT	O41-C4	-2.14	1.23	1.30
3	C	802	OOY	C4-C5	2.05	1.43	1.39
3	A	802	OOY	C4-C5	2.00	1.43	1.39

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	802	OOY	C10-C11-N3	-3.13	118.03	122.59
4	B	803	SRT	O11-C1-C2	-3.03	113.55	121.62
3	A	802	OOY	C15-N3-C11	2.72	122.65	116.19
3	A	802	OOY	C12-N3-C11	2.69	122.57	116.19
3	B	802	OOY	C15-N3-C12	2.59	117.39	111.57
4	B	803	SRT	O1-C1-C2	2.53	120.33	113.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	802	OOY	C12-N3-C11	2.52	122.17	116.19
3	B	802	OOY	C13-C12-N3	2.36	114.39	109.93
3	C	802	OOY	C2-N1-C1	2.30	133.31	126.90
3	B	802	OOY	C16-C27-C20	2.02	121.65	119.56
3	B	802	OOY	C12-N3-C11	2.02	120.98	116.19
3	A	802	OOY	C2-N1-C1	2.01	132.48	126.90

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	803	SRT	O1-C1-C2-C3
4	B	803	SRT	O11-C1-C2-C3
4	B	803	SRT	O3-C3-C4-O4
4	B	803	SRT	O3-C3-C4-O41
4	B	803	SRT	O2-C2-C3-O3
4	B	803	SRT	O1-C1-C2-O2
4	B	803	SRT	O11-C1-C2-O2
4	B	803	SRT	C2-C3-C4-O4
4	B	803	SRT	C2-C3-C4-O41
4	B	803	SRT	C1-C2-C3-O3
4	B	803	SRT	O2-C2-C3-C4
3	C	802	OOY	C10-C11-N3-C12
3	B	802	OOY	C10-C11-N3-C12
3	A	802	OOY	C10-C11-N3-C15
4	B	803	SRT	C1-C2-C3-C4
4	A	803	SRT	O2-C2-C3-O3
4	A	803	SRT	C2-C3-C4-O4
3	A	802	OOY	C10-C11-N3-C12
4	A	803	SRT	O3-C3-C4-O4
4	A	803	SRT	O1-C1-C2-O2
4	A	803	SRT	O1-C1-C2-C3
3	C	802	OOY	C2-C11-N3-C12
4	A	803	SRT	C2-C3-C4-O41
4	A	803	SRT	O3-C3-C4-O41

There are no ring outliers.

2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	802	OOY	2	0


Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	802	OOY	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	670:GLY	C	671:MET	N	1.19
1	B	668:ASP	C	669:PHE	N	0.75

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	267/311 (85%)	0.59	21 (7%)	18 10	24, 41, 69, 104	9 (3%)
1	B	269/311 (86%)	0.52	16 (5%)	28 14	6, 44, 71, 96	5 (1%)
1	C	273/311 (87%)	0.43	10 (3%)	45 25	17, 44, 72, 101	6 (2%)
All	All	809/933 (86%)	0.51	47 (5%)	29 15	6, 43, 71, 104	20 (2%)

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	669	PHE	17.2
1	A	669	PHE	5.4
1	C	790	VAL	5.0
1	C	670	GLY	4.6
1	C	500	ALA	3.9
1	C	683	VAL	3.9
1	B	499	ASP	3.9
1	A	606	PRO	3.8
1	C	789	PRO	3.4
1	B	500	ALA	3.3
1	A	521	PHE	3.2
1	A	670	GLY	3.1
1	A	548	GLU	3.1
1	B	679	ASP	3.1
1	A	668	ASP	3.1
1	A	742	GLN	3.0
1	B	668	ASP	3.0
1	A	788	PRO	3.0
1	A	681	TYR	2.9
1	C	669	PHE	2.9
1	A	500	ALA	2.9
1	B	689	LEU	2.8
1	B	769	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	790	VAL	2.7
1	A	734	THR	2.6
1	A	740	ILE	2.6
1	A	683	VAL	2.6
1	A	754	PRO	2.5
1	C	681	TYR	2.5
1	A	671	MET	2.4
1	C	668	ASP	2.3
1	B	606	PRO	2.3
1	B	671	MET	2.3
1	B	681	TYR	2.2
1	A	621	PRO	2.2
1	B	620	GLY	2.2
1	A	728	TRP	2.2
1	A	767	GLU	2.2
1	B	548	GLU	2.2
1	C	687	THR	2.2
1	A	549	ALA	2.2
1	C	788	PRO	2.1
1	B	678	THR	2.1
1	B	739	CYS	2.1
1	B	680	TYR	2.1
1	A	674	ASP	2.1
1	A	673	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SEP	A	677	10/11	0.47	0.17	71,81,94,95	0
1	SEP	C	677	10/11	0.73	0.18	63,69,84,84	0
1	SEP	B	677	10/11	0.75	0.17	70,84,102,105	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SRT	A	803	10/10	0.76	0.17	80,95,103,105	0
3	OOY	C	802	34/34	0.85	0.20	44,60,80,83	0
3	OOY	A	802	34/34	0.88	0.15	46,49,80,83	0
3	OOY	B	802	34/34	0.88	0.16	47,57,80,87	0
4	SRT	B	803	10/10	0.90	0.19	42,64,78,98	0
2	ZN	A	801	1/1	0.98	0.05	46,46,46,46	0
2	ZN	C	801	1/1	0.99	0.04	48,48,48,48	0
2	ZN	B	801	1/1	1.00	0.05	49,49,49,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around OOO A 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around OOO B 802:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.