



Full wwPDB EM Validation Report ⓘ

Mar 27, 2026 – 12:41 AM UTC

PDB ID : 9PM6 / pdb_00009pm6
EMDB ID : EMD-71728
Title : Cryo-EM structure of modified Zika virus E protein dimer complexed with a neutralizing antibody OZ-D4 Fab
Authors : Galkin, A.; Pozharski, E.; Li, Y.
Deposited on : 2025-07-16
Resolution : 3.45 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13836 (2.95 - 3.95)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	434	
1	B	434	
2	C	227	
2	H	227	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	D	216	 42%8%50%
3	L	216	 40%10%50%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9162 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope protein E.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	378	Total	C	N	O	S	0	0
			2906	1819	508	554	25		
1	B	378	Total	C	N	O	S	0	0
			2906	1819	508	554	25		

There are 58 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	ARG	-	expression tag	UNP A0A1D6XWI9
A	-18	SER	-	expression tag	UNP A0A1D6XWI9
A	-17	GLY	-	expression tag	UNP A0A1D6XWI9
A	-16	SER	-	expression tag	UNP A0A1D6XWI9
A	-15	GLY	-	expression tag	UNP A0A1D6XWI9
A	-14	GLU	-	expression tag	UNP A0A1D6XWI9
A	-13	GLN	-	expression tag	UNP A0A1D6XWI9
A	-12	LYS	-	expression tag	UNP A0A1D6XWI9
A	-11	LEU	-	expression tag	UNP A0A1D6XWI9
A	-10	ILE	-	expression tag	UNP A0A1D6XWI9
A	-9	SER	-	expression tag	UNP A0A1D6XWI9
A	-8	GLU	-	expression tag	UNP A0A1D6XWI9
A	-7	GLU	-	expression tag	UNP A0A1D6XWI9
A	-6	ASP	-	expression tag	UNP A0A1D6XWI9
A	-5	LEU	-	expression tag	UNP A0A1D6XWI9
A	-4	GLY	-	expression tag	UNP A0A1D6XWI9
A	-3	GLY	-	expression tag	UNP A0A1D6XWI9
A	-2	GLY	-	expression tag	UNP A0A1D6XWI9
A	-1	GLY	-	expression tag	UNP A0A1D6XWI9
A	264	CYS	ALA	conflict	UNP A0A1D6XWI9
A	406	GLY	-	expression tag	UNP A0A1D6XWI9
A	407	THR	-	expression tag	UNP A0A1D6XWI9
A	408	GLY	-	expression tag	UNP A0A1D6XWI9
A	409	HIS	-	expression tag	UNP A0A1D6XWI9
A	410	HIS	-	expression tag	UNP A0A1D6XWI9
A	411	HIS	-	expression tag	UNP A0A1D6XWI9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	412	HIS	-	expression tag	UNP A0A1D6XWI9
A	413	HIS	-	expression tag	UNP A0A1D6XWI9
A	414	HIS	-	expression tag	UNP A0A1D6XWI9
B	-19	ARG	-	expression tag	UNP A0A1D6XWI9
B	-18	SER	-	expression tag	UNP A0A1D6XWI9
B	-17	GLY	-	expression tag	UNP A0A1D6XWI9
B	-16	SER	-	expression tag	UNP A0A1D6XWI9
B	-15	GLY	-	expression tag	UNP A0A1D6XWI9
B	-14	GLU	-	expression tag	UNP A0A1D6XWI9
B	-13	GLN	-	expression tag	UNP A0A1D6XWI9
B	-12	LYS	-	expression tag	UNP A0A1D6XWI9
B	-11	LEU	-	expression tag	UNP A0A1D6XWI9
B	-10	ILE	-	expression tag	UNP A0A1D6XWI9
B	-9	SER	-	expression tag	UNP A0A1D6XWI9
B	-8	GLU	-	expression tag	UNP A0A1D6XWI9
B	-7	GLU	-	expression tag	UNP A0A1D6XWI9
B	-6	ASP	-	expression tag	UNP A0A1D6XWI9
B	-5	LEU	-	expression tag	UNP A0A1D6XWI9
B	-4	GLY	-	expression tag	UNP A0A1D6XWI9
B	-3	GLY	-	expression tag	UNP A0A1D6XWI9
B	-2	GLY	-	expression tag	UNP A0A1D6XWI9
B	-1	GLY	-	expression tag	UNP A0A1D6XWI9
B	264	CYS	ALA	conflict	UNP A0A1D6XWI9
B	406	GLY	-	expression tag	UNP A0A1D6XWI9
B	407	THR	-	expression tag	UNP A0A1D6XWI9
B	408	GLY	-	expression tag	UNP A0A1D6XWI9
B	409	HIS	-	expression tag	UNP A0A1D6XWI9
B	410	HIS	-	expression tag	UNP A0A1D6XWI9
B	411	HIS	-	expression tag	UNP A0A1D6XWI9
B	412	HIS	-	expression tag	UNP A0A1D6XWI9
B	413	HIS	-	expression tag	UNP A0A1D6XWI9
B	414	HIS	-	expression tag	UNP A0A1D6XWI9

- Molecule 2 is a protein called OZ-D4 Heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	116	Total	C	N	O	S	0	0
			904	578	147	177	2		
2	C	116	Total	C	N	O	S	0	0
			904	578	147	177	2		


- Molecule 3 is a protein called OZ-D4 Light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	108	Total 771	C 473	N 133	O 162	S 3	0	0
3	D	108	Total 771	C 473	N 133	O 162	S 3	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Envelope protein E



• Molecule 1: Envelope protein E



• Molecule 2: OZ-D4 Heavy chain




[illegible]

- Molecule 2: OZ-D4 Heavy chain

Chain C: 42% 9% 49%


[illegible]

- Molecule 3: OZ-D4 Light chain

Chain L:  40% 10% 50%

THR	THR	SER	GLN
PRO	SER	SER	S2
GLU	GLU	GLU	A3
GLN	GLU	LEU	L4
TRP	LEU	GLN	S18
LYS	ALA	ASN	T21
SER	HIS	LYS	Y30
ARG	SER	ALA	Y34
THR	TYR	THR	S34
SER	SER	LEU	Q38
CYS	CYS	VAL	P44
GLN	VAL	LEU	K45
VAL	VAL	ILE	L46
THR	THR	ILE	P55
HIS	HIS	ASP	N60
GLY	GLY	ASP	K66
GLU	GLY	PHE	L73
SER	SER	TYR	T74
THR	THR	PRO	I75
VAL	VAL	GLY	E83
GLU	GLU	ALA	A84
LYS	LYS	VAL	D85
THR	THR	SER	Y86
ALA	ALA	PRO	S89
PRO	PRO	VAL	L96
GLY	GLY	LYS	Y97
THR	THR	GLU	G101
THR	THR	THR	T102
THR	THR	THR	N103
PRO	PRO	THR	L104
SER	SER	PRO	T105
LYS	LYS	SER	V106
GLN	GLN	LEU	GLY
SER	SER	GLN	GLN
ASN	ASN	SER	PRO
LYS	LYS	ASN	LYS
ALA	ALA	LYS	ALA
PRO	PRO	TYR	ALA
SER	SER	ALA	PRO
THR	THR	ALA	SER
LEU	LEU	SER	THR
PRO	PRO	TYR	LEU
THR	THR	SER	PHE
LEU	LEU	THR	PRO
THR	THR	LEU	PRO

- Molecule 3: OZ-D4 Light chain

Chain D:  42% 8% 50%

SER	GLN	S2	T24	V27C	S94	W35	Q38	P44	M47	I48	K53	R61	K66	S70	S76	G77	D82	Y86	F87	C88	S89	V106	LEU	GLY	GLN	PRO	ASN	LYS	ALA	ALA	PRO	SER	THR	THR	LEU	PHE	PRO	PRO	SER	SER	GLU	GLU	LEU	GLN	ALA	ASN	TYR												
THR	THR	LEU	VAL	LEU	SER	ASP	PHE	TYR	PRO	GLY	ALA	VAL	THR	ALA	TRP	LYS	ALA	ASP	SER	SER	PRO	VAL	LYS	GLY	VAL	GLU	THR	THR	THR	PRO	SER	LYS	SER	GLN	SER	ASN	ASN	LYS	TYR	ALA	ALA	SER	SER	VAL	SER	THR	THR	LEU	PHE	PRO	PRO	SER	THR	LEU	GLU	GLY	THR	ALA	THR

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	710140	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS TALOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50.79	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.964	Depositor
Minimum map value	-0.574	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.017	Depositor
Recommended contour level	0.1	Depositor
Map size ($\text{\AA}$)	320.04, 320.04, 320.04	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.889, 0.889, 0.889	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.16	0/2964	0.44	0/4010
1	B	0.17	0/2964	0.41	0/4010
2	C	0.17	0/930	0.50	0/1268
2	H	0.23	0/930	0.53	0/1268
3	D	0.16	0/786	0.46	0/1066
3	L	0.15	0/786	0.39	0/1066
All	All	0.17	0/9360	0.45	0/12688

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2906	0	2853	37	0
1	B	2906	0	2853	28	0
2	C	904	0	870	11	0
2	H	904	0	870	8	0
3	D	771	0	734	10	0
3	L	771	0	734	12	0
All	All	9162	0	8914	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:90:TYR:O	2:C:106:GLY:HA2	1.93	0.67
1:A:52:ASN:O	1:A:134:ASN:ND2	2.29	0.66
1:B:186:LEU:HD23	1:B:295:MET:HE2	1.78	0.64
3:L:83:GLU:HA	3:L:104:LEU:O	1.97	0.64
2:C:22:CYS:HB3	2:C:78:PHE:HB2	1.81	0.63
2:H:90:TYR:O	2:H:106:GLY:HA3	1.99	0.62
1:A:25:LEU:HB3	1:A:45:LEU:HD12	1.80	0.62
1:A:51:SER:HA	1:A:281:LYS:HG2	1.80	0.62
3:D:61:ARG:NH1	3:D:76:SER:O	2.33	0.61
3:D:61:ARG:NH1	3:D:77:GLY:O	2.35	0.60
3:L:18:SER:HA	3:L:75:ILE:O	2.02	0.60
1:A:115:THR:HG21	1:A:253:GLN:HB2	1.84	0.59
1:B:62:GLU:HB3	1:B:123:LYS:HB2	1.84	0.59
1:B:92:CYS:HB3	1:B:116:CYS:HA	1.84	0.59
1:B:347:VAL:HG23	1:B:355:VAL:HG21	1.85	0.59
1:A:341:VAL:HG21	1:A:374:MET:HE2	1.85	0.59
2:H:18:LEU:HD11	2:H:109:VAL:HG11	1.85	0.58
1:A:34:MET:HB3	1:A:40:THR:HG23	1.84	0.58
1:B:315:THR:HB	1:B:329:GLU:HG2	1.84	0.58
1:B:208:ASN:HB2	1:B:277:MET:HE1	1.87	0.57
1:A:210:HIS:NE2	1:A:277:MET:SD	2.69	0.56
1:A:380:PRO:O	1:A:402:ARG:NH1	2.37	0.56
1:B:380:PRO:O	1:B:402:ARG:NH1	2.38	0.56
2:H:100(A):PHE:HB3	3:L:96:LEU:HD11	1.87	0.56
1:B:344:GLN:NE2	1:B:352:LEU:O	2.38	0.56
1:B:20:TRP:HE3	1:B:292:ARG:HG2	1.71	0.56
1:B:201:LEU:HD22	1:B:214:HIS:HA	1.88	0.55
1:A:42:ASP:OD2	1:A:144:HIS:NE2	2.39	0.55
1:B:332:TYR:O	1:B:371:ASN:HA	2.08	0.54
1:B:344:GLN:HG3	1:B:354:PRO:HB3	1.89	0.54
1:B:295:MET:O	1:B:295:MET:HG2	2.07	0.54
1:B:141:LEU:HD23	1:B:186:LEU:HD13	1.89	0.54
1:A:38:LYS:NZ	1:A:298:LEU:O	2.36	0.53
1:A:332:TYR:O	1:A:371:ASN:HA	2.08	0.53
1:B:247:ASP:N	1:B:247:ASP:OD1	2.41	0.53
2:H:90:TYR:O	2:H:106:GLY:CA	2.56	0.53
2:H:49:GLY:HA3	2:H:59:TYR:HA	1.91	0.53
2:C:49:GLY:HA3	2:C:59:TYR:HA	1.90	0.52
1:A:92:CYS:HB3	1:A:116:CYS:HA	1.91	0.52
2:H:72:ASP:HB3	2:H:77:GLN:HG2	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:38:GLN:HB2	3:L:44:PRO:HB3	1.92	0.51
3:L:46:LEU:HD23	3:L:55:PRO:HG3	1.92	0.51
2:H:51:ILE:HD13	2:H:57:THR:HG22	1.93	0.50
3:D:24:THR:HA	3:D:70:SER:HA	1.92	0.50
1:B:180:LEU:HB2	1:B:183:PHE:HB2	1.94	0.49
1:B:293:LEU:HD21	1:B:295:MET:HE3	1.94	0.49
2:C:6:GLU:N	2:C:6:GLU:OE2	2.45	0.49
1:A:187:GLY:HA3	1:A:294:LYS:HB2	1.95	0.49
1:A:201:LEU:HD22	1:A:214:HIS:HA	1.94	0.49
2:H:104:GLY:O	2:H:105:GLN:HB2	2.13	0.48
1:B:200:ASP:N	1:B:200:ASP:OD1	2.46	0.48
2:C:94:ARG:HB3	2:C:102:ILE:HB	1.96	0.48
3:D:38:GLN:HB2	3:D:44:PRO:HB3	1.95	0.48
3:L:4:LEU:HD11	3:L:97:VAL:HG13	1.96	0.48
1:A:332:TYR:O	1:A:371:ASN:CA	2.62	0.47
1:A:359:ILE:HB	1:A:377:GLU:HB3	1.95	0.47
3:D:34:SER:OG	3:D:89:SER:OG	2.33	0.47
3:D:53:LYS:HB2	3:D:53:LYS:HE3	1.80	0.47
1:A:208:ASN:HB2	1:A:277:MET:HE1	1.97	0.47
3:L:30:TYR:O	3:L:66:LYS:NZ	2.48	0.47
1:B:41:VAL:HG21	1:B:295:MET:HE1	1.97	0.47
1:B:246:LYS:HA	1:B:246:LYS:HD3	1.73	0.46
1:A:190:CYS:HA	1:A:291:CYS:HA	1.96	0.46
1:A:180:LEU:HB3	1:A:183:PHE:HB2	1.97	0.46
3:D:82:ASP:OD1	3:D:86:TYR:OH	2.33	0.46
2:C:46:GLU:OE2	2:C:47:TRP:N	2.49	0.46
1:B:52:ASN:O	1:B:134:ASN:ND2	2.49	0.45
1:B:125:MET:HE3	1:B:204:LEU:HD11	1.98	0.45
1:B:186:LEU:CD2	1:B:295:MET:HE2	2.46	0.45
3:L:86:TYR:O	3:L:101:GLY:HA2	2.15	0.45
3:L:34:SER:HG	3:L:89:SER:HG	1.64	0.45
1:A:332:TYR:O	1:A:371:ASN:N	2.50	0.45
1:A:178:ALA:O	1:A:185:SER:OG	2.32	0.45
1:A:297:LYS:HA	1:A:297:LYS:HD2	1.75	0.45
3:D:27(C):VAL:HG12	3:D:66:LYS:HZ2	1.82	0.44
1:B:63:ALA:HB3	1:B:242:LEU:HD22	1.99	0.44
2:C:17:THR:OG1	2:C:82:LEU:O	2.31	0.44
1:A:305:TYR:HB2	1:A:340:LYS:HE3	2.00	0.44
1:A:53:MET:HB3	1:A:128:LYS:HB3	2.00	0.43
2:C:72:ASP:OD2	2:C:75:LYS:NZ	2.48	0.43
2:C:44:GLY:HA2	3:D:87:PHE:HE2	1.84	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:186:LEU:HD23	1:A:298:LEU:HD11	2.01	0.43
1:A:72:SER:HB3	1:A:113:LEU:HD13	2.00	0.42
1:B:320:GLU:HG2	1:B:400:TRP:HZ2	1.83	0.42
1:A:50:VAL:HG11	1:A:130:ILE:HD11	2.01	0.42
1:A:22:ASP:OD1	1:A:292:ARG:NE	2.53	0.42
1:A:170:THR:HG22	1:A:172:ASN:H	1.83	0.42
1:A:386:TYR:CE2	1:A:388:VAL:HB	2.55	0.42
1:A:36:GLN:NE2	1:A:37:ASP:OD1	2.46	0.42
3:L:21:ILE:HG23	3:L:73:LEU:HB3	2.02	0.41
2:C:82(C):VAL:HG12	2:C:84:ALA:H	1.84	0.41
1:A:294:LYS:HD3	1:A:294:LYS:HA	1.77	0.41
1:A:34:MET:HE1	1:A:357:ARG:HH11	1.84	0.41
1:A:332:TYR:OH	1:A:336:ASP:OD1	2.27	0.41
1:A:63:ALA:HB3	1:A:242:LEU:HD22	2.02	0.41
1:A:107:LEU:HD23	1:A:107:LEU:HA	1.83	0.41
1:B:246:LYS:HB2	1:B:254:THR:HB	2.01	0.41
3:L:60:ASN:OD1	3:L:60:ASN:N	2.54	0.41
3:D:35:TRP:HB2	3:D:48:ILE:HB	2.03	0.41
3:L:85:ASP:OD1	3:L:103:ASN:ND2	2.48	0.41
2:C:18:LEU:HD11	2:C:109:VAL:HG11	2.02	0.40
1:B:41:VAL:CG2	1:B:295:MET:HE1	2.51	0.40
1:B:387:ILE:O	1:B:397:THR:HA	2.22	0.40
1:A:53:MET:HE1	1:A:130:ILE:HG13	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	368/434 (85%)	358 (97%)	10 (3%)	0	100	100
1	B	368/434 (85%)	355 (96%)	13 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	C	114/227 (50%)	104 (91%)	10 (9%)	0	100	100
2	H	114/227 (50%)	104 (91%)	10 (9%)	0	100	100
3	D	106/216 (49%)	101 (95%)	5 (5%)	0	100	100
3	L	106/216 (49%)	101 (95%)	5 (5%)	0	100	100
All	All	1176/1754 (67%)	1123 (96%)	53 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	319/360 (89%)	318 (100%)	1 (0%)	86	83
1	B	319/360 (89%)	318 (100%)	1 (0%)	86	83
2	C	101/198 (51%)	101 (100%)	0	100	100
2	H	101/198 (51%)	101 (100%)	0	100	100
3	D	85/178 (48%)	84 (99%)	1 (1%)	63	74
3	L	85/178 (48%)	85 (100%)	0	100	100
All	All	1010/1472 (69%)	1007 (100%)	3 (0%)	84	83

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	VAL
1	B	88	THR
3	D	47	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	238	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	253	GLN
1	A	266	HIS
1	B	401	HIS
3	D	39	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-71728. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180



Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 182




Y Index: 243




Z Index: 179


6.3.2 Raw map



X Index: 197



Y Index: 247




Z Index: 180


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 125 nm³; this corresponds to an approximate mass of 113 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.290 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.290 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.45	-	-
Author-provided FSC curve	3.44	4.09	3.55
Unmasked-calculated*	4.20	5.47	4.35

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.20 differs from the reported value 3.45 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-71728 and PDB model 9PM6. Per-residue inclusion information can be found in section [3](#) on page [7](#).


9.1 Map-model overlay [i](#)



X



Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8970	0.4350
A	0.8920	0.4260
B	0.8840	0.4260
C	0.8900	0.4430
D	0.9360	0.4550
H	0.9060	0.4510
L	0.9190	0.4540

1.0

0.0

<0.0