



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:28 PM UTC

PDB ID : 1PNZ / pdb_00001pnz
Title : Crystal structure of ferric citrate transporter FecA in the unliganded form
Authors : Yue, W.W.; Grizot, S.; Buchanan, S.K.
Deposited on : 2003-06-13
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	751	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5355 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Iron(III) dicitrate transport protein fecA precursor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	661	Total	C	N	O	S	0	0	0
			5168	3236	907	1012	13			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	187	Total	O	0	0
			187	187		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Iron(III) dicitrate transport protein fecA precursor



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	117.05Å 88.46Å 95.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.82 – 2.50 19.82 – 2.50	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.82-2.50) 99.7 (19.82-2.50)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.03 (at 2.51Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.223 , 0.259 0.221 , 0.255	Depositor DCC
R_{free} test set	1742 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	21.1	Xtriage
Anisotropy	0.221	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 43.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	5355	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/5299	0.89	18/7201 (0.2%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	113	ALA	N-CA-C	7.43	120.25	111.71
1	A	717	SER	N-CA-C	-6.62	98.10	108.90
1	A	719	ASP	N-CA-C	6.32	121.17	112.90
1	A	697	ALA	N-CA-C	6.04	119.98	111.52
1	A	693	GLY	CA-C-N	5.95	127.28	119.84
1	A	693	GLY	C-N-CA	5.95	127.28	119.84
1	A	269	GLY	N-CA-C	5.95	119.42	110.97
1	A	180	SER	N-CA-C	-5.75	105.36	112.38
1	A	455	ILE	N-CA-C	5.58	115.83	107.51
1	A	223	PHE	CA-C-N	5.54	132.26	121.41
1	A	223	PHE	C-N-CA	5.54	132.26	121.41
1	A	157	ALA	N-CA-C	5.41	118.66	111.30
1	A	315	SER	N-CA-C	-5.41	103.75	110.41
1	A	190	ASP	N-CA-C	-5.37	106.90	113.50
1	A	309	ASP	N-CA-C	-5.36	102.55	110.48
1	A	167	ILE	N-CA-C	5.35	113.23	108.63
1	A	535	GLU	N-CA-C	-5.11	101.43	109.25
1	A	715	ILE	N-CA-C	-5.01	102.71	108.82

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5168	0	4870	133	0
2	A	187	0	0	5	0
All	All	5355	0	4870	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:LEU:HD11	1:A:396:MET:HG2	1.41	0.98
1:A:253:THR:HG22	1:A:259:GLY:HA3	1.53	0.87
1:A:395:PHE:HE1	1:A:397:ILE:HD11	1.51	0.76
1:A:175:GLY:HA3	1:A:520:TYR:CE2	2.25	0.71
1:A:195:VAL:HB	1:A:211:VAL:HG13	1.73	0.71
1:A:692:PHE:CD1	1:A:699:LEU:HD12	2.27	0.69
1:A:351:GLN:HE21	1:A:351:GLN:N	1.93	0.65
1:A:700:ASN:HB2	1:A:738:SER:OG	1.97	0.64
1:A:287:SER:HB2	1:A:299:SER:OG	1.96	0.64
1:A:181:LEU:HD13	1:A:183:PRO:HD3	1.80	0.63
1:A:662:ASP:OD2	1:A:666:THR:HG23	1.98	0.63
1:A:395:PHE:CE1	1:A:397:ILE:HD11	2.33	0.63
1:A:715:ILE:HG12	1:A:716:ARG:H	1.65	0.62
1:A:191:ALA:C	1:A:192:ILE:HD12	2.25	0.62
1:A:217:ARG:HG3	1:A:263:LEU:HD22	1.83	0.60
1:A:143:LEU:HD21	1:A:306:GLY:C	2.27	0.59
1:A:457:ILE:O	1:A:457:ILE:HG23	2.01	0.59
1:A:563:ASN:HD21	1:A:580:LYS:HZ3	1.51	0.59
1:A:175:GLY:HA3	1:A:520:TYR:CZ	2.38	0.58
1:A:563:ASN:HD21	1:A:580:LYS:NZ	2.02	0.58
1:A:356:ILE:HD11	1:A:387:ILE:HD11	1.86	0.58
1:A:470:HIS:ND1	1:A:489:ASN:ND2	2.52	0.57
1:A:176:GLN:NE2	1:A:178:GLN:OE1	2.38	0.57
1:A:453:ASP:O	1:A:464:PRO:HD2	2.04	0.57
1:A:699:LEU:HD23	1:A:739:LEU:HD21	1.86	0.56
1:A:715:ILE:HG12	1:A:716:ARG:N	2.21	0.56
1:A:164:MET:SD	1:A:284:MET:HE1	2.47	0.55
1:A:457:ILE:C	1:A:457:ILE:HD13	2.30	0.55
1:A:461:THR:HB	1:A:498:LEU:HB3	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:388:GLU:HG3	1:A:408:TYR:O	2.06	0.54
1:A:260:THR:HG22	1:A:287:SER:OG	2.07	0.54
1:A:130:VAL:HG22	1:A:149:ILE:CD1	2.36	0.54
1:A:239:GLN:NE2	1:A:270:SER:HB2	2.22	0.54
1:A:697:ALA:O	1:A:698:ASP:C	2.50	0.53
1:A:634:HIS:O	1:A:656:GLN:HA	2.08	0.53
1:A:233:LEU:HG	1:A:234:SER:N	2.24	0.53
1:A:136:ASN:HA	1:A:726:TYR:CE2	2.44	0.53
1:A:339:LEU:HD23	1:A:339:LEU:C	2.34	0.52
1:A:395:PHE:HE1	1:A:397:ILE:CD1	2.21	0.52
1:A:222:ASP:O	1:A:223:PHE:C	2.53	0.51
1:A:387:ILE:HD13	1:A:388:GLU:N	2.25	0.51
1:A:470:HIS:HA	1:A:489:ASN:HD22	1.76	0.51
1:A:121:ARG:NH2	1:A:134:GLU:HG3	2.26	0.51
1:A:551:LEU:C	1:A:551:LEU:HD13	2.36	0.51
1:A:169:VAL:N	1:A:170:PRO:CD	2.74	0.50
1:A:402:HIS:CD2	1:A:455:ILE:HG23	2.47	0.50
1:A:364:LEU:HD23	1:A:381:ASN:OD1	2.11	0.50
1:A:415:THR:OG1	1:A:417:GLU:OE2	2.27	0.50
1:A:364:LEU:C	1:A:364:LEU:HD13	2.36	0.50
1:A:462:ILE:HD12	1:A:462:ILE:N	2.27	0.50
1:A:699:LEU:C	1:A:699:LEU:HD13	2.37	0.49
1:A:711:GLN:HG2	2:A:815:HOH:O	2.11	0.49
1:A:350:SER:C	1:A:351:GLN:HE21	2.21	0.49
1:A:394:ILE:HA	1:A:402:HIS:O	2.13	0.49
1:A:351:GLN:HG3	1:A:394:ILE:HD11	1.96	0.48
1:A:537:ALA:HA	1:A:561:ASN:O	2.13	0.48
1:A:188:ASN:O	1:A:217:ARG:HG2	2.13	0.48
1:A:508:TYR:C	1:A:508:TYR:CD1	2.92	0.48
1:A:586:LEU:C	1:A:586:LEU:HD23	2.38	0.47
1:A:82:LEU:HB3	1:A:394:ILE:HD12	1.96	0.47
1:A:159:ARG:NH2	2:A:745:HOH:O	2.06	0.47
1:A:176:GLN:HG3	2:A:863:HOH:O	2.13	0.47
1:A:249:MET:HG2	1:A:263:LEU:HD23	1.96	0.47
1:A:231:GLY:O	1:A:734:TYR:HA	2.14	0.47
1:A:638:LEU:HD23	1:A:638:LEU:N	2.31	0.46
1:A:319:TYR:CE1	1:A:323:ARG:HB2	2.51	0.46
1:A:463:THR:HB	1:A:496:ASN:ND2	2.30	0.46
1:A:548:ASP:OD1	1:A:548:ASP:C	2.58	0.46
1:A:699:LEU:HD23	1:A:739:LEU:CD2	2.45	0.46
1:A:351:GLN:HG3	1:A:394:ILE:HG13	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:460:TRP:HB3	1:A:462:ILE:HD11	1.98	0.46
1:A:697:ALA:HB3	1:A:739:LEU:HD22	1.98	0.46
1:A:533:GLU:HG3	1:A:536:LYS:HE3	1.97	0.45
1:A:147:PHE:C	1:A:147:PHE:CD1	2.94	0.45
1:A:176:GLN:HE21	1:A:176:GLN:CA	2.28	0.45
1:A:497:VAL:O	1:A:508:TYR:HA	2.17	0.45
1:A:394:ILE:HG22	1:A:403:GLU:HB2	1.98	0.45
1:A:83:THR:C	1:A:394:ILE:HD13	2.42	0.45
1:A:490:ALA:O	1:A:492:LEU:HD22	2.18	0.44
1:A:217:ARG:HG2	1:A:217:ARG:H	1.64	0.44
1:A:169:VAL:O	1:A:337:ARG:NH2	2.43	0.44
1:A:198:GLY:H	1:A:512:GLU:CD	2.25	0.44
1:A:316:ARG:O	1:A:316:ARG:HD3	2.18	0.44
1:A:339:LEU:HD23	1:A:340:ALA:N	2.33	0.44
1:A:469:GLU:HB3	1:A:471:ILE:HD11	1.98	0.44
1:A:551:LEU:HB2	1:A:592:TYR:CD1	2.53	0.44
1:A:559:LEU:HD13	1:A:584:THR:HG22	1.99	0.44
1:A:250:VAL:O	1:A:250:VAL:HG23	2.18	0.44
1:A:365:ARG:HE	1:A:365:ARG:C	2.26	0.44
1:A:271:ASP:HB2	1:A:272:TRP:CE3	2.53	0.43
1:A:520:TYR:HA	1:A:523:ILE:HG13	2.00	0.43
1:A:533:GLU:HG3	1:A:536:LYS:CE	2.48	0.43
1:A:518:VAL:HG22	1:A:566:TYR:CE1	2.53	0.43
1:A:560:ILE:HB	1:A:583:HIS:HB2	2.01	0.43
1:A:618:ARG:HD3	1:A:618:ARG:HA	1.84	0.43
1:A:279:ARG:NE	1:A:307:GLU:OE2	2.47	0.43
1:A:630:PHE:HA	1:A:659:GLN:OE1	2.18	0.43
1:A:348:PRO:HG2	1:A:349:ASP:H	1.84	0.43
1:A:450:TYR:CD1	1:A:450:TYR:C	2.97	0.43
1:A:411:LEU:C	1:A:411:LEU:HD23	2.44	0.43
1:A:253:THR:HA	1:A:259:GLY:HA2	2.01	0.42
1:A:457:ILE:O	1:A:457:ILE:CG2	2.67	0.42
1:A:121:ARG:CZ	1:A:134:GLU:HG3	2.50	0.42
1:A:389:PRO:HD2	1:A:408:TYR:O	2.19	0.42
1:A:735:MET:O	1:A:735:MET:HG3	2.19	0.42
1:A:239:GLN:NE2	1:A:241:ASN:O	2.50	0.42
1:A:608:ALA:HA	1:A:637:THR:O	2.20	0.42
1:A:81:ALA:O	1:A:82:LEU:C	2.62	0.42
1:A:601:LEU:O	1:A:604:VAL:HB	2.19	0.42
1:A:511:THR:HA	1:A:539:THR:O	2.20	0.42
1:A:176:GLN:HE21	1:A:176:GLN:HA	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:460:TRP:HB3	1:A:462:ILE:CD1	2.50	0.41
1:A:528:GLN:CD	1:A:575:VAL:HG21	2.44	0.41
1:A:714:PHE:CD1	1:A:714:PHE:C	2.98	0.41
1:A:692:PHE:CE1	1:A:699:LEU:HD12	2.55	0.41
1:A:349:ASP:HB3	2:A:924:HOH:O	2.19	0.41
1:A:528:GLN:NE2	1:A:575:VAL:HG21	2.36	0.41
1:A:260:THR:HA	1:A:286:LYS:O	2.19	0.41
1:A:310:MET:HB2	1:A:331:ASP:HB3	2.02	0.41
1:A:387:ILE:HG22	1:A:410:TYR:HB3	2.03	0.41
1:A:484:GLU:HG2	1:A:527:VAL:HG21	2.01	0.41
1:A:192:ILE:HD12	1:A:192:ILE:N	2.34	0.41
1:A:383:TRP:O	1:A:413:GLU:HA	2.19	0.41
1:A:89:LEU:O	1:A:90:GLY:C	2.64	0.41
1:A:223:PHE:HA	1:A:251:GLY:O	2.21	0.41
1:A:510:ASN:OD1	1:A:510:ASN:C	2.64	0.41
1:A:276:SER:HB3	1:A:311:PRO:HG3	2.02	0.41
1:A:163:LEU:HD23	1:A:168:PRO:HA	2.03	0.40
1:A:219:ILE:HD12	1:A:219:ILE:N	2.37	0.40
1:A:394:ILE:HG22	1:A:403:GLU:CB	2.51	0.40
1:A:121:ARG:HB2	1:A:132:ALA:HB1	2.03	0.40
1:A:109:ARG:HA	1:A:112:PHE:CE2	2.57	0.40
1:A:159:ARG:NH1	2:A:772:HOH:O	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	659/751 (88%)	631 (96%)	25 (4%)	3 (0%)	24 43

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	82	LEU
1	A	695	GLN
1	A	223	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	540/617 (88%)	518 (96%)	22 (4%)	27 53

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	107	ILE
1	A	120	MET
1	A	176	GLN
1	A	181	LEU
1	A	211	VAL
1	A	217	ARG
1	A	239	GLN
1	A	337	ARG
1	A	351	GLN
1	A	365	ARG
1	A	387	ILE
1	A	457	ILE
1	A	484	GLU
1	A	523	ILE
1	A	567	ASP
1	A	575	VAL
1	A	602	ASP
1	A	666	THR
1	A	675	THR
1	A	683	LEU
1	A	701	LEU
1	A	735	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	176	GLN
1	A	188	ASN
1	A	221	GLN
1	A	232	GLN
1	A	298	ASN
1	A	302	GLN
1	A	345	GLN
1	A	351	GLN
1	A	355	ASN
1	A	357	GLN
1	A	476	ASN
1	A	489	ASN
1	A	496	ASN
1	A	528	GLN
1	A	563	ASN
1	A	603	ASN
1	A	652	ASN
1	A	729	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	661/751 (88%)	0.04	24 (3%)	46 41	6, 19, 39, 81	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	696	MET	9.5
1	A	695	GLN	5.0
1	A	694	PRO	4.2
1	A	532	VAL	4.1
1	A	697	ALA	3.7
1	A	81	ALA	3.6
1	A	698	ASP	3.3
1	A	693	GLY	3.0
1	A	531	ASN	3.0
1	A	428	GLN	2.7
1	A	427	GLY	2.6
1	A	296	THR	2.6
1	A	449	TRP	2.5
1	A	573	ASP	2.4
1	A	719	ASP	2.4
1	A	741	PHE	2.3
1	A	110	GLU	2.3
1	A	699	LEU	2.2
1	A	233	LEU	2.2
1	A	503	ASP	2.2
1	A	223	PHE	2.2
1	A	394	ILE	2.1
1	A	355	ASN	2.1
1	A	572	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.