



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 22, 2026 – 08:35 PM EDT

PDB ID : 2PNZ / pdb_00002pnz
Title : Crystal structure of the P. abyssi exosome RNase PH ring complexed with UDP and GMP
Authors : Navarro, M.V.A.S.; Guimaraes, B.G.
Deposited on : 2007-04-25
Resolution : 2.14 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3689 (2.16-2.12)
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)
RSRZ outliers	180081	3691 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	249	56% 32% • • 5%
2	B	277	58% 33% 5% •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	MPD	A	282	-	-	X	-
5	MPD	B	281	X	-	-	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 4241 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable exosome complex exonuclease 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	236	Total	C	N	O	S	0	3	0
			1858	1186	326	339	7			


- Molecule 2 is a protein called Probable exosome complex exonuclease 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	267	Total	C	N	O	S	0	2	0
			2055	1306	342	400	7			

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	GLY	-	expression tag	UNP Q9V118
B	-1	SER	-	expression tag	UNP Q9V118
B	0	HIS	-	expression tag	UNP Q9V118

- Molecule 3 is URIDINE-5'-DIPHOSPHATE (CCD ID: UDP) (formula: $C_9H_{14}N_2O_{12}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 4 is GUANOSINE-5'-MONOPHOSPHATE (CCD ID: 5GP) (formula: $C_{10}H_{14}N_5O_8P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			24	10	5	8	1		

- Molecule 5 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			8	6	2		
5	A	1	Total	C	O	0	0
			8	6	2		
5	A	1	Total	C	O	0	0
			8	6	2		
5	B	1	Total	C	O	0	0
			8	6	2		
5	B	1	Total	C	O	0	0
			8	6	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	100	Total	O	0	0
			100	100		
6	B	139	Total	O	0	0
			139	139		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable exosome complex exonuclease 1



- Molecule 2: Probable exosome complex exonuclease 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, α , β , γ	93.81Å 93.81Å 126.26Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.87 – 2.14 19.87 – 2.14	Depositor EDS
% Data completeness (in resolution range)	99.3 (19.87-2.14) 99.0 (19.87-2.14)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.17	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.83 (at 2.15Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.188 , 0.255 0.186 , 0.247	Depositor DCC
R_{free} test set	1783 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	30.7	Xtriage
Anisotropy	0.034	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 52.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	0.056 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4241	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, 5GP, UDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.32	3/1894 (0.2%)	1.42	16/2550 (0.6%)
2	B	1.36	9/2090 (0.4%)	1.38	14/2832 (0.5%)
All	All	1.34	12/3984 (0.3%)	1.40	30/5382 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	244	GLU	C-O	19.51	1.62	1.23
2	B	174	GLU	CD-OE1	6.76	1.38	1.25
2	B	136	VAL	CA-CB	6.34	1.62	1.53
2	B	158	ILE	N-CA	-6.25	1.39	1.46
2	B	107	ALA	C-O	-6.20	1.16	1.24
2	B	157	ALA	CA-CB	5.64	1.62	1.53
2	B	174	GLU	CD-OE2	5.45	1.35	1.25
1	A	191	ILE	CA-C	-5.38	1.46	1.52
2	B	158	ILE	C-O	5.24	1.30	1.24
2	B	231	ILE	CA-C	-5.08	1.46	1.52
1	A	11	ILE	CA-CB	5.08	1.61	1.54
2	B	81	THR	C-O	-5.00	1.18	1.23

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	63	HIS	N-CA-C	18.48	135.80	110.29
1	A	93	GLY	CA-C-N	-10.63	110.01	120.21
1	A	93	GLY	C-N-CA	-10.63	110.01	120.21
1	A	107	GLY	N-CA-C	-8.59	105.23	114.67
1	A	244	GLU	CA-C-O	-8.58	106.21	120.80
2	B	98	PRO	CA-C-N	-8.53	111.20	119.90
2	B	98	PRO	C-N-CA	-8.53	111.20	119.90
1	A	49	LYS	N-CA-C	8.30	122.83	112.87
2	B	95	GLU	CA-C-N	-7.81	111.96	119.85
2	B	95	GLU	C-N-CA	-7.81	111.96	119.85
2	B	236	LYS	N-CA-C	-7.04	98.57	109.76
1	A	62	LEU	N-CA-C	-7.02	99.27	109.59
2	B	155	ILE	N-CA-C	-6.47	104.45	110.53
1	A	57	TYR	CA-C-N	6.46	133.32	121.70
1	A	57	TYR	C-N-CA	6.46	133.32	121.70
2	B	114	ILE	N-CA-C	-5.89	105.97	111.45
2	B	174	GLU	CB-CG-CD	-5.70	102.91	112.60
2	B	69	GLU	CA-C-N	-5.68	114.90	120.52
2	B	69	GLU	C-N-CA	-5.68	114.90	120.52
2	B	112	ARG	CA-C-N	5.51	126.22	119.99
2	B	112	ARG	C-N-CA	5.51	126.22	119.99
1	A	223	ALA	N-CA-C	5.51	117.28	111.28
1	A	57	TYR	O-C-N	-5.44	116.94	123.31
1	A	143	ALA	N-CA-C	-5.39	105.43	112.23
1	A	129	VAL	CB-CA-C	5.31	118.00	111.25
1	A	58	GLY	CA-C-N	5.28	139.68	127.00
1	A	58	GLY	C-N-CA	5.28	139.68	127.00
2	B	194	VAL	CA-C-N	-5.27	114.18	120.13
2	B	194	VAL	C-N-CA	-5.27	114.18	120.13
1	A	208	THR	N-CA-C	-5.06	104.00	110.53

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	48	GLY	Peptide
1	A	62	LEU	Peptide
1	A	9	LYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1858	0	1958	94	0
2	B	2055	0	2127	75	0
3	A	25	0	11	2	0
4	A	24	0	12	1	0
5	A	24	0	42	15	0
5	B	16	0	28	1	0
6	A	100	0	0	7	0
6	B	139	0	0	8	0
All	All	4241	0	4178	173	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:252:MPD:H52	5:A:252:MPD:H11	1.13	1.13
5:A:252:MPD:H52	5:A:252:MPD:C1	1.82	1.10
1:A:64:PRO:HD2	1:A:67:LEU:HD11	1.37	1.06
1:A:64:PRO:HD2	1:A:67:LEU:CD1	1.90	1.02
5:A:252:MPD:H11	5:A:252:MPD:C5	1.96	0.94
1:A:97:ARG:O	1:A:101[A]:ILE:HD13	1.69	0.92
1:A:97:ARG:O	1:A:101[A]:ILE:CD1	2.22	0.88
1:A:13:GLU:HA	1:A:13:GLU:OE1	1.74	0.87
1:A:76:ARG:CZ	5:A:282:MPD:H12	2.07	0.83
2:B:12:ARG:NE	2:B:16:ILE:HD11	1.95	0.81
1:A:19:ASP:OD2	1:A:21:ARG:HD3	1.82	0.79
1:A:191:ILE:HD11	1:A:223:ALA:CB	2.11	0.79
1:A:65:LYS:O	1:A:68:GLN:HG3	1.84	0.77
2:B:40:VAL:HG13	2:B:163:ASN:ND2	2.00	0.75
2:B:12:ARG:HE	2:B:16:ILE:HD11	1.53	0.73
1:A:63:HIS:HB3	1:A:64:PRO:HA	1.71	0.72
1:A:191:ILE:HD11	1:A:223:ALA:HB1	1.72	0.71
1:A:19:ASP:OD1	1:A:21:ARG:HG2	1.92	0.69
1:A:65:LYS:C	1:A:67:LEU:H	1.99	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:191:ILE:HD11	1:A:223:ALA:HB3	1.75	0.67
1:A:65:LYS:O	1:A:67:LEU:N	2.29	0.65
1:A:63:HIS:CB	1:A:64:PRO:HA	2.25	0.65
1:A:19:ASP:OD1	1:A:21:ARG:CG	2.45	0.65
1:A:65:LYS:C	1:A:67:LEU:N	2.54	0.64
1:A:64:PRO:HD2	1:A:67:LEU:HD12	1.74	0.64
2:B:245:GLU:H	2:B:245:GLU:CD	2.04	0.64
1:A:113:LEU:HD21	1:A:148:LEU:HD13	1.80	0.64
2:B:9:GLY:HA2	6:B:304:HOH:O	1.98	0.64
1:A:21:ARG:NH1	1:A:174:ASP:O	2.29	0.63
5:A:282:MPD:H52	2:B:96:PRO:HG3	1.80	0.63
1:A:193:PRO:HG2	1:A:227:TYR:CD1	2.34	0.63
2:B:223:ILE:HD13	2:B:234:VAL:HG13	1.82	0.62
1:A:16:ARG:HE	1:A:20:GLY:HA2	1.65	0.61
1:A:191:ILE:CD1	1:A:223:ALA:CB	2.78	0.60
5:A:282:MPD:C5	2:B:96:PRO:HG3	2.30	0.60
2:B:61:VAL:HG22	2:B:140:VAL:HG22	1.82	0.60
1:A:62:LEU:HG	1:A:122:ALA:HB2	1.82	0.60
2:B:24:ARG:NH1	2:B:206:VAL:HG13	2.17	0.59
1:A:96:ARG:HG3	6:A:291:HOH:O	2.03	0.59
2:B:162:LEU:HD11	2:B:192:ILE:HG12	1.84	0.59
1:A:97:ARG:O	1:A:101[A]:ILE:HD12	2.01	0.59
1:A:113:LEU:HD23	1:A:155:MET:HG2	1.85	0.58
1:A:116:GLU:H	1:A:116:GLU:CD	2.11	0.58
1:A:225:ALA:HB2	5:A:252:MPD:HM3	1.85	0.58
1:A:64:PRO:CD	1:A:67:LEU:HD12	2.34	0.57
1:A:13:GLU:OE1	1:A:13:GLU:CA	2.51	0.57
2:B:197:THR:HG21	6:B:407:HOH:O	2.04	0.57
1:A:62:LEU:HD11	1:A:74:ILE:CD1	2.34	0.57
2:B:259:GLU:HA	2:B:259:GLU:OE2	2.04	0.57
2:B:65:THR:HA	2:B:135:VAL:O	2.05	0.57
2:B:228:THR:OG1	2:B:230:HIS:HD2	1.88	0.57
1:A:17:ARG:HD2	1:A:179:GLU:OE1	2.04	0.56
1:A:64:PRO:CD	1:A:67:LEU:CD1	2.76	0.56
2:B:192:ILE:HB	2:B:262:ARG:HD3	1.87	0.56
2:B:172:ASN:HB2	2:B:179:GLU:OE2	2.06	0.56
1:A:126:PHE:HZ	5:A:282:MPD:HM2	1.70	0.56
1:A:141:ILE:HD11	1:A:200:LEU:HD13	1.87	0.56
1:A:166:LYS:NZ	6:A:363:HOH:O	2.36	0.55
1:A:23:LYS:HG2	1:A:172:VAL:HG12	1.89	0.55
5:A:251:MPD:O4	5:A:251:MPD:H11	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:ILE:O	1:A:243:GLN:N	2.34	0.55
1:A:97:ARG:NH2	3:A:250:UDP:O3A	2.39	0.54
2:B:79:VAL:HB	2:B:135:VAL:HG22	1.90	0.54
1:A:131:GLN:HE22	2:B:44:GLU:H	1.55	0.54
1:A:193:PRO:HG2	1:A:227:TYR:CG	2.42	0.54
2:B:229:GLY:HA2	2:B:255:PHE:CE2	2.42	0.54
2:B:144:ASP:OD1	6:B:363:HOH:O	2.19	0.54
1:A:81:MET:HE1	3:A:250:UDP:C5	2.44	0.53
1:A:56:VAL:HG22	1:A:125:VAL:HG22	1.91	0.53
1:A:141:ILE:CD1	1:A:200:LEU:HD13	2.40	0.52
2:B:112:ARG:NH1	6:B:310:HOH:O	2.27	0.52
1:A:191:ILE:CD1	1:A:223:ALA:HB3	2.38	0.52
2:B:214:GLU:OE2	2:B:220:LYS:NZ	2.42	0.51
2:B:192:ILE:HB	2:B:262:ARG:CD	2.40	0.51
2:B:166:VAL:HG11	2:B:187:LEU:CD1	2.40	0.51
1:A:90:LYS:HE3	6:A:283:HOH:O	2.10	0.51
2:B:90:ALA:HB3	2:B:94:PHE:CD1	2.46	0.51
2:B:36:ILE:HD13	2:B:261:ILE:HD13	1.93	0.50
1:A:86:VAL:HG21	1:A:90:LYS:HB2	1.93	0.50
2:B:78:GLY:HA2	2:B:133:VAL:HB	1.94	0.50
1:A:133:ASP:OD2	6:A:307:HOH:O	2.19	0.50
1:A:49:LYS:HB2	1:A:133:ASP:HB2	1.93	0.50
1:A:62:LEU:HD11	1:A:74:ILE:HD11	1.93	0.50
1:A:191:ILE:CD1	1:A:223:ALA:HB1	2.39	0.50
2:B:140:VAL:HG11	2:B:153:ILE:HG12	1.93	0.50
2:B:40:VAL:HG13	2:B:163:ASN:CG	2.36	0.49
2:B:86:LEU:HD22	2:B:103:ALA:HB2	1.92	0.49
2:B:49:SER:HA	2:B:61:VAL:O	2.12	0.49
1:A:187:VAL:HG22	1:A:203:MET:HG2	1.95	0.49
5:A:251:MPD:O4	5:A:251:MPD:C1	2.59	0.49
1:A:81:MET:SD	1:A:97:ARG:NH1	2.86	0.49
2:B:53:LYS:HA	2:B:57:THR:O	2.12	0.49
1:A:89:ARG:NH2	4:A:279:5GP:OP1	2.44	0.48
1:A:241:ILE:C	1:A:243:GLN:H	2.17	0.48
2:B:205:LEU:H	5:B:281:MPD:H31	1.78	0.48
1:A:167:ILE:HG21	1:A:179:GLU:HB3	1.95	0.48
1:A:52:ILE:HG12	1:A:129:VAL:HB	1.96	0.48
2:B:24:ARG:CZ	2:B:206:VAL:HG13	2.44	0.48
1:A:53:ILE:HG23	2:B:89:LEU:HD21	1.96	0.47
1:A:65:LYS:O	1:A:68:GLN:CG	2.59	0.47
1:A:11:ILE:HG13	1:A:168:GLU:OE2	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:63:ILE:HD13	2:B:161:LEU:HD23	1.96	0.47
1:A:97:ARG:O	1:A:101[B]:ILE:HG13	2.15	0.47
2:B:63:ILE:HD12	2:B:160:ALA:HB1	1.96	0.47
2:B:63:ILE:HD12	2:B:160:ALA:CB	2.44	0.47
1:A:163:ALA:HA	1:A:188:PRO:HA	1.97	0.46
1:A:221:LYS:HE2	6:A:339:HOH:O	2.16	0.46
1:A:173:LEU:HD13	1:A:218:LEU:HG	1.97	0.46
2:B:147:GLY:HA2	2:B:214:GLU:OE1	2.15	0.46
2:B:256:LYS:O	2:B:260:GLU:HG3	2.14	0.46
1:A:75:LEU:HG	1:A:113:LEU:HD12	1.98	0.46
2:B:66[A]:SER:HB3	6:B:377:HOH:O	2.16	0.46
2:B:228:THR:OG1	2:B:230:HIS:CD2	2.69	0.46
2:B:65:THR:HG21	2:B:166:VAL:HG11	1.96	0.46
2:B:66[B]:SER:HB2	6:B:377:HOH:O	2.16	0.46
2:B:164:ALA:CB	2:B:187:LEU:HD22	2.46	0.45
1:A:131:GLN:NE2	2:B:45:LYS:H	2.15	0.45
2:B:166:VAL:HG11	2:B:187:LEU:HD13	1.98	0.45
1:A:40:ASN:OD1	1:A:58:GLY:HA2	2.17	0.45
2:B:166:VAL:CG1	2:B:187:LEU:HD13	2.47	0.45
1:A:176:ASN:OD1	1:A:179:GLU:HG3	2.17	0.44
2:B:19:LEU:HD21	2:B:206:VAL:HG21	1.98	0.44
1:A:11:ILE:HD12	1:A:167:ILE:HB	1.99	0.44
1:A:13:GLU:HA	1:A:14:ASN:HA	1.70	0.44
1:A:64:PRO:O	1:A:65:LYS:C	2.60	0.44
2:B:52:VAL:HG21	2:B:155:ILE:HG22	1.98	0.44
2:B:227:GLU:HG3	2:B:262:ARG:HD2	1.99	0.44
1:A:17:ARG:HH12	1:A:21:ARG:NH1	2.15	0.44
2:B:18:LEU:HD23	2:B:18:LEU:HA	1.73	0.44
2:B:151:ASP:OD2	2:B:197:THR:N	2.48	0.44
2:B:84:VAL:HA	2:B:140:VAL:HB	2.00	0.44
1:A:47:TRP:CH2	1:A:226:VAL:HG21	2.53	0.43
1:A:158:LEU:HB2	1:A:227:TYR:HE1	1.82	0.43
1:A:126:PHE:CZ	5:A:282:MPD:HM2	2.50	0.43
2:B:40:VAL:HG12	2:B:272:ALA:CB	2.48	0.43
2:B:244:LEU:O	2:B:248:MET:HG3	2.18	0.43
1:A:183:GLY:O	5:A:251:MPD:H12	2.18	0.43
2:B:18:LEU:HD22	2:B:23:LYS:HB2	2.00	0.43
2:B:70:PRO:HB3	2:B:133:VAL:HG11	2.01	0.43
2:B:78:GLY:HA3	2:B:125:MET:HE2	1.99	0.43
1:A:47:TRP:C	1:A:47:TRP:CD1	2.96	0.42
5:A:252:MPD:C1	5:A:252:MPD:C5	2.57	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:19:LEU:CD1	2:B:201:ILE:HB	2.49	0.42
2:B:110:ILE:HG13	2:B:153:ILE:HG22	2.01	0.42
1:A:77:VAL:HG22	1:A:125:VAL:HB	2.00	0.42
1:A:210:ASP:O	1:A:214:GLU:HG2	2.19	0.42
1:A:19:ASP:OD1	1:A:21:ARG:HG3	2.19	0.42
2:B:197:THR:HG21	2:B:220:LYS:HE2	2.00	0.42
2:B:130:GLY:O	2:B:131:LYS:HD2	2.20	0.42
1:A:11:ILE:H	1:A:168:GLU:CD	2.27	0.42
1:A:16:ARG:HG2	6:A:308:HOH:O	2.18	0.42
2:B:199:ALA:HB2	2:B:209:PRO:HB3	2.02	0.42
5:A:282:MPD:H52	5:A:282:MPD:HM1	2.01	0.41
2:B:90:ALA:HB3	2:B:94:PHE:CE1	2.56	0.41
1:A:14:ASN:N	1:A:16:ARG:H	2.18	0.41
2:B:191:LYS:C	2:B:192:ILE:HG13	2.44	0.41
1:A:76:ARG:NH1	5:A:282:MPD:H12	2.34	0.41
1:A:64:PRO:N	1:A:67:LEU:HD12	2.35	0.41
1:A:31:MET:HG3	1:A:233:ALA:HB2	2.02	0.41
2:B:197:THR:CG2	2:B:220:LYS:HE2	2.50	0.41
1:A:58:GLY:O	1:A:153:ILE:HD11	2.21	0.41
2:B:12:ARG:HD2	2:B:216:VAL:HB	2.02	0.41
2:B:98:PRO:O	2:B:99:PRO:C	2.63	0.41
1:A:31:MET:SD	1:A:146:LEU:HD11	2.61	0.40
2:B:9:GLY:CA	6:B:304:HOH:O	2.60	0.40
1:A:180:ASP:HA	6:A:300:HOH:O	2.21	0.40
2:B:117:SER:O	2:B:191:LYS:HD2	2.21	0.40
1:A:77:VAL:HG11	1:A:105[A]:ILE:CG2	2.51	0.40
2:B:27:ASP:HB3	6:B:333:HOH:O	2.22	0.40
2:B:120:LEU:HD21	2:B:187:LEU:HG	2.03	0.40
2:B:155:ILE:HG12	2:B:261:ILE:HG21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	237/249 (95%)	226 (95%)	7 (3%)	4 (2%)	7	2
2	B	267/277 (96%)	258 (97%)	9 (3%)	0	100	100
All	All	504/526 (96%)	484 (96%)	16 (3%)	4 (1%)	16	9

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	242	ALA
1	A	13	GLU
1	A	61	GLU
1	A	134	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	194/202 (96%)	172 (89%)	22 (11%)	5	2
2	B	228/235 (97%)	207 (91%)	21 (9%)	8	4
All	All	422/437 (97%)	379 (90%)	43 (10%)	7	3

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ILE
1	A	13	GLU
1	A	21	ARG
1	A	33	VAL
1	A	49	LYS
1	A	61	GLU
1	A	62	LEU
1	A	65	LYS
1	A	75	LEU
1	A	78	ARG
1	A	91	LYS
1	A	104	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	105[A]	ILE
1	A	105[B]	ILE
1	A	116	GLU
1	A	120	ARG
1	A	129	VAL
1	A	191	ILE
1	A	195	LYS
1	A	201	LEU
1	A	236	GLU
1	A	244	GLU
2	B	10	ILE
2	B	40	VAL
2	B	59	VAL
2	B	60	LEU
2	B	64	LYS
2	B	73	ASP
2	B	86	LEU
2	B	89	LEU
2	B	120	LEU
2	B	180	THR
2	B	187	LEU
2	B	205	LEU
2	B	206	VAL
2	B	211	LEU
2	B	236	LYS
2	B	243	LYS
2	B	244	LEU
2	B	245	GLU
2	B	252	GLU
2	B	261	ILE
2	B	266	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	131	GLN
2	B	14	HIS
2	B	83	ASN
2	B	230	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	MPD	A	251	-	7,7,7	0.71	0	9,10,10	1.05	0
5	MPD	A	252	-	7,7,7	0.37	0	9,10,10	0.50	0
5	MPD	A	282	-	7,7,7	0.48	0	9,10,10	1.75	1 (11%)
5	MPD	B	281	-	7,7,7	0.54	0	9,10,10	0.52	0
4	5GP	A	279	-	26,26,26	0.92	0	39,40,40	1.95	9 (23%)
5	MPD	B	280	-	7,7,7	0.50	0	9,10,10	0.82	0
3	UDP	A	250	-	25,26,26	1.56	2 (8%)	38,40,40	1.80	8 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MPD	A	251	-	-	3/5/5/5	-
5	MPD	A	252	-	-	4/5/5/5	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MPD	A	282	-	-	2/5/5/5	-
5	MPD	B	281	-	1/1/2/2	5/5/5/5	-
4	5GP	A	279	-	-	2/10/26/26	0/3/3/3
5	MPD	B	280	-	-	3/5/5/5	-
3	UDP	A	250	-	-	6/16/32/32	0/2/2/2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	250	UDP	PA-O3A	6.14	1.66	1.59
3	A	250	UDP	C6-C5	2.53	1.41	1.35

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	279	5GP	C5-C4-N3	-6.20	118.53	128.39
4	A	279	5GP	C2-N3-C4	5.26	121.36	112.30
3	A	250	UDP	C4-N3-C2	-5.17	120.20	126.61
3	A	250	UDP	N3-C2-N1	4.84	121.19	114.89
5	A	282	MPD	CM-C2-C1	-4.54	100.46	110.63
3	A	250	UDP	O4'-C1'-N1	4.15	117.75	108.36
4	A	279	5GP	N9-C4-N3	3.70	133.34	125.95
4	A	279	5GP	C3'-C2'-C1'	3.01	107.16	101.46
3	A	250	UDP	O3'-C3'-C4'	2.75	118.99	111.08
4	A	279	5GP	C5-C6-N1	2.41	119.38	113.25
4	A	279	5GP	C4-C5-N7	-2.32	106.99	110.67
4	A	279	5GP	C2-N1-C6	-2.31	120.93	125.11
4	A	279	5GP	O6-C6-C5	-2.28	120.51	126.53
3	A	250	UDP	C6-N1-C2	-2.27	118.24	121.00
3	A	250	UDP	O2-C2-N3	-2.17	117.49	121.49
3	A	250	UDP	C5-C4-N3	2.12	117.77	114.80
3	A	250	UDP	C2'-C3'-C4'	-2.01	98.72	102.61
4	A	279	5GP	C6-C5-N7	2.01	133.95	130.29

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	B	281	MPD	C4

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	250	UDP	PA-O3A-PB-O2B
5	A	251	MPD	C1-C2-C3-C4
5	A	251	MPD	O2-C2-C3-C4
5	A	252	MPD	C1-C2-C3-C4
5	A	252	MPD	O2-C2-C3-C4
5	A	282	MPD	C2-C3-C4-C5
5	B	280	MPD	C2-C3-C4-C5
5	B	281	MPD	C2-C3-C4-O4
5	B	281	MPD	C2-C3-C4-C5
4	A	279	5GP	O4'-C4'-C5'-O5'
3	A	250	UDP	O4'-C4'-C5'-O5'
4	A	279	5GP	C3'-C4'-C5'-O5'
3	A	250	UDP	C3'-C4'-C5'-O5'
5	A	251	MPD	CM-C2-C3-C4
5	A	252	MPD	CM-C2-C3-C4
5	B	281	MPD	C1-C2-C3-C4
5	B	281	MPD	CM-C2-C3-C4
3	A	250	UDP	C5'-O5'-PA-O1A
5	A	252	MPD	C2-C3-C4-C5
3	A	250	UDP	PA-O3A-PB-O1B
3	A	250	UDP	PA-O3A-PB-O3B
5	B	281	MPD	O2-C2-C3-C4
5	A	282	MPD	C2-C3-C4-O4
5	B	280	MPD	C1-C2-C3-C4
5	B	280	MPD	CM-C2-C3-C4


There are no ring outliers.

6 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	251	MPD	3	0
5	A	252	MPD	5	0
5	A	282	MPD	7	0
5	B	281	MPD	1	0
4	A	279	5GP	1	0
3	A	250	UDP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	236/249 (94%)	-0.34	3 (1%) 75 79	13, 33, 67, 91	3 (1%)
2	B	267/277 (96%)	-0.50	1 (0%) 88 91	17, 29, 60, 81	2 (0%)
All	All	503/526 (95%)	-0.42	4 (0%) 82 85	13, 31, 64, 91	5 (0%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	10	LEU	3.1
2	B	97	GLY	2.7
1	A	242	ALA	2.1
1	A	12	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	5GP	A	279	24/24	0.79	0.14	57,67,72,73	24

Continued on next page...




Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	MPD	B	281	8/8	0.80	0.15	45,53,59,59	0
3	UDP	A	250	25/25	0.82	0.15	30,42,48,49	25
5	MPD	B	280	8/8	0.84	0.15	56,62,66,67	0
5	MPD	A	282	8/8	0.86	0.12	53,56,57,57	0
5	MPD	A	251	8/8	0.86	0.13	44,50,54,56	0
5	MPD	A	252	8/8	0.86	0.13	47,52,57,58	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 5GP A 279:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.