



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 01:24 PM UTC

PDB ID : 2PO0 / pdb_00002po0
Title : Crystal structure of the P. abyssi exosome RNase PH ring complexed with ADP in double conformation
Authors : Navarro, M.V.A.S.; Guimaraes, B.G.
Deposited on : 2007-04-25
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	249	
2	B	277	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MPD	B	280	X	-	-	-
4	MPD	B	281	X	-	-	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4129 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable exosome complex exonuclease 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	236	Total	C	N	O	S	0	0	0
			1845	1174	326	338	7			


- Molecule 2 is a protein called Probable exosome complex exonuclease 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	267	Total	C	N	O	S	0	1	0
			2055	1305	343	400	7			

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	GLY	-	expression tag	UNP Q9V118
B	-1	SER	-	expression tag	UNP Q9V118
B	0	HIS	-	expression tag	UNP Q9V118

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	
			54	20	10	20	4	
							0	1

- Molecule 4 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O		
			8	6	2	0	0
4	B	1	Total	C	O		
			8	6	2	0	0
4	B	1	Total	C	O		
			8	6	2	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	59	Total	O		
			59	59	0	3
5	B	92	Total	O		
			92	92	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable exosome complex exonuclease 1



- Molecule 2: Probable exosome complex exonuclease 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, α , β , γ	94.20Å 94.20Å 127.70Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.98 – 2.30 19.98 – 2.30	Depositor EDS
% Data completeness (in resolution range)	94.7 (19.98-2.30) 94.5 (19.98-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.53 (at 2.30Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.190 , 0.243 0.186 , 0.235	Depositor DCC
R_{free} test set	1433 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	38.5	Xtriage
Anisotropy	0.009	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 46.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.056 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4129	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.43% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.20	8/1872 (0.4%)	1.31	16/2520 (0.6%)
2	B	1.21	4/2084 (0.2%)	1.32	18/2824 (0.6%)
All	All	1.21	12/3956 (0.3%)	1.31	34/5344 (0.6%)

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	217	LYS	CE-NZ	7.64	1.72	1.49
2	B	103	ALA	C-O	-6.29	1.16	1.24
1	A	133	ASP	C-O	-6.14	1.19	1.23
2	B	136	VAL	CA-CB	5.98	1.61	1.54
1	A	213	ILE	CA-CB	5.78	1.60	1.54
2	B	43	ILE	CA-CB	5.50	1.61	1.54
1	A	82	ALA	CA-CB	-5.48	1.44	1.53
1	A	127	ILE	CA-CB	5.37	1.60	1.53
1	A	134	ALA	CA-CB	-5.20	1.44	1.53
1	A	134	ALA	C-O	-5.14	1.17	1.24
2	B	109	VAL	CA-CB	5.05	1.60	1.54
1	A	133	ASP	CA-C	-5.05	1.48	1.52

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	14	ASN	N-CA-C	8.97	121.40	110.91
1	A	91	LYS	CA-C-N	-7.96	112.50	120.31
1	A	91	LYS	C-N-CA	-7.96	112.50	120.31
2	B	115	ARG	NE-CZ-NH1	-6.95	114.55	121.50
1	A	213	ILE	N-CA-C	6.75	117.44	110.36
2	B	69	GLU	CA-C-N	-6.71	113.80	120.98
2	B	69	GLU	C-N-CA	-6.71	113.80	120.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	53	ILE	CB-CA-C	-6.39	101.96	110.98
1	A	192	MET	CA-C-N	6.20	125.42	118.97
1	A	192	MET	C-N-CA	6.20	125.42	118.97
2	B	132	ILE	CB-CA-C	-5.93	103.67	110.73
1	A	129	VAL	N-CA-CB	5.80	118.44	111.31
2	B	95	GLU	CA-C-N	-5.75	113.84	119.76
2	B	95	GLU	C-N-CA	-5.75	113.84	119.76
1	A	58	GLY	CA-C-N	5.56	140.34	127.00
1	A	58	GLY	C-N-CA	5.56	140.34	127.00
2	B	71	PHE	CA-C-N	5.56	126.79	119.84
2	B	71	PHE	C-N-CA	5.56	126.79	119.84
1	A	138	VAL	N-CA-C	5.50	116.23	110.62
2	B	115	ARG	NE-CZ-NH2	5.43	124.09	119.20
2	B	34	ARG	NE-CZ-NH1	-5.41	116.09	121.50
1	A	91	LYS	N-CA-C	-5.34	102.85	109.64
2	B	89	LEU	CA-CB-CG	5.32	134.91	116.30
1	A	118	PHE	CA-C-N	-5.29	114.79	120.03
1	A	118	PHE	C-N-CA	-5.29	114.79	120.03
1	A	38	ASN	N-CA-C	5.28	118.19	111.69
2	B	103	ALA	N-CA-C	-5.24	105.65	111.36
2	B	152	ALA	CA-C-N	5.24	127.16	120.56
2	B	152	ALA	C-N-CA	5.24	127.16	120.56
1	A	204	ASP	N-CA-C	-5.23	99.77	108.34
2	B	100	ASP	N-CA-C	-5.08	101.98	109.86
2	B	115	ARG	CG-CD-NE	-5.07	100.85	112.00
2	B	208	ASP	CA-C-N	-5.05	114.71	119.76
2	B	208	ASP	C-N-CA	-5.05	114.71	119.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1845	0	1931	82	0
2	B	2055	0	2121	73	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	54	0	24	4	0
4	A	8	0	14	4	0
4	B	16	0	28	2	0
5	A	59	0	0	7	0
5	B	92	0	0	6	0
All	All	4129	0	4118	152	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:LYS:CE	1:A:217:LYS:NZ	1.72	1.51
2:B:270:GLU:OE2	2:B:273:LYS:HE3	1.68	0.94
1:A:38:ASN:OD1	5:A:321:HOH:O	1.89	0.89
1:A:19:ASP:OD2	1:A:21:ARG:HD3	1.71	0.89
1:A:70:PRO:HA	1:A:120:ARG:HH22	1.40	0.86
3:A:300[A]:ADP:O1A	5:A:301[A]:HOH:O	1.93	0.85
1:A:120:ARG:HH21	1:A:120:ARG:HG3	1.42	0.82
1:A:106:LYS:HE3	5:A:357:HOH:O	1.80	0.80
2:B:40:VAL:HG13	2:B:163:ASN:CG	2.09	0.77
2:B:12:ARG:NE	2:B:16:ILE:HD11	2.01	0.76
1:A:53:ILE:HD11	2:B:143:LEU:HD22	1.67	0.75
2:B:175:THR:CG2	2:B:177:GLU:HB3	2.17	0.74
2:B:77:MET:HE3	5:B:368:HOH:O	1.87	0.74
1:A:180:ASP:OD2	3:A:300[A]:ADP:O3B	2.09	0.71
1:A:193:PRO:HG2	1:A:227:TYR:CD1	2.25	0.71
1:A:120:ARG:HH21	1:A:120:ARG:CG	2.03	0.70
2:B:12:ARG:CZ	2:B:16:ILE:HD11	2.21	0.70
1:A:133:ASP:O	1:A:134:ALA:HB3	1.91	0.70
2:B:12:ARG:HG2	2:B:16:ILE:HD12	1.74	0.70
4:A:250:MPD:CM	4:A:250:MPD:O4	2.39	0.69
1:A:120:ARG:HG3	1:A:120:ARG:NH2	2.06	0.69
1:A:9:LYS:NZ	1:A:9:LYS:HB3	2.08	0.68
2:B:134:ARG:NH2	2:B:167:PRO:O	2.24	0.68
1:A:62:LEU:HG	1:A:122:ALA:HB2	1.77	0.67
1:A:167:ILE:HD12	1:A:167:ILE:O	1.96	0.65
2:B:40:VAL:HG13	2:B:163:ASN:OD1	1.96	0.65
1:A:126:PHE:CE2	2:B:88:PRO:HB2	2.32	0.65
2:B:87:VAL:HG22	2:B:142:VAL:O	1.97	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:198:PHE:CE2	2:B:207:VAL:HG22	2.32	0.64
2:B:14:HIS:CD2	2:B:25:ILE:HD11	2.33	0.64
2:B:49:SER:H	2:B:163:ASN:HD22	1.45	0.64
1:A:167:ILE:HD11	1:A:172:VAL:HG11	1.81	0.61
2:B:175:THR:HG22	2:B:177:GLU:H	1.64	0.61
2:B:200:LYS:HB2	2:B:205:LEU:HD22	1.82	0.61
1:A:167:ILE:HG22	1:A:183:GLY:HA3	1.83	0.60
1:A:104:VAL:HG13	1:A:200:LEU:CD1	2.32	0.60
4:A:250:MPD:O4	4:A:250:MPD:HM1	2.00	0.59
2:B:105:GLU:O	2:B:109:VAL:HG23	2.01	0.59
2:B:12:ARG:HG2	2:B:16:ILE:CD1	2.31	0.59
1:A:68:GLN:OE1	1:A:120:ARG:HG2	2.03	0.59
1:A:166:LYS:HE2	5:A:326:HOH:O	2.01	0.58
1:A:167:ILE:HG22	1:A:183:GLY:CA	2.33	0.58
1:A:65:LYS:HE3	1:A:68:GLN:OE1	2.04	0.58
1:A:53:ILE:CD1	2:B:143:LEU:HD22	2.32	0.58
1:A:113:LEU:HD23	1:A:155:MET:HG2	1.87	0.57
2:B:175:THR:HG22	2:B:177:GLU:HB3	1.86	0.57
3:A:300[A]:ADP:O1A	5:A:303[A]:HOH:O	2.17	0.57
1:A:81:MET:SD	1:A:97:ARG:NH1	2.77	0.57
1:A:19:ASP:OD2	1:A:21:ARG:CD	2.51	0.56
1:A:227:TYR:HA	1:A:230:GLN:HE21	1.70	0.56
1:A:133:ASP:O	1:A:134:ALA:CB	2.53	0.55
1:A:193:PRO:HG2	1:A:227:TYR:CG	2.41	0.55
2:B:34:ARG:HD3	2:B:208:ASP:OD1	2.06	0.55
1:A:81:MET:HE3	1:A:90:LYS:HD2	1.87	0.55
2:B:118:LYS:NZ	5:B:341:HOH:O	2.40	0.54
2:B:110:ILE:HG13	2:B:153:ILE:HG22	1.89	0.54
2:B:31:GLU:HA	2:B:207:VAL:HG23	1.90	0.54
2:B:177:GLU:HG2	2:B:178:VAL:N	2.23	0.54
1:A:104:VAL:HG13	1:A:200:LEU:HD11	1.88	0.54
1:A:176:ASN:C	1:A:176:ASN:HD22	2.17	0.53
2:B:18:LEU:HD12	2:B:25:ILE:HD12	1.91	0.53
1:A:69:ARG:HD2	1:A:70:PRO:HD2	1.91	0.53
1:A:241:ILE:C	1:A:243:GLN:H	2.17	0.53
1:A:9:LYS:HB3	1:A:9:LYS:HZ2	1.73	0.52
1:A:187:VAL:HG22	1:A:203:MET:HG2	1.90	0.52
1:A:95:ASP:O	1:A:99:ILE:HG12	2.09	0.52
1:A:190:ALA:HB3	1:A:200:LEU:HB3	1.90	0.52
1:A:205:GLY:HA2	4:A:250:MPD:H12	1.91	0.52
2:B:257:LYS:NZ	5:B:320:HOH:O	2.42	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:55:ALA:HB3	2:B:89:LEU:HB2	1.92	0.52
1:A:65:LYS:O	1:A:65:LYS:HD3	2.11	0.51
2:B:192:ILE:HB	2:B:262:ARG:HD3	1.92	0.51
1:A:141:ILE:HD11	1:A:200:LEU:HD13	1.93	0.51
1:A:19:ASP:CG	1:A:21:ARG:HD3	2.36	0.51
1:A:78:ARG:HD3	5:A:334:HOH:O	2.10	0.51
2:B:37:GLU:HB2	2:B:53:LYS:HB2	1.92	0.51
1:A:210:ASP:O	1:A:214:GLU:HG2	2.12	0.50
2:B:177:GLU:HG2	2:B:178:VAL:H	1.76	0.50
1:A:40:ASN:OD1	1:A:58:GLY:HA2	2.12	0.50
2:B:24:ARG:NH1	2:B:206:VAL:HG13	2.27	0.50
1:A:180:ASP:OD1	1:A:180:ASP:C	2.53	0.49
1:A:55:ALA:CB	2:B:89:LEU:HB2	2.43	0.49
2:B:77:MET:HE2	2:B:122:LEU:HD12	1.94	0.49
2:B:54:LEU:HD22	2:B:152:ALA:HB2	1.95	0.48
1:A:166:LYS:HA	1:A:170:GLU:O	2.13	0.48
2:B:99:PRO:HB2	2:B:104:ILE:HG13	1.96	0.47
1:A:18:ILE:H	1:A:18:ILE:HG13	1.46	0.47
1:A:131:GLN:HE22	2:B:44:GLU:N	2.13	0.47
1:A:149:ALA:HB2	1:A:155:MET:HE1	1.95	0.47
2:B:53:LYS:HA	2:B:57:THR:O	2.13	0.47
2:B:9:GLY:HA2	5:B:325:HOH:O	2.14	0.47
2:B:90:ALA:HB3	2:B:94:PHE:CD1	2.50	0.47
2:B:205:LEU:H	4:B:280:MPD:H31	1.79	0.47
1:A:69:ARG:HG2	1:A:72:ARG:HH21	1.80	0.46
1:A:178:GLU:CD	1:A:178:GLU:H	2.22	0.46
2:B:17:ASN:O	2:B:21:GLU:HG3	2.16	0.46
2:B:65:THR:HG21	2:B:166:VAL:HG11	1.98	0.46
1:A:201:LEU:HD21	1:A:216:VAL:HG22	1.98	0.45
2:B:192:ILE:HB	2:B:262:ARG:CD	2.47	0.45
2:B:75:PRO:CB	2:B:130:GLY:HA2	2.47	0.45
2:B:40:VAL:HG13	2:B:163:ASN:CB	2.47	0.45
1:A:207:LEU:HD22	1:A:211:GLU:HB3	1.98	0.45
1:A:190:ALA:CB	1:A:200:LEU:HB3	2.47	0.45
1:A:27:ARG:HD2	1:A:48:GLY:HA3	1.99	0.45
1:A:64:PRO:HG2	1:A:66:HIS:HB3	1.99	0.45
1:A:9:LYS:HB3	1:A:9:LYS:HZ3	1.82	0.44
1:A:11:ILE:O	1:A:11:ILE:CG2	2.63	0.44
2:B:34:ARG:CD	2:B:208:ASP:OD1	2.65	0.44
2:B:245:GLU:H	2:B:245:GLU:CD	2.25	0.44
1:A:188:PRO:HD2	1:A:202:GLN:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:201:ILE:HG12	2:B:217:MET:HA	1.99	0.44
1:A:167:ILE:HG21	1:A:179:GLU:HB3	2.00	0.44
2:B:259:GLU:O	2:B:263:LYS:HG3	2.18	0.44
2:B:197:THR:OG1	2:B:222:THR:OG1	2.32	0.44
2:B:149:LEU:O	2:B:153:ILE:HG13	2.17	0.43
1:A:97:ARG:NH2	3:A:300[B]:ADP:O3A	2.51	0.43
2:B:78:GLY:HA3	2:B:125:MET:HE2	2.01	0.43
1:A:176:ASN:ND2	1:A:179:GLU:HG3	2.34	0.43
2:B:30:PHE:O	2:B:207:VAL:HG23	2.18	0.42
2:B:190:GLU:O	2:B:191:LYS:HG3	2.19	0.42
1:A:9:LYS:N	1:A:10:LEU:HD13	2.34	0.42
1:A:46:GLU:HG2	1:A:51:LYS:HG2	2.01	0.42
2:B:99:PRO:HB3	2:B:103:ALA:HB3	2.01	0.42
2:B:40:VAL:CG1	2:B:163:ASN:OD1	2.67	0.42
4:A:250:MPD:O4	4:A:250:MPD:HM2	2.19	0.42
1:A:175:LEU:HA	1:A:179:GLU:OE2	2.19	0.42
1:A:27:ARG:O	1:A:29:ILE:HG13	2.18	0.42
1:A:38:ASN:ND2	5:A:307:HOH:O	2.52	0.42
1:A:91:LYS:HG3	1:A:92:PRO:HD2	2.01	0.42
1:A:142:THR:HG21	1:A:226:VAL:CG1	2.50	0.42
2:B:34:ARG:HB3	2:B:35:PRO:HD2	2.02	0.42
2:B:40:VAL:HG13	2:B:163:ASN:HB2	2.02	0.42
2:B:114:ILE:HG23	2:B:119:ALA:HB3	2.01	0.42
1:A:86:VAL:HG21	1:A:90:LYS:HB2	2.01	0.42
2:B:144:ASP:OD1	5:B:345:HOH:O	2.21	0.42
2:B:25:ILE:HD12	2:B:25:ILE:HA	1.81	0.41
1:A:112:ALA:O	1:A:155:MET:HA	2.20	0.41
2:B:259:GLU:HB2	5:B:323:HOH:O	2.19	0.41
1:A:46:GLU:HA	1:A:50:ASN:O	2.21	0.41
1:A:126:PHE:CE2	2:B:88:PRO:CB	3.01	0.41
1:A:131:GLN:HE21	2:B:43:ILE:HG23	1.86	0.41
2:B:150:MET:HG2	2:B:222:THR:HG21	2.02	0.41
2:B:84:VAL:HA	2:B:140:VAL:HB	2.02	0.41
1:A:131:GLN:NE2	2:B:45:LYS:H	2.19	0.41
2:B:78:GLY:HA2	2:B:133:VAL:HB	2.03	0.41
1:A:123:ILE:HD13	1:A:153:ILE:HD13	2.03	0.40
2:B:175:THR:CG2	2:B:177:GLU:CB	2.92	0.40
1:A:94:PRO:HB2	1:A:99:ILE:HD11	2.02	0.40
2:B:236:LYS:HD3	2:B:236:LYS:C	2.47	0.40
1:A:180:ASP:OD1	1:A:180:ASP:O	2.40	0.40
4:B:281:MPD:H11	4:B:281:MPD:H4	1.92	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:148:ASN:ND2	2:B:208:ASP:HA	2.36	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:170:ARG:NH2	2:B:183:GLU:OE1[6_555]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	234/249 (94%)	221 (94%)	12 (5%)	1 (0%)	30	38
2	B	266/277 (96%)	260 (98%)	6 (2%)	0	100	100
All	All	500/526 (95%)	481 (96%)	18 (4%)	1 (0%)	43	55

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	134	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	191/202 (95%)	168 (88%)	23 (12%)	5	5
2	B	227/235 (97%)	203 (89%)	24 (11%)	6	8
All	All	418/437 (96%)	371 (89%)	47 (11%)	5	7

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	LYS
1	A	10	LEU
1	A	18	ILE
1	A	30	LYS
1	A	33	VAL
1	A	53	ILE
1	A	62	LEU
1	A	75	LEU
1	A	86	VAL
1	A	91	LYS
1	A	104	VAL
1	A	114	ILE
1	A	116	GLU
1	A	120	ARG
1	A	129	VAL
1	A	167	ILE
1	A	168	GLU
1	A	176	ASN
1	A	184	GLU
1	A	191	ILE
1	A	201	LEU
1	A	241	ILE
1	A	244	GLU
2	B	18	LEU
2	B	25	ILE
2	B	34	ARG
2	B	40	VAL
2	B	44	GLU
2	B	59	VAL
2	B	60	LEU
2	B	73	ASP
2	B	86	LEU
2	B	89	LEU
2	B	102	ARG
2	B	120	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	141	HIS
2	B	175	THR
2	B	206	VAL
2	B	211	LEU
2	B	216	VAL
2	B	220	LYS
2	B	244	LEU
2	B	245	GLU
2	B	256	LYS
2	B	266	LEU
2	B	271	LYS
2	B	274	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	ASN
1	A	131	GLN
1	A	176	ASN
1	A	230	GLN
2	B	14	HIS
2	B	83	ASN
2	B	163	ASN
2	B	274	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	MPD	A	250	-	7,7,7	0.99	1 (14%)	9,10,10	1.06	1 (11%)
4	MPD	B	281	-	7,7,7	0.47	0	9,10,10	0.81	0
3	ADP	A	300[A]	-	28,29,29	1.52	5 (17%)	43,45,45	2.13	12 (27%)
4	MPD	B	280	-	7,7,7	0.63	0	9,10,10	0.56	0
3	ADP	A	300[B]	-	28,29,29	1.52	6 (21%)	43,45,45	2.10	11 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MPD	B	281	-	1/1/2/2	4/5/5/5	-
4	MPD	A	250	-	-	5/5/5/5	-
4	MPD	B	280	-	1/1/2/2	4/5/5/5	-
3	ADP	A	300[A]	-	-	1/16/32/32	0/3/3/3
3	ADP	A	300[B]	-	-	1/16/32/32	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	300[A]	ADP	C5-C4	4.13	1.46	1.39
3	A	300[B]	ADP	C5-C4	4.13	1.46	1.39
3	A	300[A]	ADP	C5-N7	-3.34	1.33	1.39
3	A	300[B]	ADP	C5-N7	-3.34	1.33	1.39
3	A	300[A]	ADP	C4-N9	-2.49	1.32	1.37
3	A	300[A]	ADP	C8-N9	-2.48	1.33	1.37
3	A	300[B]	ADP	C8-N9	-2.46	1.33	1.37
3	A	300[B]	ADP	C4-N9	-2.39	1.32	1.37
3	A	300[B]	ADP	PB-O2B	-2.38	1.46	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	300[A]	ADP	C5-C6	2.22	1.47	1.41
3	A	300[B]	ADP	C5-C6	2.22	1.47	1.41
4	A	250	MPD	O2-C2	2.17	1.50	1.44

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	300[A]	ADP	C5-C4-N3	-5.80	118.73	126.72
3	A	300[B]	ADP	C5-C4-N3	-5.78	118.76	126.72
3	A	300[A]	ADP	N3-C4-N9	5.00	135.66	127.17
3	A	300[B]	ADP	N3-C4-N9	4.95	135.59	127.17
3	A	300[B]	ADP	C2'-C1'-N9	-4.72	101.56	113.30
3	A	300[A]	ADP	C2'-C1'-N9	-4.71	101.60	113.30
3	A	300[B]	ADP	O4'-C1'-N9	3.91	115.60	108.09
3	A	300[A]	ADP	O4'-C1'-N9	3.82	115.43	108.09
3	A	300[A]	ADP	C2-N3-C4	3.79	121.09	111.83
3	A	300[B]	ADP	C2-N3-C4	3.79	121.08	111.83
3	A	300[B]	ADP	N3-C2-N1	-3.65	123.05	128.58
3	A	300[A]	ADP	N3-C2-N1	-3.62	123.11	128.58
3	A	300[A]	ADP	C4-C5-N7	-3.19	106.94	110.58
3	A	300[B]	ADP	C4-C5-N7	-3.19	106.94	110.58
4	A	250	MPD	CM-C2-C1	-2.71	104.55	110.63
3	A	300[B]	ADP	O3B-PB-O2B	2.55	117.36	107.80
3	A	300[A]	ADP	O2A-PA-O1A	2.54	124.28	112.44
3	A	300[A]	ADP	C4-N9-C8	2.49	108.36	105.74
3	A	300[A]	ADP	C5-N7-C8	2.41	107.24	103.45
3	A	300[B]	ADP	C5-N7-C8	2.41	107.24	103.45
3	A	300[B]	ADP	C4-N9-C8	2.36	108.22	105.74
3	A	300[B]	ADP	C2-N1-C6	2.24	122.40	118.73
3	A	300[A]	ADP	C2-N1-C6	2.20	122.35	118.73
3	A	300[A]	ADP	O3B-PB-O2B	2.17	115.92	107.80

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	B	280	MPD	C4
4	B	281	MPD	C4

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	300[A]	ADP	PA-O3A-PB-O3B

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	250	MPD	O2-C2-C3-C4
4	A	250	MPD	CM-C2-C3-C4
4	A	250	MPD	C2-C3-C4-O4
4	B	280	MPD	C2-C3-C4-O4
4	B	280	MPD	C2-C3-C4-C5
4	B	281	MPD	C1-C2-C3-C4
4	B	281	MPD	C2-C3-C4-O4
4	B	281	MPD	C2-C3-C4-C5
3	A	300[B]	ADP	PA-O3A-PB-O2B
4	A	250	MPD	C1-C2-C3-C4
4	B	281	MPD	CM-C2-C3-C4
4	A	250	MPD	C2-C3-C4-C5
4	B	280	MPD	O2-C2-C3-C4
4	B	280	MPD	CM-C2-C3-C4

There are no ring outliers.

5 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	250	MPD	4	0
4	B	281	MPD	1	0
3	A	300[A]	ADP	3	0
4	B	280	MPD	1	0
3	A	300[B]	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	236/249 (94%)	-0.32	1 (0%) 88 89	23, 42, 79, 99	0
2	B	267/277 (96%)	-0.49	2 (0%) 84 85	21, 35, 58, 71	1 (0%)
All	All	503/526 (95%)	-0.41	3 (0%) 85 86	21, 39, 69, 99	1 (0%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	97	GLY	3.2
1	A	10	LEU	3.2
2	B	98	PRO	2.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ADP	A	300[A]	27/27	0.58	0.16	33,44,48,49	27
3	ADP	A	300[B]	27/27	0.58	0.16	28,40,47,48	27


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	MPD	A	250	8/8	0.78	0.17	51,55,57,58	0
4	MPD	B	280	8/8	0.83	0.15	54,57,59,62	0
4	MPD	B	281	8/8	0.91	0.10	46,51,56,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.