



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 05:00 AM UTC

PDB ID : 2PO6 / pdb_00002po6
Title : Crystal structure of CD1d-lipid-antigen complexed with Beta-2-Microglobulin, NKT15 Alpha-Chain and NKT15 Beta-Chain
Authors : Borg, N.A.
Deposited on : 2007-04-25
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	278	4% 69% 27% ..
1	E	278	5% 68% 24% ..
2	B	99	8% 75% 19% ..
2	F	99	2% 77% 19% ..
3	C	204	3% 79% 19% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	204	
4	D	244	
4	H	244	
5	I	2	
6	J	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	NAG	A	301	X	-	-	-

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 13298 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T-cell surface glycoprotein CD1d.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	275	Total	C	N	O	S	0	0	0
			2192	1400	383	402	7			
1	E	272	Total	C	N	O	S	0	0	0
			2171	1388	377	399	7			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	278	HIS	-	expression tag	UNP P15813
A	279	HIS	-	expression tag	UNP P15813
A	280	HIS	-	expression tag	UNP P15813
A	281	HIS	-	expression tag	UNP P15813
A	282	HIS	-	expression tag	UNP P15813
A	283	HIS	-	expression tag	UNP P15813
E	278	HIS	-	expression tag	UNP P15813
E	279	HIS	-	expression tag	UNP P15813
E	280	HIS	-	expression tag	UNP P15813
E	281	HIS	-	expression tag	UNP P15813
E	282	HIS	-	expression tag	UNP P15813
E	283	HIS	-	expression tag	UNP P15813

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	99	Total	C	N	O	S	0	0	0
			824	525	139	157	3			
2	F	98	Total	C	N	O	S	0	0	0
			813	517	138	156	2			

- Molecule 3 is a protein called NKT15 alpha-chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	203	Total	C	N	O	S	0	0	0
			1581	979	267	326	9			
3	G	204	Total	C	N	O	S	0	0	0
			1588	984	268	327	9			

- Molecule 4 is a protein called NKT15 beta-chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	244	Total	C	N	O	S	0	0	0
			1957	1230	340	379	8			
4	H	244	Total	C	N	O	S	0	0	0
			1957	1230	340	379	8			

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	I	2	Total	C	N	O	0	0	0
			25	14	1	10			

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	J	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	E	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 8 is N-{(1S,2R,3S)-1-[(ALPHA-D-GALACTOPYRANOSYLOXY)METHYL]-2,3-DIHYDROXYHEPTADECYL}HEXACOSANAMIDE (CCD ID: AGH) (formula: C₅₀H₉₉NO₉).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	C	1	Total	C	N	O	0	0
			60	50	1	9		
8	E	1	Total	C	N	O	0	0
			60	50	1	9		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: T-cell surface glycoprotein CD1d





- Molecule 1: T-cell surface glycoprotein CD1d





- Molecule 2: Beta-2-microglobulin





- Molecule 2: Beta-2-microglobulin





• Molecule 3: NKT15 alpha-chain





• Molecule 3: NKT15 alpha-chain



• Molecule 4: NKT15 beta-chain



• Molecule 4: NKT15 beta-chain



• Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  50% 50%

MAG1
MAG2

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	204.01Å 155.64Å 85.98Å 90.00° 94.78° 90.00°	Depositor
Resolution (Å)	29.18 – 3.20 29.18 – 3.20	Depositor EDS
% Data completeness (in resolution range)	95.6 (29.18-3.20) 95.4 (29.18-3.20)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.78 (at 3.18Å)	Xtriage
Refinement program	REFMAC refmac_5.2.0019	Depositor
R, R_{free}	0.226 , 0.293 0.217 , 0.278	Depositor DCC
R_{free} test set	2135 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	57.6	Xtriage
Anisotropy	0.073	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 50.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	13298	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: AGH, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.49	2/2257 (0.1%)	0.86	6/3076 (0.2%)
1	E	0.46	0/2236	0.89	8/3048 (0.3%)
2	B	0.45	0/847	0.85	2/1148 (0.2%)
2	F	0.45	0/836	0.79	0/1134
3	C	0.46	0/1612	0.77	0/2189
3	G	0.45	0/1620	0.77	0/2201
4	D	0.47	0/2011	0.78	0/2736
4	H	0.46	1/2011 (0.0%)	0.81	3/2736 (0.1%)
All	All	0.47	3/13430 (0.0%)	0.82	19/18268 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	E	0	1
All	All	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	180	GLU	CD-OE1	5.81	1.36	1.25
1	A	180	GLU	CD-OE2	5.56	1.35	1.25
4	H	52	VAL	CA-CB	5.12	1.61	1.54

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	154	THR	N-CA-C	10.64	122.57	110.97
1	E	92	TYR	CA-C-N	-8.16	110.18	120.79
1	E	92	TYR	C-N-CA	-8.16	110.18	120.79
1	E	154	THR	CA-C-N	7.38	134.99	121.70
1	E	154	THR	C-N-CA	7.38	134.99	121.70
2	B	6	LYS	CA-C-N	6.55	133.48	121.70
2	B	6	LYS	C-N-CA	6.55	133.48	121.70
4	H	31	LYS	CA-C-N	6.20	132.86	121.70
4	H	31	LYS	C-N-CA	6.20	132.86	121.70
1	A	92	TYR	CA-C-N	-6.18	112.12	119.84
1	A	92	TYR	C-N-CA	-6.18	112.12	119.84
1	E	156	GLU	N-CA-C	-5.64	105.52	112.90
1	A	92	TYR	N-CA-C	5.49	121.93	109.81
1	A	57	THR	N-CA-C	-5.35	106.80	113.38
4	H	98	ARG	N-CA-C	-5.26	102.89	111.04
1	E	92	TYR	N-CA-C	5.25	121.41	109.81
1	A	212	TYR	CA-C-N	-5.19	113.35	119.84
1	A	212	TYR	C-N-CA	-5.19	113.35	119.84
1	E	155	ARG	N-CA-CB	5.02	119.04	110.50

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	91	SER	Peptide
1	E	91	SER	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2192	0	2102	44	0
1	E	2171	0	2086	58	0
2	B	824	0	783	22	0
2	F	813	0	762	11	0
3	C	1581	0	1508	23	0
3	G	1588	0	1515	24	0
4	D	1957	0	1855	28	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	H	1957	0	1855	37	0
5	I	25	0	22	0	0
6	J	28	0	25	0	0
7	A	28	0	26	0	0
7	E	14	0	13	0	0
8	C	60	0	99	6	0
8	E	60	0	99	2	0
All	All	13298	0	12750	224	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (224) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:27:VAL:CA	2:B:28:SER:HB2	1.83	1.06
1:E:7:LEU:HB3	1:E:8:PHE:HA	1.36	1.06
2:B:27:VAL:HA	2:B:28:SER:CB	1.94	0.98
2:B:27:VAL:HA	2:B:28:SER:HB2	0.99	0.98
1:E:154:THR:HG22	1:E:155:ARG:HB2	1.51	0.91
4:H:32:MET:H	4:H:94:SER:HA	1.37	0.89
1:E:26:THR:H	1:E:42:ASN:ND2	1.74	0.86
2:B:6:LYS:HA	2:B:7:ILE:HG13	1.61	0.82
1:E:26:THR:H	1:E:42:ASN:HD22	1.27	0.82
2:B:6:LYS:HA	2:B:7:ILE:CG1	2.12	0.80
1:A:249:LEU:HG	1:A:251:VAL:HG22	1.66	0.77
3:C:193:PHE:O	3:C:195:ASN:N	2.17	0.77
4:H:26:THR:O	4:H:28:GLY:N	2.21	0.74
1:E:80:ASP:OD1	3:G:95:ARG:NH1	2.21	0.73
3:G:166:LEU:HD11	4:H:198:ARG:HB2	1.71	0.72
1:A:222:ARG:HG3	1:A:223:GLY:N	2.04	0.71
1:E:154:THR:CG2	1:E:155:ARG:HB2	2.19	0.71
2:B:6:LYS:HA	2:B:7:ILE:CB	2.21	0.69
1:E:213:PRO:HD2	1:E:265:HIS:CE1	2.28	0.69
1:E:7:LEU:HB3	1:E:8:PHE:CA	2.21	0.66
1:E:154:THR:O	1:E:157:THR:HB	1.95	0.66
1:E:18:PHE:HB2	1:E:94:LEU:HB2	1.78	0.66
3:G:161:THR:HG21	4:H:194:SER:OG	1.96	0.66
4:D:9:ARG:NH2	4:D:110:PRO:HG2	2.10	0.66
4:H:155:PRO:HG2	4:H:157:HIS:CD2	2.31	0.66
4:H:51:GLY:HA2	4:H:69:ARG:NH1	2.11	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:33:ARG:HB2	3:G:91:VAL:HG22	1.79	0.64
1:A:154:THR:HG23	8:C:301:AGH:HAB2	1.81	0.63
4:D:73:GLU:HB2	4:D:74:HIS:HD2	1.64	0.63
3:C:33:ARG:HG2	3:C:48:ILE:HG23	1.82	0.62
1:E:7:LEU:CB	1:E:8:PHE:HA	2.18	0.62
1:A:222:ARG:HG3	1:A:223:GLY:H	1.64	0.62
4:H:52:VAL:HG12	4:H:53:ASN:N	2.15	0.62
1:E:213:PRO:HD2	1:E:265:HIS:HE1	1.64	0.62
2:B:49:VAL:HG12	2:B:68:THR:HB	1.81	0.61
4:H:176:ASP:HB2	4:H:193:LEU:CD1	2.31	0.60
1:E:217:TRP:HB3	1:E:264:LYS:HB2	1.83	0.60
1:E:232:PRO:HA	1:E:247:ALA:HA	1.84	0.60
3:C:154:LYS:HD2	4:D:184:PRO:HG3	1.83	0.60
1:A:268:LEU:HD22	1:A:271:GLN:HE22	1.67	0.59
3:G:10:LEU:HD21	3:G:112:LEU:HD12	1.84	0.59
3:G:154:LYS:C	3:G:156:SER:H	2.10	0.59
1:A:76:SER:HB3	3:C:95:ARG:HH12	1.68	0.59
2:B:6:LYS:CA	2:B:7:ILE:HG13	2.31	0.58
4:H:83:ARG:H	4:H:86:HIS:HD2	1.50	0.58
1:A:95:GLU:HG3	2:B:32:PRO:HB3	1.86	0.57
2:B:6:LYS:HA	2:B:7:ILE:HB	1.86	0.57
4:H:87:THR:HG23	4:H:115:THR:HA	1.86	0.57
4:D:6:GLN:HB2	4:D:110:PRO:HD2	1.87	0.57
1:E:166:CYS:HB3	1:E:167:PRO:HD3	1.86	0.56
1:A:80:ASP:OD2	8:C:301:AGH:H6	2.05	0.56
4:H:52:VAL:HG12	4:H:53:ASN:H	1.71	0.56
4:H:21:LEU:HD22	4:H:112:THR:HG21	1.87	0.55
4:D:10:TYR:HB3	4:D:157:HIS:CD2	2.42	0.55
1:E:152:LYS:O	1:E:156:GLU:HG3	2.06	0.55
4:H:119:ASP:OD2	4:H:121:LYS:HB3	2.07	0.55
3:C:48:ILE:HD11	4:D:105:GLU:HG2	1.88	0.55
1:A:143:LEU:HD13	1:E:139:LEU:HD13	1.88	0.54
1:A:13:LEU:HG	2:B:56:PHE:CZ	2.43	0.54
1:A:136:GLU:O	1:E:89:ARG:NH2	2.38	0.54
1:E:155:ARG:H	1:E:158:VAL:H	1.56	0.54
4:D:99:ASP:HB3	4:D:100:ARG:HD3	1.89	0.54
1:E:147:VAL:HA	1:E:150:GLN:HE21	1.72	0.54
4:H:27:MET:HB3	4:H:29:HIS:CD2	2.44	0.53
3:G:78:THR:O	3:G:79:ALA:C	2.51	0.53
1:A:147:VAL:HA	1:A:150:GLN:HE21	1.73	0.53
4:H:51:GLY:HA2	4:H:69:ARG:CZ	2.38	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:222:ARG:CB	1:E:259:LEU:HD22	2.39	0.53
2:F:13:HIS:HB2	2:F:21:ASN:HD21	1.74	0.53
4:D:125:PRO:HD3	4:D:233:PRO:HB3	1.91	0.52
1:E:108:ASN:OD1	1:E:108:ASN:N	2.41	0.52
1:A:223:GLY:C	1:A:225:GLN:H	2.17	0.52
4:H:221:SER:C	4:H:223:ASN:H	2.16	0.52
1:E:34:GLU:CD	1:E:243:TRP:HE1	2.17	0.52
3:C:155:ASP:C	3:C:157:ASP:H	2.18	0.52
4:D:221:SER:C	4:D:223:ASN:H	2.18	0.51
1:E:262:ARG:HD2	1:E:274:VAL:HG22	1.91	0.51
1:A:30:ALA:HB2	8:C:301:AGH:HAP2	1.91	0.51
4:H:71:ARG:HE	4:H:74:HIS:CD2	2.28	0.51
3:C:154:LYS:O	3:C:154:LYS:HE2	2.11	0.51
3:C:95:ARG:NH1	8:C:301:AGH:O3	2.44	0.51
1:A:180:GLU:HG3	1:A:180:GLU:O	2.11	0.50
1:A:203:LEU:HD11	1:A:248:THR:HB	1.92	0.50
3:C:5:GLN:HE21	3:C:107:GLY:HA3	1.75	0.50
4:D:51:GLY:HA2	4:D:69:ARG:NH1	2.26	0.50
1:E:123:ILE:HG13	1:E:124:LEU:H	1.76	0.50
4:H:8:PRO:O	4:H:112:THR:HG23	2.11	0.50
4:H:121:LYS:HD3	4:H:228:GLN:HG3	1.93	0.50
3:C:14:GLU:HG2	3:C:117:ASP:H	1.77	0.50
1:E:116:VAL:HG22	1:E:124:LEU:HG	1.94	0.50
1:E:40:TRP:CE3	8:E:302:AGH:HAN2	2.47	0.50
3:G:191:ASN:HA	3:G:194:ASN:OD1	2.12	0.50
3:C:155:ASP:O	3:C:157:ASP:N	2.45	0.49
1:A:221:MET:HE2	1:A:262:ARG:HG3	1.92	0.49
4:H:184:PRO:O	4:H:185:ALA:HB3	2.11	0.49
4:D:174:CYS:HB3	4:D:196:ARG:HD2	1.95	0.49
1:A:216:VAL:HG22	1:A:217:TRP:H	1.77	0.49
3:G:5:GLN:NE2	3:G:90:CYS:HB3	2.28	0.49
1:A:214:LYS:N	1:A:215:PRO:HD2	2.27	0.49
4:H:32:MET:HG2	4:H:75:PHE:CD1	2.48	0.49
1:A:90:LEU:HD13	8:C:301:AGH:H181	1.95	0.48
1:E:221:MET:HA	1:E:227:GLN:HB3	1.94	0.48
2:B:40:LEU:HD21	2:B:81:ARG:NH1	2.28	0.48
4:H:71:ARG:HE	4:H:74:HIS:HD2	1.59	0.48
2:B:6:LYS:HG3	2:B:6:LYS:O	2.12	0.48
2:F:84:HIS:HE1	2:F:86:THR:HG23	1.77	0.48
4:D:218:TYR:HA	4:D:235:THR:HG23	1.96	0.48
1:E:211:PHE:HB2	1:E:265:HIS:CE1	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:134:THR:HB	1:E:135:GLN:HG3	1.95	0.48
4:D:100:ARG:HD3	4:D:100:ARG:H	1.79	0.48
1:E:212:TYR:C	1:E:212:TYR:CD2	2.92	0.48
1:A:135:GLN:O	1:E:89:ARG:NH1	2.46	0.48
2:F:84:HIS:CE1	2:F:86:THR:HG23	2.48	0.48
1:A:166:CYS:HB3	1:A:167:PRO:HD3	1.96	0.47
1:A:217:TRP:HB3	1:A:264:LYS:HB2	1.95	0.47
4:D:8:PRO:O	4:D:112:THR:HG23	2.14	0.47
4:D:73:GLU:HB2	4:D:74:HIS:CD2	2.46	0.47
2:B:13:HIS:HB3	2:B:14:PRO:HD2	1.95	0.47
1:E:105:HIS:O	1:E:106:PRO:C	2.58	0.47
3:G:131:SER:O	3:G:132:LYS:C	2.57	0.47
2:B:35:ILE:HD12	2:B:84:HIS:CD2	2.50	0.47
1:E:9:PRO:HD2	1:E:33:GLY:HA2	1.98	0.47
1:E:135:GLN:HB2	1:E:136:GLU:H	1.50	0.47
1:A:263:VAL:HB	1:A:273:ILE:HB	1.96	0.46
4:D:158:VAL:HG13	4:D:215:VAL:HG13	1.97	0.46
1:A:142:ASN:CG	4:H:52:VAL:HG13	2.40	0.46
1:A:262:ARG:HD3	1:A:274:VAL:HG22	1.97	0.46
3:C:33:ARG:HB2	3:C:91:VAL:HG22	1.95	0.46
4:D:83:ARG:HG2	4:D:86:HIS:CD2	2.51	0.46
4:D:100:ARG:H	4:D:100:ARG:CD	2.27	0.46
3:G:10:LEU:CD2	3:G:112:LEU:HD12	2.45	0.46
1:E:222:ARG:HA	1:E:260:SER:H	1.81	0.46
8:E:302:AGH:H51	8:E:302:AGH:N2	2.31	0.46
3:G:141:PHE:HB2	3:G:193:PHE:CE1	2.51	0.46
1:A:136:GLU:C	1:E:89:ARG:HH22	2.21	0.46
1:A:9:PRO:HB3	1:A:103:GLU:HB3	1.97	0.45
3:C:95:ARG:HB2	3:C:100:GLY:HA3	1.98	0.45
3:G:154:LYS:C	3:G:156:SER:N	2.73	0.45
1:A:209:SER:HB3	1:A:244:TYR:HD1	1.81	0.45
4:H:83:ARG:H	4:H:86:HIS:CD2	2.34	0.45
1:A:78:THR:O	1:A:82:LYS:HG3	2.16	0.45
1:A:246:ARG:HH12	2:B:99:MET:HE3	1.81	0.45
4:D:53:ASN:HB2	1:E:142:ASN:HD21	1.82	0.45
4:H:200:SER:HB3	4:H:203:PHE:CD2	2.52	0.44
1:E:79:ARG:HH21	3:G:103:ARG:HB2	1.82	0.44
3:C:33:ARG:HD2	3:C:91:VAL:HG23	1.99	0.44
3:C:97:SER:C	3:C:99:LEU:H	2.24	0.44
1:E:139:LEU:HD23	1:E:139:LEU:HA	1.87	0.44
1:E:209:SER:HB3	1:E:244:TYR:HD1	1.82	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:190:TRP:CD2	2:F:14:PRO:HG3	2.53	0.44
4:H:138:ILE:HG23	4:H:201:ALA:HB1	1.99	0.44
1:A:213:PRO:HD2	1:A:265:HIS:CE1	2.53	0.44
4:D:25:GLN:NE2	4:D:28:GLY:H	2.16	0.44
1:E:95:GLU:HG3	2:F:32:PRO:HB3	1.99	0.44
3:C:48:ILE:CD1	4:D:105:GLU:HG2	2.48	0.44
3:C:182:SER:OG	3:C:184:LYS:HG2	2.17	0.43
1:E:16:SER:OG	1:E:26:THR:HB	2.19	0.43
3:C:60:ARG:NH2	3:C:84:ASP:OD1	2.51	0.43
1:A:188:LYS:HB2	1:A:188:LYS:HE3	1.90	0.43
4:H:200:SER:HB3	4:H:203:PHE:HD2	1.84	0.43
2:B:24:ASN:HB3	2:B:65:LEU:HD11	1.99	0.43
4:H:51:GLY:O	4:H:52:VAL:C	2.62	0.43
4:D:25:GLN:NE2	4:D:28:GLY:N	2.66	0.43
1:E:147:VAL:HA	1:E:150:GLN:NE2	2.33	0.43
4:H:176:ASP:HB2	4:H:193:LEU:HD12	2.00	0.43
4:D:7:THR:HA	4:D:8:PRO:HA	1.88	0.43
1:E:178:LYS:HD3	1:E:178:LYS:HA	1.80	0.43
1:E:199:PRO:HB2	1:E:200:GLY:H	1.60	0.42
4:H:176:ASP:OD1	4:H:196:ARG:NH1	2.52	0.42
3:C:13:LEU:HB2	3:C:16:LYS:HD2	2.01	0.42
3:C:20:LEU:HD22	3:C:110:THR:HG21	2.00	0.42
3:G:47:THR:HG22	3:G:56:LYS:HD3	2.01	0.42
4:H:133:PRO:HD2	4:H:204:TRP:CZ2	2.54	0.42
1:E:196:SER:HB2	1:E:201:ARG:O	2.18	0.42
4:H:184:PRO:O	4:H:185:ALA:CB	2.66	0.42
2:B:13:HIS:HB3	2:B:14:PRO:CD	2.50	0.42
2:F:16:GLU:O	2:F:17:ASN:HB2	2.20	0.42
2:F:71:THR:HA	2:F:72:PRO:HD3	1.92	0.42
3:G:108:ARG:HA	4:H:42:GLU:HB3	2.02	0.42
3:G:203:PHE:CE2	3:G:205:PRO:HG3	2.54	0.42
3:C:7:PRO:O	3:C:110:THR:HG23	2.19	0.42
1:E:216:VAL:HG22	1:E:217:TRP:H	1.85	0.42
3:G:191:ASN:C	3:G:191:ASN:HD22	2.27	0.42
1:A:256:ALA:HA	1:A:259:LEU:HD12	2.01	0.42
4:D:29:HIS:ND1	4:D:96:GLY:HA3	2.35	0.42
4:H:99:ASP:O	4:H:100:ARG:HB2	2.19	0.42
1:A:15:ILE:O	1:A:26:THR:HA	2.19	0.42
1:A:77:PHE:CE1	1:A:81:VAL:HG21	2.55	0.42
4:H:158:VAL:HG13	4:H:215:VAL:HG13	2.02	0.42
4:H:174:CYS:O	4:H:195:SER:HA	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:88:LEU:HD13	1:E:140:TRP:CE3	2.55	0.41
1:E:161:LEU:HA	1:E:165:THR:HB	2.01	0.41
1:E:83:GLU:OE1	4:H:50:TYR:OH	2.35	0.41
1:A:190:TRP:CE3	2:B:14:PRO:HG3	2.56	0.41
4:D:83:ARG:H	4:D:86:HIS:HD2	1.67	0.41
1:A:9:PRO:HD2	1:A:33:GLY:HA2	2.03	0.41
1:A:142:ASN:O	1:A:145:ILE:HG22	2.20	0.41
1:A:147:VAL:HA	1:A:150:GLN:NE2	2.35	0.41
2:B:28:SER:H	2:B:63:TYR:HA	1.85	0.41
3:C:60:ARG:HH21	3:C:80:SER:HA	1.85	0.41
1:E:105:HIS:HB3	1:E:106:PRO:HD2	2.02	0.41
3:G:10:LEU:HD21	3:G:112:LEU:CD1	2.51	0.41
1:A:88:LEU:HD13	1:A:140:TRP:CE3	2.55	0.41
3:C:33:ARG:HD2	3:C:91:VAL:CG2	2.50	0.41
1:E:134:THR:O	1:E:135:GLN:C	2.64	0.41
1:E:190:TRP:CE3	2:F:14:PRO:HG3	2.55	0.41
2:F:12:ARG:CB	2:F:22:PHE:HB2	2.51	0.41
1:A:222:ARG:CG	1:A:223:GLY:H	2.29	0.41
1:E:154:THR:CA	1:E:155:ARG:HB2	2.51	0.41
1:E:170:VAL:HA	1:E:173:LEU:HD12	2.02	0.41
2:F:7:ILE:HB	2:F:93:VAL:HG21	2.03	0.41
4:D:19:ILE:HB	4:D:79:LEU:HB3	2.02	0.40
1:E:79:ARG:NH2	3:G:103:ARG:HB2	2.35	0.40
1:A:12:CYS:HB3	8:C:301:AGH:HAM1	2.03	0.40
1:A:103:GLU:O	1:A:110:SER:HB2	2.21	0.40
2:B:97:ARG:H	2:B:97:ARG:HG2	1.66	0.40
3:G:152:GLN:NE2	3:G:160:ILE:O	2.51	0.40
3:G:5:GLN:HE21	3:G:107:GLY:HA3	1.86	0.40
2:B:40:LEU:HB2	2:B:79:ALA:HB3	2.03	0.40
4:D:156:ASP:CG	4:D:179:PRO:HG2	2.46	0.40
4:D:157:HIS:HB3	4:D:218:TYR:HB2	2.03	0.40
2:F:12:ARG:HB2	2:F:22:PHE:HB2	2.04	0.40
3:G:5:GLN:NE2	3:G:107:GLY:HA3	2.37	0.40
3:G:206:SER:HA	3:G:207:PRO:HD3	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/278 (98%)	244 (89%)	24 (9%)	5 (2%)	6	34
1	E	270/278 (97%)	241 (89%)	16 (6%)	13 (5%)	2	14
2	B	97/99 (98%)	85 (88%)	10 (10%)	2 (2%)	5	31
2	F	96/99 (97%)	87 (91%)	8 (8%)	1 (1%)	12	45
3	C	201/204 (98%)	187 (93%)	12 (6%)	2 (1%)	12	45
3	G	202/204 (99%)	184 (91%)	16 (8%)	2 (1%)	12	45
4	D	242/244 (99%)	218 (90%)	18 (7%)	6 (2%)	4	27
4	H	242/244 (99%)	217 (90%)	16 (7%)	9 (4%)	2	18
All	All	1623/1650 (98%)	1463 (90%)	120 (7%)	40 (2%)	4	27

All (40) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	7	ILE
2	B	28	SER
3	C	156	SER
3	C	194	ASN
4	D	52	VAL
1	E	135	GLN
1	E	155	ARG
3	G	155	ASP
4	H	26	THR
4	H	27	MET
1	A	56	GLY
1	A	199	PRO
1	E	58	PHE
1	E	106	PRO
1	E	199	PRO
3	G	85	SER
4	H	32	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	H	52	VAL
4	H	185	ALA
1	A	222	ARG
1	A	269	GLU
4	D	156	ASP
1	E	224	GLU
1	E	241	GLU
4	H	80	GLU
4	D	222	GLU
4	H	222	GLU
1	A	151	ASP
4	D	27	MET
4	D	99	ASP
1	E	197	PRO
1	E	222	ARG
1	E	269	GLU
4	H	246	ALA
1	E	200	GLY
4	H	101	GLY
1	E	92	TYR
1	E	164	GLY
2	F	18	GLY
4	D	39	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	236/244 (97%)	210 (89%)	26 (11%)	6	26
1	E	235/244 (96%)	218 (93%)	17 (7%)	13	44
2	B	93/94 (99%)	83 (89%)	10 (11%)	6	27
2	F	91/94 (97%)	81 (89%)	10 (11%)	6	26
3	C	185/186 (100%)	168 (91%)	17 (9%)	8	33
3	G	186/186 (100%)	170 (91%)	16 (9%)	10	36

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	D	215/215 (100%)	195 (91%)	20 (9%)	8	33
4	H	215/215 (100%)	198 (92%)	17 (8%)	11	40
All	All	1456/1478 (98%)	1323 (91%)	133 (9%)	9	34

All (133) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ARG
1	A	7	LEU
1	A	13	LEU
1	A	17	SER
1	A	26	THR
1	A	42	ASN
1	A	60	ASP
1	A	61	GLN
1	A	66	LEU
1	A	92	TYR
1	A	104	VAL
1	A	116	VAL
1	A	143	LEU
1	A	145	ILE
1	A	155	ARG
1	A	163	ASN
1	A	179	SER
1	A	180	GLU
1	A	201	ARG
1	A	224	GLU
1	A	226	GLU
1	A	227	GLN
1	A	235	ILE
1	A	251	VAL
1	A	252	VAL
1	A	274	VAL
2	B	6	LYS
2	B	12	ARG
2	B	27	VAL
2	B	28	SER
2	B	35	ILE
2	B	36	GLU
2	B	54	LEU
2	B	57	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	87	LEU
2	B	97	ARG
3	C	6	SER
3	C	32	LEU
3	C	48	ILE
3	C	56	LYS
3	C	65	THR
3	C	78	THR
3	C	83	SER
3	C	89	ILE
3	C	95	ARG
3	C	129	ARG
3	C	130	ASP
3	C	131	SER
3	C	152	GLN
3	C	154	LYS
3	C	174	LYS
3	C	191	ASN
3	C	198	ILE
4	D	7	THR
4	D	12	VAL
4	D	13	ILE
4	D	20	THR
4	D	41	MET
4	D	42	GLU
4	D	45	LEU
4	D	59	ASP
4	D	70	ILE
4	D	73	GLU
4	D	78	THR
4	D	98	ARG
4	D	100	ARG
4	D	102	LEU
4	D	158	VAL
4	D	174	CYS
4	D	188	ASP
4	D	190	ARG
4	D	196	ARG
4	D	222	GLU
1	E	25	ARG
1	E	26	THR
1	E	89	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	92	TYR
1	E	108	ASN
1	E	116	VAL
1	E	122	ASP
1	E	124	LEU
1	E	135	GLN
1	E	154	THR
1	E	155	ARG
1	E	163	ASN
1	E	227	GLN
1	E	234	ASP
1	E	251	VAL
1	E	252	VAL
1	E	259	LEU
2	F	11	SER
2	F	12	ARG
2	F	17	ASN
2	F	21	ASN
2	F	54	LEU
2	F	64	LEU
2	F	70	PHE
2	F	73	THR
2	F	77	GLU
2	F	87	LEU
3	G	6	SER
3	G	19	THR
3	G	48	ILE
3	G	52	SER
3	G	56	LYS
3	G	78	THR
3	G	83	SER
3	G	91	VAL
3	G	99	LEU
3	G	152	GLN
3	G	154	LYS
3	G	165	VAL
3	G	166	LEU
3	G	186	ASP
3	G	191	ASN
3	G	198	ILE
4	H	32	MET
4	H	41	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	H	45	LEU
4	H	66	THR
4	H	70	ILE
4	H	80	GLU
4	H	102	LEU
4	H	113	ARG
4	H	118	GLU
4	H	158	VAL
4	H	174	CYS
4	H	182	GLU
4	H	190	ARG
4	H	196	ARG
4	H	208	ARG
4	H	222	GLU
4	H	228	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (44) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	GLN
1	A	97	GLN
1	A	108	ASN
1	A	150	GLN
1	A	163	ASN
1	A	168	GLN
1	A	227	GLN
1	A	228	GLN
1	A	271	GLN
2	B	2	GLN
2	B	89	GLN
3	C	2	GLN
3	C	5	GLN
3	C	119	GLN
3	C	127	GLN
3	C	191	ASN
4	D	25	GLN
4	D	74	HIS
4	D	86	HIS
4	D	106	GLN
4	D	122	ASN
4	D	216	GLN
4	D	236	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	42	ASN
1	E	55	GLN
1	E	105	HIS
1	E	111	ASN
1	E	142	ASN
1	E	150	GLN
1	E	163	ASN
2	F	21	ASN
2	F	83	ASN
3	G	5	GLN
3	G	23	ASN
3	G	127	GLN
3	G	191	ASN
3	G	195	ASN
4	H	25	GLN
4	H	74	HIS
4	H	86	HIS
4	H	106	GLN
4	H	183	GLN
4	H	187	ASN
4	H	216	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	I	1	5	14,14,15	0.73	0	17,19,21	1.19	1 (5%)
5	BMA	I	2	5	11,11,12	0.61	0	15,15,17	0.84	0
6	NAG	J	1	1,6	14,14,15	0.51	0	17,19,21	0.81	0
6	NAG	J	2	6	14,14,15	0.61	0	17,19,21	1.14	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	I	1	5	-	3/6/23/26	0/1/1/1
5	BMA	I	2	5	-	0/2/19/22	0/1/1/1
6	NAG	J	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	J	2	6	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	I	1	NAG	C4-C3-C2	3.89	116.73	111.02
6	J	2	NAG	C4-C3-C2	2.90	115.26	111.02
6	J	2	NAG	C3-C4-C5	2.43	114.64	110.23

There are no chirality outliers.


All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	I	1	NAG	O7-C7-N2-C2
5	I	1	NAG	C8-C7-N2-C2
6	J	2	NAG	O5-C5-C6-O6
5	I	1	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	E	301	-	14,14,15	0.45	0	17,19,21	1.33	1 (5%)
8	AGH	E	302	-	60,60,60	0.53	1 (1%)	66,69,69	0.90	3 (4%)
7	NAG	A	301	1	14,14,15	0.54	0	17,19,21	1.22	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	A	302	1	14,14,15	0.47	0	17,19,21	1.33	1 (5%)
8	AGH	C	301	-	60,60,60	0.41	0	66,69,69	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	E	301	-	-	3/6/23/26	0/1/1/1
8	AGH	E	302	-	-	25/58/78/78	0/1/1/1
7	NAG	A	301	1	1/1/5/7	4/6/23/26	0/1/1/1
7	NAG	A	302	1	-	2/6/23/26	0/1/1/1
8	AGH	C	301	-	-	28/58/78/78	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	E	302	AGH	O1A-C1A	2.75	1.44	1.40

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	302	NAG	C1-O5-C5	4.80	118.61	112.19
7	E	301	NAG	C1-O5-C5	4.39	118.08	112.19
7	A	301	NAG	C1-O5-C5	3.04	116.26	112.19
8	E	302	AGH	C1-C2-N2	-2.86	105.58	109.66
8	E	302	AGH	C5-C4-C3	2.13	117.34	113.97
7	A	301	NAG	O5-C1-C2	-2.04	108.14	111.29
8	E	302	AGH	C1A-O6A-C5M	2.01	117.65	113.72

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	A	301	NAG	C1

All (62) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	301	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	301	NAG	O7-C7-N2-C2
7	E	301	NAG	C8-C7-N2-C2
7	E	301	NAG	O7-C7-N2-C2
8	C	301	AGH	N2-C2-C3-O3
8	C	301	AGH	O3-C3-C4-C5
8	C	301	AGH	O4-C4-C5-C6
8	E	302	AGH	O4-C4-C5-C6
8	C	301	AGH	CAA-CAB-CAC-CAD
7	A	301	NAG	C4-C5-C6-O6
7	A	302	NAG	O7-C7-N2-C2
8	C	301	AGH	C2-C3-C4-O4
7	A	302	NAG	C8-C7-N2-C2
7	A	301	NAG	O5-C5-C6-O6
8	E	302	AGH	C4A-C5M-C6A-O5A
8	E	302	AGH	O6A-C5M-C6A-O5A
8	C	301	AGH	O3-C3-C4-O4
8	C	301	AGH	C9-C10-C11-C12
8	E	302	AGH	C11-C12-C13-C14
8	E	302	AGH	CAL-CAM-CAN-CAO
8	E	302	AGH	CAO-CAP-CAQ-CAR
8	C	301	AGH	CAG-CAH-CAI-CAJ
8	E	302	AGH	CAU-CAV-CAW-CAX
8	E	302	AGH	CAM-CAN-CAO-CAP
8	C	301	AGH	C11-C12-C13-C14
8	E	302	AGH	CAG-CAH-CAI-CAJ
8	C	301	AGH	CAV-CAW-CAX-CAY
8	C	301	AGH	C13-C14-C15-C16
8	C	301	AGH	CAQ-CAR-CAS-CAT
8	E	302	AGH	CAR-CAS-CAT-CAU
8	E	302	AGH	CAV-CAW-CAX-CAY
8	E	302	AGH	CAF-CAG-CAH-CAI
8	C	301	AGH	CAH-CAI-CAJ-CAK
8	C	301	AGH	C12-C13-C14-C15
7	E	301	NAG	O5-C5-C6-O6
8	E	302	AGH	C9-C10-C11-C12
8	C	301	AGH	CAP-CAQ-CAR-CAS
8	E	302	AGH	C13-C14-C15-C16
8	C	301	AGH	CAW-CAX-CAY-CAZ
8	C	301	AGH	CAE-CAF-CAG-CAH
8	E	302	AGH	CAT-CAU-CAV-CAW
8	E	302	AGH	CAW-CAX-CAY-CAZ
8	E	302	AGH	CAD-CAE-CAF-CAG

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
8	E	302	AGH	C15-C16-C17-C18
8	E	302	AGH	CAA-CAB-CAC-CAD
8	C	301	AGH	CAF-CAG-CAH-CAI
8	C	301	AGH	C4-C5-C6-C7
8	C	301	AGH	CAD-CAE-CAF-CAG
8	E	302	AGH	CAI-CAJ-CAK-CAL
8	C	301	AGH	CAL-CAM-CAN-CAO
8	E	302	AGH	C3-C4-C5-C6
8	C	301	AGH	CAT-CAU-CAV-CAW
8	E	302	AGH	CAE-CAF-CAG-CAH
8	C	301	AGH	C7-C8-C9-C10
8	E	302	AGH	CAQ-CAR-CAS-CAT
8	E	302	AGH	C12-C13-C14-C15
8	C	301	AGH	CAM-CAN-CAO-CAP
8	C	301	AGH	C2-C3-C4-C5
8	C	301	AGH	N2-C2-C3-C4
8	C	301	AGH	CAS-CAT-CAU-CAV
8	E	302	AGH	C10-C11-C12-C13
8	C	301	AGH	C6-C7-C8-C9

There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	E	302	AGH	2	0
8	C	301	AGH	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	275/278 (98%)	0.57	12 (4%) 39 24	52, 57, 61, 63	0
1	E	272/278 (97%)	0.74	14 (5%) 33 21	53, 58, 62, 65	0
2	B	99/99 (100%)	0.94	8 (8%) 18 11	53, 58, 60, 64	0
2	F	98/99 (98%)	0.63	2 (2%) 65 45	54, 58, 61, 62	0
3	C	203/204 (99%)	0.37	7 (3%) 48 30	52, 58, 61, 65	0
3	G	204/204 (100%)	0.43	9 (4%) 39 24	51, 58, 62, 64	0
4	D	244/244 (100%)	0.33	6 (2%) 58 39	54, 57, 62, 64	0
4	H	244/244 (100%)	0.28	8 (3%) 49 30	49, 57, 63, 66	0
All	All	1639/1650 (99%)	0.50	66 (4%) 42 26	49, 58, 62, 66	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	1	ILE	4.5
3	C	154	LYS	4.3
4	H	247	ASP	3.8
3	C	133	SER	3.4
1	A	226	GLU	3.3
1	E	108	ASN	3.1
3	G	135	ASP	3.1
1	E	80	ASP	3.0
3	G	174	LYS	3.0
1	A	223	GLY	3.0
3	C	156	SER	3.0
3	C	135	ASP	3.0
4	D	59	ASP	3.0
4	H	203	PHE	2.9
4	D	52	VAL	2.9
3	G	137	SER	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	132	LYS	2.8
2	B	60	TRP	2.8
1	A	7	LEU	2.8
1	E	23	TRP	2.8
1	E	212	TYR	2.8
4	H	52	VAL	2.8
2	F	99	MET	2.8
1	A	280	HIS	2.8
4	H	80	GLU	2.7
4	D	102	LEU	2.7
2	F	60	TRP	2.7
1	E	199	PRO	2.7
1	A	23	TRP	2.6
2	B	28	SER	2.6
4	H	59	ASP	2.6
3	C	137	SER	2.6
2	B	54	LEU	2.5
2	B	5	PRO	2.5
1	E	270	GLY	2.5
1	A	227	GLN	2.5
4	H	118	GLU	2.4
3	G	51	PHE	2.4
1	E	78	THR	2.4
1	E	271	GLN	2.4
2	B	58	LYS	2.4
4	D	2	ALA	2.3
1	E	142	ASN	2.3
4	H	135	GLU	2.3
1	A	166	CYS	2.3
1	A	45	ASP	2.3
4	D	105	GLU	2.2
3	G	206	SER	2.2
1	E	7	LEU	2.2
1	E	136	GLU	2.2
2	B	71	THR	2.2
1	A	235	ILE	2.1
1	A	25	ARG	2.1
1	E	118	PHE	2.1
1	E	92	TYR	2.1
4	D	26	THR	2.1
1	A	219	LYS	2.1
3	G	132	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	H	220	LEU	2.1
1	E	61	GLN	2.1
1	A	17	SER	2.0
3	C	51	PHE	2.0
3	G	136	LYS	2.0
3	G	133	SER	2.0
3	G	191	ASN	2.0
2	B	27	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	BMA	I	2	11/12	0.35	0.16	156,156,156,156	0
5	NAG	I	1	14/15	0.38	0.21	154,155,156,156	0
6	NAG	J	2	14/15	0.50	0.16	82,83,83,83	0
6	NAG	J	1	14/15	0.63	0.14	73,76,78,80	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	NAG	A	302	14/15	0.62	0.15	66,68,69,69	0
7	NAG	E	301	14/15	0.69	0.14	65,65,67,67	0
7	NAG	A	301	14/15	0.81	0.15	62,63,64,64	0
8	AGH	C	301	60/60	0.91	0.15	29,37,55,55	0
8	AGH	E	302	60/60	0.91	0.13	30,35,47,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AGH C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around AGH E 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.