



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:20 PM UTC

PDB ID : 6POU / pdb_00006pou
Title : Structure of human endothelial nitric oxide synthase heme domain in complex with 7-(4-(2-Aminoethyl)phenyl)-4-methylquinolin-2-amine
Authors : Li, H.; Poulos, T.L.
Deposited on : 2019-07-05
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	440	2% 81% 10% 9%
1	B	440	2% 80% 11% 9%
1	C	440	8% 78% 12% 9%
1	D	440	3% 81% 9% 9%
1	E	440	3% 81% 10% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	440	2% 80% 11% 9%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 20937 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nitric oxide synthase, endothelial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	401	Total	C	N	O	S	0	3	0
			3212	2046	563	587	16			
1	B	402	Total	C	N	O	S	0	4	0
			3225	2055	567	587	16			
1	C	401	Total	C	N	O	S	0	2	0
			3209	2044	563	586	16			
1	D	402	Total	C	N	O	S	0	3	0
			3218	2050	565	587	16			
1	E	401	Total	C	N	O	S	0	2	0
			3209	2044	563	586	16			
1	F	402	Total	C	N	O	S	0	2	0
			3215	2048	565	586	16			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	298	GLU	ASP	variant	UNP P29474
B	298	GLU	ASP	variant	UNP P29474
C	298	GLU	ASP	variant	UNP P29474
D	298	GLU	ASP	variant	UNP P29474
E	298	GLU	ASP	variant	UNP P29474
F	298	GLU	ASP	variant	UNP P29474

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	E	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	F	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is 7-[4-(2-aminoethyl)phenyl]-4-methylquinolin-2-amine (CCD ID: M16) (formula: C₁₈H₁₉N₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			21	18	3		
3	A	1	Total	C	N	0	0
			21	18	3		
3	B	1	Total	C	N	0	0
			21	18	3		
3	B	1	Total	C	N	0	0
			21	18	3		
3	C	1	Total	C	N	0	0
			21	18	3		
3	C	1	Total	C	N	0	0
			21	18	3		
3	D	1	Total	C	N	0	0
			21	18	3		
3	D	1	Total	C	N	0	0
			21	18	3		
3	E	1	Total	C	N	0	0
			21	18	3		
3	F	1	Total	C	N	0	0
			21	18	3		
3	F	1	Total	C	N	0	0
			21	18	3		
3	F	1	Total	C	N	0	0
			21	18	3		

- Molecule 4 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (CCD ID: BTB) (formula: C₈H₁₉NO₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	D	1	Total	C	N	O	0	0
			14	8	1	5		
4	D	1	Total	C	N	O	0	0
			14	8	1	5		
4	D	1	Total	C	N	O	0	0
			14	8	1	5		
4	E	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	E	1	Total	C	N	O	0	0
			14	8	1	5		
4	E	1	Total	C	N	O	0	0
			14	8	1	5		
4	F	1	Total	C	N	O	0	0
			14	8	1	5		
4	F	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Zn	0	0
			2	2		
5	B	1	Total	Zn	0	0
			1	1		
5	C	2	Total	Zn	0	0
			2	2		
5	D	1	Total	Zn	0	0
			1	1		
5	E	2	Total	Zn	0	0
			2	2		
5	F	1	Total	Zn	0	0
			1	1		

- Molecule 6 is GADOLINIUM ATOM (CCD ID: GD) (formula: Gd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Gd	0	0
			2	2		
6	B	2	Total	Gd	0	0
			2	2		
6	C	1	Total	Gd	0	0
			1	1		
6	D	2	Total	Gd	0	0
			2	2		
6	F	1	Total	Gd	0	0
			1	1		

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			6	3	3		
7	E	1	Total	C	O	0	0
			6	3	3		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	144	Total	O	0	0
			144	144		
8	B	155	Total	O	0	0
			155	155		
8	C	99	Total	O	0	0
			99	99		
8	D	150	Total	O	0	0
			150	150		
8	E	133	Total	O	0	0
			133	133		
8	F	177	Total	O	0	0
			177	177		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nitric oxide synthase, endothelial



- Molecule 1: Nitric oxide synthase, endothelial





- Molecule 1: Nitric oxide synthase, endothelial









- Molecule 1: Nitric oxide synthase, endothelial



- Molecule 1: Nitric oxide synthase, endothelial



- Molecule 1: Nitric oxide synthase, endothelial



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	109.92Å 153.55Å 175.09Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	79.61 – 2.19 79.61 – 2.19	Depositor EDS
% Data completeness (in resolution range)	99.3 (79.61-2.19) 99.4 (79.61-2.19)	Depositor EDS
R_{merge}	0.30	Depositor
R_{sym}	0.30	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.55 (at 2.20Å)	Xtriage
Refinement program	PHENIX (1.11.1-2575_1496: ???)	Depositor
R, R_{free}	0.189 , 0.243 0.184 , 0.239	Depositor DCC
R_{free} test set	7545 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	27.4	Xtriage
Anisotropy	0.703	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	20937	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GD, BTB, HEM, ZN, GOL, M16

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/3313	0.50	0/4515
1	B	0.34	0/3330	0.52	0/4537
1	C	0.28	0/3307	0.47	0/4507
1	D	0.36	0/3319	0.55	0/4522
1	E	0.34	0/3307	0.52	0/4507
1	F	0.36	0/3313	0.54	0/4514
All	All	0.34	0/19889	0.52	0/27102

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3212	0	3114	28	0
1	B	3225	0	3133	30	0
1	C	3209	0	3109	27	0
1	D	3218	0	3126	24	0
1	E	3209	0	3109	26	0
1	F	3215	0	3121	29	0
2	A	43	0	30	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	43	0	30	3	0
2	C	43	0	30	3	0
2	D	43	0	30	3	0
2	E	43	0	30	3	0
2	F	43	0	30	4	0
3	A	42	0	0	3	0
3	B	42	0	0	2	0
3	C	42	0	0	4	0
3	D	42	0	0	1	0
3	E	21	0	0	3	0
3	F	63	0	0	3	0
4	A	42	0	56	10	0
4	B	56	0	72	14	0
4	C	42	0	56	4	0
4	D	42	0	55	13	0
4	E	42	0	56	7	0
4	F	28	0	37	7	0
5	A	2	0	0	0	0
5	B	1	0	0	0	0
5	C	2	0	0	0	0
5	D	1	0	0	0	0
5	E	2	0	0	0	0
5	F	1	0	0	0	0
6	A	2	0	0	0	0
6	B	2	0	0	0	0
6	C	1	0	0	0	0
6	D	2	0	0	0	0
6	F	1	0	0	0	0
7	C	6	0	8	0	0
7	E	6	0	8	1	0
8	A	144	0	0	3	0
8	B	155	0	0	0	0
8	C	99	0	0	3	0
8	D	150	0	0	0	0
8	E	133	0	0	2	0
8	F	177	0	0	4	0
All	All	20937	0	19240	211	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (211) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:505:BTB:HO6	4:D:505:BTB:HO8	1.04	1.02
1:A:75:GLU:O	1:B:371[B]:HIS:NE2	2.13	0.82
1:B:290:PRO:HB3	1:B:304:LEU:HD23	1.68	0.76
1:F:290:PRO:HB3	1:F:304:LEU:HD23	1.67	0.75
2:D:501:HEM:HBB2	2:D:501:HEM:HHC	1.68	0.75
1:A:292:LEU:HD22	1:A:300:PRO:HB2	1.69	0.73
1:C:361:GLU:HB3	1:C:365:ARG:HH21	1.53	0.72
1:B:475:TYR:OH	2:B:501:HEM:O2D	2.06	0.72
1:D:128:ARG:HH21	4:D:506:BTB:H61	1.59	0.68
1:E:316[B]:GLU:HG3	1:E:324:ALA:HB2	1.74	0.67
1:A:128:ARG:NH2	1:A:154:GLU:OE2	2.27	0.67
4:C:505:BTB:O3	4:C:505:BTB:O1	2.11	0.67
3:F:801:M16:N01	8:F:901:HOH:O	2.27	0.67
4:D:505:BTB:O6	4:D:505:BTB:O3	2.11	0.66
4:C:505:BTB:H31	4:C:505:BTB:H61	1.78	0.65
3:C:503:M16:N01	8:C:603:HOH:O	2.29	0.65
2:C:501:HEM:HBB2	2:C:501:HEM:HHC	1.79	0.64
4:D:504:BTB:H62	4:D:504:BTB:O8	1.97	0.63
2:A:501:HEM:HMC2	2:A:501:HEM:HBC2	1.78	0.63
4:A:509:BTB:O4	4:A:509:BTB:H72	1.99	0.63
1:D:475:TYR:OH	2:D:501:HEM:O2D	2.17	0.62
1:A:382:CYS:HA	4:A:504:BTB:H11	1.80	0.62
1:E:308:GLU:H	1:E:308:GLU:CD	2.09	0.61
1:A:257:GLN:OE1	1:E:388:ARG:NH2	2.34	0.60
4:F:806:BTB:HO4	4:F:806:BTB:HO6	1.48	0.60
1:F:90:GLN:HB2	1:F:468:PHE:CD2	2.37	0.59
1:C:156:GLU:O	1:C:160:THR:OG1	2.20	0.59
1:B:78:SER:HB3	1:D:258:ASP:HA	1.84	0.59
1:B:453:SER:HB3	1:B:456:LEU:HD12	1.85	0.58
1:C:258:ASP:OD1	1:C:258:ASP:N	2.32	0.58
1:F:368:CYS:SG	1:F:376:LEU:HD13	2.43	0.58
1:A:156:GLU:OE2	4:A:509:BTB:O6	2.20	0.58
1:A:143:SER:O	1:A:147:GLU:HG2	2.04	0.58
1:C:124:LEU:HG	1:C:157:VAL:HG11	1.86	0.58
2:C:501:HEM:O1A	8:C:601:HOH:O	2.17	0.58
2:A:501:HEM:HBB2	2:A:501:HEM:HHC	1.85	0.57
1:C:128:ARG:O	1:C:132:ASN:ND2	2.37	0.57
1:C:377:GLU:OE1	4:C:506:BTB:O1	2.22	0.57
2:D:501:HEM:HMC2	2:D:501:HEM:HBC2	1.86	0.57
1:B:388:ARG:HB2	1:B:388:ARG:HH11	1.69	0.57
1:D:386:ASP:OD1	1:D:388:ARG:NH1	2.38	0.57
1:F:474:ARG:NH2	8:F:908:HOH:O	2.35	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:429:LYS:NZ	8:F:909:HOH:O	2.37	0.56
1:E:298:GLU:OE2	4:E:504:BTB:O8	2.23	0.56
1:B:386:ASP:OD1	1:B:388:ARG:NH1	2.40	0.55
1:E:246:SER:HA	1:E:338:ASN:HB3	1.88	0.55
3:A:503:M16:N01	8:A:604:HOH:O	2.33	0.55
1:B:295:ALA:HB3	1:B:298:GLU:HG3	1.89	0.55
1:C:336:VAL:HG21	3:C:502:M16:C07	2.37	0.54
2:C:501:HEM:HBD1	3:C:502:M16:C26	2.37	0.54
1:D:90:GLN:HB2	1:D:468:PHE:CD2	2.42	0.54
1:B:388:ARG:HB2	1:B:388:ARG:NH1	2.23	0.54
4:E:504:BTB:H62	8:E:702:HOH:O	2.07	0.54
1:D:298:GLU:OE2	4:D:505:BTB:H41	2.08	0.54
1:A:70:ARG:NH1	8:A:605:HOH:O	2.41	0.53
1:B:90:GLN:HG3	1:B:91:ASP:H	1.74	0.53
1:B:124:LEU:HD21	1:B:154:GLU:HA	1.90	0.53
1:A:336:VAL:HG21	3:A:502:M16:C07	2.39	0.53
1:F:261:VAL:HG11	1:F:265:PRO:HA	1.91	0.53
1:D:361:GLU:HB3	1:D:365:ARG:HH21	1.73	0.52
1:B:298:GLU:OE2	4:B:505:BTB:H31	2.09	0.52
4:F:806:BTB:O6	4:F:806:BTB:O4	2.17	0.52
1:A:97:ARG:NH2	1:B:88:ALA:O	2.42	0.52
1:E:364:THR:O	1:E:368:CYS:HB2	2.09	0.52
1:B:298:GLU:OE1	4:B:505:BTB:H71	2.09	0.52
1:A:216:LYS:HG2	1:A:309:LEU:HD11	1.91	0.51
1:E:290:PRO:HB3	1:E:304:LEU:HD13	1.91	0.51
4:E:504:BTB:H31	4:E:504:BTB:O6	2.11	0.51
1:D:326:LEU:HB3	1:D:328:LEU:HG	1.93	0.50
1:C:368:CYS:SG	1:C:376:LEU:HD13	2.51	0.50
1:A:72:LYS:HD2	1:A:79:ILE:HD11	1.94	0.50
1:E:207:MET:HG3	1:E:231:PHE:CE1	2.47	0.50
4:B:504:BTB:H61	4:B:504:BTB:O3	2.12	0.50
4:D:504:BTB:O4	4:D:504:BTB:H82	2.12	0.50
1:B:298:GLU:OE2	4:B:505:BTB:H52	2.13	0.49
1:F:321:GLU:OE1	4:F:805:BTB:O8	2.30	0.49
1:A:202:ARG:HG3	1:A:202:ARG:HH11	1.77	0.49
1:D:292:LEU:HD22	1:D:300:PRO:HB2	1.94	0.49
1:B:178:TRP:CE3	1:B:190:TRP:HA	2.48	0.49
1:F:326:LEU:HB3	1:F:328:LEU:HG	1.95	0.49
1:B:377:GLU:O	1:B:381:VAL:HG23	2.12	0.49
2:B:501:HEM:HBD1	3:B:502:M16:C26	2.43	0.49
1:E:298:GLU:CD	4:E:504:BTB:HO8	2.20	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:361:GLU:OE2	3:E:502:M16:N02	2.44	0.49
1:C:320:LEU:HD13	1:C:322:TRP:CZ2	2.48	0.49
1:C:207:MET:HG2	1:C:293:LEU:HD13	1.95	0.49
4:E:504:BTB:O1	4:E:504:BTB:H51	2.12	0.49
1:F:317:HIS:NE2	1:F:401:GLU:OE1	2.39	0.49
1:A:202:ARG:HD3	8:A:733:HOH:O	2.13	0.48
1:B:154:GLU:CD	4:B:507:BTB:H32	2.37	0.48
4:B:505:BTB:O4	4:B:505:BTB:O1	2.18	0.48
1:D:298:GLU:CD	4:D:505:BTB:H41	2.38	0.48
1:E:298:GLU:OE1	4:E:504:BTB:N	2.45	0.48
2:E:501:HEM:HMC2	2:E:501:HEM:HBC2	1.95	0.48
4:D:506:BTB:H51	4:D:506:BTB:O3	2.13	0.48
1:C:453:SER:HB3	1:C:456:LEU:HD12	1.95	0.48
2:F:802:HEM:HMC1	2:F:802:HEM:HBC2	1.95	0.48
2:F:802:HEM:HBD1	3:F:803:M16:C26	2.44	0.48
4:D:506:BTB:H61	4:D:506:BTB:H41	1.96	0.48
2:E:501:HEM:HBB2	2:E:501:HEM:HHC	1.96	0.47
1:F:479:PRO:HD2	1:F:480:TRP:CE3	2.50	0.47
1:D:121:GLU:H	1:D:121:GLU:CD	2.22	0.47
1:D:268:VAL:O	1:D:272:GLU:HG3	2.14	0.47
1:E:232:PRO:HG2	1:E:241:PHE:CE1	2.50	0.47
1:F:455:SER:HA	1:F:460:PHE:CG	2.49	0.47
1:D:95:THR:HG23	1:D:98:ARG:NH1	2.30	0.46
1:F:364:THR:O	1:F:368:CYS:HB2	2.14	0.46
1:F:450:PRO:HG2	1:F:457:THR:HG21	1.97	0.46
1:A:320:LEU:HD13	1:A:322:TRP:CZ2	2.50	0.46
4:D:504:BTB:H11	4:D:504:BTB:H72	1.77	0.46
4:D:504:BTB:H32	4:D:504:BTB:H51	1.55	0.46
1:E:336:VAL:HG21	3:E:502:M16:C07	2.45	0.46
1:F:192:LYS:HE2	1:F:192:LYS:HB3	1.67	0.46
1:C:386:ASP:OD2	1:C:388:ARG:HG2	2.15	0.46
1:A:167:GLU:O	1:A:171:VAL:HG23	2.16	0.46
1:B:271:THR:O	1:B:275:ILE:HG13	2.16	0.46
1:C:183:ARG:NH1	1:C:475:TYR:OH	2.49	0.46
4:A:505:BTB:H81	1:F:384:ASP:CG	2.41	0.45
1:B:336:VAL:HG21	3:B:502:M16:C07	2.46	0.45
1:D:309:LEU:HD12	1:D:309:LEU:HA	1.59	0.45
1:F:178:TRP:CE3	1:F:190:TRP:HA	2.50	0.45
1:B:87:GLN:O	1:B:89:GLN:HG3	2.16	0.45
2:B:501:HEM:HHC	2:B:501:HEM:HBB2	1.98	0.45
1:D:364:THR:O	1:D:368:CYS:HB2	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:501:HEM:HBD1	3:A:502:M16:C26	2.46	0.45
1:C:245:ASN:OD1	1:C:245:ASN:N	2.50	0.45
4:F:806:BTB:H11	4:F:806:BTB:H72	1.56	0.45
4:B:506:BTB:H62	4:B:506:BTB:H71	1.49	0.44
1:D:453:SER:HB3	1:D:456:LEU:HD12	2.00	0.44
1:A:265:PRO:O	1:A:268:VAL:HG23	2.17	0.44
4:A:509:BTB:O4	4:A:509:BTB:C7	2.65	0.44
1:C:445:TRP:CE2	1:C:449:VAL:HG21	2.53	0.44
1:A:455:SER:HA	1:A:460:PHE:CG	2.53	0.44
1:D:265:PRO:HD2	1:D:372:ARG:HA	2.00	0.44
1:F:336:VAL:HG21	3:F:803:M16:C07	2.47	0.44
4:F:806:BTB:H32	4:F:806:BTB:H51	1.45	0.44
1:F:246:SER:HA	1:F:338:ASN:HB3	2.00	0.44
1:F:453:SER:HB3	1:F:456:LEU:HD12	1.98	0.44
2:F:802:HEM:HH C	2:F:802:HEM:HBB2	1.98	0.44
1:E:231:PHE:HB3	1:E:232:PRO:HD2	1.98	0.44
1:A:94:CYS:HB3	1:B:94:CYS:HB3	2.00	0.44
1:B:119:ALA:HB3	1:B:120:PRO:HD3	1.99	0.44
1:F:397:LYS:NZ	8:F:907:HOH:O	2.33	0.44
4:C:505:BTB:H11	4:C:505:BTB:H71	1.52	0.43
1:C:218:ALA:HB1	8:C:631:HOH:O	2.18	0.43
1:E:292:LEU:HD22	1:E:300:PRO:HB2	2.01	0.43
1:E:306:PRO:HA	1:E:307:PRO:HD3	1.90	0.43
1:C:68:PHE:HA	1:C:69:PRO:HD3	1.86	0.43
4:B:507:BTB:H51	4:B:507:BTB:H12	1.37	0.43
1:C:401:GLU:OE2	1:D:397:LYS:HE2	2.19	0.43
4:E:505:BTB:H42	4:E:505:BTB:H72	1.52	0.43
4:A:504:BTB:H71	4:A:504:BTB:H12	1.91	0.43
4:A:509:BTB:H32	4:A:509:BTB:H51	1.67	0.43
1:C:261:VAL:HG11	1:C:265:PRO:HA	2.00	0.43
1:E:455:SER:HA	1:E:460:PHE:CG	2.53	0.43
1:E:397:LYS:HG3	1:F:400:VAL:HG11	2.01	0.42
1:C:334:PRO:HB3	1:C:357:TYR:CZ	2.54	0.42
4:F:805:BTB:H32	4:F:805:BTB:H51	1.41	0.42
1:A:124:LEU:HD23	1:A:124:LEU:HA	1.86	0.42
4:B:504:BTB:H71	4:B:504:BTB:H11	1.93	0.42
1:C:197:ASP:OD2	1:C:199:ARG:NH2	2.41	0.42
1:A:129:ASP:O	1:A:133:GLN:HG3	2.19	0.42
1:D:361:GLU:OE2	3:D:502:M16:N02	2.53	0.42
2:E:501:HEM:HBD1	3:E:502:M16:C26	2.50	0.42
1:A:445:TRP:CZ2	1:A:449:VAL:HG21	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:386:ASP:OD2	1:E:388:ARG:HG2	2.18	0.42
1:E:368:CYS:SG	1:E:376:LEU:HD13	2.59	0.42
1:B:368:CYS:SG	1:B:376:LEU:HD13	2.60	0.42
1:E:183:ARG:HD3	1:E:447:TRP:CD2	2.54	0.42
1:B:321:GLU:OE2	4:B:504:BTB:O4	2.38	0.42
1:C:365:ARG:HH12	3:C:502:M16:C23	2.33	0.42
4:B:506:BTB:O1	4:B:506:BTB:H52	2.19	0.41
1:E:198:ALA:O	1:E:232:PRO:HD3	2.20	0.41
4:A:504:BTB:H51	4:A:504:BTB:H32	1.56	0.41
4:D:505:BTB:O3	4:D:505:BTB:O4	2.37	0.41
1:E:178:TRP:CE3	1:E:190:TRP:HA	2.55	0.41
1:B:214:HIS:CD2	1:B:214:HIS:C	2.98	0.41
1:B:220:ASN:HB3	1:B:223:ASN:O	2.21	0.41
1:B:340:LEU:HD21	1:B:347:GLU:HG2	2.01	0.41
1:D:234:ARG:NH1	1:D:347:GLU:OE1	2.44	0.41
1:B:154:GLU:OE1	4:B:507:BTB:O1	2.31	0.41
4:A:505:BTB:H41	4:A:505:BTB:H72	1.86	0.41
1:F:100:LEU:HB3	1:F:103:LEU:HD22	2.02	0.41
4:A:504:BTB:H41	1:F:326:LEU:CD1	2.50	0.41
1:C:204:ALA:HB2	1:C:295:ALA:HB2	2.02	0.41
1:A:378:ASP:CG	1:F:321:GLU:HB2	2.46	0.41
1:B:364:THR:O	1:B:368:CYS:HB2	2.21	0.41
1:D:124:LEU:HD21	1:D:154:GLU:HA	2.01	0.41
1:D:138:ILE:O	1:D:140:ARG:HG2	2.21	0.41
4:D:505:BTB:H32	4:D:505:BTB:H71	1.67	0.41
1:E:397:LYS:NZ	8:E:601:HOH:O	2.13	0.41
1:A:128:ARG:HH21	1:A:154:GLU:CD	2.27	0.41
1:C:445:TRP:CZ2	1:C:449:VAL:HG21	2.56	0.41
1:D:302:LEU:HD12	1:D:302:LEU:HA	1.82	0.41
4:B:504:BTB:H81	4:B:504:BTB:H52	1.90	0.41
1:F:229:THR:O	1:F:351:ALA:HA	2.21	0.41
1:F:306:PRO:HA	1:F:307:PRO:HD3	1.96	0.41
1:A:214:HIS:CD2	1:A:214:HIS:C	2.99	0.40
1:C:265:PRO:O	1:C:268:VAL:HG23	2.21	0.40
1:E:167:GLU:OE1	7:E:507:GOL:H11	2.21	0.40
1:A:387:THR:HA	1:A:394:TRP:CD1	2.56	0.40
1:C:429:LYS:NZ	1:C:433:ASN:OD1	2.53	0.40
1:D:279:TRP:HB2	1:D:302:LEU:HD21	2.01	0.40
1:F:233:GLN:HB3	1:F:348:PHE:CE2	2.57	0.40
4:F:805:BTB:H11	4:F:805:BTB:H72	1.50	0.40
4:B:506:BTB:O4	4:B:506:BTB:H72	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:317:HIS:CG	1:A:318:PRO:HD2	2.57	0.40
1:C:317:HIS:CG	1:C:318:PRO:HD2	2.57	0.40
1:F:475:TYR:OH	2:F:802:HEM:O2D	2.37	0.40
1:A:257:GLN:CD	1:E:388:ARG:HH21	2.29	0.40
1:F:178:TRP:CZ3	1:F:190:TRP:HA	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	400/440 (91%)	391 (98%)	8 (2%)	1 (0%)	36	42
1	B	402/440 (91%)	395 (98%)	7 (2%)	0	100	100
1	C	399/440 (91%)	381 (96%)	15 (4%)	3 (1%)	16	16
1	D	401/440 (91%)	390 (97%)	11 (3%)	0	100	100
1	E	399/440 (91%)	390 (98%)	8 (2%)	1 (0%)	36	42
1	F	400/440 (91%)	391 (98%)	9 (2%)	0	100	100
All	All	2401/2640 (91%)	2338 (97%)	58 (2%)	5 (0%)	43	51

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	258	ASP
1	A	89	GLN
1	C	259	GLY
1	E	89	GLN
1	C	89	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	343/373 (92%)	335 (98%)	8 (2%)	44	59
1	B	345/373 (92%)	330 (96%)	15 (4%)	26	35
1	C	342/373 (92%)	328 (96%)	14 (4%)	27	37
1	D	344/373 (92%)	325 (94%)	19 (6%)	19	24
1	E	342/373 (92%)	328 (96%)	14 (4%)	27	37
1	F	343/373 (92%)	331 (96%)	12 (4%)	32	43
All	All	2059/2238 (92%)	1977 (96%)	82 (4%)	28	38

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	89	GLN
1	A	141	SER
1	A	144	GLN
1	A	148	GLN
1	A	216	LYS
1	A	258	ASP
1	A	302	LEU
1	A	389	THR
1	B	67	LYS
1	B	103	LEU
1	B	121	GLU
1	B	139	LYS
1	B	152	GLU
1	B	207	MET
1	B	230	VAL
1	B	238	ARG
1	B	301	GLU
1	B	302	LEU
1	B	329	ARG
1	B	388	ARG
1	B	389	THR
1	B	396	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	474	ARG
1	C	71	VAL
1	C	78	SER
1	C	89	GLN
1	C	121	GLU
1	C	137	SER
1	C	141	SER
1	C	216	LYS
1	C	234	ARG
1	C	258	ASP
1	C	280	THR
1	C	329	ARG
1	C	388	ARG
1	C	389	THR
1	C	396	ASP
1	D	67	LYS
1	D	76	VAL
1	D	89	GLN
1	D	90	GLN
1	D	103	LEU
1	D	121	GLU
1	D	139	LYS
1	D	147	GLU
1	D	200	ASP
1	D	230	VAL
1	D	235	CYS
1	D	258	ASP
1	D	272	GLU
1	D	302	LEU
1	D	309	LEU
1	D	326	LEU
1	D	384	ASP
1	D	396	ASP
1	D	474	ARG
1	E	87	GLN
1	E	89	GLN
1	E	90	GLN
1	E	125	SER
1	E	133	GLN
1	E	144	GLN
1	E	154	GLU
1	E	202	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	275	ILE
1	E	276	GLN
1	E	342	GLU
1	E	389	THR
1	E	412	LEU
1	E	417	ILE
1	F	89	GLN
1	F	90	GLN
1	F	103	LEU
1	F	156	GLU
1	F	168[A]	SER
1	F	168[B]	SER
1	F	207	MET
1	F	230	VAL
1	F	326	LEU
1	F	329	ARG
1	F	389	THR
1	F	396	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	164	GLN
1	A	294	GLN
1	B	126	GLN
1	B	205	GLN
1	B	247	GLN
1	B	256	GLN
1	B	267	ASN
1	C	126	GLN
1	C	256	GLN
1	C	267	ASN
1	C	430	HIS
1	D	247	GLN
1	D	408	HIS
1	E	126	GLN
1	F	213	ASN
1	F	256	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 55 ligands modelled in this entry, 17 are monoatomic - leaving 38 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	M16	F	803	-	23,23,23	0.82	0	31,32,32	1.01	2 (6%)
4	BTB	A	509	6	13,13,13	0.36	0	7,16,16	0.51	0
4	BTB	A	504	6	13,13,13	0.48	0	7,16,16	0.93	0
4	BTB	E	505	-	13,13,13	0.55	0	7,16,16	0.90	0
2	HEM	E	501	1	50,50,50	1.90	10 (20%)	67,82,82	1.42	9 (13%)
4	BTB	D	504	6	13,13,13	0.69	0	7,16,16	1.09	1 (14%)
3	M16	A	503	-	23,23,23	1.04	1 (4%)	31,32,32	1.27	3 (9%)
2	HEM	F	802	1	50,50,50	1.76	9 (18%)	67,82,82	1.33	9 (13%)
4	BTB	B	504	6	13,13,13	0.61	0	7,16,16	0.64	0
4	BTB	F	806	-	13,13,13	0.53	0	7,16,16	1.16	0
3	M16	F	804	-	23,23,23	0.97	2 (8%)	31,32,32	1.44	4 (12%)
4	BTB	B	507	-	13,13,13	0.43	0	7,16,16	0.76	0
4	BTB	B	505	6	13,13,13	0.68	0	7,16,16	0.89	0
7	GOL	C	508	-	5,5,5	0.34	0	5,5,5	0.43	0
4	BTB	C	504	6	13,13,13	0.47	0	7,16,16	0.65	0
4	BTB	A	505	-	13,13,13	0.41	0	7,16,16	0.65	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BTB	C	506	-	13,13,13	0.42	0	7,16,16	0.83	0
4	BTB	E	504	-	13,13,13	0.47	0	7,16,16	0.93	0
4	BTB	E	503	6	13,13,13	0.42	0	7,16,16	0.67	0
3	M16	D	503	-	23,23,23	1.02	1 (4%)	31,32,32	1.17	3 (9%)
2	HEM	B	501	1	50,50,50	1.57	7 (14%)	67,82,82	0.98	2 (2%)
3	M16	D	502	-	23,23,23	0.87	0	31,32,32	0.98	2 (6%)
3	M16	C	502	-	23,23,23	1.01	1 (4%)	31,32,32	1.08	3 (9%)
4	BTB	D	506	-	13,13,13	0.67	0	7,16,16	1.39	1 (14%)
3	M16	B	502	-	23,23,23	0.89	1 (4%)	31,32,32	1.22	3 (9%)
7	GOL	E	507	-	5,5,5	0.76	0	5,5,5	2.44	2 (40%)
3	M16	A	502	-	23,23,23	0.94	1 (4%)	31,32,32	1.11	2 (6%)
3	M16	E	502	-	23,23,23	1.07	2 (8%)	31,32,32	1.31	3 (9%)
4	BTB	F	805	6	13,13,13	0.62	0	7,16,16	0.64	0
4	BTB	C	505	-	13,13,13	1.02	1 (7%)	7,16,16	1.31	2 (28%)
2	HEM	D	501	1	50,50,50	1.64	8 (16%)	67,82,82	1.26	8 (11%)
3	M16	B	503	-	23,23,23	1.04	1 (4%)	31,32,32	1.26	3 (9%)
2	HEM	C	501	1	50,50,50	1.71	7 (14%)	67,82,82	1.36	8 (11%)
3	M16	F	801	-	23,23,23	0.95	1 (4%)	31,32,32	1.03	2 (6%)
4	BTB	D	505	-	13,13,13	0.90	1 (7%)	7,16,16	1.33	0
3	M16	C	503	-	23,23,23	0.99	0	31,32,32	1.17	2 (6%)
2	HEM	A	501	1	50,50,50	1.44	8 (16%)	67,82,82	0.93	1 (1%)
4	BTB	B	506	-	13,13,13	0.42	0	7,16,16	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	M16	F	803	-	-	4/7/7/7	0/3/3/3
4	BTB	A	509	6	-	5/21/21/21	-
4	BTB	A	504	6	-	6/21/21/21	-
4	BTB	E	505	-	-	4/21/21/21	-
2	HEM	E	501	1	-	2/14/54/54	-
4	BTB	D	504	6	-	7/21/21/21	-
3	M16	A	503	-	-	7/7/7/7	0/3/3/3
2	HEM	F	802	1	-	1/14/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BTB	B	504	6	-	3/21/21/21	-
4	BTB	F	806	-	-	16/21/21/21	-
3	M16	F	804	-	-	7/7/7/7	0/3/3/3
4	BTB	B	507	-	-	4/21/21/21	-
4	BTB	B	505	6	-	11/21/21/21	-
7	GOL	C	508	-	-	4/4/4/4	-
4	BTB	C	504	6	-	3/21/21/21	-
4	BTB	A	505	-	-	11/21/21/21	-
4	BTB	C	506	-	-	11/21/21/21	-
4	BTB	E	504	-	-	7/21/21/21	-
4	BTB	E	503	6	-	7/21/21/21	-
3	M16	D	503	-	-	0/7/7/7	0/3/3/3
2	HEM	B	501	1	-	2/14/54/54	-
3	M16	D	502	-	-	2/7/7/7	0/3/3/3
3	M16	C	502	-	-	3/7/7/7	0/3/3/3
4	BTB	D	506	-	-	6/21/21/21	-
3	M16	B	502	-	-	3/7/7/7	0/3/3/3
7	GOL	E	507	-	-	2/4/4/4	-
3	M16	A	502	-	-	1/7/7/7	0/3/3/3
3	M16	E	502	-	-	5/7/7/7	0/3/3/3
4	BTB	F	805	6	-	13/21/21/21	-
4	BTB	C	505	-	-	9/21/21/21	-
2	HEM	D	501	1	-	1/14/54/54	-
3	M16	B	503	-	-	7/7/7/7	0/3/3/3
2	HEM	C	501	1	-	1/14/54/54	-
3	M16	F	801	-	-	0/7/7/7	0/3/3/3
4	BTB	D	505	-	-	7/21/21/21	-
3	M16	C	503	-	-	4/7/7/7	0/3/3/3
2	HEM	A	501	1	-	3/14/54/54	-
4	BTB	B	506	-	-	11/21/21/21	-

All (62) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	501	HEM	FE-NB	8.08	2.19	1.94
2	C	501	HEM	FE-NB	7.11	2.16	1.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	802	HEM	FE-NB	6.72	2.15	1.94
2	B	501	HEM	FE-NB	5.76	2.12	1.94
2	D	501	HEM	FE-NC	5.69	2.13	1.95
2	F	802	HEM	FE-NC	5.44	2.13	1.95
2	E	501	HEM	FE-NA	5.27	2.12	1.95
2	D	501	HEM	FE-NB	4.93	2.10	1.94
2	C	501	HEM	FE-NA	4.67	2.10	1.95
2	E	501	HEM	FE-NC	4.00	2.08	1.95
2	D	501	HEM	FE-NA	3.85	2.07	1.95
2	A	501	HEM	FE-NB	3.85	2.06	1.94
2	F	802	HEM	FE-NA	3.81	2.07	1.95
2	B	501	HEM	FE-NA	3.68	2.07	1.95
2	C	501	HEM	FE-NC	3.43	2.06	1.95
2	A	501	HEM	FE-NA	3.08	2.05	1.95
2	D	501	HEM	CAC-C3C	3.04	1.55	1.47
2	B	501	HEM	FE-NC	2.99	2.05	1.95
2	C	501	HEM	CAC-C3C	2.98	1.55	1.47
3	E	502	M16	C10-N01	-2.97	1.32	1.37
2	E	501	HEM	CAB-C3B	2.95	1.55	1.47
2	E	501	HEM	CAC-C3C	2.95	1.55	1.47
2	B	501	HEM	CAC-C3C	2.93	1.55	1.47
2	C	501	HEM	CAB-C3B	2.91	1.55	1.47
2	A	501	HEM	CAB-C3B	2.86	1.55	1.47
2	F	802	HEM	CAC-C3C	2.81	1.54	1.47
2	A	501	HEM	CAC-C3C	2.77	1.54	1.47
2	B	501	HEM	CAB-C3B	2.71	1.54	1.47
2	F	802	HEM	CAB-C3B	2.70	1.54	1.47
2	D	501	HEM	CAB-C3B	2.68	1.54	1.47
2	A	501	HEM	FE-NC	2.63	2.03	1.95
2	D	501	HEM	CMD-C2D	2.53	1.56	1.50
2	E	501	HEM	CMC-C2C	2.46	1.55	1.50
3	C	502	M16	C05-C10	-2.43	1.38	1.42
2	E	501	HEM	CMA-C3A	2.42	1.55	1.50
2	E	501	HEM	FE-ND	2.38	2.02	1.94
3	A	502	M16	C05-C10	-2.37	1.38	1.42
2	A	501	HEM	FE-ND	2.37	2.02	1.94
2	D	501	HEM	CMB-C2B	2.32	1.55	1.50
2	F	802	HEM	CMB-C2B	2.28	1.55	1.50
3	F	804	M16	C05-C10	-2.26	1.38	1.42
2	A	501	HEM	CMA-C3A	2.20	1.55	1.50
2	B	501	HEM	FE-ND	2.18	2.01	1.94
3	B	502	M16	C05-C10	-2.17	1.39	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	802	HEM	CMD-C2D	2.17	1.55	1.50
3	B	503	M16	C10-N01	-2.16	1.34	1.37
3	F	804	M16	C04-C05	-2.15	1.38	1.42
2	C	501	HEM	CMB-C2B	2.15	1.55	1.50
2	E	501	HEM	CMB-C2B	2.15	1.55	1.50
4	D	505	BTB	C5-N	2.14	1.51	1.48
2	F	802	HEM	CMA-C3A	2.14	1.55	1.50
2	F	802	HEM	C3B-C2B	-2.14	1.32	1.37
2	D	501	HEM	C3D-C2D	-2.12	1.32	1.36
3	E	502	M16	C09-C10	-2.11	1.38	1.41
2	A	501	HEM	CMC-C2C	2.11	1.55	1.50
2	E	501	HEM	CMD-C2D	2.06	1.55	1.50
3	A	503	M16	C04-C05	-2.05	1.38	1.42
2	C	501	HEM	CMC-C2C	2.05	1.55	1.50
3	D	503	M16	C04-C05	-2.03	1.38	1.42
4	C	505	BTB	C5-N	2.02	1.50	1.48
3	F	801	M16	C05-C10	-2.01	1.39	1.42
2	B	501	HEM	CMD-C2D	2.01	1.54	1.50

All (75) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	E	507	GOL	O3-C3-C2	-4.17	91.61	110.38
2	E	501	HEM	C3B-C4B-NB	-4.04	106.57	109.47
3	F	804	M16	C22-C21-C08	-3.92	114.49	121.25
2	C	501	HEM	C3D-C4D-ND	-3.80	106.00	110.17
2	E	501	HEM	C1B-NB-C4B	3.75	109.64	105.21
2	C	501	HEM	C4D-ND-C1D	3.70	109.59	105.21
3	B	502	M16	N02-C02-N01	3.61	121.23	118.24
3	D	502	M16	C05-C10-N01	-3.33	119.28	122.80
3	A	502	M16	C05-C10-N01	-3.25	119.36	122.80
7	E	507	GOL	O2-C2-C3	-3.25	95.72	109.18
2	B	501	HEM	CAD-CBD-CGD	-3.23	105.11	113.67
3	E	502	M16	C04-C05-C10	3.18	119.94	118.00
2	D	501	HEM	CMA-C3A-C4A	-3.08	120.73	125.42
3	C	502	M16	C05-C10-N01	-3.03	119.59	122.80
4	D	506	BTB	O3-C3-C2	2.99	118.44	111.40
2	F	802	HEM	C3B-C4B-NB	-2.95	107.35	109.47
3	C	503	M16	C22-C21-C08	-2.93	116.19	121.25
3	B	503	M16	C04-C05-C10	2.93	119.78	118.00
2	D	501	HEM	C3B-C4B-NB	-2.82	107.44	109.47
2	F	802	HEM	CAD-CBD-CGD	-2.79	106.27	113.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	502	M16	C05-C10-N01	-2.76	119.88	122.80
3	A	503	M16	C04-C05-C10	2.75	119.67	118.00
2	F	802	HEM	C3D-C4D-ND	-2.74	107.16	110.17
2	C	501	HEM	C2D-C1D-ND	-2.72	106.75	109.90
3	F	804	M16	C04-C05-C10	2.70	119.65	118.00
3	C	502	M16	C04-C05-C10	2.70	119.64	118.00
2	A	501	HEM	C3B-C2B-C1B	2.69	108.43	106.41
3	A	503	M16	C22-C21-C08	-2.64	116.71	121.25
2	F	802	HEM	C2A-C1A-NA	-2.63	107.24	110.15
2	E	501	HEM	C2A-C1A-NA	-2.57	107.30	110.15
2	C	501	HEM	C2A-C1A-NA	-2.54	107.33	110.15
3	F	801	M16	C05-C10-N01	-2.54	120.11	122.80
2	B	501	HEM	C3B-C2B-C1B	2.53	108.31	106.41
3	F	804	M16	C05-C10-N01	-2.50	120.16	122.80
2	E	501	HEM	C3D-C4D-ND	-2.50	107.43	110.17
2	E	501	HEM	C2B-C1B-NB	-2.49	106.97	109.84
2	E	501	HEM	CAD-C3D-C2D	-2.45	123.29	127.87
3	F	803	M16	C05-C10-N01	-2.44	120.22	122.80
3	F	803	M16	C22-C21-C08	-2.42	117.08	121.25
2	E	501	HEM	C3B-C2B-C1B	2.39	108.20	106.41
2	C	501	HEM	CAD-CBD-CGD	-2.39	107.33	113.67
2	F	802	HEM	C3B-C2B-C1B	2.37	108.19	106.41
3	F	804	M16	C26-C21-C08	2.35	125.31	121.25
2	D	501	HEM	CMA-C3A-C2A	2.33	130.57	125.62
2	F	802	HEM	C1B-NB-C4B	2.33	107.96	105.21
3	B	502	M16	C22-C21-C08	-2.32	117.24	121.25
4	C	505	BTB	C6-C5-N	2.32	120.63	111.59
3	F	801	M16	C04-C05-C10	2.31	119.41	118.00
4	C	505	BTB	C8-C7-N	2.31	120.60	111.59
2	F	802	HEM	CAA-CBA-CGA	-2.29	107.58	113.67
3	B	502	M16	C05-C10-N01	-2.29	120.37	122.80
4	D	504	BTB	O4-C4-C2	2.27	116.75	111.40
3	A	502	M16	C03-C04-C05	2.27	120.13	117.84
2	C	501	HEM	C3B-C4B-NB	-2.24	107.86	109.47
3	C	503	M16	C04-C05-C10	2.24	119.36	118.00
2	D	501	HEM	CAD-CBD-CGD	-2.22	107.78	113.67
3	D	502	M16	C03-C04-C05	2.21	120.07	117.84
2	D	501	HEM	C3D-C4D-ND	-2.20	107.76	110.17
3	B	503	M16	C05-C10-N01	-2.19	120.48	122.80
3	B	503	M16	C22-C21-C08	-2.19	117.48	121.25
2	C	501	HEM	CHA-C4D-ND	2.17	127.05	124.37
3	D	503	M16	C04-C05-C10	2.17	119.32	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	HEM	CHA-C4D-ND	2.16	127.04	124.37
3	D	503	M16	C05-C10-N01	-2.16	120.51	122.80
2	E	501	HEM	CBD-CAD-C3D	-2.15	106.58	112.53
2	D	501	HEM	C1B-NB-C4B	2.11	107.71	105.21
2	E	501	HEM	C4A-NA-C1A	2.09	109.23	105.82
2	C	501	HEM	C1B-NB-C4B	2.09	107.68	105.21
3	A	503	M16	C05-C10-N01	-2.08	120.60	122.80
2	D	501	HEM	CHD-C1D-ND	2.08	126.66	124.42
3	D	503	M16	C22-C21-C08	-2.06	117.70	121.25
3	E	502	M16	C09-C10-C05	2.05	121.86	119.58
3	C	502	M16	C03-C04-C05	2.03	119.89	117.84
2	F	802	HEM	CHA-C4D-ND	2.02	126.86	124.37
2	F	802	HEM	CAB-C3B-C2B	-2.02	121.88	128.43

There are no chirality outliers.

All (200) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	M16	C24-C27-C28-N29
3	A	503	M16	C24-C27-C28-N29
3	B	502	M16	C24-C27-C28-N29
3	B	503	M16	C24-C27-C28-N29
3	C	502	M16	C24-C27-C28-N29
3	E	502	M16	C24-C27-C28-N29
3	F	804	M16	C24-C27-C28-N29
4	A	504	BTB	O1-C1-C2-C3
4	A	504	BTB	O1-C1-C2-C4
4	A	504	BTB	O1-C1-C2-N
4	A	504	BTB	C3-C2-C4-O4
4	A	505	BTB	C1-C2-C3-O3
4	A	505	BTB	C4-C2-C3-O3
4	A	505	BTB	N-C2-C3-O3
4	A	505	BTB	C1-C2-N-C5
4	A	505	BTB	C1-C2-N-C7
4	A	505	BTB	C3-C2-N-C5
4	A	505	BTB	C3-C2-N-C7
4	A	505	BTB	C4-C2-N-C5
4	A	505	BTB	C4-C2-N-C7
4	A	505	BTB	N-C5-C6-O6
4	A	509	BTB	O1-C1-C2-C3
4	A	509	BTB	O1-C1-C2-N
4	A	509	BTB	C1-C2-C4-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	509	BTB	C3-C2-C4-O4
4	A	509	BTB	N-C2-C4-O4
4	B	505	BTB	C1-C2-C3-O3
4	B	505	BTB	C4-C2-C3-O3
4	B	505	BTB	N-C2-C3-O3
4	B	505	BTB	C1-C2-C4-O4
4	B	505	BTB	C3-C2-C4-O4
4	B	505	BTB	N-C2-C4-O4
4	B	505	BTB	C1-C2-N-C7
4	B	505	BTB	C3-C2-N-C7
4	B	506	BTB	O1-C1-C2-C3
4	B	506	BTB	O1-C1-C2-C4
4	B	506	BTB	O1-C1-C2-N
4	B	506	BTB	C1-C2-C3-O3
4	B	506	BTB	C4-C2-C3-O3
4	B	506	BTB	N-C2-C3-O3
4	B	506	BTB	C1-C2-C4-O4
4	B	506	BTB	C3-C2-C4-O4
4	B	506	BTB	N-C2-C4-O4
4	B	506	BTB	C6-C5-N-C7
4	B	507	BTB	C1-C2-C4-O4
4	B	507	BTB	C3-C2-C4-O4
4	B	507	BTB	N-C2-C4-O4
4	C	504	BTB	C3-C2-C4-O4
4	C	505	BTB	O1-C1-C2-C4
4	C	505	BTB	O1-C1-C2-N
4	C	505	BTB	C1-C2-C3-O3
4	C	505	BTB	C4-C2-C3-O3
4	C	505	BTB	N-C2-C3-O3
4	C	505	BTB	C1-C2-N-C7
4	C	505	BTB	C3-C2-N-C7
4	C	505	BTB	C4-C2-N-C7
4	C	506	BTB	O1-C1-C2-C3
4	C	506	BTB	O1-C1-C2-C4
4	C	506	BTB	O1-C1-C2-N
4	C	506	BTB	C1-C2-N-C5
4	C	506	BTB	C3-C2-N-C5
4	C	506	BTB	C4-C2-N-C5
4	C	506	BTB	C4-C2-N-C7
4	D	504	BTB	C1-C2-C4-O4
4	D	504	BTB	C3-C2-C4-O4
4	D	504	BTB	N-C2-C4-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	D	504	BTB	C1-C2-N-C5
4	D	504	BTB	C3-C2-N-C5
4	D	504	BTB	C4-C2-N-C5
4	D	505	BTB	C3-C2-N-C5
4	D	505	BTB	C6-C5-N-C2
4	D	505	BTB	C8-C7-N-C5
4	D	506	BTB	C1-C2-C3-O3
4	D	506	BTB	C4-C2-C3-O3
4	D	506	BTB	N-C2-C3-O3
4	D	506	BTB	C8-C7-N-C5
4	D	506	BTB	N-C5-C6-O6
4	E	503	BTB	C1-C2-C3-O3
4	E	503	BTB	C4-C2-C3-O3
4	E	503	BTB	N-C2-C3-O3
4	E	503	BTB	C1-C2-C4-O4
4	E	503	BTB	C3-C2-C4-O4
4	E	504	BTB	O1-C1-C2-C3
4	E	504	BTB	O1-C1-C2-C4
4	E	504	BTB	O1-C1-C2-N
4	E	504	BTB	C1-C2-C4-O4
4	E	504	BTB	C3-C2-C4-O4
4	E	504	BTB	N-C2-C4-O4
4	E	505	BTB	C1-C2-C3-O3
4	E	505	BTB	C4-C2-C3-O3
4	E	505	BTB	N-C2-C3-O3
4	E	505	BTB	C6-C5-N-C7
4	F	805	BTB	C1-C2-C4-O4
4	F	805	BTB	C1-C2-N-C5
4	F	805	BTB	C3-C2-N-C5
4	F	805	BTB	C4-C2-N-C5
4	F	806	BTB	O1-C1-C2-C4
4	F	806	BTB	O1-C1-C2-N
4	F	806	BTB	C1-C2-C3-O3
4	F	806	BTB	C4-C2-C3-O3
4	F	806	BTB	C1-C2-C4-O4
4	F	806	BTB	C3-C2-C4-O4
4	F	806	BTB	N-C2-C4-O4
4	F	806	BTB	C1-C2-N-C5
4	F	806	BTB	C1-C2-N-C7
4	F	806	BTB	C3-C2-N-C5
4	F	806	BTB	C3-C2-N-C7
4	F	806	BTB	C4-C2-N-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	F	806	BTB	C4-C2-N-C7
7	C	508	GOL	O1-C1-C2-C3
7	C	508	GOL	C1-C2-C3-O3
7	E	507	GOL	C1-C2-C3-O3
3	B	503	M16	C09-C08-C21-C22
3	F	804	M16	C07-C08-C21-C22
3	F	804	M16	C07-C08-C21-C26
3	B	503	M16	C09-C08-C21-C26
3	F	804	M16	C09-C08-C21-C26
3	B	503	M16	C07-C08-C21-C22
3	B	503	M16	C07-C08-C21-C26
3	F	804	M16	C09-C08-C21-C22
3	A	503	M16	C07-C08-C21-C22
3	A	503	M16	C07-C08-C21-C26
3	A	503	M16	C09-C08-C21-C22
3	A	503	M16	C09-C08-C21-C26
3	F	803	M16	C07-C08-C21-C26
3	F	803	M16	C07-C08-C21-C22
3	F	803	M16	C09-C08-C21-C22
3	F	803	M16	C09-C08-C21-C26
3	C	503	M16	C07-C08-C21-C22
3	C	503	M16	C07-C08-C21-C26
4	F	805	BTB	N-C7-C8-O8
4	F	806	BTB	N-C5-C6-O6
4	F	806	BTB	N-C7-C8-O8
3	C	503	M16	C09-C08-C21-C22
4	D	504	BTB	N-C5-C6-O6
4	D	505	BTB	N-C5-C6-O6
4	F	805	BTB	C3-C2-C4-O4
7	C	508	GOL	O2-C2-C3-O3
4	B	505	BTB	N-C5-C6-O6
3	C	503	M16	C09-C08-C21-C26
7	E	507	GOL	O2-C2-C3-O3
4	C	506	BTB	N-C7-C8-O8
4	F	805	BTB	N-C5-C6-O6
4	A	504	BTB	C1-C2-C4-O4
7	C	508	GOL	O1-C1-C2-O2
3	D	502	M16	C25-C24-C27-C28
3	D	502	M16	C23-C24-C27-C28
4	E	504	BTB	N-C5-C6-O6
2	C	501	HEM	C4B-C3B-CAB-CBB
2	D	501	HEM	C4B-C3B-CAB-CBB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	E	502	M16	C09-C08-C21-C22
4	B	504	BTB	C3-C2-C4-O4
4	A	505	BTB	N-C7-C8-O8
3	C	502	M16	C25-C24-C27-C28
4	B	506	BTB	N-C5-C6-O6
4	B	504	BTB	O1-C1-C2-N
4	B	505	BTB	C4-C2-N-C7
4	C	506	BTB	C1-C2-N-C7
4	C	506	BTB	C3-C2-N-C7
4	D	505	BTB	N-C2-C4-O4
4	D	505	BTB	C1-C2-N-C5
4	D	505	BTB	C4-C2-N-C5
4	E	503	BTB	N-C2-C4-O4
4	F	805	BTB	N-C2-C4-O4
4	F	805	BTB	C1-C2-N-C7
4	F	805	BTB	C4-C2-N-C7
4	F	806	BTB	N-C2-C3-O3
3	E	502	M16	C07-C08-C21-C22
3	B	502	M16	C25-C24-C27-C28
4	B	507	BTB	N-C7-C8-O8
3	C	502	M16	C23-C24-C27-C28
3	E	502	M16	C07-C08-C21-C26
3	B	502	M16	C23-C24-C27-C28
4	F	805	BTB	O1-C1-C2-C4
2	A	501	HEM	C4B-C3B-CAB-CBB
3	F	804	M16	C23-C24-C27-C28
3	F	804	M16	C25-C24-C27-C28
4	E	503	BTB	N-C7-C8-O8
3	E	502	M16	C09-C08-C21-C26
3	B	503	M16	C23-C24-C27-C28
3	A	503	M16	C23-C24-C27-C28
4	C	505	BTB	C8-C7-N-C5
4	B	504	BTB	O1-C1-C2-C4
2	E	501	HEM	CAA-CBA-CGA-O2A
3	B	503	M16	C25-C24-C27-C28
3	A	503	M16	C25-C24-C27-C28
4	C	506	BTB	N-C5-C6-O6
2	A	501	HEM	CAA-CBA-CGA-O2A
2	B	501	HEM	CAD-CBD-CGD-O2D
2	E	501	HEM	CAA-CBA-CGA-O1A
2	F	802	HEM	C2A-CAA-CBA-CGA
2	B	501	HEM	CAD-CBD-CGD-O1D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	D	506	BTB	C6-C5-N-C2
2	A	501	HEM	CAA-CBA-CGA-O1A
4	F	805	BTB	C1-C2-C3-O3
4	C	504	BTB	N-C7-C8-O8
4	A	504	BTB	N-C2-C4-O4
4	B	505	BTB	C3-C2-N-C5
4	C	504	BTB	N-C2-C4-O4
4	F	805	BTB	O1-C1-C2-N

There are no ring outliers.

32 monomers are involved in 86 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	803	M16	2	0
4	A	509	BTB	4	0
4	A	504	BTB	4	0
4	E	505	BTB	1	0
2	E	501	HEM	3	0
4	D	504	BTB	4	0
3	A	503	M16	1	0
2	F	802	HEM	4	0
4	B	504	BTB	4	0
4	F	806	BTB	4	0
4	B	507	BTB	3	0
4	B	505	BTB	4	0
4	A	505	BTB	2	0
4	C	506	BTB	1	0
4	E	504	BTB	6	0
2	B	501	HEM	3	0
3	D	502	M16	1	0
3	C	502	M16	3	0
4	D	506	BTB	3	0
3	B	502	M16	2	0
7	E	507	GOL	1	0
3	A	502	M16	2	0
3	E	502	M16	3	0
4	F	805	BTB	3	0
4	C	505	BTB	3	0
2	D	501	HEM	3	0
2	C	501	HEM	3	0
3	F	801	M16	1	0
4	D	505	BTB	6	0



Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	503	M16	1	0
2	A	501	HEM	3	0
4	B	506	BTB	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand M16 D 503




Ligand HEM B 501




Ligand M16 D 502




Ligand M16 C 502




Ligand M16 B 502




Ligand M16 A 502




Ligand M16 E 502




Ligand HEM D 501




Ligand M16 B 503




Ligand HEM C 501




Ligand M16 F 801



Ligand M16 C 503





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	401/440 (91%)	0.02	11 (2%)	56 53	15, 36, 78, 126	3 (0%)
1	B	402/440 (91%)	-0.03	10 (2%)	58 55	18, 34, 63, 105	4 (0%)
1	C	401/440 (91%)	0.45	33 (8%)	17 15	21, 48, 103, 129	2 (0%)
1	D	402/440 (91%)	-0.01	14 (3%)	47 44	16, 34, 71, 111	3 (0%)
1	E	401/440 (91%)	-0.01	12 (2%)	52 49	18, 34, 72, 101	2 (0%)
1	F	402/440 (91%)	-0.09	11 (2%)	56 53	16, 33, 66, 104	2 (0%)
All	All	2409/2640 (91%)	0.06	91 (3%)	44 41	15, 36, 82, 129	16 (0%)

All (91) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	119	ALA	6.8
1	E	106	PRO	5.6
1	C	237	GLY	4.7
1	D	257	GLN	4.7
1	C	120	PRO	4.7
1	B	119	ALA	4.6
1	C	119	ALA	4.5
1	C	106	PRO	4.3
1	B	371[A]	HIS	4.2
1	E	119	ALA	4.1
1	A	119	ALA	4.0
1	F	371	HIS	3.7
1	B	120	PRO	3.7
1	F	106	PRO	3.7
1	A	106	PRO	3.6
1	F	67	LYS	3.4
1	E	236	PRO	3.4
1	B	106	PRO	3.2
1	C	159	ALA	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	144	GLN	3.0
1	D	67	LYS	3.0
1	C	257	GLN	3.0
1	A	259	GLY	3.0
1	E	299	PRO	3.0
1	C	68	PHE	2.9
1	E	89	GLN	2.8
1	D	371	HIS	2.8
1	C	204	ALA	2.8
1	C	155	ALA	2.8
1	C	236	PRO	2.8
1	B	121	GLU	2.7
1	C	161	GLY	2.7
1	C	123	LEU	2.7
1	D	89	GLN	2.7
1	C	299	PRO	2.6
1	E	257	GLN	2.6
1	F	121	GLU	2.5
1	D	140	ARG	2.5
1	C	384	ASP	2.5
1	A	257	GLN	2.5
1	C	280	THR	2.5
1	C	303	PHE	2.5
1	C	89	GLN	2.5
1	D	144	GLN	2.5
1	E	90	GLN	2.5
1	A	120	PRO	2.5
1	C	281	PRO	2.5
1	E	237	GLY	2.5
1	F	237	GLY	2.5
1	C	158	ALA	2.4
1	D	259	GLY	2.4
1	C	235	CYS	2.4
1	C	302	LEU	2.4
1	C	308	GLU	2.4
1	B	297	ASP	2.4
1	A	255	ARG	2.4
1	C	124	LEU	2.4
1	C	129	ASP	2.4
1	F	280	THR	2.4
1	F	120	PRO	2.4
1	F	283	ASN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	142	GLY	2.3
1	E	298	GLU	2.3
1	D	106	PRO	2.3
1	D	148	GLN	2.3
1	A	276	GLN	2.3
1	F	90	GLN	2.3
1	C	157	VAL	2.3
1	C	307	PRO	2.3
1	E	388	ARG	2.3
1	D	142	GLY	2.3
1	B	89	GLN	2.2
1	C	238	ARG	2.2
1	D	122	GLN	2.2
1	E	308	GLU	2.2
1	F	119	ALA	2.2
1	C	160	THR	2.2
1	A	235	CYS	2.2
1	A	307	PRO	2.1
1	F	89	GLN	2.1
1	A	388	ARG	2.1
1	D	238	ARG	2.1
1	B	308	GLU	2.1
1	E	389	THR	2.1
1	B	259	GLY	2.1
1	C	304	LEU	2.1
1	A	308	GLU	2.1
1	C	70	ARG	2.0
1	C	283	ASN	2.0
1	B	122	GLN	2.0
1	D	97	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	BTB	C	505	14/14	0.61	0.18	67,78,84,85	0
4	BTB	D	506	14/14	0.62	0.16	74,79,86,94	0
4	BTB	B	506	14/14	0.63	0.17	74,79,83,85	0
4	BTB	B	505	14/14	0.67	0.17	71,85,91,93	0
4	BTB	E	505	14/14	0.69	0.19	60,72,85,87	0
4	BTB	B	507	14/14	0.70	0.16	71,80,86,86	0
4	BTB	E	504	14/14	0.73	0.21	63,70,92,100	0
4	BTB	A	505	14/14	0.73	0.17	76,85,92,93	0
4	BTB	F	806	14/14	0.74	0.23	54,70,78,81	0
4	BTB	D	504	14/14	0.79	0.20	30,63,82,88	0
6	GD	B	509	1/1	0.79	0.19	195,195,195,195	0
4	BTB	C	506	14/14	0.80	0.16	59,66,86,94	0
4	BTB	F	805	14/14	0.85	0.15	31,61,73,81	0
4	BTB	B	504	14/14	0.86	0.17	30,58,75,78	0
4	BTB	E	503	14/14	0.87	0.18	56,84,103,108	0
4	BTB	A	504	14/14	0.87	0.14	46,68,77,80	0
4	BTB	C	504	14/14	0.87	0.14	61,77,85,86	0
3	M16	C	503	21/21	0.89	0.14	31,53,80,81	0
3	M16	F	801	21/21	0.90	0.13	20,47,69,71	0
4	BTB	A	509	14/14	0.92	0.12	35,56,71,73	0
3	M16	E	502	21/21	0.92	0.12	20,32,69,70	0
3	M16	C	502	21/21	0.92	0.11	25,53,69,75	0
3	M16	A	503	21/21	0.92	0.11	22,44,73,77	0
4	BTB	D	505	14/14	0.92	0.18	4,63,73,75	0
5	ZN	D	509	1/1	0.92	0.20	122,122,122,122	0
3	M16	D	503	21/21	0.92	0.12	21,36,85,87	0
5	ZN	C	510	1/1	0.93	0.10	57,57,57,57	0
7	GOL	C	508	6/6	0.93	0.10	35,50,61,64	0
3	M16	B	502	21/21	0.94	0.10	15,34,65,70	0
3	M16	F	804	21/21	0.94	0.12	19,28,80,81	0
5	ZN	F	808	1/1	0.94	0.21	128,128,128,128	0
3	M16	B	503	21/21	0.94	0.10	18,37,74,74	0
6	GD	D	507	1/1	0.94	0.13	132,132,132,132	0
3	M16	A	502	21/21	0.94	0.10	23,30,73,76	0
3	M16	D	502	21/21	0.95	0.10	9,26,68,71	0
5	ZN	B	510	1/1	0.95	0.14	104,104,104,104	0
6	GD	C	509	1/1	0.95	0.07	126,126,126,126	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	HEM	D	501	43/43	0.95	0.08	7,21,44,49	0
3	M16	F	803	21/21	0.95	0.11	15,26,73,78	0
5	ZN	E	508	1/1	0.96	0.11	51,51,51,51	0
7	GOL	E	507	6/6	0.96	0.17	0,18,43,57	0
5	ZN	A	510	1/1	0.97	0.06	58,58,58,58	0
6	GD	B	508	1/1	0.98	0.03	38,38,38,38	0
6	GD	D	508	1/1	0.98	0.03	38,38,38,38	0
2	HEM	C	501	43/43	0.98	0.08	19,34,63,77	0
2	HEM	B	501	43/43	0.98	0.07	11,22,49,53	0
2	HEM	E	501	43/43	0.99	0.06	13,23,57,72	0
2	HEM	F	802	43/43	0.99	0.06	8,20,56,67	0
6	GD	A	507	1/1	0.99	0.06	81,81,81,81	0
6	GD	F	807	1/1	0.99	0.05	47,47,47,47	0
2	HEM	A	501	43/43	0.99	0.06	12,23,55,70	0
5	ZN	E	506	1/1	0.99	0.03	32,32,32,32	0
6	GD	A	508	1/1	1.00	0.04	36,36,36,36	0
5	ZN	A	506	1/1	1.00	0.01	31,31,31,31	0
5	ZN	C	507	1/1	1.00	0.01	34,34,34,34	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around M16 C 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around M16 F 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around M16 E 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around M16 C 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around M16 A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around M16 D 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around M16 B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around M16 F 804:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around M16 B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around M16 A 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around M16 D 502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around M16 F 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEM C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEM E 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM F 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.